

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFBRA	Antimony	5.6546E-008	6.8439E-008
RCPTR_22	farmer_adult	TOCDFBRA	Arsenic	9.3092E-008	9.7283E-008
RCPTR_22	farmer_adult	TOCDFBRA	Barium	7.7673E-009	8.9660E-009
RCPTR_22	farmer_adult	TOCDFBRA	Beryllium	2.7555E-008	3.2523E-008
RCPTR_22	farmer_adult	TOCDFBRA	Cadmium	4.5236E-009	6.8774E-009
RCPTR_22	farmer_adult	TOCDFBRA	Chromium	7.7926E-007	8.0380E-007
RCPTR_22	farmer_adult	TOCDFBRA	Chromium, hexavalent	5.5127E-007	5.6189E-007
RCPTR_22	farmer_adult	TOCDFBRA	Lead	3.0476E-007	3.8373E-007
RCPTR_22	farmer_adult	TOCDFBRA	Mercuric chloride	1.2481E-004	1.3755E-004
RCPTR_22	farmer_adult	TOCDFBRA	Methyl mercury	1.0475E-006	1.1140E-006
RCPTR_22	farmer_adult	TOCDFBRA	Nickel	3.0619E-007	3.3504E-007
RCPTR_22	farmer_adult	TOCDFBRA	Selenium	1.0445E-007	1.0508E-007
RCPTR_22	farmer_adult	TOCDFBRA	Silver	3.5183E-008	3.7909E-008
RCPTR_22	farmer_adult	TOCDFBRA	Thallium (I)	9.5119E-007	1.0134E-006
RCPTR_22	farmer_adult	TOCDFBRA	Zinc	1.6486E-007	2.1908E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Acenaphthene	3.7504E-011	1.9001E-010
RCPTR_22	farmer_adult	TOCDFDFS	Acetone	4.5523E-016	2.3739E-015
RCPTR_22	farmer_adult	TOCDFDFS	Acetophenone	2.0181E-013	1.0508E-012
RCPTR_22	farmer_adult	TOCDFDFS	Aniline	1.1614E-014	6.0275E-014
RCPTR_22	farmer_adult	TOCDFDFS	Anthracene	6.6388E-010	3.3532E-009
RCPTR_22	farmer_adult	TOCDFDFS	Antimony	5.8587E-007	7.0003E-007
RCPTR_22	farmer_adult	TOCDFDFS	Aroclor 1254	1.2466E-011	2.1774E-011
RCPTR_22	farmer_adult	TOCDFDFS	Arsenic	5.4698E-008	5.6973E-008
RCPTR_22	farmer_adult	TOCDFDFS	Barium	1.6017E-009	1.8304E-009
RCPTR_22	farmer_adult	TOCDFDFS	Benzene	3.7902E-016	1.9638E-015
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)anthracene	2.6163E-007	4.2456E-007
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(a)pyrene	2.7424E-006	2.9079E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	1.4917E-006	1.9034E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	4.2750E-006	4.6008E-006
RCPTR_22	farmer_adult	TOCDFDFS	Benzoic acid	1.5840E-012	6.9051E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Benzyl alcohol	2.6278E-013	1.3673E-012
RCPTR_22	farmer_adult	TOCDFDFS	Beryllium	1.5503E-008	1.8113E-008
RCPTR_22	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	2.6242E-013	1.3684E-012
RCPTR_22	farmer_adult	TOCDFDFS	Bromodichloromethane	2.9730E-015	1.5484E-014
RCPTR_22	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.1811E-013	6.1542E-013
RCPTR_22	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.4814E-008	7.3565E-008
RCPTR_22	farmer_adult	TOCDFDFS	Butylbenzylphthalate	1.6388E-009	1.9025E-009
RCPTR_22	farmer_adult	TOCDFDFS	Cadmium	1.2837E-008	1.9062E-008
RCPTR_22	farmer_adult	TOCDFDFS	Carbon disulfide	1.9763E-016	1.0264E-015
RCPTR_22	farmer_adult	TOCDFDFS	Carbon tetrachloride	9.8941E-016	5.1232E-015
RCPTR_22	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	2.8826E-011	1.1325E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.2260E-012	6.3560E-012
RCPTR_22	farmer_adult	TOCDFDFS	Chlorobenzene	5.8139E-015	2.9976E-014
RCPTR_22	farmer_adult	TOCDFDFS	Chloroethane	1.6801E-017	8.4242E-017
RCPTR_22	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	8.9069E-016	4.6375E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	9.7349E-011	4.9636E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenol, 2-	3.3863E-012	1.7649E-011
RCPTR_22	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.6221E-010	6.3064E-010
RCPTR_22	farmer_adult	TOCDFDFS	Chromium	2.3292E-007	2.3985E-007
RCPTR_22	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.6856E-007	1.7156E-007
RCPTR_22	farmer_adult	TOCDFDFS	Chrysene	7.7355E-007	9.9054E-007
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	6.0041E-009	7.0185E-009
RCPTR_22	farmer_adult	TOCDFDFS	Di-n-octylphthalate	3.0397E+001	3.0397E+001
RCPTR_22	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	5.3959E-005	5.5010E-005
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.6122E-013	8.0175E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	1.9185E-013	9.7001E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	1.8388E-013	9.3391E-013
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	5.5566E-009	6.9056E-009
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.2976E-018	6.7235E-018
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.2504E-016	1.6929E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0368E-016	2.1031E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.2335E-016	6.4091E-016
RCPTR_22	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.9835E-016	1.0303E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	2.3845E-011	7.8617E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.1193E-015	5.7974E-015
RCPTR_22	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.6761E-016	1.9128E-015
RCPTR_22	farmer_adult	TOCDFDFS	Diethyl phthalate	3.7262E-009	3.8998E-009
RCPTR_22	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.3129E-012	2.6583E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	2.3330E-012	1.2032E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	2.8014E-012	6.1334E-012
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.2754E-012	1.1067E-011
RCPTR_22	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.7167E-012	8.5248E-012
RCPTR_22	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	4.9144E-014	2.5621E-013
RCPTR_22	farmer_adult	TOCDFDFS	Ethylbenzene	3.6958E-015	1.8325E-014
RCPTR_22	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.6773E-010	1.9576E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Fluoranthene	1.3405E-008	4.7220E-008
RCPTR_22	farmer_adult	TOCDFDFS	Fluorene	1.5006E-010	7.4613E-010
RCPTR_22	farmer_adult	TOCDFDFS	GB	1.3241E-015	6.8918E-015
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.4668E-014	6.0469E-014
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.7884E-014	3.0306E-014
RCPTR_22	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.5807E-014	1.0575E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.2973E-013	5.7756E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.9084E-013	3.2403E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.5549E-013	2.8836E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.0012E-013	2.2878E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7788E-013	2.0326E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.3803E-013	2.7177E-013
RCPTR_22	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6397E-013	1.8729E-013
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3623E-012	1.5682E-011
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorobenzene	6.6705E-009	3.1941E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	4.5375E-011	2.0632E-010
RCPTR_22	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.9008E-012	9.6367E-012
RCPTR_22	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.0812E-004	4.1008E-004
RCPTR_22	farmer_adult	TOCDFDFS	Isophorone	3.5187E-013	1.8320E-012
RCPTR_22	farmer_adult	TOCDFDFS	Lead	1.8421E-006	2.2911E-006
RCPTR_22	farmer_adult	TOCDFDFS	Mercuric chloride	4.4084E-008	4.8684E-008
RCPTR_22	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	3.4386E-017	1.7921E-016
RCPTR_22	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	5.8258E-018	3.0340E-017
RCPTR_22	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.0553E-015	1.5931E-014
RCPTR_22	farmer_adult	TOCDFDFS	Methyl mercury	3.3683E-010	3.6085E-010
RCPTR_22	farmer_adult	TOCDFDFS	Methylene chloride	8.8398E-017	4.6051E-016
RCPTR_22	farmer_adult	TOCDFDFS	Naphthalene	1.5064E-012	7.7340E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nickel	1.8699E-007	2.0328E-007
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 2-	5.9560E-012	3.0876E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.4118E-012	7.3485E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitroaniline, 4-	1.8271E-012	9.4952E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrobenzene	5.9335E-013	3.0923E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 2-	2.7039E-013	1.4078E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.0818E-011	2.1504E-011
RCPTR_22	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.3635E-013	1.7440E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	3.3148E-013	1.7138E-012
RCPTR_22	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	3.0281E-014	1.5354E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4293E-013	1.6204E-013
RCPTR_22	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.9101E-014	5.5527E-014
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.2955E-012	1.4340E-012
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.0700E-013	1.2557E-013
RCPTR_22	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.3481E-013	5.0810E-013
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorobenzene	2.7687E-011	1.1868E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.1226E-011	4.6395E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Pentachlorophenol	1.6637E-008	2.3223E-008
RCPTR_22	farmer_adult	TOCDFDFS	Phenanthrene	4.6986E-013	2.3640E-012
RCPTR_22	farmer_adult	TOCDFDFS	Phenol	4.7184E-013	2.4496E-012
RCPTR_22	farmer_adult	TOCDFDFS	Pronamide	9.4330E-011	4.6789E-010
RCPTR_22	farmer_adult	TOCDFDFS	Pyrene	2.4187E-008	9.6504E-008
RCPTR_22	farmer_adult	TOCDFDFS	Selenium	6.1415E-008	6.1756E-008
RCPTR_22	farmer_adult	TOCDFDFS	Silver	2.0988E-008	2.2491E-008
RCPTR_22	farmer_adult	TOCDFDFS	Styrene	9.6442E-014	5.0005E-013
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	5.7656E-013	7.0944E-013
RCPTR_22	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	1.7989E-013	2.3564E-013
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.0083E-011	1.8924E-010
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	6.3635E-012	8.1197E-012
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1881E-015	6.1606E-015
RCPTR_22	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.3462E-010	1.3357E-009
RCPTR_22	farmer_adult	TOCDFDFS	Thallium (I)	5.4079E-007	5.7348E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFDFS	Toluene	1.6178E-015	8.2982E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.4716E-012	7.2492E-012
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	7.6598E-016	3.9805E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	5.8467E-015	3.0437E-014
RCPTR_22	farmer_adult	TOCDFDFS	Trichloroethylene	9.5383E-016	4.9482E-015
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2531E-016	6.5033E-016
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7885E-010	8.3056E-010
RCPTR_22	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	4.5108E-011	1.6840E-010
RCPTR_22	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.1660E-014	1.1265E-013
RCPTR_22	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.6889E-013	1.3202E-012
RCPTR_22	farmer_adult	TOCDFDFS	Vinyl Chloride	3.0920E-019	1.6080E-018
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, m-	2.4799E-014	4.4233E-014
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, o-	2.2345E-014	4.4501E-014
RCPTR_22	farmer_adult	TOCDFDFS	Xylene, p-	2.5917E-014	5.6057E-014
RCPTR_22	farmer_adult	TOCDFDFS	Zinc	1.1263E-007	1.4702E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Acenaphthene	2.3137E-011	1.1713E-010
RCPTR_22	farmer_adult	TOCDFLIC	Acetone	5.9190E-016	3.0866E-015
RCPTR_22	farmer_adult	TOCDFLIC	Acetophenone	2.1322E-013	1.1102E-012
RCPTR_22	farmer_adult	TOCDFLIC	Aniline	7.1590E-015	3.7149E-014
RCPTR_22	farmer_adult	TOCDFLIC	Anthracene	4.0950E-010	2.0669E-009
RCPTR_22	farmer_adult	TOCDFLIC	Antimony	1.0866E-008	1.2952E-008
RCPTR_22	farmer_adult	TOCDFLIC	Arsenic	3.4697E-008	3.6118E-008
RCPTR_22	farmer_adult	TOCDFLIC	Barium	1.1546E-009	1.3170E-009
RCPTR_22	farmer_adult	TOCDFLIC	Benzene	5.4690E-015	2.8330E-014
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.6406E-007	2.6419E-007
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(a)pyrene	1.7093E-006	1.8077E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	9.4126E-007	1.1939E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	2.6694E-006	2.8601E-006
RCPTR_22	farmer_adult	TOCDFLIC	Benzoic acid	1.0561E-012	4.5740E-012
RCPTR_22	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6196E-013	8.4271E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Beryllium	6.0725E-009	7.0810E-009
RCPTR_22	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6173E-013	8.4333E-013
RCPTR_22	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4479E-015	7.5411E-015
RCPTR_22	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	4.9854E-014	2.5975E-013
RCPTR_22	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	9.1287E-009	4.5337E-008
RCPTR_22	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.0025E-009	1.1649E-009
RCPTR_22	farmer_adult	TOCDFLIC	Cadmium	3.7212E-009	5.5004E-009
RCPTR_22	farmer_adult	TOCDFLIC	Carbon disulfide	3.3054E-016	1.7164E-015
RCPTR_22	farmer_adult	TOCDFLIC	Carbon tetrachloride	5.2340E-016	2.7096E-015
RCPTR_22	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	1.7999E-011	7.0029E-011
RCPTR_22	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.5578E-013	3.9174E-012
RCPTR_22	farmer_adult	TOCDFLIC	Chlorobenzene	3.0761E-015	1.5854E-014
RCPTR_22	farmer_adult	TOCDFLIC	Chloroethane	8.9033E-018	4.4569E-017
RCPTR_22	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.6084E-016	2.3993E-015
RCPTR_22	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.0052E-011	3.0596E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.0870E-012	1.0877E-011
RCPTR_22	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.0082E-010	3.8951E-010
RCPTR_22	farmer_adult	TOCDFLIC	Chromium	3.0221E-007	3.1110E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chromium, hexavalent	2.1965E-007	2.2350E-007
RCPTR_22	farmer_adult	TOCDFLIC	Chrysene	4.8867E-007	6.2155E-007
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	3.8252E-009	4.4502E-009
RCPTR_22	farmer_adult	TOCDFLIC	Di-n-octylphthalate	1.9547E+001	1.9547E+001
RCPTR_22	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	3.4034E-005	3.4632E-005
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	9.9557E-014	4.9432E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.1839E-013	5.9798E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1345E-013	5.7570E-013
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	1.7989E-009	2.2277E-009
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	6.8619E-019	3.5557E-018
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.7190E-016	8.9527E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1349E-016	1.1122E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.5245E-017	3.3895E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0492E-016	5.4487E-016
RCPTR_22	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.4983E-011	4.8739E-011
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	5.9212E-016	3.0661E-015
RCPTR_22	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9442E-016	1.0116E-015
RCPTR_22	farmer_adult	TOCDFLIC	Diethyl phthalate	2.3947E-009	2.5017E-009
RCPTR_22	farmer_adult	TOCDFLIC	Dimethyl phthalate	5.9130E-012	2.9564E-011
RCPTR_22	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4387E-012	7.4160E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	1.7968E-012	3.8749E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.4026E-012	6.8205E-012
RCPTR_22	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0594E-012	5.2552E-012
RCPTR_22	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.0288E-014	1.5790E-013
RCPTR_22	farmer_adult	TOCDFLIC	Ethylbenzene	2.6113E-015	1.2927E-014
RCPTR_22	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.2324E-009	3.7781E-009
RCPTR_22	farmer_adult	TOCDFLIC	Fluoranthene	8.3530E-009	2.9190E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Fluorene	9.2644E-011	4.6000E-010
RCPTR_22	farmer_adult	TOCDFLIC	GB	5.0804E-016	2.6441E-015
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.5693E-014	3.9319E-014
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.2401E-014	4.5874E-014
RCPTR_22	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0185E-013	1.1194E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.4707E-013	4.8530E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.5590E-013	2.8394E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.1979E-013	2.4726E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4039E-013	1.6009E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.3746E-013	1.5667E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.5899E-013	1.8104E-013
RCPTR_22	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.1604E-013	1.3219E-013
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.0767E-012	9.6692E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.1234E-009	1.9697E-008
RCPTR_22	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.6620E-012	2.5701E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1732E-012	5.9408E-012
RCPTR_22	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6090E-004	2.6202E-004
RCPTR_22	farmer_adult	TOCDFLIC	Isophorone	2.1688E-013	1.1291E-012
RCPTR_22	farmer_adult	TOCDFLIC	Lead	7.0894E-007	8.7963E-007
RCPTR_22	farmer_adult	TOCDFLIC	Mercuric chloride	3.9479E-006	4.3622E-006
RCPTR_22	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.1832E-017	6.1668E-017
RCPTR_22	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	9.6991E-019	5.0511E-018
RCPTR_22	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.5209E-015	1.8358E-014
RCPTR_22	farmer_adult	TOCDFLIC	Methyl mercury	2.9449E-008	3.1612E-008
RCPTR_22	farmer_adult	TOCDFLIC	Methylene chloride	7.4958E-017	3.9048E-016
RCPTR_22	farmer_adult	TOCDFLIC	Naphthalene	9.2897E-013	4.7670E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nickel	1.0965E-007	1.1905E-007
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.7153E-012	1.9257E-011
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.8054E-013	4.5830E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1394E-012	5.9216E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrobenzene	3.6569E-013	1.9058E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.6665E-013	8.6766E-013
RCPTR_22	farmer_adult	TOCDFLIC	Nitrophenol, 4-	6.9695E-012	1.3634E-011
RCPTR_22	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0736E-013	1.0749E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.0439E-013	1.0563E-012
RCPTR_22	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.8627E-014	9.4589E-014
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2538E-013	1.4178E-013
RCPTR_22	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.1241E-014	4.6523E-014
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.0360E-013	9.9592E-013
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.3585E-013	2.7575E-013
RCPTR_22	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.2610E-013	6.1282E-013
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.6911E-011	7.2987E-011
RCPTR_22	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.9316E-012	2.8865E-011
RCPTR_22	farmer_adult	TOCDFLIC	Pentachlorophenol	1.0783E-008	1.4891E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Phenanthrene	2.8997E-013	1.4574E-012
RCPTR_22	farmer_adult	TOCDFLIC	Phenol	2.9086E-013	1.5097E-012
RCPTR_22	farmer_adult	TOCDFLIC	Pronamide	2.9134E-011	1.4425E-010
RCPTR_22	farmer_adult	TOCDFLIC	Pyrene	1.4982E-008	5.9546E-008
RCPTR_22	farmer_adult	TOCDFLIC	Selenium	2.3930E-008	2.4061E-008
RCPTR_22	farmer_adult	TOCDFLIC	Silver	7.9932E-009	8.5566E-009
RCPTR_22	farmer_adult	TOCDFLIC	Styrene	1.0609E-013	5.4998E-013
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.0005E-013	3.6784E-013
RCPTR_22	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	3.9329E-013	5.1290E-013
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.4814E-011	1.1674E-010
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	3.5018E-012	4.4305E-012
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.2837E-016	3.2580E-015
RCPTR_22	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.4258E-010	8.4217E-010
RCPTR_22	farmer_adult	TOCDFLIC	Thallium (I)	2.1224E-007	2.2487E-007
RCPTR_22	farmer_adult	TOCDFLIC	Toluene	4.9241E-015	2.5242E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.0896E-013	4.4697E-012
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	4.0514E-016	2.1051E-015
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.0923E-015	1.6097E-014
RCPTR_22	farmer_adult	TOCDFLIC	Trichloroethylene	5.0454E-016	2.6169E-015
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.6283E-017	3.4394E-016
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1087E-010	5.1252E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	2.8221E-011	1.0420E-010
RCPTR_22	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1456E-014	5.9577E-014
RCPTR_22	farmer_adult	TOCDFLIC	Vinyl Chloride	1.7617E-019	9.1625E-019
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, m-	2.1964E-014	4.0288E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, o-	1.2637E-014	2.5928E-014
RCPTR_22	farmer_adult	TOCDFLIC	Xylene, p-	2.3115E-014	5.1534E-014
RCPTR_22	farmer_adult	TOCDFLIC	Zinc	3.0643E-008	3.9863E-008
RCPTR_22	farmer_adult	TOCDFMPF	Acenaphthene	9.8328E-011	4.9777E-010
RCPTR_22	farmer_adult	TOCDFMPF	Acetone	2.9567E-016	1.5418E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Acetophenone	5.0341E-013	2.6212E-012
RCPTR_22	farmer_adult	TOCDFMPF	Aniline	3.0424E-014	1.5787E-013
RCPTR_22	farmer_adult	TOCDFMPF	Anthracene	1.7403E-009	8.7839E-009
RCPTR_22	farmer_adult	TOCDFMPF	Antimony	3.2340E-009	3.8551E-009
RCPTR_22	farmer_adult	TOCDFMPF	Arsenic	8.1421E-009	8.4756E-009
RCPTR_22	farmer_adult	TOCDFMPF	Barium	1.0823E-009	1.2346E-009
RCPTR_22	farmer_adult	TOCDFMPF	Benzene	2.6518E-016	1.3736E-015
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)anthracene	6.9757E-007	1.1232E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(a)pyrene	7.2712E-006	7.6902E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	4.0015E-006	5.0752E-006
RCPTR_22	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.1355E-005	1.2167E-005
RCPTR_22	farmer_adult	TOCDFMPF	Benzoic acid	4.1836E-012	1.8120E-011
RCPTR_22	farmer_adult	TOCDFMPF	Benzyl alcohol	6.8831E-013	3.5813E-012
RCPTR_22	farmer_adult	TOCDFMPF	Beryllium	1.7344E-009	2.0225E-009
RCPTR_22	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	6.8730E-013	3.5839E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Bromodichloromethane	2.3501E-015	1.2240E-014
RCPTR_22	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	8.8639E-014	4.6184E-013
RCPTR_22	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.8795E-008	1.9267E-007
RCPTR_22	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.2683E-009	4.9585E-009
RCPTR_22	farmer_adult	TOCDFMPF	Cadmium	1.6280E-009	2.4069E-009
RCPTR_22	farmer_adult	TOCDFMPF	Carbon disulfide	4.6264E-016	2.4023E-015
RCPTR_22	farmer_adult	TOCDFMPF	Carbon tetrachloride	7.3447E-016	3.8022E-015
RCPTR_22	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	7.6482E-011	2.9759E-010
RCPTR_22	farmer_adult	TOCDFMPF	Chloroaniline, p-	3.2119E-012	1.6648E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chlorobenzene	4.3166E-015	2.2247E-014
RCPTR_22	farmer_adult	TOCDFMPF	Chloroethane	1.2493E-017	6.2542E-017
RCPTR_22	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	6.2206E-016	3.2387E-015
RCPTR_22	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	2.5521E-010	1.3002E-009
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenol, 2-	8.8692E-012	4.6226E-011
RCPTR_22	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.2849E-010	1.6554E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Chromium	5.8475E-008	6.0195E-008
RCPTR_22	farmer_adult	TOCDFMPF	Chromium, hexavalent	4.2494E-008	4.3238E-008
RCPTR_22	farmer_adult	TOCDFMPF	Chrysene	2.0773E-006	2.6422E-006
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	1.6255E-008	1.8911E-008
RCPTR_22	farmer_adult	TOCDFMPF	Di-n-octylphthalate	8.3035E+001	8.3036E+001
RCPTR_22	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.4467E-004	1.4722E-004
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	4.2309E-013	2.1007E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	5.0314E-013	2.5412E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	4.8213E-013	2.4466E-012
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.0008E-008	1.2393E-008
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	9.6292E-019	4.9896E-018
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	2.4123E-016	1.2563E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9958E-016	1.5607E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	9.1555E-017	4.7564E-016
RCPTR_22	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.4722E-016	7.6459E-016

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	6.3663E-011	2.0712E-010
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	8.3090E-016	4.3025E-015
RCPTR_22	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.7282E-016	1.4195E-015
RCPTR_22	farmer_adult	TOCDFMPF	Diethyl phthalate	1.0173E-008	1.0627E-008
RCPTR_22	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.1428E-012	1.0714E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	6.1139E-012	3.1516E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	7.6209E-012	1.6436E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	5.9613E-012	2.8986E-011
RCPTR_22	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	4.5024E-012	2.2333E-011
RCPTR_22	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.2872E-013	6.7104E-013
RCPTR_22	farmer_adult	TOCDFMPF	Ethylbenzene	2.7483E-015	1.3605E-014
RCPTR_22	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.5732E-009	4.1754E-009
RCPTR_22	farmer_adult	TOCDFMPF	Fluoranthene	3.5502E-008	1.2405E-007
RCPTR_22	farmer_adult	TOCDFMPF	Fluorene	3.9372E-010	1.9549E-009
RCPTR_22	farmer_adult	TOCDFMPF	GB	7.2044E-016	3.7494E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	7.5141E-014	8.2786E-014
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.8420E-012	3.0753E-012
RCPTR_22	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.7227E-013	5.1918E-013
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.0201E-012	1.1075E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.5601E-013	6.1702E-013
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.2147E-013	5.8670E-013
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.1069E-011	2.4027E-011
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.1373E-012	5.8552E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.9115E-013	1.0148E-012
RCPTR_22	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	6.3670E-013	7.2536E-013
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.8262E-012	4.1093E-011
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.7524E-008	8.3708E-008
RCPTR_22	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.4065E-011	1.0922E-010
RCPTR_22	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.9857E-012	2.5247E-011
RCPTR_22	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1085E-003	1.1133E-003
RCPTR_22	farmer_adult	TOCDFMPF	Isophorone	9.2166E-013	4.7983E-012
RCPTR_22	farmer_adult	TOCDFMPF	Lead	5.5901E-010	6.9367E-010
RCPTR_22	farmer_adult	TOCDFMPF	Mercuric chloride	4.4579E-008	4.9254E-008
RCPTR_22	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.4148E-017	7.3737E-017
RCPTR_22	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	5.0646E-019	2.6375E-018
RCPTR_22	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.3123E-015	1.7271E-014
RCPTR_22	farmer_adult	TOCDFMPF	Methyl mercury	3.3319E-010	3.5760E-010
RCPTR_22	farmer_adult	TOCDFMPF	Methylene chloride	8.2883E-017	4.3176E-016
RCPTR_22	farmer_adult	TOCDFMPF	Naphthalene	3.9479E-012	2.0259E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nickel	8.5987E-008	9.3367E-008
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.5760E-011	8.1687E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 3-	3.7353E-012	1.9441E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nitroaniline, 4-	4.8332E-012	2.5120E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nitrobenzene	1.5541E-012	8.0991E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 2-	7.0821E-013	3.6873E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrophenol, 4-	2.9556E-011	5.7826E-011
RCPTR_22	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.8121E-013	4.5679E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	8.6859E-013	4.4890E-012
RCPTR_22	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	7.9174E-014	4.0199E-013
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.8641E-013	2.1081E-013
RCPTR_22	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.5960E-013	2.9287E-013
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.5605E-012	3.9248E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.6217E-012	3.0652E-012
RCPTR_22	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.5400E-012	9.9479E-012
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.1919E-011	3.1023E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9429E-011	1.2247E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pentachlorophenol	4.5726E-008	6.3151E-008
RCPTR_22	farmer_adult	TOCDFMPF	Phenanthrene	1.2323E-012	6.1934E-012
RCPTR_22	farmer_adult	TOCDFMPF	Phenol	1.2361E-012	6.4160E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Pronamide	1.2381E-010	6.1300E-010
RCPTR_22	farmer_adult	TOCDFMPF	Pyrene	6.3672E-008	2.5306E-007
RCPTR_22	farmer_adult	TOCDFMPF	Selenium	7.0002E-009	7.0385E-009
RCPTR_22	farmer_adult	TOCDFMPF	Silver	3.1986E-008	3.4242E-008
RCPTR_22	farmer_adult	TOCDFMPF	Styrene	1.1309E-013	5.8624E-013
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	8.4941E-013	1.0413E-012
RCPTR_22	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.6068E-012	2.0954E-012
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0545E-010	4.9611E-010
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	4.9120E-012	6.2153E-012
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9541E-015	1.0132E-014
RCPTR_22	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4529E-009	3.5721E-009
RCPTR_22	farmer_adult	TOCDFMPF	Thallium (I)	6.2623E-008	6.6352E-008
RCPTR_22	farmer_adult	TOCDFMPF	Toluene	1.3747E-015	7.0474E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.8628E-012	1.8995E-011
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	5.6852E-016	2.9540E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	4.3392E-015	2.2588E-014
RCPTR_22	farmer_adult	TOCDFMPF	Trichloroethylene	7.0800E-016	3.6722E-015
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.3013E-017	4.8263E-016
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	4.7113E-010	2.1780E-009
RCPTR_22	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.1991E-010	4.4282E-010
RCPTR_22	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.6076E-014	8.3602E-014
RCPTR_22	farmer_adult	TOCDFMPF	Vinyl Chloride	2.2944E-019	1.1932E-018
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, m-	1.7360E-014	3.1782E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, o-	1.5694E-014	3.2136E-014
RCPTR_22	farmer_adult	TOCDFMPF	Xylene, p-	1.8260E-014	4.0628E-014
RCPTR_22	farmer_adult	TOCDFMPF	Zinc	1.8757E-008	2.4403E-008
RCPTR_22	farmer_adult	TOCDHVAC	GB	2.8601E-015	1.4891E-014
RCPTR_22	farmer_adult	TOCDLIC2	Acenaphthene	4.7747E-011	2.4171E-010
RCPTR_22	farmer_adult	TOCDLIC2	Acetone	5.8575E-016	3.0545E-015
RCPTR_22	farmer_adult	TOCDLIC2	Acetophenone	2.4445E-013	1.2728E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Aniline	1.4774E-014	7.6663E-014
RCPTR_22	farmer_adult	TOCDLIC2	Anthracene	8.4505E-010	4.2654E-009
RCPTR_22	farmer_adult	TOCDLIC2	Antimony	1.4457E-008	1.7231E-008
RCPTR_22	farmer_adult	TOCDLIC2	Arsenic	3.4697E-008	3.6118E-008
RCPTR_22	farmer_adult	TOCDLIC2	Barium	1.1126E-008	1.2691E-008
RCPTR_22	farmer_adult	TOCDLIC2	Benzene	3.9357E-016	2.0387E-015
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)anthracene	3.3857E-007	5.4519E-007
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(a)pyrene	3.5273E-006	3.7304E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	1.9424E-006	2.4637E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	5.5087E-006	5.9021E-006
RCPTR_22	farmer_adult	TOCDLIC2	Benzoic acid	2.0317E-012	8.7992E-012
RCPTR_22	farmer_adult	TOCDLIC2	Benzyl alcohol	3.3424E-013	1.7391E-012
RCPTR_22	farmer_adult	TOCDLIC2	Beryllium	6.0725E-009	7.0810E-009
RCPTR_22	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	3.3375E-013	1.7403E-012
RCPTR_22	farmer_adult	TOCDLIC2	Bromodichloromethane	4.4335E-015	2.3090E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.1559E-013	6.0226E-013
RCPTR_22	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.8838E-008	9.3559E-008
RCPTR_22	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.0689E-009	2.4040E-009
RCPTR_22	farmer_adult	TOCDLIC2	Cadmium	4.2283E-010	6.2501E-010
RCPTR_22	farmer_adult	TOCDLIC2	Carbon disulfide	5.0093E-016	2.6011E-015
RCPTR_22	farmer_adult	TOCDLIC2	Carbon tetrachloride	7.9660E-016	4.1238E-015
RCPTR_22	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	3.7144E-011	1.4451E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.5597E-012	8.0841E-012
RCPTR_22	farmer_adult	TOCDLIC2	Chlorobenzene	4.6817E-015	2.4129E-014
RCPTR_22	farmer_adult	TOCDLIC2	Chloroethane	1.3550E-017	6.7833E-017
RCPTR_22	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.4229E-015	7.4080E-015
RCPTR_22	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.2393E-010	6.3139E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenol, 2-	4.3068E-012	2.2447E-011
RCPTR_22	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.0805E-010	8.0381E-010
RCPTR_22	farmer_adult	TOCDLIC2	Chromium	3.0221E-007	3.1110E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Chromium, hexavalent	2.1965E-007	2.2350E-007
RCPTR_22	farmer_adult	TOCDLIC2	Chrysene	1.0084E-006	1.2827E-006
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	7.8938E-009	9.1836E-009
RCPTR_22	farmer_adult	TOCDLIC2	Di-n-octylphthalate	4.0338E+001	4.0338E+001
RCPTR_22	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	7.0234E-005	7.1467E-005
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.0545E-013	1.0201E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	2.4432E-013	1.2340E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	2.3412E-013	1.1880E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	4.3259E-009	5.3571E-009
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.0444E-018	5.4116E-018
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.6163E-016	1.3626E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2492E-016	1.6927E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	9.9300E-017	5.1587E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.5968E-016	8.2927E-016
RCPTR_22	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	3.0920E-011	1.0058E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	9.0118E-016	4.6665E-015
RCPTR_22	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.9589E-016	1.5396E-015
RCPTR_22	farmer_adult	TOCDLIC2	Diethyl phthalate	4.9418E-009	5.1625E-009
RCPTR_22	farmer_adult	TOCDLIC2	Dimethyl phthalate	7.2423E-012	3.6210E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	2.9689E-012	1.5304E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	3.7176E-012	8.0170E-012
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	2.8944E-012	1.4075E-011
RCPTR_22	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	2.1863E-012	1.0845E-011
RCPTR_22	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	6.2504E-014	3.2585E-013
RCPTR_22	farmer_adult	TOCDLIC2	Ethylbenzene	3.3806E-015	1.6735E-014
RCPTR_22	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.1642E-009	2.5296E-009
RCPTR_22	farmer_adult	TOCDLIC2	Fluoranthene	1.7238E-008	6.0237E-008
RCPTR_22	farmer_adult	TOCDLIC2	Fluorene	1.9118E-010	9.4927E-010
RCPTR_22	farmer_adult	TOCDLIC2	GB	5.2816E-016	2.7488E-015
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5053E-013	2.7597E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3160E-013	2.5057E-013
RCPTR_22	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.2229E-013	2.4432E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.7116E-013	7.2855E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.8269E-013	5.3558E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.6862E-013	5.2718E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.5177E-013	5.1516E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.7221E-013	3.1023E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.4266E-013	2.7632E-013
RCPTR_22	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.7804E-013	3.1674E-013
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.2855E-012	1.9954E-011
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorobenzene	8.5092E-009	4.0648E-008
RCPTR_22	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.1684E-011	5.3037E-011
RCPTR_22	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4211E-012	1.2260E-011
RCPTR_22	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3841E-004	5.4070E-004

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Isophorone	4.4755E-013	2.3300E-012
RCPTR_22	farmer_adult	TOCDLIC2	Lead	5.1113E-008	6.3421E-008
RCPTR_22	farmer_adult	TOCDLIC2	Mercuric chloride	3.9479E-006	4.3622E-006
RCPTR_22	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.5477E-017	8.0662E-017
RCPTR_22	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	6.1738E-019	3.2152E-018
RCPTR_22	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.4703E-015	1.8095E-014
RCPTR_22	farmer_adult	TOCDLIC2	Methyl mercury	2.9449E-008	3.1612E-008
RCPTR_22	farmer_adult	TOCDLIC2	Methylene chloride	2.7267E-016	1.4204E-015
RCPTR_22	farmer_adult	TOCDLIC2	Naphthalene	1.9171E-012	9.8374E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nickel	3.8115E-008	4.1384E-008
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 2-	7.6869E-012	3.9841E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.8218E-012	9.4820E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitroaniline, 4-	2.3573E-012	1.2252E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitrobenzene	7.5465E-013	3.9329E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 2-	3.4390E-013	1.7905E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.4420E-011	2.8208E-011
RCPTR_22	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.2791E-013	2.2181E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	4.2178E-013	2.1798E-012
RCPTR_22	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	3.8440E-014	1.9520E-013
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.2100E-013	4.7607E-013
RCPTR_22	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.3949E-013	1.5736E-013
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.6897E-012	1.8623E-012
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	4.9906E-013	5.8347E-013
RCPTR_22	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.4001E-012	1.6309E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorobenzene	3.4897E-011	1.5062E-010
RCPTR_22	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4341E-011	5.9721E-011
RCPTR_22	farmer_adult	TOCDLIC2	Pentachlorophenol	2.2310E-008	3.0809E-008
RCPTR_22	farmer_adult	TOCDLIC2	Phenanthrene	5.9839E-013	3.0074E-012
RCPTR_22	farmer_adult	TOCDLIC2	Phenol	6.3461E-013	3.2940E-012
RCPTR_22	farmer_adult	TOCDLIC2	Pronamide	6.0122E-011	2.9767E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Pyrene	3.0918E-008	1.2288E-007
RCPTR_22	farmer_adult	TOCDLIC2	Selenium	2.3930E-008	2.4061E-008
RCPTR_22	farmer_adult	TOCDLIC2	Silver	7.9932E-009	8.5566E-009
RCPTR_22	farmer_adult	TOCDLIC2	Styrene	8.8876E-014	4.6074E-013
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	8.6981E-013	1.0663E-012
RCPTR_22	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	7.0447E-013	9.1871E-013
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.1208E-011	2.4091E-010
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	5.3296E-012	6.7431E-012
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.5636E-016	4.9586E-015
RCPTR_22	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.0879E-010	1.7424E-009
RCPTR_22	farmer_adult	TOCDLIC2	Thallium (I)	2.1224E-007	2.2487E-007
RCPTR_22	farmer_adult	TOCDLIC2	Toluene	5.1832E-015	2.6571E-014
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8758E-012	9.2239E-012
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	6.1661E-016	3.2039E-015
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	4.7063E-015	2.4499E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_adult	TOCDLIC2	Trichloroethylene	7.6789E-016	3.9829E-015
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0088E-016	5.2346E-016
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.2879E-010	1.0577E-009
RCPTR_22	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	5.8238E-011	2.1504E-010
RCPTR_22	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.7436E-014	9.0674E-014
RCPTR_22	farmer_adult	TOCDLIC2	Vinyl Chloride	2.9405E-019	1.5293E-018
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, m-	2.5497E-014	4.6769E-014
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, o-	1.6955E-014	3.4787E-014
RCPTR_22	farmer_adult	TOCDLIC2	Xylene, p-	2.6833E-014	5.9824E-014
RCPTR_22	farmer_adult	TOCDLIC2	Zinc	3.6588E-008	4.7596E-008
RCPTR_22	farmer_child	TOCDFBRA	Antimony	6.6655E-008	6.8439E-008
RCPTR_22	farmer_child	TOCDFBRA	Arsenic	9.6877E-008	9.7283E-008
RCPTR_22	farmer_child	TOCDFBRA	Barium	8.8019E-009	8.9660E-009
RCPTR_22	farmer_child	TOCDFBRA	Beryllium	2.8322E-008	3.2523E-008
RCPTR_22	farmer_child	TOCDFBRA	Cadmium	6.3083E-009	6.8774E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFBRA	Chromium	6.7628E-007	8.0380E-007
RCPTR_22	farmer_child	TOCDFBRA	Chromium, hexavalent	5.6121E-007	5.6189E-007
RCPTR_22	farmer_child	TOCDFBRA	Lead	3.1225E-007	3.8373E-007
RCPTR_22	farmer_child	TOCDFBRA	Mercuric chloride	7.7843E-005	1.3755E-004
RCPTR_22	farmer_child	TOCDFBRA	Methyl mercury	9.3811E-007	1.1140E-006
RCPTR_22	farmer_child	TOCDFBRA	Nickel	3.2890E-007	3.3504E-007
RCPTR_22	farmer_child	TOCDFBRA	Selenium	1.0507E-007	1.0508E-007
RCPTR_22	farmer_child	TOCDFBRA	Silver	3.7832E-008	3.7909E-008
RCPTR_22	farmer_child	TOCDFBRA	Thallium (I)	9.9907E-007	1.0134E-006
RCPTR_22	farmer_child	TOCDFBRA	Zinc	2.0802E-007	2.1908E-007
RCPTR_22	farmer_child	TOCDFDFS	Acenaphthene	1.8934E-010	1.9001E-010
RCPTR_22	farmer_child	TOCDFDFS	Acetone	2.3739E-015	2.3739E-015
RCPTR_22	farmer_child	TOCDFDFS	Acetophenone	1.0506E-012	1.0508E-012
RCPTR_22	farmer_child	TOCDFDFS	Aniline	6.0274E-014	6.0275E-014
RCPTR_22	farmer_child	TOCDFDFS	Anthracene	3.2442E-009	3.3532E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Antimony	6.8291E-007	7.0003E-007
RCPTR_22	farmer_child	TOCDFDFS	Aroclor 1254	2.1642E-011	2.1774E-011
RCPTR_22	farmer_child	TOCDFDFS	Arsenic	5.6752E-008	5.6973E-008
RCPTR_22	farmer_child	TOCDFDFS	Barium	1.7991E-009	1.8304E-009
RCPTR_22	farmer_child	TOCDFDFS	Benzene	1.9638E-015	1.9638E-015
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)anthracene	3.6784E-007	4.2456E-007
RCPTR_22	farmer_child	TOCDFDFS	Benzo(a)pyrene	2.8575E-006	2.9079E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	1.7660E-006	1.9034E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	4.4021E-006	4.6008E-006
RCPTR_22	farmer_child	TOCDFDFS	Benzoic acid	6.9044E-012	6.9051E-012
RCPTR_22	farmer_child	TOCDFDFS	Benzyl alcohol	1.3667E-012	1.3673E-012
RCPTR_22	farmer_child	TOCDFDFS	Beryllium	1.5906E-008	1.8113E-008
RCPTR_22	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.3678E-012	1.3684E-012
RCPTR_22	farmer_child	TOCDFDFS	Bromodichloromethane	1.5484E-014	1.5484E-014
RCPTR_22	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	6.1537E-013	6.1542E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.3177E-008	7.3565E-008
RCPTR_22	farmer_child	TOCDFDFS	Butylbenzylphthalate	1.9013E-009	1.9025E-009
RCPTR_22	farmer_child	TOCDFDFS	Cadmium	1.7557E-008	1.9062E-008
RCPTR_22	farmer_child	TOCDFDFS	Carbon disulfide	1.0264E-015	1.0264E-015
RCPTR_22	farmer_child	TOCDFDFS	Carbon tetrachloride	5.1232E-015	5.1232E-015
RCPTR_22	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.1271E-010	1.1325E-010
RCPTR_22	farmer_child	TOCDFDFS	Chloroaniline, p-	6.3490E-012	6.3560E-012
RCPTR_22	farmer_child	TOCDFDFS	Chlorobenzene	2.9976E-014	2.9976E-014
RCPTR_22	farmer_child	TOCDFDFS	Chloroethane	8.4242E-017	8.4242E-017
RCPTR_22	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	4.6375E-015	4.6375E-015
RCPTR_22	farmer_child	TOCDFDFS	Chloronaphthalene,2-	4.9232E-010	4.9636E-010
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.7609E-011	1.7649E-011
RCPTR_22	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	6.2847E-010	6.3064E-010
RCPTR_22	farmer_child	TOCDFDFS	Chromium	2.0385E-007	2.3985E-007
RCPTR_22	farmer_child	TOCDFDFS	Chromium, hexavalent	1.7137E-007	1.7156E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Chrysene	8.9665E-007	9.9054E-007
RCPTR_22	farmer_child	TOCDFDFS	Di-n-butyl phthalate	7.0076E-009	7.0185E-009
RCPTR_22	farmer_child	TOCDFDFS	Di-n-octylphthalate	3.0397E+001	3.0397E+001
RCPTR_22	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	5.4556E-005	5.5010E-005
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	8.0173E-013	8.0175E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	9.6999E-013	9.7001E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	9.3388E-013	9.3391E-013
RCPTR_22	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	6.8740E-009	6.9056E-009
RCPTR_22	farmer_child	TOCDFDFS	Dichlorodifluoromethane	6.7235E-018	6.7235E-018
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.6929E-015	1.6929E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1030E-015	2.1031E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	6.4091E-016	6.4091E-016
RCPTR_22	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.0303E-015	1.0303E-015
RCPTR_22	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	7.8373E-011	7.8617E-011
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	5.7973E-015	5.7974E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.9128E-015	1.9128E-015
RCPTR_22	farmer_child	TOCDFDFS	Diethyl phthalate	3.8993E-009	3.8998E-009
RCPTR_22	farmer_child	TOCDFDFS	Dimethyl phthalate	2.6560E-011	2.6583E-011
RCPTR_22	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.2017E-011	1.2032E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	6.1326E-012	6.1334E-012
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.1049E-011	1.1067E-011
RCPTR_22	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	8.5127E-012	8.5248E-012
RCPTR_22	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.5614E-013	2.5621E-013
RCPTR_22	farmer_child	TOCDFDFS	Ethylbenzene	1.8325E-014	1.8325E-014
RCPTR_22	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	1.9535E-010	1.9576E-010
RCPTR_22	farmer_child	TOCDFDFS	Fluoranthene	4.0356E-008	4.7220E-008
RCPTR_22	farmer_child	TOCDFDFS	Fluorene	7.3817E-010	7.4613E-010
RCPTR_22	farmer_child	TOCDFDFS	GB	6.8901E-015	6.8918E-015
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.5858E-014	6.0469E-014
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	2.8386E-014	3.0306E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	9.7868E-014	1.0575E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	5.3958E-013	5.7756E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	2.9777E-013	3.2403E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.6235E-013	2.8836E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.0613E-013	2.2878E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.8317E-013	2.0326E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.4508E-013	2.7177E-013
RCPTR_22	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6885E-013	1.8729E-013
RCPTR_22	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.5680E-011	1.5682E-011
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorobenzene	3.0057E-008	3.1941E-008
RCPTR_22	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.0628E-010	2.0632E-010
RCPTR_22	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	9.6350E-012	9.6367E-012
RCPTR_22	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	4.0934E-004	4.1008E-004
RCPTR_22	farmer_child	TOCDFDFS	Isophorone	1.8313E-012	1.8320E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Lead	1.8847E-006	2.2911E-006
RCPTR_22	farmer_child	TOCDFDFS	Mercuric chloride	2.7125E-008	4.8684E-008
RCPTR_22	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.7921E-016	1.7921E-016
RCPTR_22	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	3.0340E-017	3.0340E-017
RCPTR_22	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.5931E-014	1.5931E-014
RCPTR_22	farmer_child	TOCDFDFS	Methyl mercury	2.9735E-010	3.6085E-010
RCPTR_22	farmer_child	TOCDFDFS	Methylene chloride	4.6051E-016	4.6051E-016
RCPTR_22	farmer_child	TOCDFDFS	Naphthalene	7.7318E-012	7.7340E-012
RCPTR_22	farmer_child	TOCDFDFS	Nickel	1.9981E-007	2.0328E-007
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 2-	3.0842E-011	3.0876E-011
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 3-	7.3454E-012	7.3485E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitroaniline, 4-	9.4902E-012	9.4952E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrobenzene	3.0906E-012	3.0923E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.4075E-012	1.4078E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.1498E-011	2.1504E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.7436E-012	1.7440E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.7136E-012	1.7138E-012
RCPTR_22	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.5353E-013	1.5354E-013
RCPTR_22	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.4686E-013	1.6204E-013
RCPTR_22	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	5.0417E-014	5.5527E-014
RCPTR_22	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.3254E-012	1.4340E-012
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.1099E-013	1.2557E-013
RCPTR_22	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	4.5038E-013	5.0810E-013
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorobenzene	1.1863E-010	1.1868E-010
RCPTR_22	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.6392E-011	4.6395E-011
RCPTR_22	farmer_child	TOCDFDFS	Pentachlorophenol	2.3170E-008	2.3223E-008
RCPTR_22	farmer_child	TOCDFDFS	Phenanthrene	2.3640E-012	2.3640E-012
RCPTR_22	farmer_child	TOCDFDFS	Phenol	2.4480E-012	2.4496E-012
RCPTR_22	farmer_child	TOCDFDFS	Pronamide	4.6449E-010	4.6789E-010
RCPTR_22	farmer_child	TOCDFDFS	Pyrene	6.5340E-008	9.6504E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Selenium	6.1750E-008	6.1756E-008
RCPTR_22	farmer_child	TOCDFDFS	Silver	2.2449E-008	2.2491E-008
RCPTR_22	farmer_child	TOCDFDFS	Styrene	5.0004E-013	5.0005E-013
RCPTR_22	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	6.0621E-013	7.0944E-013
RCPTR_22	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	1.9247E-013	2.3564E-013
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.8898E-010	1.8924E-010
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	8.1196E-012	8.1197E-012
RCPTR_22	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.1606E-015	6.1606E-015
RCPTR_22	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.3332E-009	1.3357E-009
RCPTR_22	farmer_child	TOCDFDFS	Thallium (I)	5.6595E-007	5.7348E-007
RCPTR_22	farmer_child	TOCDFDFS	Toluene	8.2982E-015	8.2982E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	7.2483E-012	7.2492E-012
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	3.9805E-015	3.9805E-015
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.0437E-014	3.0437E-014
RCPTR_22	farmer_child	TOCDFDFS	Trichloroethylene	4.9482E-015	4.9482E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	6.5033E-016	6.5033E-016
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	8.1686E-010	8.3056E-010
RCPTR_22	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.6781E-010	1.6840E-010
RCPTR_22	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.1265E-013	1.1265E-013
RCPTR_22	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.3190E-012	1.3202E-012
RCPTR_22	farmer_child	TOCDFDFS	Vinyl Chloride	1.6080E-018	1.6080E-018
RCPTR_22	farmer_child	TOCDFDFS	Xylene, m-	4.4233E-014	4.4233E-014
RCPTR_22	farmer_child	TOCDFDFS	Xylene, o-	4.4501E-014	4.4501E-014
RCPTR_22	farmer_child	TOCDFDFS	Xylene, p-	5.6057E-014	5.6057E-014
RCPTR_22	farmer_child	TOCDFDFS	Zinc	1.4001E-007	1.4702E-007
RCPTR_22	farmer_child	TOCDFLIC	Acenaphthene	1.1672E-010	1.1713E-010
RCPTR_22	farmer_child	TOCDFLIC	Acetone	3.0866E-015	3.0866E-015
RCPTR_22	farmer_child	TOCDFLIC	Acetophenone	1.1100E-012	1.1102E-012
RCPTR_22	farmer_child	TOCDFLIC	Aniline	3.7148E-014	3.7149E-014
RCPTR_22	farmer_child	TOCDFLIC	Anthracene	1.9997E-009	2.0669E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Antimony	1.2639E-008	1.2952E-008
RCPTR_22	farmer_child	TOCDFLIC	Arsenic	3.5980E-008	3.6118E-008
RCPTR_22	farmer_child	TOCDFLIC	Barium	1.2947E-009	1.3170E-009
RCPTR_22	farmer_child	TOCDFLIC	Benzene	2.8329E-014	2.8330E-014
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.2933E-007	2.6419E-007
RCPTR_22	farmer_child	TOCDFLIC	Benzo(a)pyrene	1.7777E-006	1.8077E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.1096E-006	1.1939E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	2.7438E-006	2.8601E-006
RCPTR_22	farmer_child	TOCDFLIC	Benzoic acid	4.5735E-012	4.5740E-012
RCPTR_22	farmer_child	TOCDFLIC	Benzyl alcohol	8.4229E-013	8.4271E-013
RCPTR_22	farmer_child	TOCDFLIC	Beryllium	6.2280E-009	7.0810E-009
RCPTR_22	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.4298E-013	8.4333E-013
RCPTR_22	farmer_child	TOCDFLIC	Bromodichloromethane	7.5411E-015	7.5411E-015
RCPTR_22	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.5973E-013	2.5975E-013
RCPTR_22	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.2772E-008	4.5337E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.1642E-009	1.1649E-009
RCPTR_22	farmer_child	TOCDFLIC	Cadmium	5.0703E-009	5.5004E-009
RCPTR_22	farmer_child	TOCDFLIC	Carbon disulfide	1.7164E-015	1.7164E-015
RCPTR_22	farmer_child	TOCDFLIC	Carbon tetrachloride	2.7095E-015	2.7096E-015
RCPTR_22	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	6.9695E-011	7.0029E-011
RCPTR_22	farmer_child	TOCDFLIC	Chloroaniline, p-	3.9131E-012	3.9174E-012
RCPTR_22	farmer_child	TOCDFLIC	Chlorobenzene	1.5854E-014	1.5854E-014
RCPTR_22	farmer_child	TOCDFLIC	Chloroethane	4.4569E-017	4.4569E-017
RCPTR_22	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.3993E-015	2.3993E-015
RCPTR_22	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.0347E-010	3.0596E-010
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.0853E-011	1.0877E-011
RCPTR_22	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	3.8817E-010	3.8951E-010
RCPTR_22	farmer_child	TOCDFLIC	Chromium	2.6492E-007	3.1110E-007
RCPTR_22	farmer_child	TOCDFLIC	Chromium, hexavalent	2.2325E-007	2.2350E-007
RCPTR_22	farmer_child	TOCDFLIC	Chrysene	5.6405E-007	6.2155E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Di-n-butyl phthalate	4.4434E-009	4.4502E-009
RCPTR_22	farmer_child	TOCDFLIC	Di-n-octylphthalate	1.9547E+001	1.9547E+001
RCPTR_22	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	3.4373E-005	3.4632E-005
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	4.9431E-013	4.9432E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	5.9796E-013	5.9798E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.7568E-013	5.7570E-013
RCPTR_22	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.2177E-009	2.2277E-009
RCPTR_22	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.5557E-018	3.5557E-018
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane 1,1-	8.9527E-016	8.9527E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1122E-015	1.1122E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.3895E-016	3.3895E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.4487E-016	5.4487E-016
RCPTR_22	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	4.8589E-011	4.8739E-011
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.0661E-015	3.0661E-015
RCPTR_22	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0116E-015	1.0116E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Diethyl phthalate	2.5014E-009	2.5017E-009
RCPTR_22	farmer_child	TOCDFLIC	Dimethyl phthalate	2.9538E-011	2.9564E-011
RCPTR_22	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.4066E-012	7.4160E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	3.8743E-012	3.8749E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.8094E-012	6.8205E-012
RCPTR_22	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.2478E-012	5.2552E-012
RCPTR_22	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.5786E-013	1.5790E-013
RCPTR_22	farmer_child	TOCDFLIC	Ethylbenzene	1.2927E-014	1.2927E-014
RCPTR_22	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.7702E-009	3.7781E-009
RCPTR_22	farmer_child	TOCDFLIC	Fluoranthene	2.4960E-008	2.9190E-008
RCPTR_22	farmer_child	TOCDFLIC	Fluorene	4.5509E-010	4.6000E-010
RCPTR_22	farmer_child	TOCDFLIC	GB	2.6434E-015	2.6441E-015
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.6437E-014	3.9319E-014
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.3121E-014	4.5874E-014
RCPTR_22	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0394E-013	1.1194E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.5495E-013	4.8530E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.6175E-013	2.8394E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.2553E-013	2.4726E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.4452E-013	1.6009E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.4146E-013	1.5667E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.6360E-013	1.8104E-013
RCPTR_22	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.1942E-013	1.3219E-013
RCPTR_22	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.6683E-012	9.6692E-012
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorobenzene	1.8537E-008	1.9697E-008
RCPTR_22	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.5696E-011	2.5701E-011
RCPTR_22	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	5.9398E-012	5.9408E-012
RCPTR_22	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	2.6159E-004	2.6202E-004
RCPTR_22	farmer_child	TOCDFLIC	Isophorone	1.1287E-012	1.1291E-012
RCPTR_22	farmer_child	TOCDFLIC	Lead	7.2513E-007	8.7963E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Mercuric chloride	2.4212E-006	4.3622E-006
RCPTR_22	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.1668E-017	6.1668E-017
RCPTR_22	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	5.0511E-018	5.0511E-018
RCPTR_22	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.8358E-014	1.8358E-014
RCPTR_22	farmer_child	TOCDFLIC	Methyl mercury	2.5895E-008	3.1612E-008
RCPTR_22	farmer_child	TOCDFLIC	Methylene chloride	3.9047E-016	3.9048E-016
RCPTR_22	farmer_child	TOCDFLIC	Naphthalene	4.7657E-012	4.7670E-012
RCPTR_22	farmer_child	TOCDFLIC	Nickel	1.1705E-007	1.1905E-007
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.9236E-011	1.9257E-011
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.5811E-012	4.5830E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitroaniline, 4-	5.9185E-012	5.9216E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrobenzene	1.9047E-012	1.9058E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.6743E-013	8.6766E-013
RCPTR_22	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.3630E-011	1.3634E-011
RCPTR_22	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0747E-012	1.0749E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0562E-012	1.0563E-012
RCPTR_22	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.4585E-014	9.4589E-014
RCPTR_22	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.2876E-013	1.4178E-013
RCPTR_22	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	4.2323E-014	4.6523E-014
RCPTR_22	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	9.2355E-013	9.9592E-013
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.4443E-013	2.7575E-013
RCPTR_22	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.4452E-013	6.1282E-013
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorobenzene	7.2957E-011	7.2987E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.8863E-011	2.8865E-011
RCPTR_22	farmer_child	TOCDFLIC	Pentachlorophenol	1.4858E-008	1.4891E-008
RCPTR_22	farmer_child	TOCDFLIC	Phenanthrene	1.4573E-012	1.4574E-012
RCPTR_22	farmer_child	TOCDFLIC	Phenol	1.5088E-012	1.5097E-012
RCPTR_22	farmer_child	TOCDFLIC	Pronamide	1.4320E-010	1.4425E-010
RCPTR_22	farmer_child	TOCDFLIC	Pyrene	4.0342E-008	5.9546E-008
RCPTR_22	farmer_child	TOCDFLIC	Selenium	2.4058E-008	2.4061E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Silver	8.5408E-009	8.5566E-009
RCPTR_22	farmer_child	TOCDFLIC	Styrene	5.4996E-013	5.4998E-013
RCPTR_22	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.1518E-013	3.6784E-013
RCPTR_22	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.2028E-013	5.1290E-013
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1658E-010	1.1674E-010
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.4305E-012	4.4305E-012
RCPTR_22	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.2580E-015	3.2580E-015
RCPTR_22	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.4064E-010	8.4217E-010
RCPTR_22	farmer_child	TOCDFLIC	Thallium (I)	2.2196E-007	2.2487E-007
RCPTR_22	farmer_child	TOCDFLIC	Toluene	2.5242E-014	2.5242E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.4691E-012	4.4697E-012
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1051E-015	2.1051E-015
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.6097E-014	1.6097E-014
RCPTR_22	farmer_child	TOCDFLIC	Trichloroethylene	2.6169E-015	2.6169E-015
RCPTR_22	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.4394E-016	3.4394E-016

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.0407E-010	5.1252E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0384E-010	1.0420E-010
RCPTR_22	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	5.9575E-014	5.9577E-014
RCPTR_22	farmer_child	TOCDFLIC	Vinyl Chloride	9.1625E-019	9.1625E-019
RCPTR_22	farmer_child	TOCDFLIC	Xylene, m-	4.0288E-014	4.0288E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, o-	2.5928E-014	2.5928E-014
RCPTR_22	farmer_child	TOCDFLIC	Xylene, p-	5.1534E-014	5.1534E-014
RCPTR_22	farmer_child	TOCDFLIC	Zinc	3.7983E-008	3.9863E-008
RCPTR_22	farmer_child	TOCDFMPF	Acenaphthene	4.9601E-010	4.9777E-010
RCPTR_22	farmer_child	TOCDFMPF	Acetone	1.5418E-015	1.5418E-015
RCPTR_22	farmer_child	TOCDFMPF	Acetophenone	2.6206E-012	2.6212E-012
RCPTR_22	farmer_child	TOCDFMPF	Aniline	1.5787E-013	1.5787E-013
RCPTR_22	farmer_child	TOCDFMPF	Anthracene	8.4983E-009	8.7839E-009
RCPTR_22	farmer_child	TOCDFMPF	Antimony	3.7619E-009	3.8551E-009
RCPTR_22	farmer_child	TOCDFMPF	Arsenic	8.4433E-009	8.4756E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Barium	1.2137E-009	1.2346E-009
RCPTR_22	farmer_child	TOCDFMPF	Benzene	1.3736E-015	1.3736E-015
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)anthracene	9.7500E-007	1.1232E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzo(a)pyrene	7.5625E-006	7.6902E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	4.7170E-006	5.0752E-006
RCPTR_22	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.1672E-005	1.2167E-005
RCPTR_22	farmer_child	TOCDFMPF	Benzoic acid	1.8118E-011	1.8120E-011
RCPTR_22	farmer_child	TOCDFMPF	Benzyl alcohol	3.5795E-012	3.5813E-012
RCPTR_22	farmer_child	TOCDFMPF	Beryllium	1.7788E-009	2.0225E-009
RCPTR_22	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	3.5824E-012	3.5839E-012
RCPTR_22	farmer_child	TOCDFMPF	Bromodichloromethane	1.2240E-014	1.2240E-014
RCPTR_22	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	4.6180E-013	4.6184E-013
RCPTR_22	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.3927E-007	1.9267E-007
RCPTR_22	farmer_child	TOCDFMPF	Butylbenzylphthalate	4.9554E-009	4.9585E-009
RCPTR_22	farmer_child	TOCDFMPF	Cadmium	2.2186E-009	2.4069E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Carbon disulfide	2.4023E-015	2.4023E-015
RCPTR_22	farmer_child	TOCDFMPF	Carbon tetrachloride	3.8022E-015	3.8022E-015
RCPTR_22	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	2.9618E-010	2.9759E-010
RCPTR_22	farmer_child	TOCDFMPF	Chloroaniline, p-	1.6630E-011	1.6648E-011
RCPTR_22	farmer_child	TOCDFMPF	Chlorobenzene	2.2247E-014	2.2247E-014
RCPTR_22	farmer_child	TOCDFMPF	Chloroethane	6.2542E-017	6.2542E-017
RCPTR_22	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	3.2387E-015	3.2387E-015
RCPTR_22	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.2897E-009	1.3002E-009
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenol, 2-	4.6120E-011	4.6226E-011
RCPTR_22	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.6497E-009	1.6554E-009
RCPTR_22	farmer_child	TOCDFMPF	Chromium	5.1256E-008	6.0195E-008
RCPTR_22	farmer_child	TOCDFMPF	Chromium, hexavalent	4.3190E-008	4.3238E-008
RCPTR_22	farmer_child	TOCDFMPF	Chrysene	2.3978E-006	2.6422E-006
RCPTR_22	farmer_child	TOCDFMPF	Di-n-butyl phthalate	1.8883E-008	1.8911E-008
RCPTR_22	farmer_child	TOCDFMPF	Di-n-octylphthalate	8.3036E+001	8.3036E+001

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.4611E-004	1.4722E-004
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.1007E-012	2.1007E-012
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	2.5412E-012	2.5412E-012
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	2.4465E-012	2.4466E-012
RCPTR_22	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.2337E-008	1.2393E-008
RCPTR_22	farmer_child	TOCDFMPF	Dichlorodifluoromethane	4.9896E-018	4.9896E-018
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.2563E-015	1.2563E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5607E-015	1.5607E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	4.7564E-016	4.7564E-016
RCPTR_22	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	7.6459E-016	7.6459E-016
RCPTR_22	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.0648E-010	2.0712E-010
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	4.3025E-015	4.3025E-015
RCPTR_22	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.4195E-015	1.4195E-015
RCPTR_22	farmer_child	TOCDFMPF	Diethyl phthalate	1.0626E-008	1.0627E-008
RCPTR_22	farmer_child	TOCDFMPF	Dimethyl phthalate	1.0704E-011	1.0714E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	3.1476E-011	3.1516E-011
RCPTR_22	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.6434E-011	1.6436E-011
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	2.8939E-011	2.8986E-011
RCPTR_22	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.2302E-011	2.2333E-011
RCPTR_22	farmer_child	TOCDFMPF	Ethyl methanesulfonate	6.7086E-013	6.7104E-013
RCPTR_22	farmer_child	TOCDFMPF	Ethylbenzene	1.3605E-014	1.3605E-014
RCPTR_22	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.1666E-009	4.1754E-009
RCPTR_22	farmer_child	TOCDFMPF	Fluoranthene	1.0608E-007	1.2405E-007
RCPTR_22	farmer_child	TOCDFMPF	Fluorene	1.9340E-009	1.9549E-009
RCPTR_22	farmer_child	TOCDFMPF	GB	3.7485E-015	3.7494E-015
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	7.6710E-014	8.2786E-014
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	2.8903E-012	3.0753E-012
RCPTR_22	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.8199E-013	5.1918E-013
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.0381E-012	1.1075E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.6875E-013	6.1702E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	5.3508E-013	5.8670E-013
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.1689E-011	2.4027E-011
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	5.2868E-012	5.8552E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	9.1700E-013	1.0148E-012
RCPTR_22	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	6.5523E-013	7.2536E-013
RCPTR_22	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.1088E-011	4.1093E-011
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorobenzene	7.8776E-008	8.3708E-008
RCPTR_22	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.0920E-010	1.0922E-010
RCPTR_22	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.5242E-011	2.5247E-011
RCPTR_22	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.1115E-003	1.1133E-003
RCPTR_22	farmer_child	TOCDFMPF	Isophorone	4.7965E-012	4.7983E-012
RCPTR_22	farmer_child	TOCDFMPF	Lead	5.7178E-010	6.9367E-010
RCPTR_22	farmer_child	TOCDFMPF	Mercuric chloride	2.7347E-008	4.9254E-008
RCPTR_22	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	7.3737E-017	7.3737E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.6375E-018	2.6375E-018
RCPTR_22	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7271E-014	1.7271E-014
RCPTR_22	farmer_child	TOCDFMPF	Methyl mercury	2.9308E-010	3.5760E-010
RCPTR_22	farmer_child	TOCDFMPF	Methylene chloride	4.3176E-016	4.3176E-016
RCPTR_22	farmer_child	TOCDFMPF	Naphthalene	2.0253E-011	2.0259E-011
RCPTR_22	farmer_child	TOCDFMPF	Nickel	9.1796E-008	9.3367E-008
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 2-	8.1597E-011	8.1687E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.9433E-011	1.9441E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.5106E-011	2.5120E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitrobenzene	8.0946E-012	8.0991E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.6863E-012	3.6873E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrophenol, 4-	5.7810E-011	5.7826E-011
RCPTR_22	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.5671E-012	4.5679E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	4.4886E-012	4.4890E-012
RCPTR_22	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.0197E-013	4.0199E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.9144E-013	2.1081E-013
RCPTR_22	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.6641E-013	2.9287E-013
RCPTR_22	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	3.6392E-012	3.9248E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.7170E-012	3.0652E-012
RCPTR_22	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	8.8391E-012	9.9479E-012
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorobenzene	3.1010E-010	3.1023E-010
RCPTR_22	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2246E-010	1.2247E-010
RCPTR_22	farmer_child	TOCDFMPF	Pentachlorophenol	6.3010E-008	6.3151E-008
RCPTR_22	farmer_child	TOCDFMPF	Phenanthrene	6.1932E-012	6.1934E-012
RCPTR_22	farmer_child	TOCDFMPF	Phenol	6.4120E-012	6.4160E-012
RCPTR_22	farmer_child	TOCDFMPF	Pronamide	6.0855E-010	6.1300E-010
RCPTR_22	farmer_child	TOCDFMPF	Pyrene	1.7145E-007	2.5306E-007
RCPTR_22	farmer_child	TOCDFMPF	Selenium	7.0378E-009	7.0385E-009
RCPTR_22	farmer_child	TOCDFMPF	Silver	3.4179E-008	3.4242E-008
RCPTR_22	farmer_child	TOCDFMPF	Styrene	5.8622E-013	5.8624E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	8.9222E-013	1.0413E-012
RCPTR_22	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.7171E-012	2.0954E-012
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.9542E-010	4.9611E-010
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	6.2152E-012	6.2153E-012
RCPTR_22	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.0132E-014	1.0132E-014
RCPTR_22	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.5656E-009	3.5721E-009
RCPTR_22	farmer_child	TOCDFMPF	Thallium (I)	6.5492E-008	6.6352E-008
RCPTR_22	farmer_child	TOCDFMPF	Toluene	7.0474E-015	7.0474E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.8993E-011	1.8995E-011
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	2.9540E-015	2.9540E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	2.2588E-014	2.2588E-014
RCPTR_22	farmer_child	TOCDFMPF	Trichloroethylene	3.6722E-015	3.6722E-015
RCPTR_22	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.8263E-016	4.8263E-016
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.1422E-009	2.1780E-009
RCPTR_22	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.4128E-010	4.4282E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	8.3599E-014	8.3602E-014
RCPTR_22	farmer_child	TOCDFMPF	Vinyl Chloride	1.1932E-018	1.1932E-018
RCPTR_22	farmer_child	TOCDFMPF	Xylene, m-	3.1782E-014	3.1782E-014
RCPTR_22	farmer_child	TOCDFMPF	Xylene, o-	3.2136E-014	3.2136E-014
RCPTR_22	farmer_child	TOCDFMPF	Xylene, p-	4.0628E-014	4.0628E-014
RCPTR_22	farmer_child	TOCDFMPF	Zinc	2.3252E-008	2.4403E-008
RCPTR_22	farmer_child	TOCDHVAC	GB	1.4887E-014	1.4891E-014
RCPTR_22	farmer_child	TOCDLIC2	Acenaphthene	2.4086E-010	2.4171E-010
RCPTR_22	farmer_child	TOCDLIC2	Acetone	3.0545E-015	3.0545E-015
RCPTR_22	farmer_child	TOCDLIC2	Acetophenone	1.2726E-012	1.2728E-012
RCPTR_22	farmer_child	TOCDLIC2	Aniline	7.6661E-014	7.6663E-014
RCPTR_22	farmer_child	TOCDLIC2	Anthracene	4.1267E-009	4.2654E-009
RCPTR_22	farmer_child	TOCDLIC2	Antimony	1.6815E-008	1.7231E-008
RCPTR_22	farmer_child	TOCDLIC2	Arsenic	3.5980E-008	3.6118E-008
RCPTR_22	farmer_child	TOCDLIC2	Barium	1.2476E-008	1.2691E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Benzene	2.0387E-015	2.0387E-015
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)anthracene	4.7326E-007	5.4519E-007
RCPTR_22	farmer_child	TOCDLIC2	Benzo(a)pyrene	3.6685E-006	3.7304E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.2898E-006	2.4637E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	5.6622E-006	5.9021E-006
RCPTR_22	farmer_child	TOCDLIC2	Benzoic acid	8.7982E-012	8.7992E-012
RCPTR_22	farmer_child	TOCDLIC2	Benzyl alcohol	1.7382E-012	1.7391E-012
RCPTR_22	farmer_child	TOCDLIC2	Beryllium	6.2280E-009	7.0810E-009
RCPTR_22	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.7396E-012	1.7403E-012
RCPTR_22	farmer_child	TOCDLIC2	Bromodichloromethane	2.3090E-014	2.3090E-014
RCPTR_22	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	6.0221E-013	6.0226E-013
RCPTR_22	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	6.7629E-008	9.3559E-008
RCPTR_22	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.4025E-009	2.4040E-009
RCPTR_22	farmer_child	TOCDLIC2	Cadmium	5.7613E-010	6.2501E-010
RCPTR_22	farmer_child	TOCDLIC2	Carbon disulfide	2.6011E-015	2.6011E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Carbon tetrachloride	4.1238E-015	4.1238E-015
RCPTR_22	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.4383E-010	1.4451E-010
RCPTR_22	farmer_child	TOCDLIC2	Chloroaniline, p-	8.0753E-012	8.0841E-012
RCPTR_22	farmer_child	TOCDLIC2	Chlorobenzene	2.4129E-014	2.4129E-014
RCPTR_22	farmer_child	TOCDLIC2	Chloroethane	6.7833E-017	6.7833E-017
RCPTR_22	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	7.4080E-015	7.4080E-015
RCPTR_22	farmer_child	TOCDLIC2	Chloronaphthalene,2-	6.2626E-010	6.3139E-010
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.2396E-011	2.2447E-011
RCPTR_22	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.0105E-010	8.0381E-010
RCPTR_22	farmer_child	TOCDLIC2	Chromium	2.6492E-007	3.1110E-007
RCPTR_22	farmer_child	TOCDLIC2	Chromium, hexavalent	2.2325E-007	2.2350E-007
RCPTR_22	farmer_child	TOCDLIC2	Chrysene	1.1640E-006	1.2827E-006
RCPTR_22	farmer_child	TOCDLIC2	Di-n-butyl phthalate	9.1696E-009	9.1836E-009
RCPTR_22	farmer_child	TOCDLIC2	Di-n-octylphthalate	4.0338E+001	4.0338E+001
RCPTR_22	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	7.0934E-005	7.1467E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.0201E-012	1.0201E-012
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.2340E-012	1.2340E-012
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.1880E-012	1.1880E-012
RCPTR_22	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.3330E-009	5.3571E-009
RCPTR_22	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.4116E-018	5.4116E-018
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3626E-015	1.3626E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6927E-015	1.6927E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.1587E-016	5.1587E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.2927E-016	8.2927E-016
RCPTR_22	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.0027E-010	1.0058E-010
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.6664E-015	4.6665E-015
RCPTR_22	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5396E-015	1.5396E-015
RCPTR_22	farmer_child	TOCDLIC2	Diethyl phthalate	5.1619E-009	5.1625E-009
RCPTR_22	farmer_child	TOCDLIC2	Dimethyl phthalate	3.6179E-011	3.6210E-011
RCPTR_22	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.5285E-011	1.5304E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	8.0159E-012	8.0170E-012
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.4052E-011	1.4075E-011
RCPTR_22	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.0830E-011	1.0845E-011
RCPTR_22	farmer_child	TOCDLIC2	Ethyl methanesulfonate	3.2577E-013	3.2585E-013
RCPTR_22	farmer_child	TOCDLIC2	Ethylbenzene	1.6735E-014	1.6735E-014
RCPTR_22	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.5243E-009	2.5296E-009
RCPTR_22	farmer_child	TOCDLIC2	Fluoranthene	5.1508E-008	6.0237E-008
RCPTR_22	farmer_child	TOCDLIC2	Fluorene	9.3914E-010	9.4927E-010
RCPTR_22	farmer_child	TOCDLIC2	GB	2.7481E-015	2.7488E-015
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.5575E-013	2.7597E-013
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.3553E-013	2.5057E-013
RCPTR_22	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.2685E-013	2.4432E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	6.8298E-013	7.2855E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.9373E-013	5.3558E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.8085E-013	5.2718E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.6506E-013	5.1516E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.8013E-013	3.1023E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.4970E-013	2.7632E-013
RCPTR_22	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.8613E-013	3.1674E-013
RCPTR_22	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.9952E-011	1.9954E-011
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorobenzene	3.8253E-008	4.0648E-008
RCPTR_22	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.3026E-011	5.3037E-011
RCPTR_22	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2258E-011	1.2260E-011
RCPTR_22	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_22	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	5.3984E-004	5.4070E-004
RCPTR_22	farmer_child	TOCDLIC2	Isophorone	2.3291E-012	2.3300E-012
RCPTR_22	farmer_child	TOCDLIC2	Lead	5.2281E-008	6.3421E-008
RCPTR_22	farmer_child	TOCDLIC2	Mercuric chloride	2.4212E-006	4.3622E-006
RCPTR_22	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.0662E-017	8.0662E-017
RCPTR_22	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	3.2152E-018	3.2152E-018

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.8095E-014	1.8095E-014
RCPTR_22	farmer_child	TOCDLIC2	Methyl mercury	2.5895E-008	3.1612E-008
RCPTR_22	farmer_child	TOCDLIC2	Methylene chloride	1.4204E-015	1.4204E-015
RCPTR_22	farmer_child	TOCDLIC2	Naphthalene	9.8346E-012	9.8374E-012
RCPTR_22	farmer_child	TOCDLIC2	Nickel	4.0688E-008	4.1384E-008
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 2-	3.9798E-011	3.9841E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 3-	9.4781E-012	9.4820E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.2245E-011	1.2252E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitrobenzene	3.9307E-012	3.9329E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.7901E-012	1.7905E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrophenol, 4-	2.8200E-011	2.8208E-011
RCPTR_22	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.2177E-012	2.2181E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.1796E-012	2.1798E-012
RCPTR_22	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.9519E-013	1.9520E-013
RCPTR_22	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	4.3234E-013	4.7607E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.4315E-013	1.5736E-013
RCPTR_22	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.7270E-012	1.8623E-012
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.1722E-013	5.8347E-013
RCPTR_22	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.4491E-012	1.6309E-012
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorobenzene	1.5056E-010	1.5062E-010
RCPTR_22	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.9717E-011	5.9721E-011
RCPTR_22	farmer_child	TOCDLIC2	Pentachlorophenol	3.0740E-008	3.0809E-008
RCPTR_22	farmer_child	TOCDLIC2	Phenanthrene	3.0074E-012	3.0074E-012
RCPTR_22	farmer_child	TOCDLIC2	Phenol	3.2919E-012	3.2940E-012
RCPTR_22	farmer_child	TOCDLIC2	Pronamide	2.9551E-010	2.9767E-010
RCPTR_22	farmer_child	TOCDLIC2	Pyrene	8.3252E-008	1.2288E-007
RCPTR_22	farmer_child	TOCDLIC2	Selenium	2.4058E-008	2.4061E-008
RCPTR_22	farmer_child	TOCDLIC2	Silver	8.5408E-009	8.5566E-009
RCPTR_22	farmer_child	TOCDLIC2	Styrene	4.6072E-013	4.6074E-013
RCPTR_22	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	9.1366E-013	1.0663E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	7.5281E-013	9.1871E-013
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.4057E-010	2.4091E-010
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	6.7430E-012	6.7431E-012
RCPTR_22	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	4.9586E-015	4.9586E-015
RCPTR_22	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7393E-009	1.7424E-009
RCPTR_22	farmer_child	TOCDLIC2	Thallium (I)	2.2196E-007	2.2487E-007
RCPTR_22	farmer_child	TOCDLIC2	Toluene	2.6571E-014	2.6571E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.2227E-012	9.2239E-012
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	3.2039E-015	3.2039E-015
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.4499E-014	2.4499E-014
RCPTR_22	farmer_child	TOCDLIC2	Trichloroethylene	3.9829E-015	3.9829E-015
RCPTR_22	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.2346E-016	5.2346E-016
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0402E-009	1.0577E-009
RCPTR_22	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.1429E-010	2.1504E-010
RCPTR_22	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	9.0671E-014	9.0674E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_22	farmer_child	TOCDLIC2	Vinyl Chloride	1.5293E-018	1.5293E-018
RCPTR_22	farmer_child	TOCDLIC2	Xylene, m-	4.6769E-014	4.6769E-014
RCPTR_22	farmer_child	TOCDLIC2	Xylene, o-	3.4787E-014	3.4787E-014
RCPTR_22	farmer_child	TOCDLIC2	Xylene, p-	5.9824E-014	5.9824E-014
RCPTR_22	farmer_child	TOCDLIC2	Zinc	4.5351E-008	4.7596E-008
RCPTR_23	farmer_adult	TOCDFBRA	Antimony	1.6005E-007	1.8817E-007
RCPTR_23	farmer_adult	TOCDFBRA	Arsenic	2.6529E-007	2.7520E-007
RCPTR_23	farmer_adult	TOCDFBRA	Barium	2.2036E-008	2.4870E-008
RCPTR_23	farmer_adult	TOCDFBRA	Beryllium	7.6635E-008	8.8380E-008
RCPTR_23	farmer_adult	TOCDFBRA	Cadmium	1.2638E-008	1.8203E-008
RCPTR_23	farmer_adult	TOCDFBRA	Chromium	2.1116E-006	2.1697E-006
RCPTR_23	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.5726E-006	1.5977E-006
RCPTR_23	farmer_adult	TOCDFBRA	Lead	8.3351E-007	1.0202E-006
RCPTR_23	farmer_adult	TOCDFBRA	Mercuric chloride	2.2249E-004	2.4485E-004
RCPTR_23	farmer_adult	TOCDFBRA	Methyl mercury	1.9845E-006	2.1012E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFBRA	Nickel	8.7079E-007	9.3900E-007
RCPTR_23	farmer_adult	TOCDFBRA	Selenium	2.9813E-007	2.9961E-007
RCPTR_23	farmer_adult	TOCDFBRA	Silver	1.0013E-007	1.0657E-007
RCPTR_23	farmer_adult	TOCDFBRA	Thallium (I)	2.7083E-006	2.8554E-006
RCPTR_23	farmer_adult	TOCDFBRA	Zinc	4.6435E-007	5.9252E-007
RCPTR_23	farmer_adult	TOCDFDFS	Acenaphthene	6.6788E-011	3.3753E-010
RCPTR_23	farmer_adult	TOCDFDFS	Acetone	8.0816E-016	4.2143E-015
RCPTR_23	farmer_adult	TOCDFDFS	Acetophenone	3.5832E-013	1.8656E-012
RCPTR_23	farmer_adult	TOCDFDFS	Aniline	2.0628E-014	1.0701E-013
RCPTR_23	farmer_adult	TOCDFDFS	Anthracene	1.1828E-009	5.9571E-009
RCPTR_23	farmer_adult	TOCDFDFS	Antimony	1.7200E-006	2.0111E-006
RCPTR_23	farmer_adult	TOCDFDFS	Aroclor 1254	2.4183E-011	4.0709E-011
RCPTR_23	farmer_adult	TOCDFDFS	Arsenic	1.6139E-007	1.6719E-007
RCPTR_23	farmer_adult	TOCDFDFS	Barium	4.7102E-009	5.2935E-009
RCPTR_23	farmer_adult	TOCDFDFS	Benzene	6.7330E-016	3.4866E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.0139E-007	7.9124E-007
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.3529E-006	5.6543E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.8721E-006	3.6054E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.3182E-006	8.9181E-006
RCPTR_23	farmer_adult	TOCDFDFS	Benzoic acid	2.8571E-012	1.2304E-011
RCPTR_23	farmer_adult	TOCDFDFS	Benzyl alcohol	4.6660E-013	2.4275E-012
RCPTR_23	farmer_adult	TOCDFDFS	Beryllium	4.4924E-008	5.1578E-008
RCPTR_23	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.6586E-013	2.4292E-012
RCPTR_23	farmer_adult	TOCDFDFS	Bromodichloromethane	5.2785E-015	2.7490E-014
RCPTR_23	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.0970E-013	1.0925E-012
RCPTR_23	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.6306E-008	1.3060E-007
RCPTR_23	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.2304E-009	3.6988E-009
RCPTR_23	farmer_adult	TOCDFDFS	Cadmium	3.7325E-008	5.3196E-008
RCPTR_23	farmer_adult	TOCDFDFS	Carbon disulfide	3.5100E-016	1.8223E-015
RCPTR_23	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.7578E-015	9.0964E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.2396E-011	2.0227E-010
RCPTR_23	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.1777E-012	1.1285E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorobenzene	1.0334E-014	5.3227E-014
RCPTR_23	farmer_adult	TOCDFDFS	Chloroethane	2.9936E-017	1.4966E-016
RCPTR_23	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.5815E-015	8.2331E-015
RCPTR_23	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7323E-010	8.8157E-010
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.0118E-012	3.1333E-011
RCPTR_23	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.9610E-010	1.1277E-009
RCPTR_23	farmer_adult	TOCDFDFS	Chromium	6.6183E-007	6.7949E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.9773E-007	5.0537E-007
RCPTR_23	farmer_adult	TOCDFDFS	Chrysene	1.4868E-006	1.8738E-006
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1518E-008	1.3319E-008
RCPTR_23	farmer_adult	TOCDFDFS	Di-n-octylphthalate	5.8170E+001	5.8170E+001
RCPTR_23	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1070E-004	1.1337E-004
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.8758E-013	1.4247E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.4166E-013	1.7231E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.2731E-013	1.6588E-012
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0776E-008	1.3177E-008
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.3055E-018	1.1938E-017
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.7711E-016	3.0053E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.1671E-016	3.7335E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.1906E-016	1.1379E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.5226E-016	1.8291E-015
RCPTR_23	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.3840E-011	1.4107E-010
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.9884E-015	1.0293E-014
RCPTR_23	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.5278E-016	3.3959E-015
RCPTR_23	farmer_adult	TOCDFDFS	Diethyl phthalate	7.1260E-009	7.4341E-009
RCPTR_23	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.4770E-012	4.7238E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.1460E-012	2.1364E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.2612E-012	1.1176E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.0755E-012	1.9682E-011
RCPTR_23	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.0643E-012	1.5150E-011
RCPTR_23	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.7247E-014	4.5484E-013
RCPTR_23	farmer_adult	TOCDFDFS	Ethylbenzene	6.5950E-015	3.2566E-014
RCPTR_23	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.3149E-010	3.8131E-010
RCPTR_23	farmer_adult	TOCDFDFS	Fluoranthene	2.4647E-008	8.4685E-008
RCPTR_23	farmer_adult	TOCDFDFS	Fluorene	2.6775E-010	1.3259E-009
RCPTR_23	farmer_adult	TOCDFDFS	GB	2.3511E-015	1.2235E-014
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0956E-013	1.2046E-013
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.5254E-014	5.9788E-014
RCPTR_23	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9161E-013	2.1029E-013
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0473E-012	1.1365E-012
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.8224E-013	6.4446E-013
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.1584E-013	5.7764E-013
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.0336E-013	4.5688E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.5826E-013	4.0562E-013
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.7866E-013	5.4158E-013
RCPTR_23	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.2998E-013	3.7348E-013
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.0448E-012	2.7915E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.1947E-008	5.6808E-008
RCPTR_23	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	8.1818E-011	3.6754E-010
RCPTR_23	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.3835E-012	1.7117E-011
RCPTR_23	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	7.9832E-004	8.0330E-004
RCPTR_23	farmer_adult	TOCDFDFS	Isophorone	6.2476E-013	3.2524E-012
RCPTR_23	farmer_adult	TOCDFDFS	Lead	5.2711E-006	6.4158E-006
RCPTR_23	farmer_adult	TOCDFDFS	Mercuric chloride	7.9834E-008	8.8023E-008
RCPTR_23	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.1048E-017	3.1816E-016
RCPTR_23	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.0344E-017	5.3863E-017
RCPTR_23	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.4240E-015	2.8282E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Methyl mercury	6.5703E-010	6.9979E-010
RCPTR_23	farmer_adult	TOCDFDFS	Methylene chloride	1.5695E-016	8.1754E-016
RCPTR_23	farmer_adult	TOCDFDFS	Naphthalene	2.6786E-012	1.3734E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nickel	5.5089E-007	5.9243E-007
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0580E-011	5.4819E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.5069E-012	1.3046E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.2455E-012	1.6858E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitrobenzene	1.0534E-012	5.4897E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.8009E-013	2.4994E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.0354E-011	3.9324E-011
RCPTR_23	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.9744E-013	3.0963E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.8896E-013	3.0429E-012
RCPTR_23	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.4479E-014	2.7329E-013
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.9049E-013	3.2653E-013
RCPTR_23	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.9844E-014	1.1196E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5255E-012	2.7787E-012
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.0824E-013	2.4183E-013
RCPTR_23	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.5360E-013	9.8709E-013
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.0652E-011	2.1218E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0629E-011	8.3064E-011
RCPTR_23	farmer_adult	TOCDFDFS	Pentachlorophenol	3.1623E-008	4.3316E-008
RCPTR_23	farmer_adult	TOCDFDFS	Phenanthrene	8.3729E-013	4.2000E-012
RCPTR_23	farmer_adult	TOCDFDFS	Phenol	8.3800E-013	4.3490E-012
RCPTR_23	farmer_adult	TOCDFDFS	Pronamide	1.6829E-010	8.3145E-010
RCPTR_23	farmer_adult	TOCDFDFS	Pyrene	4.3548E-008	1.7194E-007
RCPTR_23	farmer_adult	TOCDFDFS	Selenium	1.8142E-007	1.8229E-007
RCPTR_23	farmer_adult	TOCDFDFS	Silver	6.1867E-008	6.5698E-008
RCPTR_23	farmer_adult	TOCDFDFS	Styrene	1.7131E-013	8.8782E-013
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1156E-012	1.3546E-012
RCPTR_23	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.4451E-013	4.4419E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.1839E-011	3.3663E-010
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2120E-011	1.5238E-011
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.1108E-015	1.0938E-014
RCPTR_23	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.9715E-010	2.4192E-009
RCPTR_23	farmer_adult	TOCDFDFS	Thallium (I)	1.5946E-006	1.6780E-006
RCPTR_23	farmer_adult	TOCDFDFS	Toluene	2.8769E-015	1.4736E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.6279E-012	1.2885E-011
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3603E-015	7.0670E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.0381E-014	5.4036E-014
RCPTR_23	farmer_adult	TOCDFDFS	Trichloroethylene	1.6942E-015	8.7853E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.2257E-016	1.1546E-015
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2086E-010	1.4778E-009
RCPTR_23	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.2283E-011	3.0115E-010
RCPTR_23	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.8463E-014	2.0000E-013
RCPTR_23	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.8276E-013	2.3492E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFDFS	Vinyl Chloride	5.4916E-019	2.8548E-018
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, m-	4.9865E-014	8.4366E-014
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, o-	4.4620E-014	8.3952E-014
RCPTR_23	farmer_adult	TOCDFDFS	Xylene, p-	5.1442E-014	1.0495E-013
RCPTR_23	farmer_adult	TOCDFDFS	Zinc	3.2947E-007	4.1715E-007
RCPTR_23	farmer_adult	TOCDFLIC	Acenaphthene	3.8945E-011	1.9675E-010
RCPTR_23	farmer_adult	TOCDFLIC	Acetone	9.9379E-016	5.1822E-015
RCPTR_23	farmer_adult	TOCDFLIC	Acetophenone	3.5804E-013	1.8641E-012
RCPTR_23	farmer_adult	TOCDFLIC	Aniline	1.2024E-014	6.2377E-014
RCPTR_23	farmer_adult	TOCDFLIC	Anthracene	6.8968E-010	3.4724E-009
RCPTR_23	farmer_adult	TOCDFLIC	Antimony	3.1014E-008	3.6237E-008
RCPTR_23	farmer_adult	TOCDFLIC	Arsenic	9.9489E-008	1.0305E-007
RCPTR_23	farmer_adult	TOCDFLIC	Barium	3.3005E-009	3.7072E-009
RCPTR_23	farmer_adult	TOCDFLIC	Benzene	9.1870E-015	4.7569E-014
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.9410E-007	4.6280E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.1290E-006	3.3016E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.6895E-006	2.1159E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.8671E-006	5.2079E-006
RCPTR_23	farmer_adult	TOCDFLIC	Benzoic acid	1.7933E-012	7.6998E-012
RCPTR_23	farmer_adult	TOCDFLIC	Benzyl alcohol	2.7198E-013	1.4149E-012
RCPTR_23	farmer_adult	TOCDFLIC	Beryllium	1.7125E-008	1.9650E-008
RCPTR_23	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.7154E-013	1.4159E-012
RCPTR_23	farmer_adult	TOCDFLIC	Bromodichloromethane	2.4313E-015	1.2661E-014
RCPTR_23	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	8.3708E-014	4.3612E-013
RCPTR_23	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.5332E-008	7.6124E-008
RCPTR_23	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.8715E-009	2.1445E-009
RCPTR_23	farmer_adult	TOCDFLIC	Cadmium	1.0527E-008	1.4982E-008
RCPTR_23	farmer_adult	TOCDFLIC	Carbon disulfide	5.5515E-016	2.8819E-015
RCPTR_23	farmer_adult	TOCDFLIC	Carbon tetrachloride	8.7927E-016	4.5497E-015
RCPTR_23	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.0722E-011	1.1808E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.2695E-012	6.5777E-012
RCPTR_23	farmer_adult	TOCDFLIC	Chlorobenzene	5.1695E-015	2.6623E-014
RCPTR_23	farmer_adult	TOCDFLIC	Chloroethane	1.4987E-017	7.4869E-017
RCPTR_23	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.7383E-016	4.0284E-015
RCPTR_23	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.0101E-010	5.1388E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.5042E-012	1.8263E-011
RCPTR_23	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.7319E-010	6.5790E-010
RCPTR_23	farmer_adult	TOCDFLIC	Chromium	8.3700E-007	8.5925E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.3027E-007	6.3990E-007
RCPTR_23	farmer_adult	TOCDFLIC	Chrysene	8.7509E-007	1.0999E-006
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.8074E-009	7.8571E-009
RCPTR_23	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.4540E+001	3.4540E+001
RCPTR_23	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.4855E-005	6.6344E-005
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.6777E-013	8.3057E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.9926E-013	1.0045E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.9088E-013	9.6697E-013
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.2668E-009	3.9901E-009
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.1531E-018	5.9709E-018
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.8865E-016	1.5032E-015
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5847E-016	1.8674E-015
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0957E-016	5.6912E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.7620E-016	9.1487E-016
RCPTR_23	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.5776E-011	8.2452E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	9.9467E-016	5.1483E-015
RCPTR_23	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.2650E-016	1.6985E-015
RCPTR_23	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2300E-009	4.4096E-009
RCPTR_23	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.9697E-012	4.9679E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.4173E-012	1.2453E-011
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.1414E-012	6.6304E-012
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.3752E-012	1.1472E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.7870E-012	8.8317E-012
RCPTR_23	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.0854E-014	2.6511E-013
RCPTR_23	farmer_adult	TOCDFLIC	Ethylbenzene	4.4020E-015	2.1721E-014
RCPTR_23	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.0635E-009	6.9815E-009
RCPTR_23	farmer_adult	TOCDFLIC	Fluoranthene	1.4431E-008	4.9423E-008
RCPTR_23	farmer_adult	TOCDFLIC	Fluorene	1.5618E-010	7.7295E-010
RCPTR_23	farmer_adult	TOCDFLIC	GB	8.5310E-016	4.4394E-015
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.8951E-014	7.5684E-014
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.0089E-014	8.6494E-014
RCPTR_23	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9593E-013	2.1465E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.4115E-013	9.1105E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.9355E-013	5.4536E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.3131E-013	4.8233E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.7485E-013	3.1100E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.6870E-013	3.0391E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.0983E-013	3.5019E-013
RCPTR_23	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.2646E-013	2.5605E-013
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.5260E-012	1.6274E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.9726E-009	3.3121E-008
RCPTR_23	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	9.6410E-012	4.3285E-011
RCPTR_23	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.9735E-012	9.9781E-012
RCPTR_23	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7198E-004	4.7476E-004
RCPTR_23	farmer_adult	TOCDFLIC	Isophorone	3.6417E-013	1.8957E-012
RCPTR_23	farmer_adult	TOCDFLIC	Lead	1.9762E-006	2.4036E-006
RCPTR_23	farmer_adult	TOCDFLIC	Mercuric chloride	6.7887E-006	7.4873E-006
RCPTR_23	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.9867E-017	1.0354E-016
RCPTR_23	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.6287E-018	8.4808E-018
RCPTR_23	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.9115E-015	3.0823E-014
RCPTR_23	farmer_adult	TOCDFLIC	Methyl mercury	5.5168E-008	5.8815E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Methylene chloride	1.2586E-016	6.5560E-016
RCPTR_23	farmer_adult	TOCDFLIC	Naphthalene	1.5617E-012	8.0057E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nickel	3.1397E-007	3.3753E-007
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 2-	6.2412E-012	3.2335E-011
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.4787E-012	7.6950E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.9141E-012	9.9434E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrobenzene	6.1402E-013	3.1998E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.7984E-013	1.4568E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.2179E-011	2.3368E-011
RCPTR_23	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.4828E-013	1.8048E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.4336E-013	1.7737E-012
RCPTR_23	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.1709E-014	1.5925E-013
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.4934E-013	2.7998E-013
RCPTR_23	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.2079E-014	9.1946E-014
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.6589E-012	1.8218E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.3335E-013	5.0253E-013
RCPTR_23	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.8170E-013	1.1338E-012
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.9369E-011	1.2352E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.2097E-011	4.8923E-011
RCPTR_23	farmer_adult	TOCDFLIC	Pentachlorophenol	1.8970E-008	2.5866E-008
RCPTR_23	farmer_adult	TOCDFLIC	Phenanthrene	4.8832E-013	2.4483E-012
RCPTR_23	farmer_adult	TOCDFLIC	Phenol	4.8850E-013	2.5349E-012
RCPTR_23	farmer_adult	TOCDFLIC	Pronamide	4.9097E-011	2.4236E-010
RCPTR_23	farmer_adult	TOCDFLIC	Pyrene	2.5439E-008	1.0027E-007
RCPTR_23	farmer_adult	TOCDFLIC	Selenium	6.8690E-008	6.9018E-008
RCPTR_23	farmer_adult	TOCDFLIC	Silver	2.2899E-008	2.4310E-008
RCPTR_23	farmer_adult	TOCDFLIC	Styrene	1.7821E-013	9.2348E-013
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.4736E-013	6.6370E-013
RCPTR_23	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.0761E-013	9.1083E-013
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.1957E-011	1.9630E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.1684E-012	7.7277E-012
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.0557E-015	5.4709E-015
RCPTR_23	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.9527E-010	1.4341E-009
RCPTR_23	farmer_adult	TOCDFLIC	Thallium (I)	6.0823E-007	6.3986E-007
RCPTR_23	farmer_adult	TOCDFLIC	Toluene	8.2781E-015	4.2392E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.5332E-012	7.5116E-012
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	6.8041E-016	3.5346E-015
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.1925E-015	2.7027E-014
RCPTR_23	farmer_adult	TOCDFLIC	Trichloroethylene	8.4747E-016	4.3941E-015
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.1133E-016	5.7750E-016
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.8752E-010	8.6188E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.8287E-011	1.7586E-010
RCPTR_23	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.9239E-014	1.0003E-013
RCPTR_23	farmer_adult	TOCDFLIC	Vinyl Chloride	2.9594E-019	1.5385E-018
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, m-	4.3109E-014	7.3876E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, o-	2.4581E-014	4.6897E-014
RCPTR_23	farmer_adult	TOCDFLIC	Xylene, p-	4.4608E-014	9.2323E-014
RCPTR_23	farmer_adult	TOCDFLIC	Zinc	8.7168E-008	1.1025E-007
RCPTR_23	farmer_adult	TOCDFMPF	Acenaphthene	1.6608E-010	8.3908E-010
RCPTR_23	farmer_adult	TOCDFMPF	Acetone	4.9816E-016	2.5977E-015
RCPTR_23	farmer_adult	TOCDFMPF	Acetophenone	8.4828E-013	4.4164E-012
RCPTR_23	farmer_adult	TOCDFMPF	Aniline	5.1279E-014	2.6601E-013
RCPTR_23	farmer_adult	TOCDFMPF	Anthracene	2.9412E-009	1.4809E-008
RCPTR_23	farmer_adult	TOCDFMPF	Antimony	9.2503E-009	1.0808E-008
RCPTR_23	farmer_adult	TOCDFMPF	Arsenic	2.3397E-008	2.4233E-008
RCPTR_23	farmer_adult	TOCDFMPF	Barium	3.1005E-009	3.4825E-009
RCPTR_23	farmer_adult	TOCDFMPF	Benzene	4.4701E-016	2.3146E-015
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.2541E-006	1.9736E-006
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.3345E-005	1.4082E-005
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	7.2036E-006	9.0222E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.0758E-005	2.2213E-005
RCPTR_23	farmer_adult	TOCDFMPF	Benzoic acid	7.1285E-012	3.0610E-011
RCPTR_23	farmer_adult	TOCDFMPF	Benzyl alcohol	1.1599E-012	6.0341E-012
RCPTR_23	farmer_adult	TOCDFMPF	Beryllium	4.9013E-009	5.6240E-009
RCPTR_23	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.1580E-012	6.0383E-012
RCPTR_23	farmer_adult	TOCDFMPF	Bromodichloromethane	3.9599E-015	2.0622E-014
RCPTR_23	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.4935E-013	7.7813E-013
RCPTR_23	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.5384E-008	3.2464E-007
RCPTR_23	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.9851E-009	9.1492E-009
RCPTR_23	farmer_adult	TOCDFMPF	Cadmium	4.6153E-009	6.5685E-009
RCPTR_23	farmer_adult	TOCDFMPF	Carbon disulfide	7.7973E-016	4.0478E-015
RCPTR_23	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.2382E-015	6.4068E-015
RCPTR_23	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3099E-010	5.0353E-010
RCPTR_23	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.4138E-012	2.8051E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chlorobenzene	7.2795E-015	3.7490E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Chloroethane	2.1104E-017	1.0543E-016
RCPTR_23	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.0482E-015	5.4568E-015
RCPTR_23	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.3076E-010	2.1915E-009
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.4944E-011	7.7884E-011
RCPTR_23	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.3855E-010	2.8056E-009
RCPTR_23	farmer_adult	TOCDFMPF	Chromium	1.6228E-007	1.6659E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.2220E-007	1.2406E-007
RCPTR_23	farmer_adult	TOCDFMPF	Chrysene	3.7311E-006	4.6901E-006
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.9020E-008	3.3497E-008
RCPTR_23	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.4722E+002	1.4722E+002
RCPTR_23	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.7658E-004	2.8294E-004
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.1547E-013	3.5420E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	8.4975E-013	4.2836E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.1400E-013	4.1237E-012
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.8225E-008	2.2260E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.6238E-018	8.4080E-018
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.0647E-016	2.1167E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0479E-016	2.6296E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.5430E-016	8.0142E-016
RCPTR_23	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.4812E-016	1.2883E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.0990E-010	3.5159E-010
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.4007E-015	7.2497E-015
RCPTR_23	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.5976E-016	2.3917E-015
RCPTR_23	farmer_adult	TOCDFMPF	Diethyl phthalate	1.8030E-008	1.8795E-008
RCPTR_23	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.6254E-012	1.8066E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.0309E-011	5.3107E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.3368E-011	2.8220E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0130E-011	4.8923E-011
RCPTR_23	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.6210E-012	3.7664E-011
RCPTR_23	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.1687E-013	1.1306E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Ethylbenzene	4.6490E-015	2.2940E-014
RCPTR_23	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.7166E-009	7.7330E-009
RCPTR_23	farmer_adult	TOCDFMPF	Fluoranthene	6.1538E-008	2.1076E-007
RCPTR_23	farmer_adult	TOCDFMPF	Fluorene	6.6603E-010	3.2963E-009
RCPTR_23	farmer_adult	TOCDFMPF	GB	1.2140E-015	6.3174E-015
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4533E-013	1.5953E-013
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.3778E-012	5.8083E-012
RCPTR_23	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.0979E-013	9.9677E-013
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9229E-012	2.0828E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0737E-012	1.1865E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0241E-012	1.1453E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.1282E-011	4.6714E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0051E-011	1.1368E-011
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7384E-012	1.9648E-012
RCPTR_23	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2437E-012	1.4062E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.5037E-011	6.9401E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.9734E-008	1.4125E-007
RCPTR_23	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.1115E-011	1.8460E-010
RCPTR_23	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.4160E-012	4.2553E-011
RCPTR_23	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.0120E-003	2.0239E-003
RCPTR_23	farmer_adult	TOCDFMPF	Isophorone	1.5530E-012	8.0845E-012
RCPTR_23	farmer_adult	TOCDFMPF	Lead	1.5614E-009	1.8992E-009
RCPTR_23	farmer_adult	TOCDFMPF	Mercuric chloride	7.6895E-008	8.4806E-008
RCPTR_23	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.3839E-017	1.2424E-016
RCPTR_23	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	8.5343E-019	4.4439E-018
RCPTR_23	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.5808E-015	2.9099E-014
RCPTR_23	farmer_adult	TOCDFMPF	Methyl mercury	6.2530E-010	6.6660E-010
RCPTR_23	farmer_adult	TOCDFMPF	Methylene chloride	1.3966E-016	7.2746E-016
RCPTR_23	farmer_adult	TOCDFMPF	Naphthalene	6.6600E-012	3.4141E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Nickel	2.4675E-007	2.6526E-007
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.6568E-011	1.3764E-010
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.2945E-012	3.2756E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.1482E-012	4.2328E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitrobenzene	2.6186E-012	1.3646E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.1934E-012	6.2127E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrophenol, 4-	5.1821E-011	9.9451E-011
RCPTR_23	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4853E-012	7.6967E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.4643E-012	7.5640E-012
RCPTR_23	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.3524E-013	6.7914E-013
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.7086E-013	4.1645E-013
RCPTR_23	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.1688E-013	5.7904E-013
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.5526E-012	7.1969E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.8285E-012	5.5995E-012
RCPTR_23	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.5968E-011	1.8443E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.2528E-010	5.2680E-010
RCPTR_23	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.1512E-011	2.0827E-010
RCPTR_23	farmer_adult	TOCDFMPF	Pentachlorophenol	8.0710E-008	1.1007E-007
RCPTR_23	farmer_adult	TOCDFMPF	Phenanthrene	2.0824E-012	1.0441E-011
RCPTR_23	farmer_adult	TOCDFMPF	Phenol	2.0832E-012	1.0810E-011
RCPTR_23	farmer_adult	TOCDFMPF	Pronamide	2.0937E-010	1.0336E-009
RCPTR_23	farmer_adult	TOCDFMPF	Pyrene	1.0848E-007	4.2761E-007
RCPTR_23	farmer_adult	TOCDFMPF	Selenium	2.0137E-008	2.0233E-008
RCPTR_23	farmer_adult	TOCDFMPF	Silver	9.1832E-008	9.7490E-008
RCPTR_23	farmer_adult	TOCDFMPF	Styrene	1.9062E-013	9.8780E-013
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5534E-012	1.8836E-012
RCPTR_23	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8990E-012	3.7317E-012
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.7892E-010	8.3712E-010
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	8.6816E-012	1.0877E-011
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.2946E-015	1.7073E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.5331E-009	6.1036E-009
RCPTR_23	farmer_adult	TOCDFMPF	Thallium (I)	1.7985E-007	1.8920E-007
RCPTR_23	farmer_adult	TOCDFMPF	Toluene	2.3193E-015	1.1877E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.5383E-012	3.2034E-011
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	9.5813E-016	4.9774E-015
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.3119E-015	3.8058E-014
RCPTR_23	farmer_adult	TOCDFMPF	Trichloroethylene	1.1934E-015	6.1876E-015
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.5677E-016	8.1322E-016
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	7.9965E-010	3.6755E-009
RCPTR_23	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.0588E-010	7.4993E-010
RCPTR_23	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.7091E-014	1.4086E-013
RCPTR_23	farmer_adult	TOCDFMPF	Vinyl Chloride	3.8675E-019	2.0106E-018
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, m-	3.4100E-014	5.8400E-014
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, o-	3.0559E-014	5.8261E-014
RCPTR_23	farmer_adult	TOCDFMPF	Xylene, p-	3.5281E-014	7.2966E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDFMPF	Zinc	5.3470E-008	6.7631E-008
RCPTR_23	farmer_adult	TOCDHVAC	GB	5.0836E-015	2.6462E-014
RCPTR_23	farmer_adult	TOCDLIC2	Acenaphthene	8.0369E-011	4.0603E-010
RCPTR_23	farmer_adult	TOCDLIC2	Acetone	9.8345E-016	5.1283E-015
RCPTR_23	farmer_adult	TOCDLIC2	Acetophenone	4.1048E-013	2.1371E-012
RCPTR_23	farmer_adult	TOCDLIC2	Aniline	2.4814E-014	1.2872E-013
RCPTR_23	farmer_adult	TOCDLIC2	Anthracene	1.4232E-009	7.1658E-009
RCPTR_23	farmer_adult	TOCDLIC2	Antimony	4.1262E-008	4.8211E-008
RCPTR_23	farmer_adult	TOCDLIC2	Arsenic	9.9489E-008	1.0305E-007
RCPTR_23	farmer_adult	TOCDLIC2	Barium	3.1805E-008	3.5724E-008
RCPTR_23	farmer_adult	TOCDLIC2	Benzene	6.6114E-016	3.4233E-015
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.0691E-007	9.5504E-007
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.4571E-006	6.8132E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.4864E-006	4.3664E-006
RCPTR_23	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0044E-005	1.0747E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Benzoic acid	3.4499E-012	1.4812E-011
RCPTR_23	farmer_adult	TOCDLIC2	Benzyl alcohol	5.6127E-013	2.9199E-012
RCPTR_23	farmer_adult	TOCDLIC2	Beryllium	1.7125E-008	1.9650E-008
RCPTR_23	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.6035E-013	2.9219E-012
RCPTR_23	farmer_adult	TOCDLIC2	Bromodichloromethane	7.4444E-015	3.8769E-014
RCPTR_23	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.9408E-013	1.0112E-012
RCPTR_23	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1639E-008	1.5709E-007
RCPTR_23	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.8621E-009	4.4254E-009
RCPTR_23	farmer_adult	TOCDLIC2	Cadmium	1.1962E-009	1.7024E-009
RCPTR_23	farmer_adult	TOCDLIC2	Carbon disulfide	8.4131E-016	4.3675E-015
RCPTR_23	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3382E-015	6.9245E-015
RCPTR_23	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.3398E-011	2.4367E-010
RCPTR_23	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.6198E-012	1.3574E-011
RCPTR_23	farmer_adult	TOCDLIC2	Chlorobenzene	7.8678E-015	4.0519E-014
RCPTR_23	farmer_adult	TOCDLIC2	Chloroethane	2.2810E-017	1.1395E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.3892E-015	1.2438E-014
RCPTR_23	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.0845E-010	1.0605E-009
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.2313E-012	3.7688E-011
RCPTR_23	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.5741E-010	1.3577E-009
RCPTR_23	farmer_adult	TOCDLIC2	Chromium	8.3700E-007	8.5925E-007
RCPTR_23	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.3027E-007	6.3990E-007
RCPTR_23	farmer_adult	TOCDLIC2	Chrysene	1.8059E-006	2.2698E-006
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.4048E-008	1.6214E-008
RCPTR_23	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.1277E+001	7.1277E+001
RCPTR_23	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.3384E-004	1.3691E-004
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.4622E-013	1.7140E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.1120E-013	2.0728E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.9390E-013	1.9955E-012
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.8559E-009	9.5952E-009
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.7550E-018	9.0874E-018

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.3932E-016	2.2877E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4558E-016	2.8421E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.6677E-016	8.6618E-016
RCPTR_23	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.6817E-016	1.3924E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	5.3193E-011	1.7015E-010
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.5138E-015	7.8356E-015
RCPTR_23	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.9691E-016	2.5850E-015
RCPTR_23	farmer_adult	TOCDLIC2	Diethyl phthalate	8.7293E-009	9.0999E-009
RCPTR_23	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2211E-011	6.0848E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.9884E-012	2.5699E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.4995E-012	1.3718E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.9015E-012	2.3674E-011
RCPTR_23	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.6878E-012	1.8225E-011
RCPTR_23	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.0494E-013	5.4710E-013
RCPTR_23	farmer_adult	TOCDLIC2	Ethylbenzene	5.6987E-015	2.8120E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.0598E-009	4.6744E-009
RCPTR_23	farmer_adult	TOCDLIC2	Fluoranthene	2.9781E-008	1.0199E-007
RCPTR_23	farmer_adult	TOCDLIC2	Fluorene	3.2230E-010	1.5951E-009
RCPTR_23	farmer_adult	TOCDLIC2	GB	8.8688E-016	4.6152E-015
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.8396E-013	5.3121E-013
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.3746E-013	4.7245E-013
RCPTR_23	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.2764E-013	4.6850E-013
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2628E-012	1.3677E-012
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.3095E-013	1.0287E-012
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.1960E-013	1.0284E-012
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.8442E-013	1.0008E-012
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.3208E-013	6.0180E-013
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.7290E-013	5.3449E-013
RCPTR_23	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.4261E-013	6.1350E-013
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.2764E-012	3.3583E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.4389E-008	6.8349E-008
RCPTR_23	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.9896E-011	8.9325E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.0726E-012	2.0591E-011
RCPTR_23	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.7399E-004	9.7973E-004
RCPTR_23	farmer_adult	TOCDLIC2	Isophorone	7.5151E-013	3.9121E-012
RCPTR_23	farmer_adult	TOCDLIC2	Lead	1.4248E-007	1.7330E-007
RCPTR_23	farmer_adult	TOCDLIC2	Mercuric chloride	6.7887E-006	7.4873E-006
RCPTR_23	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.5987E-017	1.3543E-016
RCPTR_23	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0367E-018	5.3983E-018
RCPTR_23	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.8266E-015	3.0380E-014
RCPTR_23	farmer_adult	TOCDLIC2	Methyl mercury	5.5168E-008	5.8815E-008
RCPTR_23	farmer_adult	TOCDLIC2	Methylene chloride	4.5784E-016	2.3848E-015
RCPTR_23	farmer_adult	TOCDLIC2	Naphthalene	3.2228E-012	1.6521E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nickel	1.0914E-007	1.1733E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.2913E-011	6.6899E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.0593E-012	1.5921E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.9602E-012	2.0572E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitrobenzene	1.2671E-012	6.6032E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.7748E-013	3.0063E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.5197E-011	4.8347E-011
RCPTR_23	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.1873E-013	3.7244E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.0857E-013	3.6602E-012
RCPTR_23	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.5437E-014	3.2863E-013
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.3721E-013	9.4008E-013
RCPTR_23	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.7762E-013	3.1100E-013
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.1019E-012	3.4067E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.1696E-013	1.0633E-012
RCPTR_23	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6125E-012	3.0174E-012
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.0606E-011	2.5490E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.5029E-011	1.0122E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pentachlorophenol	3.9247E-008	5.3517E-008
RCPTR_23	farmer_adult	TOCDLIC2	Phenanthrene	1.0077E-012	5.0524E-012
RCPTR_23	farmer_adult	TOCDLIC2	Phenol	1.0658E-012	5.5308E-012
RCPTR_23	farmer_adult	TOCDLIC2	Pronamide	1.0132E-010	5.0015E-010
RCPTR_23	farmer_adult	TOCDLIC2	Pyrene	5.2497E-008	2.0692E-007
RCPTR_23	farmer_adult	TOCDLIC2	Selenium	6.8690E-008	6.9018E-008
RCPTR_23	farmer_adult	TOCDLIC2	Silver	2.2899E-008	2.4310E-008
RCPTR_23	farmer_adult	TOCDLIC2	Styrene	1.4929E-013	7.7363E-013
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5867E-012	1.9240E-012
RCPTR_23	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2675E-012	1.6315E-012
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.6585E-011	4.0509E-010
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	9.3881E-012	1.1761E-011
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6068E-015	8.3265E-015
RCPTR_23	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.2316E-009	2.9670E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_adult	TOCDLIC2	Thallium (I)	6.0823E-007	6.3986E-007
RCPTR_23	farmer_adult	TOCDLIC2	Toluene	8.7138E-015	4.4623E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.1640E-012	1.5501E-011
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.0356E-015	5.3796E-015
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	7.9028E-015	4.1134E-014
RCPTR_23	farmer_adult	TOCDLIC2	Trichloroethylene	1.2898E-015	6.6877E-015
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.6944E-016	8.7893E-016
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.8698E-010	1.7786E-009
RCPTR_23	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	9.9648E-011	3.6291E-010
RCPTR_23	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.9280E-014	1.5225E-013
RCPTR_23	farmer_adult	TOCDLIC2	Vinyl Chloride	4.9394E-019	2.5679E-018
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, m-	5.0044E-014	8.5760E-014
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, o-	3.2980E-014	6.2920E-014
RCPTR_23	farmer_adult	TOCDLIC2	Xylene, p-	5.1784E-014	1.0718E-013
RCPTR_23	farmer_adult	TOCDLIC2	Zinc	1.0408E-007	1.3164E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFBRA	Antimony	1.8395E-007	1.8817E-007
RCPTR_23	farmer_child	TOCDFBRA	Arsenic	2.7423E-007	2.7520E-007
RCPTR_23	farmer_child	TOCDFBRA	Barium	2.4482E-008	2.4870E-008
RCPTR_23	farmer_child	TOCDFBRA	Beryllium	7.8446E-008	8.8380E-008
RCPTR_23	farmer_child	TOCDFBRA	Cadmium	1.6858E-008	1.8203E-008
RCPTR_23	farmer_child	TOCDFBRA	Chromium	1.8682E-006	2.1697E-006
RCPTR_23	farmer_child	TOCDFBRA	Chromium, hexavalent	1.5961E-006	1.5977E-006
RCPTR_23	farmer_child	TOCDFBRA	Lead	8.5122E-007	1.0202E-006
RCPTR_23	farmer_child	TOCDFBRA	Mercuric chloride	1.4007E-004	2.4485E-004
RCPTR_23	farmer_child	TOCDFBRA	Methyl mercury	1.7926E-006	2.1012E-006
RCPTR_23	farmer_child	TOCDFBRA	Nickel	9.2448E-007	9.3900E-007
RCPTR_23	farmer_child	TOCDFBRA	Selenium	2.9958E-007	2.9961E-007
RCPTR_23	farmer_child	TOCDFBRA	Silver	1.0639E-007	1.0657E-007
RCPTR_23	farmer_child	TOCDFBRA	Thallium (I)	2.8215E-006	2.8554E-006
RCPTR_23	farmer_child	TOCDFBRA	Zinc	5.6639E-007	5.9252E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Acenaphthene	3.3634E-010	3.3753E-010
RCPTR_23	farmer_child	TOCDFDFS	Acetone	4.2142E-015	4.2143E-015
RCPTR_23	farmer_child	TOCDFDFS	Acetophenone	1.8651E-012	1.8656E-012
RCPTR_23	farmer_child	TOCDFDFS	Aniline	1.0701E-013	1.0701E-013
RCPTR_23	farmer_child	TOCDFDFS	Anthracene	5.7635E-009	5.9571E-009
RCPTR_23	farmer_child	TOCDFDFS	Antimony	1.9674E-006	2.0111E-006
RCPTR_23	farmer_child	TOCDFDFS	Aroclor 1254	4.0476E-011	4.0709E-011
RCPTR_23	farmer_child	TOCDFDFS	Arsenic	1.6663E-007	1.6719E-007
RCPTR_23	farmer_child	TOCDFDFS	Barium	5.2137E-009	5.2935E-009
RCPTR_23	farmer_child	TOCDFDFS	Benzene	3.4866E-015	3.4866E-015
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.9034E-007	7.9124E-007
RCPTR_23	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.5625E-006	5.6543E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.3607E-006	3.6054E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.5522E-006	8.9181E-006
RCPTR_23	farmer_child	TOCDFDFS	Benzoic acid	1.2302E-011	1.2304E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Benzyl alcohol	2.4263E-012	2.4275E-012
RCPTR_23	farmer_child	TOCDFDFS	Beryllium	4.5950E-008	5.1578E-008
RCPTR_23	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.4282E-012	2.4292E-012
RCPTR_23	farmer_child	TOCDFDFS	Bromodichloromethane	2.7489E-014	2.7490E-014
RCPTR_23	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0925E-012	1.0925E-012
RCPTR_23	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	9.4411E-008	1.3060E-007
RCPTR_23	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.6968E-009	3.6988E-009
RCPTR_23	farmer_child	TOCDFDFS	Cadmium	4.9359E-008	5.3196E-008
RCPTR_23	farmer_child	TOCDFDFS	Carbon disulfide	1.8223E-015	1.8223E-015
RCPTR_23	farmer_child	TOCDFDFS	Carbon tetrachloride	9.0964E-015	9.0964E-015
RCPTR_23	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.0131E-010	2.0227E-010
RCPTR_23	farmer_child	TOCDFDFS	Chloroaniline, p-	1.1272E-011	1.1285E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorobenzene	5.3227E-014	5.3227E-014
RCPTR_23	farmer_child	TOCDFDFS	Chloroethane	1.4966E-016	1.4966E-016
RCPTR_23	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	8.2331E-015	8.2331E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.7441E-010	8.8157E-010
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.1261E-011	3.1333E-011
RCPTR_23	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1238E-009	1.1277E-009
RCPTR_23	farmer_child	TOCDFDFS	Chromium	5.8771E-007	6.7949E-007
RCPTR_23	farmer_child	TOCDFDFS	Chromium, hexavalent	5.0489E-007	5.0537E-007
RCPTR_23	farmer_child	TOCDFDFS	Chrysene	1.7063E-006	1.8738E-006
RCPTR_23	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.3300E-008	1.3319E-008
RCPTR_23	farmer_child	TOCDFDFS	Di-n-octylphthalate	5.8170E+001	5.8170E+001
RCPTR_23	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1222E-004	1.1337E-004
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.4247E-012	1.4247E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.7230E-012	1.7231E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.6588E-012	1.6588E-012
RCPTR_23	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3121E-008	1.3177E-008
RCPTR_23	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1938E-017	1.1938E-017
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.0053E-015	3.0053E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.7335E-015	3.7335E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1379E-015	1.1379E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8291E-015	1.8291E-015
RCPTR_23	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.4064E-010	1.4107E-010
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0293E-014	1.0293E-014
RCPTR_23	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.3959E-015	3.3959E-015
RCPTR_23	farmer_child	TOCDFDFS	Diethyl phthalate	7.4333E-009	7.4341E-009
RCPTR_23	farmer_child	TOCDFDFS	Dimethyl phthalate	4.7197E-011	4.7238E-011
RCPTR_23	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.1337E-011	2.1364E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.1175E-011	1.1176E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.9650E-011	1.9682E-011
RCPTR_23	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5129E-011	1.5150E-011
RCPTR_23	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.5472E-013	4.5484E-013
RCPTR_23	farmer_child	TOCDFDFS	Ethylbenzene	3.2566E-014	3.2566E-014
RCPTR_23	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.8058E-010	3.8131E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Fluoranthene	7.2498E-008	8.4685E-008
RCPTR_23	farmer_child	TOCDFDFS	Fluorene	1.3118E-009	1.3259E-009
RCPTR_23	farmer_child	TOCDFDFS	GB	1.2232E-014	1.2235E-014
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.1180E-013	1.2046E-013
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.6193E-014	5.9788E-014
RCPTR_23	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9548E-013	2.1029E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0657E-012	1.1365E-012
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.9523E-013	6.4446E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.2874E-013	5.7764E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.1458E-013	4.5688E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.6813E-013	4.0562E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.9180E-013	5.4158E-013
RCPTR_23	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.3907E-013	3.7348E-013
RCPTR_23	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.7912E-011	2.7915E-011
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorobenzene	5.3465E-008	5.6808E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.6747E-010	3.6754E-010
RCPTR_23	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.7114E-011	1.7117E-011
RCPTR_23	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.0142E-004	8.0330E-004
RCPTR_23	farmer_child	TOCDFDFS	Isophorone	3.2511E-012	3.2524E-012
RCPTR_23	farmer_child	TOCDFDFS	Lead	5.3796E-006	6.4158E-006
RCPTR_23	farmer_child	TOCDFDFS	Mercuric chloride	4.9646E-008	8.8023E-008
RCPTR_23	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.1816E-016	3.1816E-016
RCPTR_23	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.3863E-017	5.3863E-017
RCPTR_23	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.8281E-014	2.8282E-014
RCPTR_23	farmer_child	TOCDFDFS	Methyl mercury	5.8676E-010	6.9979E-010
RCPTR_23	farmer_child	TOCDFDFS	Methylene chloride	8.1754E-016	8.1754E-016
RCPTR_23	farmer_child	TOCDFDFS	Naphthalene	1.3730E-011	1.3734E-011
RCPTR_23	farmer_child	TOCDFDFS	Nickel	5.8358E-007	5.9243E-007
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.4759E-011	5.4819E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.3041E-011	1.3046E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.6849E-011	1.6858E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitrobenzene	5.4867E-012	5.4897E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.4987E-012	2.4994E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.9313E-011	3.9324E-011
RCPTR_23	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.0958E-012	3.0963E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.0426E-012	3.0429E-012
RCPTR_23	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.7328E-013	2.7329E-013
RCPTR_23	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.9791E-013	3.2653E-013
RCPTR_23	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0233E-013	1.1196E-013
RCPTR_23	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.5802E-012	2.7787E-012
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.1546E-013	2.4183E-013
RCPTR_23	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.8196E-013	9.8709E-013
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorobenzene	2.1209E-010	2.1218E-010
RCPTR_23	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.3059E-011	8.3064E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Pentachlorophenol	4.3221E-008	4.3316E-008
RCPTR_23	farmer_child	TOCDFDFS	Phenanthrene	4.1999E-012	4.2000E-012
RCPTR_23	farmer_child	TOCDFDFS	Phenol	4.3463E-012	4.3490E-012
RCPTR_23	farmer_child	TOCDFDFS	Pronamide	8.2542E-010	8.3145E-010
RCPTR_23	farmer_child	TOCDFDFS	Pyrene	1.1661E-007	1.7194E-007
RCPTR_23	farmer_child	TOCDFDFS	Selenium	1.8228E-007	1.8229E-007
RCPTR_23	farmer_child	TOCDFDFS	Silver	6.5590E-008	6.5698E-008
RCPTR_23	farmer_child	TOCDFDFS	Styrene	8.8780E-013	8.8782E-013
RCPTR_23	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.1690E-012	1.3546E-012
RCPTR_23	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.6700E-013	4.4419E-013
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.3616E-010	3.3663E-010
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5238E-011	1.5238E-011
RCPTR_23	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0938E-014	1.0938E-014
RCPTR_23	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.4149E-009	2.4192E-009
RCPTR_23	farmer_child	TOCDFDFS	Thallium (I)	1.6588E-006	1.6780E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFDFS	Toluene	1.4736E-014	1.4736E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.2883E-011	1.2885E-011
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.0670E-015	7.0670E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.4036E-014	5.4036E-014
RCPTR_23	farmer_child	TOCDFDFS	Trichloroethylene	8.7853E-015	8.7853E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1546E-015	1.1546E-015
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4535E-009	1.4778E-009
RCPTR_23	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.0011E-010	3.0115E-010
RCPTR_23	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9999E-013	2.0000E-013
RCPTR_23	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.3471E-012	2.3492E-012
RCPTR_23	farmer_child	TOCDFDFS	Vinyl Chloride	2.8548E-018	2.8548E-018
RCPTR_23	farmer_child	TOCDFDFS	Xylene, m-	8.4366E-014	8.4366E-014
RCPTR_23	farmer_child	TOCDFDFS	Xylene, o-	8.3952E-014	8.3952E-014
RCPTR_23	farmer_child	TOCDFDFS	Xylene, p-	1.0495E-013	1.0495E-013
RCPTR_23	farmer_child	TOCDFDFS	Zinc	3.9927E-007	4.1715E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Acenaphthene	1.9606E-010	1.9675E-010
RCPTR_23	farmer_child	TOCDFLIC	Acetone	5.1822E-015	5.1822E-015
RCPTR_23	farmer_child	TOCDFLIC	Acetophenone	1.8637E-012	1.8641E-012
RCPTR_23	farmer_child	TOCDFLIC	Aniline	6.2375E-014	6.2377E-014
RCPTR_23	farmer_child	TOCDFLIC	Anthracene	3.3596E-009	3.4724E-009
RCPTR_23	farmer_child	TOCDFLIC	Antimony	3.5453E-008	3.6237E-008
RCPTR_23	farmer_child	TOCDFLIC	Arsenic	1.0270E-007	1.0305E-007
RCPTR_23	farmer_child	TOCDFLIC	Barium	3.6515E-009	3.7072E-009
RCPTR_23	farmer_child	TOCDFLIC	Benzene	4.7569E-014	4.7569E-014
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.0407E-007	4.6280E-007
RCPTR_23	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.2490E-006	3.3016E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.9736E-006	2.1159E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.0001E-006	5.2079E-006
RCPTR_23	farmer_child	TOCDFLIC	Benzoic acid	7.6990E-012	7.6998E-012
RCPTR_23	farmer_child	TOCDFLIC	Benzyl alcohol	1.4142E-012	1.4149E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Beryllium	1.7514E-008	1.9650E-008
RCPTR_23	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.4153E-012	1.4159E-012
RCPTR_23	farmer_child	TOCDFLIC	Bromodichloromethane	1.2661E-014	1.2661E-014
RCPTR_23	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.3608E-013	4.3612E-013
RCPTR_23	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.5028E-008	7.6124E-008
RCPTR_23	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.1433E-009	2.1445E-009
RCPTR_23	farmer_child	TOCDFLIC	Cadmium	1.3905E-008	1.4982E-008
RCPTR_23	farmer_child	TOCDFLIC	Carbon disulfide	2.8819E-015	2.8819E-015
RCPTR_23	farmer_child	TOCDFLIC	Carbon tetrachloride	4.5497E-015	4.5497E-015
RCPTR_23	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1752E-010	1.1808E-010
RCPTR_23	farmer_child	TOCDFLIC	Chloroaniline, p-	6.5705E-012	6.5777E-012
RCPTR_23	farmer_child	TOCDFLIC	Chlorobenzene	2.6623E-014	2.6623E-014
RCPTR_23	farmer_child	TOCDFLIC	Chloroethane	7.4869E-017	7.4869E-017
RCPTR_23	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.0284E-015	4.0284E-015
RCPTR_23	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.0971E-010	5.1388E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.8221E-011	1.8263E-011
RCPTR_23	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.5566E-010	6.5790E-010
RCPTR_23	farmer_child	TOCDFLIC	Chromium	7.4362E-007	8.5925E-007
RCPTR_23	farmer_child	TOCDFLIC	Chromium, hexavalent	6.3929E-007	6.3990E-007
RCPTR_23	farmer_child	TOCDFLIC	Chrysene	1.0026E-006	1.0999E-006
RCPTR_23	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.8457E-009	7.8571E-009
RCPTR_23	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.4540E+001	3.4540E+001
RCPTR_23	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.5700E-005	6.6344E-005
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.3054E-013	8.3057E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.0044E-012	1.0045E-012
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	9.6694E-013	9.6697E-013
RCPTR_23	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.9732E-009	3.9901E-009
RCPTR_23	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.9709E-018	5.9709E-018
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5031E-015	1.5032E-015
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8674E-015	1.8674E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.6912E-016	5.6912E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.1487E-016	9.1487E-016
RCPTR_23	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	8.2199E-011	8.2452E-011
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.1483E-015	5.1483E-015
RCPTR_23	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.6985E-015	1.6985E-015
RCPTR_23	farmer_child	TOCDFLIC	Diethyl phthalate	4.4091E-009	4.4096E-009
RCPTR_23	farmer_child	TOCDFLIC	Dimethyl phthalate	4.9636E-011	4.9679E-011
RCPTR_23	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.2437E-011	1.2453E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.6295E-012	6.6304E-012
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.1453E-011	1.1472E-011
RCPTR_23	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	8.8192E-012	8.8317E-012
RCPTR_23	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.6504E-013	2.6511E-013
RCPTR_23	farmer_child	TOCDFLIC	Ethylbenzene	2.1721E-014	2.1721E-014
RCPTR_23	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.9681E-009	6.9815E-009
RCPTR_23	farmer_child	TOCDFLIC	Fluoranthene	4.2320E-008	4.9423E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Fluorene	7.6471E-010	7.7295E-010
RCPTR_23	farmer_child	TOCDFLIC	GB	4.4383E-015	4.4394E-015
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.0332E-014	7.5684E-014
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.1416E-014	8.6494E-014
RCPTR_23	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.9981E-013	2.1465E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.5554E-013	9.1105E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.0436E-013	5.4536E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.4196E-013	4.8233E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.8243E-013	3.1100E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.7604E-013	3.0391E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.1827E-013	3.5019E-013
RCPTR_23	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.3265E-013	2.5605E-013
RCPTR_23	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6272E-011	1.6274E-011
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorobenzene	3.1172E-008	3.3121E-008
RCPTR_23	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.3277E-011	4.3285E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.9764E-012	9.9781E-012
RCPTR_23	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7371E-004	4.7476E-004
RCPTR_23	farmer_child	TOCDFLIC	Isophorone	1.8950E-012	1.8957E-012
RCPTR_23	farmer_child	TOCDFLIC	Lead	2.0167E-006	2.4036E-006
RCPTR_23	farmer_child	TOCDFLIC	Mercuric chloride	4.2139E-006	7.4873E-006
RCPTR_23	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.0354E-016	1.0354E-016
RCPTR_23	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.4808E-018	8.4808E-018
RCPTR_23	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.0823E-014	3.0823E-014
RCPTR_23	farmer_child	TOCDFLIC	Methyl mercury	4.9174E-008	5.8815E-008
RCPTR_23	farmer_child	TOCDFLIC	Methylene chloride	6.5560E-016	6.5560E-016
RCPTR_23	farmer_child	TOCDFLIC	Naphthalene	8.0034E-012	8.0057E-012
RCPTR_23	farmer_child	TOCDFLIC	Nickel	3.3251E-007	3.3753E-007
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.2299E-011	3.2335E-011
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 3-	7.6917E-012	7.6950E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.9381E-012	9.9434E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrobenzene	3.1980E-012	3.1998E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.4564E-012	1.4568E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.3362E-011	2.3368E-011
RCPTR_23	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.8045E-012	1.8048E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.7735E-012	1.7737E-012
RCPTR_23	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.5924E-013	1.5925E-013
RCPTR_23	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.5565E-013	2.7998E-013
RCPTR_23	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.4100E-014	9.1946E-014
RCPTR_23	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.6941E-012	1.8218E-012
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.4823E-013	5.0253E-013
RCPTR_23	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0140E-012	1.1338E-012
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorobenzene	1.2347E-010	1.2352E-010
RCPTR_23	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.8920E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDFLIC	Pentachlorophenol	2.5811E-008	2.5866E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Phenanthrene	2.4483E-012	2.4483E-012
RCPTR_23	farmer_child	TOCDFLIC	Phenol	2.5334E-012	2.5349E-012
RCPTR_23	farmer_child	TOCDFLIC	Pronamide	2.4061E-010	2.4236E-010
RCPTR_23	farmer_child	TOCDFLIC	Pyrene	6.8023E-008	1.0027E-007
RCPTR_23	farmer_child	TOCDFLIC	Selenium	6.9012E-008	6.9018E-008
RCPTR_23	farmer_child	TOCDFLIC	Silver	2.4270E-008	2.4310E-008
RCPTR_23	farmer_child	TOCDFLIC	Styrene	9.2346E-013	9.2348E-013
RCPTR_23	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.7332E-013	6.6370E-013
RCPTR_23	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.5346E-013	9.1083E-013
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.9602E-010	1.9630E-010
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.7277E-012	7.7277E-012
RCPTR_23	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.4709E-015	5.4709E-015
RCPTR_23	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4315E-009	1.4341E-009
RCPTR_23	farmer_child	TOCDFLIC	Thallium (I)	6.3257E-007	6.3986E-007
RCPTR_23	farmer_child	TOCDFLIC	Toluene	4.2392E-014	4.2392E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.5106E-012	7.5116E-012
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.5346E-015	3.5346E-015
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.7027E-014	2.7027E-014
RCPTR_23	farmer_child	TOCDFLIC	Trichloroethylene	4.3941E-015	4.3941E-015
RCPTR_23	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.7750E-016	5.7750E-016
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.4770E-010	8.6188E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.7525E-010	1.7586E-010
RCPTR_23	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.0003E-013	1.0003E-013
RCPTR_23	farmer_child	TOCDFLIC	Vinyl Chloride	1.5385E-018	1.5385E-018
RCPTR_23	farmer_child	TOCDFLIC	Xylene, m-	7.3876E-014	7.3876E-014
RCPTR_23	farmer_child	TOCDFLIC	Xylene, o-	4.6896E-014	4.6897E-014
RCPTR_23	farmer_child	TOCDFLIC	Xylene, p-	9.2323E-014	9.2323E-014
RCPTR_23	farmer_child	TOCDFLIC	Zinc	1.0555E-007	1.1025E-007
RCPTR_23	farmer_child	TOCDFMPF	Acenaphthene	8.3612E-010	8.3908E-010
RCPTR_23	farmer_child	TOCDFMPF	Acetone	2.5977E-015	2.5977E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Acetophenone	4.4155E-012	4.4164E-012
RCPTR_23	farmer_child	TOCDFMPF	Aniline	2.6601E-013	2.6601E-013
RCPTR_23	farmer_child	TOCDFMPF	Anthracene	1.4327E-008	1.4809E-008
RCPTR_23	farmer_child	TOCDFMPF	Antimony	1.0574E-008	1.0808E-008
RCPTR_23	farmer_child	TOCDFMPF	Arsenic	2.4152E-008	2.4233E-008
RCPTR_23	farmer_child	TOCDFMPF	Barium	3.4302E-009	3.4825E-009
RCPTR_23	farmer_child	TOCDFMPF	Benzene	2.3146E-015	2.3146E-015
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.7231E-006	1.9736E-006
RCPTR_23	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.3857E-005	1.4082E-005
RCPTR_23	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	8.4154E-006	9.0222E-006
RCPTR_23	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.1325E-005	2.2213E-005
RCPTR_23	farmer_child	TOCDFMPF	Benzoic acid	3.0606E-011	3.0610E-011
RCPTR_23	farmer_child	TOCDFMPF	Benzyl alcohol	6.0311E-012	6.0341E-012
RCPTR_23	farmer_child	TOCDFMPF	Beryllium	5.0127E-009	5.6240E-009
RCPTR_23	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.0358E-012	6.0383E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Bromodichloromethane	2.0622E-014	2.0622E-014
RCPTR_23	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.7807E-013	7.7813E-013
RCPTR_23	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.3467E-007	3.2464E-007
RCPTR_23	farmer_child	TOCDFMPF	Butylbenzylphthalate	9.1440E-009	9.1492E-009
RCPTR_23	farmer_child	TOCDFMPF	Cadmium	6.0963E-009	6.5685E-009
RCPTR_23	farmer_child	TOCDFMPF	Carbon disulfide	4.0478E-015	4.0478E-015
RCPTR_23	farmer_child	TOCDFMPF	Carbon tetrachloride	6.4068E-015	6.4068E-015
RCPTR_23	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.0114E-010	5.0353E-010
RCPTR_23	farmer_child	TOCDFMPF	Chloroaniline, p-	2.8021E-011	2.8051E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorobenzene	3.7489E-014	3.7490E-014
RCPTR_23	farmer_child	TOCDFMPF	Chloroethane	1.0543E-016	1.0543E-016
RCPTR_23	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.4568E-015	5.4568E-015
RCPTR_23	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.1737E-009	2.1915E-009
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenol, 2-	7.7706E-011	7.7884E-011
RCPTR_23	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.7961E-009	2.8056E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Chromium	1.4417E-007	1.6659E-007
RCPTR_23	farmer_child	TOCDFMPF	Chromium, hexavalent	1.2394E-007	1.2406E-007
RCPTR_23	farmer_child	TOCDFMPF	Chrysene	4.2752E-006	4.6901E-006
RCPTR_23	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.3448E-008	3.3497E-008
RCPTR_23	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.4722E+002	1.4722E+002
RCPTR_23	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.8019E-004	2.8294E-004
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.5419E-012	3.5420E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.2835E-012	4.2836E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.1236E-012	4.1237E-012
RCPTR_23	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2166E-008	2.2260E-008
RCPTR_23	farmer_child	TOCDFMPF	Dichlorodifluoromethane	8.4080E-018	8.4080E-018
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.1167E-015	2.1167E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6296E-015	2.6296E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.0142E-016	8.0142E-016
RCPTR_23	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.2883E-015	1.2883E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.5052E-010	3.5159E-010
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.2497E-015	7.2497E-015
RCPTR_23	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.3917E-015	2.3917E-015
RCPTR_23	farmer_child	TOCDFMPF	Diethyl phthalate	1.8793E-008	1.8795E-008
RCPTR_23	farmer_child	TOCDFMPF	Dimethyl phthalate	1.8050E-011	1.8066E-011
RCPTR_23	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.3040E-011	5.3107E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.8216E-011	2.8220E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.8844E-011	4.8923E-011
RCPTR_23	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.7610E-011	3.7664E-011
RCPTR_23	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.1303E-012	1.1306E-012
RCPTR_23	farmer_child	TOCDFMPF	Ethylbenzene	2.2940E-014	2.2940E-014
RCPTR_23	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.7181E-009	7.7330E-009
RCPTR_23	farmer_child	TOCDFMPF	Fluoranthene	1.8047E-007	2.1076E-007
RCPTR_23	farmer_child	TOCDFMPF	Fluorene	3.2612E-009	3.2963E-009
RCPTR_23	farmer_child	TOCDFMPF	GB	6.3158E-015	6.3174E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.4825E-013	1.5953E-013
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.4670E-012	5.8083E-012
RCPTR_23	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	9.2781E-013	9.9677E-013
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9558E-012	2.0828E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0973E-012	1.1865E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0494E-012	1.1453E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.2421E-011	4.6714E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0325E-011	1.1368E-011
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.7857E-012	1.9648E-012
RCPTR_23	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.2777E-012	1.4062E-012
RCPTR_23	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	6.9394E-011	6.9401E-011
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorobenzene	1.3294E-007	1.4125E-007
RCPTR_23	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.8456E-010	1.8460E-010
RCPTR_23	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.2545E-011	4.2553E-011
RCPTR_23	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.0194E-003	2.0239E-003
RCPTR_23	farmer_child	TOCDFMPF	Isophorone	8.0814E-012	8.0845E-012
RCPTR_23	farmer_child	TOCDFMPF	Lead	1.5935E-009	1.8992E-009
RCPTR_23	farmer_child	TOCDFMPF	Mercuric chloride	4.7735E-008	8.4806E-008
RCPTR_23	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.2424E-016	1.2424E-016
RCPTR_23	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.4439E-018	4.4439E-018
RCPTR_23	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.9099E-014	2.9099E-014
RCPTR_23	farmer_child	TOCDFMPF	Methyl mercury	5.5742E-010	6.6660E-010
RCPTR_23	farmer_child	TOCDFMPF	Methylene chloride	7.2746E-016	7.2746E-016
RCPTR_23	farmer_child	TOCDFMPF	Naphthalene	3.4131E-011	3.4141E-011
RCPTR_23	farmer_child	TOCDFMPF	Nickel	2.6132E-007	2.6526E-007
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.3749E-010	1.3764E-010
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.2743E-011	3.2756E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.2305E-011	4.2328E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitrobenzene	1.3638E-011	1.3646E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.2111E-012	6.2127E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrophenol, 4-	9.9425E-011	9.9451E-011
RCPTR_23	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	7.6954E-012	7.6967E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	7.5633E-012	7.5640E-012
RCPTR_23	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	6.7911E-013	6.7914E-013
RCPTR_23	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.8025E-013	4.1645E-013
RCPTR_23	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.2962E-013	5.7904E-013
RCPTR_23	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.6918E-012	7.1969E-012
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.9943E-012	5.5995E-012
RCPTR_23	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6494E-011	1.8443E-011
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorobenzene	5.2658E-010	5.2680E-010
RCPTR_23	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.0826E-010	2.0827E-010
RCPTR_23	farmer_child	TOCDFMPF	Pentachlorophenol	1.0983E-007	1.1007E-007
RCPTR_23	farmer_child	TOCDFMPF	Phenanthrene	1.0441E-011	1.0441E-011
RCPTR_23	farmer_child	TOCDFMPF	Phenol	1.0804E-011	1.0810E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Pronamide	1.0261E-009	1.0336E-009
RCPTR_23	farmer_child	TOCDFMPF	Pyrene	2.9009E-007	4.2761E-007
RCPTR_23	farmer_child	TOCDFMPF	Selenium	2.0232E-008	2.0233E-008
RCPTR_23	farmer_child	TOCDFMPF	Silver	9.7331E-008	9.7490E-008
RCPTR_23	farmer_child	TOCDFMPF	Styrene	9.8778E-013	9.8780E-013
RCPTR_23	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6271E-012	1.8836E-012
RCPTR_23	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0869E-012	3.7317E-012
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.3595E-010	8.3712E-010
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0877E-011	1.0877E-011
RCPTR_23	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.7073E-014	1.7073E-014
RCPTR_23	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.0927E-009	6.1036E-009
RCPTR_23	farmer_child	TOCDFMPF	Thallium (I)	1.8704E-007	1.8920E-007
RCPTR_23	farmer_child	TOCDFMPF	Toluene	1.1877E-014	1.1877E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.2030E-011	3.2034E-011
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.9774E-015	4.9774E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.8058E-014	3.8058E-014
RCPTR_23	farmer_child	TOCDFMPF	Trichloroethylene	6.1876E-015	6.1876E-015
RCPTR_23	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	8.1322E-016	8.1322E-016
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.6150E-009	3.6755E-009
RCPTR_23	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	7.4733E-010	7.4993E-010
RCPTR_23	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.4086E-013	1.4086E-013
RCPTR_23	farmer_child	TOCDFMPF	Vinyl Chloride	2.0106E-018	2.0106E-018
RCPTR_23	farmer_child	TOCDFMPF	Xylene, m-	5.8400E-014	5.8400E-014
RCPTR_23	farmer_child	TOCDFMPF	Xylene, o-	5.8261E-014	5.8261E-014
RCPTR_23	farmer_child	TOCDFMPF	Xylene, p-	7.2966E-014	7.2966E-014
RCPTR_23	farmer_child	TOCDFMPF	Zinc	6.4743E-008	6.7631E-008
RCPTR_23	farmer_child	TOCDHVAC	GB	2.6456E-014	2.6462E-014
RCPTR_23	farmer_child	TOCDLIC2	Acenaphthene	4.0460E-010	4.0603E-010
RCPTR_23	farmer_child	TOCDLIC2	Acetone	5.1283E-015	5.1283E-015
RCPTR_23	farmer_child	TOCDLIC2	Acetophenone	2.1366E-012	2.1371E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Aniline	1.2872E-013	1.2872E-013
RCPTR_23	farmer_child	TOCDLIC2	Anthracene	6.9330E-009	7.1658E-009
RCPTR_23	farmer_child	TOCDLIC2	Antimony	4.7168E-008	4.8211E-008
RCPTR_23	farmer_child	TOCDLIC2	Arsenic	1.0270E-007	1.0305E-007
RCPTR_23	farmer_child	TOCDLIC2	Barium	3.5187E-008	3.5724E-008
RCPTR_23	farmer_child	TOCDLIC2	Benzene	3.4233E-015	3.4233E-015
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.3385E-007	9.5504E-007
RCPTR_23	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.7047E-006	6.8132E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.0728E-006	4.3664E-006
RCPTR_23	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.0318E-005	1.0747E-005
RCPTR_23	farmer_child	TOCDLIC2	Benzoic acid	1.4811E-011	1.4812E-011
RCPTR_23	farmer_child	TOCDLIC2	Benzyl alcohol	2.9184E-012	2.9199E-012
RCPTR_23	farmer_child	TOCDLIC2	Beryllium	1.7514E-008	1.9650E-008
RCPTR_23	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.9207E-012	2.9219E-012
RCPTR_23	farmer_child	TOCDLIC2	Bromodichloromethane	3.8769E-014	3.8769E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0111E-012	1.0112E-012
RCPTR_23	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.1356E-007	1.5709E-007
RCPTR_23	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.4229E-009	4.4254E-009
RCPTR_23	farmer_child	TOCDLIC2	Cadmium	1.5800E-009	1.7024E-009
RCPTR_23	farmer_child	TOCDLIC2	Carbon disulfide	4.3675E-015	4.3675E-015
RCPTR_23	farmer_child	TOCDLIC2	Carbon tetrachloride	6.9245E-015	6.9245E-015
RCPTR_23	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4251E-010	2.4367E-010
RCPTR_23	farmer_child	TOCDLIC2	Chloroaniline, p-	1.3559E-011	1.3574E-011
RCPTR_23	farmer_child	TOCDLIC2	Chlorobenzene	4.0519E-014	4.0519E-014
RCPTR_23	farmer_child	TOCDLIC2	Chloroethane	1.1395E-016	1.1395E-016
RCPTR_23	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.2438E-014	1.2438E-014
RCPTR_23	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.0519E-009	1.0605E-009
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.7602E-011	3.7688E-011
RCPTR_23	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3530E-009	1.3577E-009
RCPTR_23	farmer_child	TOCDLIC2	Chromium	7.4362E-007	8.5925E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Chromium, hexavalent	6.3929E-007	6.3990E-007
RCPTR_23	farmer_child	TOCDLIC2	Chrysene	2.0691E-006	2.2698E-006
RCPTR_23	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.6191E-008	1.6214E-008
RCPTR_23	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.1277E+001	7.1277E+001
RCPTR_23	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.3558E-004	1.3691E-004
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.7139E-012	1.7140E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.0728E-012	2.0728E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.9954E-012	1.9955E-012
RCPTR_23	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.5545E-009	9.5952E-009
RCPTR_23	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.0874E-018	9.0874E-018
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.2877E-015	2.2877E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8421E-015	2.8421E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	8.6618E-016	8.6618E-016
RCPTR_23	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.3924E-015	1.3924E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.6963E-010	1.7015E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	7.8356E-015	7.8356E-015
RCPTR_23	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.5850E-015	2.5850E-015
RCPTR_23	farmer_child	TOCDLIC2	Diethyl phthalate	9.0988E-009	9.0999E-009
RCPTR_23	farmer_child	TOCDLIC2	Dimethyl phthalate	6.0794E-011	6.0848E-011
RCPTR_23	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.5666E-011	2.5699E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.3716E-011	1.3718E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.3635E-011	2.3674E-011
RCPTR_23	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.8200E-011	1.8225E-011
RCPTR_23	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.4695E-013	5.4710E-013
RCPTR_23	farmer_child	TOCDLIC2	Ethylbenzene	2.8120E-014	2.8120E-014
RCPTR_23	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.6654E-009	4.6744E-009
RCPTR_23	farmer_child	TOCDLIC2	Fluoranthene	8.7332E-008	1.0199E-007
RCPTR_23	farmer_child	TOCDLIC2	Fluorene	1.5781E-009	1.5951E-009
RCPTR_23	farmer_child	TOCDLIC2	GB	4.6140E-015	4.6152E-015
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.9365E-013	5.3121E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.4471E-013	4.7245E-013
RCPTR_23	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.3610E-013	4.6850E-013
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2844E-012	1.3677E-012
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	9.5135E-013	1.0287E-012
RCPTR_23	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.4230E-013	1.0284E-012
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.0881E-013	1.0008E-012
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.4661E-013	6.0180E-013
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.8577E-013	5.3449E-013
RCPTR_23	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.5743E-013	6.1350E-013
RCPTR_23	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.3580E-011	3.3583E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorobenzene	6.4328E-008	6.8349E-008
RCPTR_23	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	8.9307E-011	8.9325E-011
RCPTR_23	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.0588E-011	2.0591E-011
RCPTR_23	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_23	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.7756E-004	9.7973E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Isophorone	3.9106E-012	3.9121E-012
RCPTR_23	farmer_child	TOCDLIC2	Lead	1.4540E-007	1.7330E-007
RCPTR_23	farmer_child	TOCDLIC2	Mercuric chloride	4.2139E-006	7.4873E-006
RCPTR_23	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.3543E-016	1.3543E-016
RCPTR_23	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.3983E-018	5.3983E-018
RCPTR_23	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.0380E-014	3.0380E-014
RCPTR_23	farmer_child	TOCDLIC2	Methyl mercury	4.9174E-008	5.8815E-008
RCPTR_23	farmer_child	TOCDLIC2	Methylene chloride	2.3848E-015	2.3848E-015
RCPTR_23	farmer_child	TOCDLIC2	Naphthalene	1.6516E-011	1.6521E-011
RCPTR_23	farmer_child	TOCDLIC2	Nickel	1.1558E-007	1.1733E-007
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 2-	6.6826E-011	6.6899E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.5914E-011	1.5921E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.0562E-011	2.0572E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitrobenzene	6.5995E-012	6.6032E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.0055E-012	3.0063E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Nitrophenol, 4-	4.8335E-011	4.8347E-011
RCPTR_23	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.7238E-012	3.7244E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.6599E-012	3.6602E-012
RCPTR_23	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.2861E-013	3.2863E-013
RCPTR_23	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.5839E-013	9.4008E-013
RCPTR_23	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.8446E-013	3.1100E-013
RCPTR_23	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.1678E-012	3.4067E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.4844E-013	1.0633E-012
RCPTR_23	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6985E-012	3.0174E-012
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorobenzene	2.5479E-010	2.5490E-010
RCPTR_23	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0121E-010	1.0122E-010
RCPTR_23	farmer_child	TOCDLIC2	Pentachlorophenol	5.3401E-008	5.3517E-008
RCPTR_23	farmer_child	TOCDLIC2	Phenanthrene	5.0523E-012	5.0524E-012
RCPTR_23	farmer_child	TOCDLIC2	Phenol	5.5273E-012	5.5308E-012
RCPTR_23	farmer_child	TOCDLIC2	Pronamide	4.9652E-010	5.0015E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Pyrene	1.4038E-007	2.0692E-007
RCPTR_23	farmer_child	TOCDLIC2	Selenium	6.9012E-008	6.9018E-008
RCPTR_23	farmer_child	TOCDLIC2	Silver	2.4270E-008	2.4310E-008
RCPTR_23	farmer_child	TOCDLIC2	Styrene	7.7361E-013	7.7363E-013
RCPTR_23	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6620E-012	1.9240E-012
RCPTR_23	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3496E-012	1.6315E-012
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.0452E-010	4.0509E-010
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1761E-011	1.1761E-011
RCPTR_23	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.3265E-015	8.3265E-015
RCPTR_23	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.9617E-009	2.9670E-009
RCPTR_23	farmer_child	TOCDLIC2	Thallium (I)	6.3257E-007	6.3986E-007
RCPTR_23	farmer_child	TOCDLIC2	Toluene	4.4623E-014	4.4623E-014
RCPTR_23	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.5499E-011	1.5501E-011
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	5.3796E-015	5.3796E-015
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.1133E-014	4.1134E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_23	farmer_child	TOCDLIC2	Trichloroethylene	6.6877E-015	6.6877E-015
RCPTR_23	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	8.7893E-016	8.7893E-016
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.7494E-009	1.7786E-009
RCPTR_23	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.6165E-010	3.6291E-010
RCPTR_23	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.5224E-013	1.5225E-013
RCPTR_23	farmer_child	TOCDLIC2	Vinyl Chloride	2.5679E-018	2.5679E-018
RCPTR_23	farmer_child	TOCDLIC2	Xylene, m-	8.5760E-014	8.5760E-014
RCPTR_23	farmer_child	TOCDLIC2	Xylene, o-	6.2920E-014	6.2920E-014
RCPTR_23	farmer_child	TOCDLIC2	Xylene, p-	1.0718E-013	1.0718E-013
RCPTR_23	farmer_child	TOCDLIC2	Zinc	1.2602E-007	1.3164E-007
RCPTR_24	farmer_adult	TOCDFBRA	Antimony	1.6887E-007	1.9819E-007
RCPTR_24	farmer_adult	TOCDFBRA	Arsenic	2.8001E-007	2.9034E-007
RCPTR_24	farmer_adult	TOCDFBRA	Barium	2.3253E-008	2.6208E-008
RCPTR_24	farmer_adult	TOCDFBRA	Beryllium	8.0771E-008	9.3019E-008
RCPTR_24	farmer_adult	TOCDFBRA	Cadmium	1.3324E-008	1.9127E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFBRA	Chromium	2.2221E-006	2.2826E-006
RCPTR_24	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.6600E-006	1.6862E-006
RCPTR_24	farmer_adult	TOCDFBRA	Lead	8.7760E-007	1.0723E-006
RCPTR_24	farmer_adult	TOCDFBRA	Mercuric chloride	2.6765E-004	2.9496E-004
RCPTR_24	farmer_adult	TOCDFBRA	Methyl mercury	2.2506E-006	2.3932E-006
RCPTR_24	farmer_adult	TOCDFBRA	Nickel	9.1901E-007	9.9014E-007
RCPTR_24	farmer_adult	TOCDFBRA	Selenium	3.1470E-007	3.1625E-007
RCPTR_24	farmer_adult	TOCDFBRA	Silver	1.0568E-007	1.1240E-007
RCPTR_24	farmer_adult	TOCDFBRA	Thallium (I)	2.8585E-006	3.0119E-006
RCPTR_24	farmer_adult	TOCDFBRA	Zinc	4.8978E-007	6.2344E-007
RCPTR_24	farmer_adult	TOCDFDFS	Acenaphthene	8.0618E-011	4.0718E-010
RCPTR_24	farmer_adult	TOCDFDFS	Acetone	9.7476E-016	5.0830E-015
RCPTR_24	farmer_adult	TOCDFDFS	Acetophenone	4.3220E-013	2.2501E-012
RCPTR_24	farmer_adult	TOCDFDFS	Aniline	2.4885E-014	1.2908E-013
RCPTR_24	farmer_adult	TOCDFDFS	Anthracene	1.4273E-009	7.1857E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Antimony	1.7189E-006	2.0087E-006
RCPTR_24	farmer_adult	TOCDFDFS	Aroclor 1254	2.8422E-011	4.8350E-011
RCPTR_24	farmer_adult	TOCDFDFS	Arsenic	1.6131E-007	1.6708E-007
RCPTR_24	farmer_adult	TOCDFDFS	Barium	4.7075E-009	5.2881E-009
RCPTR_24	farmer_adult	TOCDFDFS	Benzene	8.1232E-016	4.2056E-015
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.0887E-007	9.5684E-007
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.4175E-006	6.7605E-006
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.5142E-006	4.3922E-006
RCPTR_24	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0006E-005	1.0671E-005
RCPTR_24	farmer_adult	TOCDFDFS	Benzoic acid	3.4763E-012	1.4870E-011
RCPTR_24	farmer_adult	TOCDFDFS	Benzyl alcohol	5.6284E-013	2.9280E-012
RCPTR_24	farmer_adult	TOCDFDFS	Beryllium	4.4881E-008	5.1505E-008
RCPTR_24	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.6190E-013	2.9300E-012
RCPTR_24	farmer_adult	TOCDFDFS	Bromodichloromethane	6.3669E-015	3.3157E-014
RCPTR_24	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5294E-013	1.3178E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.1720E-008	1.5752E-007
RCPTR_24	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.7659E-009	4.3302E-009
RCPTR_24	farmer_adult	TOCDFDFS	Cadmium	3.7293E-008	5.3093E-008
RCPTR_24	farmer_adult	TOCDFDFS	Carbon disulfide	4.2343E-016	2.1980E-015
RCPTR_24	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.1207E-015	1.0972E-014
RCPTR_24	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.4062E-011	2.4483E-010
RCPTR_24	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.6274E-012	1.3612E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorobenzene	1.2469E-014	6.4205E-014
RCPTR_24	farmer_adult	TOCDFDFS	Chloroethane	3.6187E-017	1.8059E-016
RCPTR_24	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9076E-015	9.9305E-015
RCPTR_24	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.0911E-010	1.0635E-009
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.2514E-012	3.7792E-011
RCPTR_24	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.5923E-010	1.3622E-009
RCPTR_24	farmer_adult	TOCDFDFS	Chromium	6.6086E-007	6.7844E-007
RCPTR_24	farmer_adult	TOCDFDFS	Chromium, hexavalent	4.9749E-007	5.0510E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Chrysene	1.8228E-006	2.2848E-006
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.4296E-008	1.6467E-008
RCPTR_24	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.3189E+001	7.3189E+001
RCPTR_24	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3270E-004	1.3536E-004
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.4751E-013	1.7190E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.1260E-013	2.0788E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.9520E-013	2.0012E-012
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2998E-008	1.5876E-008
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.7802E-018	1.4398E-017
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.9611E-016	3.6249E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6449E-016	4.5032E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.6427E-016	1.3725E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2496E-016	2.2063E-015
RCPTR_24	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.3940E-011	1.7122E-010
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.3991E-015	1.2416E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.8734E-016	4.0959E-015
RCPTR_24	farmer_adult	TOCDFDFS	Diethyl phthalate	8.9597E-009	9.3313E-009
RCPTR_24	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1434E-011	5.6978E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.0039E-012	2.5771E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.5190E-012	1.3654E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.9068E-012	2.3730E-011
RCPTR_24	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.6986E-012	1.8276E-011
RCPTR_24	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0523E-013	5.4860E-013
RCPTR_24	farmer_adult	TOCDFDFS	Ethylbenzene	7.9690E-015	3.9294E-014
RCPTR_24	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.8396E-010	4.4390E-010
RCPTR_24	farmer_adult	TOCDFDFS	Fluoranthene	2.9961E-008	1.0235E-007
RCPTR_24	farmer_adult	TOCDFDFS	Fluorene	3.2339E-010	1.5997E-009
RCPTR_24	farmer_adult	TOCDFDFS	GB	2.8361E-015	1.4758E-014
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2174E-013	1.3325E-013
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.3285E-014	6.8118E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1407E-013	2.3384E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2053E-012	1.3013E-012
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.4793E-013	7.1407E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.6092E-013	6.2616E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.3943E-013	4.9684E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.9106E-013	4.4191E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.2453E-013	5.9227E-013
RCPTR_24	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.6094E-013	4.0772E-013
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.2926E-012	3.3672E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4444E-008	6.8553E-008
RCPTR_24	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	9.8646E-011	4.4327E-010
RCPTR_24	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0875E-012	2.0652E-011
RCPTR_24	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.8913E-004	9.9410E-004
RCPTR_24	farmer_adult	TOCDFDFS	Isophorone	7.5362E-013	3.9229E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Lead	5.2643E-006	6.4039E-006
RCPTR_24	farmer_adult	TOCDFDFS	Mercuric chloride	9.4596E-008	1.0441E-007
RCPTR_24	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.3634E-017	3.8374E-016
RCPTR_24	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2476E-017	6.4967E-017
RCPTR_24	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5422E-015	3.4112E-014
RCPTR_24	farmer_adult	TOCDFDFS	Methyl mercury	7.4065E-010	7.9191E-010
RCPTR_24	farmer_adult	TOCDFDFS	Methylene chloride	1.8931E-016	9.8608E-016
RCPTR_24	farmer_adult	TOCDFDFS	Naphthalene	3.2326E-012	1.6567E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nickel	5.5060E-007	5.9195E-007
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2764E-011	6.6122E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.0238E-012	1.5736E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.9132E-012	2.0332E-011
RCPTR_24	farmer_adult	TOCDFDFS	Nitrobenzene	1.2706E-012	6.6214E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.7908E-013	3.0146E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.5367E-011	4.8247E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2084E-013	3.7348E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.1072E-013	3.6705E-012
RCPTR_24	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.5306E-014	3.2922E-013
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.1047E-013	3.4825E-013
RCPTR_24	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0662E-013	1.1932E-013
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9973E-012	3.2829E-012
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4561E-013	2.8442E-013
RCPTR_24	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.8703E-013	1.1389E-012
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.9870E-011	2.5470E-010
RCPTR_24	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.4326E-011	9.9631E-011
RCPTR_24	farmer_adult	TOCDFDFS	Pentachlorophenol	3.9639E-008	5.3743E-008
RCPTR_24	farmer_adult	TOCDFDFS	Phenanthrene	1.0110E-012	5.0669E-012
RCPTR_24	farmer_adult	TOCDFDFS	Phenol	1.0110E-012	5.2457E-012
RCPTR_24	farmer_adult	TOCDFDFS	Pronamide	2.0344E-010	1.0033E-009
RCPTR_24	farmer_adult	TOCDFDFS	Pyrene	5.2747E-008	2.0758E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Selenium	1.8134E-007	1.8220E-007
RCPTR_24	farmer_adult	TOCDFDFS	Silver	6.1834E-008	6.5649E-008
RCPTR_24	farmer_adult	TOCDFDFS	Styrene	2.0667E-013	1.0709E-012
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3230E-012	1.6029E-012
RCPTR_24	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.1361E-013	5.3193E-013
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.7030E-011	4.0641E-010
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5211E-011	1.8971E-011
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.5457E-015	1.3193E-014
RCPTR_24	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2360E-009	2.9513E-009
RCPTR_24	farmer_adult	TOCDFDFS	Thallium (I)	1.5938E-006	1.6768E-006
RCPTR_24	farmer_adult	TOCDFDFS	Toluene	3.4723E-015	1.7776E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1756E-012	1.5547E-011
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.6409E-015	8.5240E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.2522E-014	6.5177E-014
RCPTR_24	farmer_adult	TOCDFDFS	Trichloroethylene	2.0439E-015	1.0597E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.6850E-016	1.3927E-015
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.8940E-010	1.7849E-009
RCPTR_24	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0080E-010	3.6479E-010
RCPTR_24	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.6397E-014	2.4123E-013
RCPTR_24	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.7663E-013	2.8277E-012
RCPTR_24	farmer_adult	TOCDFDFS	Vinyl Chloride	6.6219E-019	3.4431E-018
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, m-	5.3652E-014	9.5265E-014
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, o-	4.8300E-014	9.5741E-014
RCPTR_24	farmer_adult	TOCDFDFS	Xylene, p-	5.6000E-014	1.2054E-013
RCPTR_24	farmer_adult	TOCDFDFS	Zinc	3.2923E-007	4.1652E-007
RCPTR_24	farmer_adult	TOCDFLIC	Acenaphthene	4.7074E-011	2.3769E-010
RCPTR_24	farmer_adult	TOCDFLIC	Acetone	1.2004E-015	6.2595E-015
RCPTR_24	farmer_adult	TOCDFLIC	Acetophenone	4.3249E-013	2.2516E-012
RCPTR_24	farmer_adult	TOCDFLIC	Aniline	1.4526E-014	7.5346E-014
RCPTR_24	farmer_adult	TOCDFLIC	Anthracene	8.3332E-010	4.1945E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Antimony	3.0879E-008	3.6062E-008
RCPTR_24	farmer_adult	TOCDFLIC	Arsenic	9.9066E-008	1.0260E-007
RCPTR_24	farmer_adult	TOCDFLIC	Barium	3.2863E-009	3.6898E-009
RCPTR_24	farmer_adult	TOCDFLIC	Benzene	1.1099E-014	5.7460E-014
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.5711E-007	5.5995E-007
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.7520E-006	3.9488E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0660E-006	2.5774E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.8551E-006	6.2340E-006
RCPTR_24	farmer_adult	TOCDFLIC	Benzoic acid	2.1837E-012	9.3180E-012
RCPTR_24	farmer_adult	TOCDFLIC	Benzyl alcohol	3.2855E-013	1.7091E-012
RCPTR_24	farmer_adult	TOCDFLIC	Beryllium	1.7046E-008	1.9551E-008
RCPTR_24	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.2798E-013	1.7103E-012
RCPTR_24	farmer_adult	TOCDFLIC	Bromodichloromethane	2.9368E-015	1.5294E-014
RCPTR_24	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.0111E-013	5.2678E-013
RCPTR_24	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8514E-008	9.1943E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.1838E-009	2.5131E-009
RCPTR_24	farmer_adult	TOCDFLIC	Cadmium	1.0479E-008	1.4900E-008
RCPTR_24	farmer_adult	TOCDFLIC	Carbon disulfide	6.7066E-016	3.4811E-015
RCPTR_24	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0623E-015	5.4958E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.7578E-011	1.4309E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.5338E-012	7.9455E-012
RCPTR_24	farmer_adult	TOCDFLIC	Chlorobenzene	6.2465E-015	3.2160E-014
RCPTR_24	farmer_adult	TOCDFLIC	Chloroethane	1.8140E-017	9.0469E-017
RCPTR_24	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.3475E-016	4.8659E-015
RCPTR_24	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.2210E-010	6.2079E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.2327E-012	2.2059E-011
RCPTR_24	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1027E-010	7.9573E-010
RCPTR_24	farmer_adult	TOCDFLIC	Chromium	8.3276E-007	8.5485E-007
RCPTR_24	farmer_adult	TOCDFLIC	Chromium, hexavalent	6.2760E-007	6.3716E-007
RCPTR_24	farmer_adult	TOCDFLIC	Chrysene	1.0722E-006	1.3411E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.4384E-009	9.7058E-009
RCPTR_24	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.3365E+001	4.3365E+001
RCPTR_24	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.7735E-005	7.9216E-005
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.0299E-013	1.0036E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.4096E-013	1.2135E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.3078E-013	1.1682E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.9405E-009	4.8089E-009
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3925E-018	7.2117E-018
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.4867E-016	1.8156E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3300E-016	2.2555E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.3237E-016	6.8744E-016
RCPTR_24	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.1287E-016	1.1051E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.1712E-011	1.0017E-010
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.2018E-015	6.2189E-015
RCPTR_24	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9436E-016	2.0515E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Diethyl phthalate	5.3076E-009	5.5245E-009
RCPTR_24	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2044E-011	6.0008E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.9215E-012	1.5043E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.8893E-012	8.1034E-012
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.8635E-012	1.3851E-011
RCPTR_24	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.1598E-012	1.0669E-011
RCPTR_24	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.1426E-014	3.2022E-013
RCPTR_24	farmer_adult	TOCDFLIC	Ethylbenzene	5.3259E-015	2.6246E-014
RCPTR_24	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.0305E-009	8.1366E-009
RCPTR_24	farmer_adult	TOCDFLIC	Fluoranthene	1.7552E-008	5.9805E-008
RCPTR_24	farmer_adult	TOCDFLIC	Fluorene	1.8888E-010	9.3386E-010
RCPTR_24	farmer_adult	TOCDFLIC	GB	1.0305E-015	5.3623E-015
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.6693E-014	8.3804E-014
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.1833E-014	9.8662E-014
RCPTR_24	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1914E-013	2.3896E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.6907E-013	1.0444E-012
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.4981E-013	6.0489E-013
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.6928E-013	5.2314E-013
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.9963E-013	3.3843E-013
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.9351E-013	3.3134E-013
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.3980E-013	3.8327E-013
RCPTR_24	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.4791E-013	2.7974E-013
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.2591E-012	1.9657E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.4400E-009	4.0023E-008
RCPTR_24	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.1638E-011	5.2276E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.3872E-012	1.2056E-011
RCPTR_24	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8401E-004	5.8677E-004
RCPTR_24	farmer_adult	TOCDFLIC	Isophorone	4.3991E-013	2.2898E-012
RCPTR_24	farmer_adult	TOCDFLIC	Lead	1.9665E-006	2.3907E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Mercuric chloride	8.0578E-006	8.8966E-006
RCPTR_24	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.3998E-017	1.2506E-016
RCPTR_24	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9672E-018	1.0244E-017
RCPTR_24	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.1404E-015	3.7231E-014
RCPTR_24	farmer_adult	TOCDFLIC	Methyl mercury	6.2279E-008	6.6658E-008
RCPTR_24	farmer_adult	TOCDFLIC	Methylene chloride	1.5203E-016	7.9189E-016
RCPTR_24	farmer_adult	TOCDFLIC	Naphthalene	1.8873E-012	9.6708E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nickel	3.1263E-007	3.3600E-007
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.5397E-012	3.9057E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.7861E-012	9.2945E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.3112E-012	1.2010E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitrobenzene	7.4166E-013	3.8649E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.3802E-013	1.7596E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5160E-011	2.8675E-011
RCPTR_24	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.2081E-013	2.1801E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.1493E-013	2.1426E-012
RCPTR_24	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.8069E-014	1.9212E-013
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6651E-013	2.9860E-013
RCPTR_24	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.7655E-014	9.7992E-014
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.9699E-012	2.1541E-012
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.1153E-013	5.9160E-013
RCPTR_24	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1364E-012	1.3098E-012
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.4771E-011	1.4849E-010
RCPTR_24	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4288E-011	5.8769E-011
RCPTR_24	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3737E-008	3.2067E-008
RCPTR_24	farmer_adult	TOCDFLIC	Phenanthrene	5.9042E-013	2.9578E-012
RCPTR_24	farmer_adult	TOCDFLIC	Phenol	5.9018E-013	3.0620E-012
RCPTR_24	farmer_adult	TOCDFLIC	Pronamide	5.9424E-011	2.9287E-010
RCPTR_24	farmer_adult	TOCDFLIC	Pyrene	3.0844E-008	1.2121E-007
RCPTR_24	farmer_adult	TOCDFLIC	Selenium	6.8400E-008	6.8725E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Silver	2.2801E-008	2.4201E-008
RCPTR_24	farmer_adult	TOCDFLIC	Styrene	2.1529E-013	1.1155E-012
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.4954E-013	7.8607E-013
RCPTR_24	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.4989E-013	1.0915E-012
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.0885E-011	2.3731E-010
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.7267E-012	9.6102E-012
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2751E-015	6.6080E-015
RCPTR_24	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.3733E-010	1.7505E-009
RCPTR_24	farmer_adult	TOCDFLIC	Thallium (I)	6.0563E-007	6.3702E-007
RCPTR_24	farmer_adult	TOCDFLIC	Toluene	1.0005E-014	5.1210E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.8551E-012	9.0762E-012
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	8.2195E-016	4.2695E-015
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.2723E-015	3.2645E-014
RCPTR_24	farmer_adult	TOCDFLIC	Trichloroethylene	1.0238E-015	5.3077E-015
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3450E-016	6.9757E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.2780E-010	1.0423E-009
RCPTR_24	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.9171E-011	2.1326E-010
RCPTR_24	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.3240E-014	1.2083E-013
RCPTR_24	farmer_adult	TOCDFLIC	Vinyl Chloride	3.5736E-019	1.8582E-018
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, m-	4.6404E-014	8.3566E-014
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, o-	2.6627E-014	5.3581E-014
RCPTR_24	farmer_adult	TOCDFLIC	Xylene, p-	4.8604E-014	1.0624E-013
RCPTR_24	farmer_adult	TOCDFLIC	Zinc	8.6781E-008	1.0969E-007
RCPTR_24	farmer_adult	TOCDFMPF	Acenaphthene	2.0060E-010	1.0129E-009
RCPTR_24	farmer_adult	TOCDFMPF	Acetone	6.0128E-016	3.1354E-015
RCPTR_24	farmer_adult	TOCDFMPF	Acetophenone	1.0239E-012	5.3306E-012
RCPTR_24	farmer_adult	TOCDFMPF	Aniline	6.1904E-014	3.2109E-013
RCPTR_24	farmer_adult	TOCDFMPF	Anthracene	3.5511E-009	1.7875E-008
RCPTR_24	farmer_adult	TOCDFMPF	Antimony	9.2031E-009	1.0748E-008
RCPTR_24	farmer_adult	TOCDFMPF	Arsenic	2.3280E-008	2.4109E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Barium	3.0848E-009	3.4636E-009
RCPTR_24	farmer_adult	TOCDFMPF	Benzene	5.3967E-016	2.7938E-015
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5210E-006	2.3854E-006
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.5980E-005	1.6818E-005
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.7993E-006	1.0979E-005
RCPTR_24	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.4937E-005	2.6552E-005
RCPTR_24	farmer_adult	TOCDFMPF	Benzoic acid	8.6739E-012	3.7015E-011
RCPTR_24	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4001E-012	7.2833E-012
RCPTR_24	farmer_adult	TOCDFMPF	Beryllium	4.8749E-009	5.5917E-009
RCPTR_24	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3977E-012	7.2883E-012
RCPTR_24	farmer_adult	TOCDFMPF	Bromodichloromethane	4.7798E-015	2.4891E-014
RCPTR_24	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8027E-013	9.3921E-013
RCPTR_24	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.8898E-008	3.9182E-007
RCPTR_24	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.3011E-009	1.0704E-008
RCPTR_24	farmer_adult	TOCDFMPF	Cadmium	4.5908E-009	6.5280E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Carbon disulfide	9.4128E-016	4.8858E-015
RCPTR_24	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.4948E-015	7.7334E-015
RCPTR_24	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6010E-010	6.0976E-010
RCPTR_24	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.5362E-012	3.3860E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chlorobenzene	8.7897E-015	4.5253E-014
RCPTR_24	farmer_adult	TOCDFMPF	Chloroethane	2.5524E-017	1.2730E-016
RCPTR_24	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.2653E-015	6.5864E-015
RCPTR_24	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.2032E-010	2.6455E-009
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.8038E-011	9.4006E-011
RCPTR_24	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.9587E-010	3.3908E-009
RCPTR_24	farmer_adult	TOCDFMPF	Chromium	1.6134E-007	1.6562E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.2159E-007	1.2344E-007
RCPTR_24	farmer_adult	TOCDFMPF	Chrysene	4.5667E-006	5.7124E-006
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.5938E-008	4.1340E-008
RCPTR_24	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.8468E+002	1.8468E+002

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.3121E-004	3.3753E-004
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.6501E-013	4.2766E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0268E-012	5.1715E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.8343E-013	4.9783E-012
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.1954E-008	2.6795E-008
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.9594E-018	1.0148E-017
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.9063E-016	2.5549E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0930E-016	3.1739E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.8627E-016	9.6734E-016
RCPTR_24	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9954E-016	1.5550E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3510E-010	4.2683E-010
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.6911E-015	8.7509E-015
RCPTR_24	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.5493E-016	2.8868E-015
RCPTR_24	farmer_adult	TOCDFMPF	Diethyl phthalate	2.2604E-008	2.3528E-008
RCPTR_24	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.3765E-012	2.1806E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2450E-011	6.4108E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6536E-011	3.4462E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2202E-011	5.9025E-011
RCPTR_24	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.2038E-012	4.5465E-011
RCPTR_24	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.6177E-013	1.3646E-012
RCPTR_24	farmer_adult	TOCDFMPF	Ethylbenzene	5.6205E-015	2.7698E-014
RCPTR_24	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.7733E-009	8.9971E-009
RCPTR_24	farmer_adult	TOCDFMPF	Fluoranthene	7.4778E-008	2.5484E-007
RCPTR_24	farmer_adult	TOCDFMPF	Fluorene	8.0487E-010	3.9796E-009
RCPTR_24	farmer_adult	TOCDFMPF	GB	1.4654E-015	7.6252E-015
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6127E-013	1.7624E-013
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.1542E-012	6.6121E-012
RCPTR_24	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0152E-012	1.1071E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2111E-012	2.3832E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1933E-012	1.3130E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1114E-012	1.2390E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.4889E-011	5.0704E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0951E-011	1.2363E-011
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9017E-012	2.1452E-012
RCPTR_24	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3580E-012	1.5325E-012
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.8148E-011	8.3765E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.5965E-008	1.7056E-007
RCPTR_24	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.9589E-011	2.2277E-010
RCPTR_24	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0173E-011	5.1376E-011
RCPTR_24	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.4875E-003	2.4993E-003
RCPTR_24	farmer_adult	TOCDFMPF	Isophorone	1.8747E-012	9.7581E-012
RCPTR_24	farmer_adult	TOCDFMPF	Lead	1.5526E-009	1.8876E-009
RCPTR_24	farmer_adult	TOCDFMPF	Mercuric chloride	9.1175E-008	1.0067E-007
RCPTR_24	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.8774E-017	1.4995E-016

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.0301E-018	5.3638E-018
RCPTR_24	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.7361E-015	3.5122E-014
RCPTR_24	farmer_adult	TOCDFMPF	Methyl mercury	7.0448E-010	7.5403E-010
RCPTR_24	farmer_adult	TOCDFMPF	Methylene chloride	1.6857E-016	8.7805E-016
RCPTR_24	farmer_adult	TOCDFMPF	Naphthalene	8.0427E-012	4.1212E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nickel	2.4551E-007	2.6387E-007
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.2072E-011	1.6614E-010
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.5976E-012	3.9537E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.8315E-012	5.1086E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitrobenzene	3.1606E-012	1.6470E-011
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4405E-012	7.4988E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.4455E-011	1.2194E-010
RCPTR_24	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7933E-012	9.2904E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7682E-012	9.1306E-012
RCPTR_24	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.6222E-013	8.1870E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9529E-013	4.4292E-013
RCPTR_24	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.5044E-013	6.1539E-013
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.7692E-012	8.4964E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.6906E-012	6.5819E-012
RCPTR_24	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8451E-011	2.1268E-011
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.4816E-010	6.3279E-010
RCPTR_24	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.0771E-011	2.4998E-010
RCPTR_24	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0091E-007	1.3635E-007
RCPTR_24	farmer_adult	TOCDFMPF	Phenanthrene	2.5160E-012	1.2605E-011
RCPTR_24	farmer_adult	TOCDFMPF	Phenol	2.5151E-012	1.3049E-011
RCPTR_24	farmer_adult	TOCDFMPF	Pronamide	2.5323E-010	1.2480E-009
RCPTR_24	farmer_adult	TOCDFMPF	Pyrene	1.3143E-007	5.1654E-007
RCPTR_24	farmer_adult	TOCDFMPF	Selenium	2.0037E-008	2.0132E-008
RCPTR_24	farmer_adult	TOCDFMPF	Silver	9.1370E-008	9.6982E-008
RCPTR_24	farmer_adult	TOCDFMPF	Styrene	2.3012E-013	1.1923E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8407E-012	2.2278E-012
RCPTR_24	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.4774E-012	4.4667E-012
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.1683E-010	1.0113E-009
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0866E-011	1.3516E-011
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9762E-015	2.0606E-014
RCPTR_24	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.1351E-009	7.4448E-009
RCPTR_24	farmer_adult	TOCDFMPF	Thallium (I)	1.7894E-007	1.8822E-007
RCPTR_24	farmer_adult	TOCDFMPF	Toluene	2.8010E-015	1.4337E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.9052E-012	3.8678E-011
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1566E-015	6.0078E-015
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.8261E-015	4.5937E-014
RCPTR_24	farmer_adult	TOCDFMPF	Trichloroethylene	1.4407E-015	7.4687E-015
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.8926E-016	9.8158E-016
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.7069E-010	4.4418E-009
RCPTR_24	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.5210E-010	9.0876E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.2702E-014	1.7002E-013
RCPTR_24	farmer_adult	TOCDFMPF	Vinyl Chloride	4.6668E-019	2.4267E-018
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, m-	3.6608E-014	6.5938E-014
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, o-	3.3017E-014	6.6453E-014
RCPTR_24	farmer_adult	TOCDFMPF	Xylene, p-	3.8346E-014	8.3832E-014
RCPTR_24	farmer_adult	TOCDFMPF	Zinc	5.3193E-008	6.7238E-008
RCPTR_24	farmer_adult	TOCDHVAC	GB	6.4927E-015	3.3793E-014
RCPTR_24	farmer_adult	TOCDLIC2	Acenaphthene	9.7143E-011	4.9050E-010
RCPTR_24	farmer_adult	TOCDLIC2	Acetone	1.1879E-015	6.1944E-015
RCPTR_24	farmer_adult	TOCDLIC2	Acetophenone	4.9583E-013	2.5814E-012
RCPTR_24	farmer_adult	TOCDLIC2	Aniline	2.9977E-014	1.5549E-013
RCPTR_24	farmer_adult	TOCDLIC2	Anthracene	1.7197E-009	8.6559E-009
RCPTR_24	farmer_adult	TOCDLIC2	Antimony	4.1083E-008	4.7978E-008
RCPTR_24	farmer_adult	TOCDLIC2	Arsenic	9.9066E-008	1.0260E-007
RCPTR_24	farmer_adult	TOCDLIC2	Barium	3.1668E-008	3.5556E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Benzene	7.9876E-016	4.1351E-015
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.3695E-007	1.1555E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(a)pyrene	7.7428E-006	8.1489E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.2636E-006	5.3189E-006
RCPTR_24	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2083E-005	1.2865E-005
RCPTR_24	farmer_adult	TOCDLIC2	Benzoic acid	4.2009E-012	1.7925E-011
RCPTR_24	farmer_adult	TOCDLIC2	Benzyl alcohol	6.7800E-013	3.5269E-012
RCPTR_24	farmer_adult	TOCDLIC2	Beryllium	1.7046E-008	1.9551E-008
RCPTR_24	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.7684E-013	3.5293E-012
RCPTR_24	farmer_adult	TOCDLIC2	Bromodichloromethane	8.9923E-015	4.6828E-014
RCPTR_24	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.3444E-013	1.2214E-012
RCPTR_24	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.8206E-008	1.8974E-007
RCPTR_24	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.5066E-009	5.1860E-009
RCPTR_24	farmer_adult	TOCDLIC2	Cadmium	1.1907E-009	1.6931E-009
RCPTR_24	farmer_adult	TOCDLIC2	Carbon disulfide	1.0164E-015	5.2755E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6168E-015	8.3644E-015
RCPTR_24	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.7547E-011	2.9529E-010
RCPTR_24	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.1652E-012	1.6397E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chlorobenzene	9.5069E-015	4.8946E-014
RCPTR_24	farmer_adult	TOCDLIC2	Chloroethane	2.7608E-017	1.3769E-016
RCPTR_24	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.8861E-015	1.5024E-014
RCPTR_24	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.5197E-010	1.2811E-009
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.7348E-012	4.5522E-011
RCPTR_24	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.3392E-010	1.6421E-009
RCPTR_24	farmer_adult	TOCDLIC2	Chromium	8.3276E-007	8.5485E-007
RCPTR_24	farmer_adult	TOCDLIC2	Chromium, hexavalent	6.2760E-007	6.3716E-007
RCPTR_24	farmer_adult	TOCDLIC2	Chrysene	2.2127E-006	2.7675E-006
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.7414E-008	2.0029E-008
RCPTR_24	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.9490E+001	8.9491E+001
RCPTR_24	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.6042E-004	1.6347E-004

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.1890E-013	2.0710E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.9725E-013	2.5043E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.7624E-013	2.4107E-012
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.4759E-009	1.1564E-008
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.1193E-018	1.0976E-017
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.3066E-016	2.7633E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5902E-016	3.4329E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.0147E-016	1.0463E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.2398E-016	1.6819E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.5443E-011	2.0671E-010
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.8291E-015	9.4649E-015
RCPTR_24	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.0021E-016	3.1224E-015
RCPTR_24	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0953E-008	1.1401E-008
RCPTR_24	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4752E-011	7.3498E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.0289E-012	3.1044E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.0467E-012	1.6766E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.9093E-012	2.8583E-011
RCPTR_24	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.4571E-012	2.2016E-011
RCPTR_24	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.2676E-013	6.6082E-013
RCPTR_24	farmer_adult	TOCDLIC2	Ethylbenzene	6.8948E-015	3.3977E-014
RCPTR_24	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.7072E-009	5.4478E-009
RCPTR_24	farmer_adult	TOCDLIC2	Fluoranthene	3.6221E-008	1.2342E-007
RCPTR_24	farmer_adult	TOCDLIC2	Fluorene	3.8978E-010	1.9272E-009
RCPTR_24	farmer_adult	TOCDLIC2	GB	1.0714E-015	5.5747E-015
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.3830E-013	5.8821E-013
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.0161E-013	5.3891E-013
RCPTR_24	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.7830E-013	5.2154E-013
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4548E-012	1.5680E-012
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0371E-012	1.1410E-012
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0006E-012	1.1154E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.6417E-013	1.0890E-012
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.8121E-013	6.5612E-013
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1865E-013	5.8500E-013
RCPTR_24	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.9399E-013	6.7026E-013
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.7892E-012	4.0564E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.7417E-008	8.2594E-008
RCPTR_24	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.4016E-011	1.0788E-010
RCPTR_24	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.9264E-012	2.4879E-011
RCPTR_24	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2052E-003	1.2109E-003
RCPTR_24	farmer_adult	TOCDLIC2	Isophorone	9.0780E-013	4.7253E-012
RCPTR_24	farmer_adult	TOCDLIC2	Lead	1.4178E-007	1.7237E-007
RCPTR_24	farmer_adult	TOCDLIC2	Mercuric chloride	8.0578E-006	8.8966E-006
RCPTR_24	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.1389E-017	1.6358E-016
RCPTR_24	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2522E-018	6.5205E-018

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.0378E-015	3.6696E-014
RCPTR_24	farmer_adult	TOCDLIC2	Methyl mercury	6.2279E-008	6.6658E-008
RCPTR_24	farmer_adult	TOCDLIC2	Methylene chloride	5.5303E-016	2.8806E-015
RCPTR_24	farmer_adult	TOCDLIC2	Naphthalene	3.8947E-012	1.9957E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nickel	1.0867E-007	1.1680E-007
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.5599E-011	8.0808E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.6954E-012	1.9230E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.7819E-012	2.4847E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitrobenzene	1.5305E-012	7.9758E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.9755E-013	3.6313E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.1365E-011	5.9327E-011
RCPTR_24	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6840E-013	4.4989E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.5626E-013	4.4215E-012
RCPTR_24	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.8561E-014	3.9646E-013
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.9485E-013	1.0026E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.9648E-013	3.3144E-013
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.6835E-012	4.0280E-012
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0824E-012	1.2518E-012
RCPTR_24	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.0243E-012	3.4858E-012
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.1755E-011	3.0644E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9562E-011	1.2159E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pentachlorophenol	4.9111E-008	6.6346E-008
RCPTR_24	farmer_adult	TOCDLIC2	Phenanthrene	1.2184E-012	6.1039E-012
RCPTR_24	farmer_adult	TOCDLIC2	Phenol	1.2877E-012	6.6808E-012
RCPTR_24	farmer_adult	TOCDLIC2	Pronamide	1.2263E-010	6.0437E-010
RCPTR_24	farmer_adult	TOCDLIC2	Pyrene	6.3650E-008	2.5014E-007
RCPTR_24	farmer_adult	TOCDLIC2	Selenium	6.8400E-008	6.8725E-008
RCPTR_24	farmer_adult	TOCDLIC2	Silver	2.2801E-008	2.4201E-008
RCPTR_24	farmer_adult	TOCDLIC2	Styrene	1.8036E-013	9.3448E-013
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.8829E-012	2.2787E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5223E-012	1.9552E-012
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0501E-010	4.8972E-010
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1760E-011	1.4626E-011
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9406E-015	1.0057E-014
RCPTR_24	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5255E-009	3.6217E-009
RCPTR_24	farmer_adult	TOCDLIC2	Thallium (I)	6.0563E-007	6.3702E-007
RCPTR_24	farmer_adult	TOCDLIC2	Toluene	1.0532E-014	5.3905E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.8283E-012	1.8730E-011
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2510E-015	6.4980E-015
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	9.5462E-015	4.9685E-014
RCPTR_24	farmer_adult	TOCDLIC2	Trichloroethylene	1.5582E-015	8.0781E-015
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.0470E-016	1.0617E-015
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.7010E-010	2.1510E-009
RCPTR_24	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2211E-010	4.4009E-010
RCPTR_24	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.5370E-014	1.8390E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_adult	TOCDLIC2	Vinyl Chloride	5.9646E-019	3.1015E-018
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, m-	5.3869E-014	9.7009E-014
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, o-	3.5725E-014	7.1889E-014
RCPTR_24	farmer_adult	TOCDLIC2	Xylene, p-	5.6423E-014	1.2333E-013
RCPTR_24	farmer_adult	TOCDLIC2	Zinc	1.0362E-007	1.3097E-007
RCPTR_24	farmer_child	TOCDFBRA	Antimony	1.9379E-007	1.9819E-007
RCPTR_24	farmer_child	TOCDFBRA	Arsenic	2.8934E-007	2.9034E-007
RCPTR_24	farmer_child	TOCDFBRA	Barium	2.5804E-008	2.6208E-008
RCPTR_24	farmer_child	TOCDFBRA	Beryllium	8.2660E-008	9.3019E-008
RCPTR_24	farmer_child	TOCDFBRA	Cadmium	1.7724E-008	1.9127E-008
RCPTR_24	farmer_child	TOCDFBRA	Chromium	1.9682E-006	2.2826E-006
RCPTR_24	farmer_child	TOCDFBRA	Chromium, hexavalent	1.6845E-006	1.6862E-006
RCPTR_24	farmer_child	TOCDFBRA	Lead	8.9607E-007	1.0723E-006
RCPTR_24	farmer_child	TOCDFBRA	Mercuric chloride	1.6698E-004	2.9496E-004
RCPTR_24	farmer_child	TOCDFBRA	Methyl mercury	2.0163E-006	2.3932E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFBRA	Nickel	9.7500E-007	9.9014E-007
RCPTR_24	farmer_child	TOCDFBRA	Selenium	3.1622E-007	3.1625E-007
RCPTR_24	farmer_child	TOCDFBRA	Silver	1.1221E-007	1.1240E-007
RCPTR_24	farmer_child	TOCDFBRA	Thallium (I)	2.9765E-006	3.0119E-006
RCPTR_24	farmer_child	TOCDFBRA	Zinc	5.9619E-007	6.2344E-007
RCPTR_24	farmer_child	TOCDFDFS	Acenaphthene	4.0574E-010	4.0718E-010
RCPTR_24	farmer_child	TOCDFDFS	Acetone	5.0830E-015	5.0830E-015
RCPTR_24	farmer_child	TOCDFDFS	Acetophenone	2.2497E-012	2.2501E-012
RCPTR_24	farmer_child	TOCDFDFS	Aniline	1.2908E-013	1.2908E-013
RCPTR_24	farmer_child	TOCDFDFS	Anthracene	6.9522E-009	7.1857E-009
RCPTR_24	farmer_child	TOCDFDFS	Antimony	1.9653E-006	2.0087E-006
RCPTR_24	farmer_child	TOCDFDFS	Aroclor 1254	4.8069E-011	4.8350E-011
RCPTR_24	farmer_child	TOCDFDFS	Arsenic	1.6652E-007	1.6708E-007
RCPTR_24	farmer_child	TOCDFDFS	Barium	5.2087E-009	5.2881E-009
RCPTR_24	farmer_child	TOCDFDFS	Benzene	4.2056E-015	4.2056E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.3570E-007	9.5684E-007
RCPTR_24	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.6560E-006	6.7605E-006
RCPTR_24	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.0992E-006	4.3922E-006
RCPTR_24	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0266E-005	1.0671E-005
RCPTR_24	farmer_child	TOCDFDFS	Benzoic acid	1.4869E-011	1.4870E-011
RCPTR_24	farmer_child	TOCDFDFS	Benzyl alcohol	2.9265E-012	2.9280E-012
RCPTR_24	farmer_child	TOCDFDFS	Beryllium	4.5902E-008	5.1505E-008
RCPTR_24	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.9288E-012	2.9300E-012
RCPTR_24	farmer_child	TOCDFDFS	Bromodichloromethane	3.3157E-014	3.3157E-014
RCPTR_24	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3177E-012	1.3178E-012
RCPTR_24	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1386E-007	1.5752E-007
RCPTR_24	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.3277E-009	4.3302E-009
RCPTR_24	farmer_child	TOCDFDFS	Cadmium	4.9273E-008	5.3093E-008
RCPTR_24	farmer_child	TOCDFDFS	Carbon disulfide	2.1980E-015	2.1980E-015
RCPTR_24	farmer_child	TOCDFDFS	Carbon tetrachloride	1.0972E-014	1.0972E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.4367E-010	2.4483E-010
RCPTR_24	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3597E-011	1.3612E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorobenzene	6.4205E-014	6.4205E-014
RCPTR_24	farmer_child	TOCDFDFS	Chloroethane	1.8059E-016	1.8059E-016
RCPTR_24	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.9304E-015	9.9305E-015
RCPTR_24	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0548E-009	1.0635E-009
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.7706E-011	3.7792E-011
RCPTR_24	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.3576E-009	1.3622E-009
RCPTR_24	farmer_child	TOCDFDFS	Chromium	5.8707E-007	6.7844E-007
RCPTR_24	farmer_child	TOCDFDFS	Chromium, hexavalent	5.0462E-007	5.0510E-007
RCPTR_24	farmer_child	TOCDFDFS	Chrysene	2.0849E-006	2.2848E-006
RCPTR_24	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.6444E-008	1.6467E-008
RCPTR_24	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.3189E+001	7.3189E+001
RCPTR_24	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3421E-004	1.3536E-004
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7190E-012	1.7190E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.0788E-012	2.0788E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0011E-012	2.0012E-012
RCPTR_24	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5809E-008	1.5876E-008
RCPTR_24	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.4398E-017	1.4398E-017
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.6249E-015	3.6249E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5032E-015	4.5032E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.3725E-015	1.3725E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2063E-015	2.2063E-015
RCPTR_24	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.7070E-010	1.7122E-010
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.2416E-014	1.2416E-014
RCPTR_24	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.0959E-015	4.0959E-015
RCPTR_24	farmer_child	TOCDFDFS	Diethyl phthalate	9.3303E-009	9.3313E-009
RCPTR_24	farmer_child	TOCDFDFS	Dimethyl phthalate	5.6929E-011	5.6978E-011
RCPTR_24	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.5739E-011	2.5771E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3652E-011	1.3654E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.3692E-011	2.3730E-011
RCPTR_24	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8250E-011	1.8276E-011
RCPTR_24	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.4846E-013	5.4860E-013
RCPTR_24	farmer_child	TOCDFDFS	Ethylbenzene	3.9294E-014	3.9294E-014
RCPTR_24	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.4303E-010	4.4390E-010
RCPTR_24	farmer_child	TOCDFDFS	Fluoranthene	8.7659E-008	1.0235E-007
RCPTR_24	farmer_child	TOCDFDFS	Fluorene	1.5826E-009	1.5997E-009
RCPTR_24	farmer_child	TOCDFDFS	GB	1.4754E-014	1.4758E-014
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2410E-013	1.3325E-013
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.4286E-014	6.8118E-014
RCPTR_24	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1817E-013	2.3384E-013
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2251E-012	1.3013E-012
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.6174E-013	7.1407E-013
RCPTR_24	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.7453E-013	6.2616E-013
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.5147E-013	4.9684E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.0165E-013	4.4191E-013
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.3868E-013	5.9227E-013
RCPTR_24	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.7072E-013	4.0772E-013
RCPTR_24	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3668E-011	3.3672E-011
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorobenzene	6.4520E-008	6.8553E-008
RCPTR_24	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.4318E-010	4.4327E-010
RCPTR_24	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.0648E-011	2.0652E-011
RCPTR_24	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.9222E-004	9.9410E-004
RCPTR_24	farmer_child	TOCDFDFS	Isophorone	3.9214E-012	3.9229E-012
RCPTR_24	farmer_child	TOCDFDFS	Lead	5.3724E-006	6.4039E-006
RCPTR_24	farmer_child	TOCDFDFS	Mercuric chloride	5.8404E-008	1.0441E-007
RCPTR_24	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.8374E-016	3.8374E-016
RCPTR_24	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.4967E-017	6.4967E-017
RCPTR_24	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.4112E-014	3.4112E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Methyl mercury	6.5640E-010	7.9191E-010
RCPTR_24	farmer_child	TOCDFDFS	Methylene chloride	9.8607E-016	9.8608E-016
RCPTR_24	farmer_child	TOCDFDFS	Naphthalene	1.6563E-011	1.6567E-011
RCPTR_24	farmer_child	TOCDFDFS	Nickel	5.8314E-007	5.9195E-007
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.6050E-011	6.6122E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.5729E-011	1.5736E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.0322E-011	2.0332E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitrobenzene	6.6177E-012	6.6214E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.0138E-012	3.0146E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.8235E-011	4.8247E-011
RCPTR_24	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.7342E-012	3.7348E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.6702E-012	3.6705E-012
RCPTR_24	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.2921E-013	3.2922E-013
RCPTR_24	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.1825E-013	3.4825E-013
RCPTR_24	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0922E-013	1.1932E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.0590E-012	3.2829E-012
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.5396E-013	2.8442E-013
RCPTR_24	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0193E-012	1.1389E-012
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorobenzene	2.5459E-010	2.5470E-010
RCPTR_24	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.9624E-011	9.9631E-011
RCPTR_24	farmer_child	TOCDFDFS	Pentachlorophenol	5.3629E-008	5.3743E-008
RCPTR_24	farmer_child	TOCDFDFS	Phenanthrene	5.0668E-012	5.0669E-012
RCPTR_24	farmer_child	TOCDFDFS	Phenol	5.2425E-012	5.2457E-012
RCPTR_24	farmer_child	TOCDFDFS	Pronamide	9.9602E-010	1.0033E-009
RCPTR_24	farmer_child	TOCDFDFS	Pyrene	1.4086E-007	2.0758E-007
RCPTR_24	farmer_child	TOCDFDFS	Selenium	1.8219E-007	1.8220E-007
RCPTR_24	farmer_child	TOCDFDFS	Silver	6.5541E-008	6.5649E-008
RCPTR_24	farmer_child	TOCDFDFS	Styrene	1.0709E-012	1.0709E-012
RCPTR_24	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3854E-012	1.6029E-012
RCPTR_24	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.4031E-013	5.3193E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.0584E-010	4.0641E-010
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8971E-011	1.8971E-011
RCPTR_24	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3193E-014	1.3193E-014
RCPTR_24	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.9460E-009	2.9513E-009
RCPTR_24	farmer_child	TOCDFDFS	Thallium (I)	1.6577E-006	1.6768E-006
RCPTR_24	farmer_child	TOCDFDFS	Toluene	1.7776E-014	1.7776E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.5545E-011	1.5547E-011
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.5240E-015	8.5240E-015
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.5176E-014	6.5177E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichloroethylene	1.0597E-014	1.0597E-014
RCPTR_24	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3927E-015	1.3927E-015
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7555E-009	1.7849E-009
RCPTR_24	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.6353E-010	3.6479E-010
RCPTR_24	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.4123E-013	2.4123E-013
RCPTR_24	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.8251E-012	2.8277E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFDFS	Vinyl Chloride	3.4431E-018	3.4431E-018
RCPTR_24	farmer_child	TOCDFDFS	Xylene, m-	9.5265E-014	9.5265E-014
RCPTR_24	farmer_child	TOCDFDFS	Xylene, o-	9.5740E-014	9.5741E-014
RCPTR_24	farmer_child	TOCDFDFS	Xylene, p-	1.2054E-013	1.2054E-013
RCPTR_24	farmer_child	TOCDFDFS	Zinc	3.9872E-007	4.1652E-007
RCPTR_24	farmer_child	TOCDFLIC	Acenaphthene	2.3685E-010	2.3769E-010
RCPTR_24	farmer_child	TOCDFLIC	Acetone	6.2595E-015	6.2595E-015
RCPTR_24	farmer_child	TOCDFLIC	Acetophenone	2.2511E-012	2.2516E-012
RCPTR_24	farmer_child	TOCDFLIC	Aniline	7.5344E-014	7.5346E-014
RCPTR_24	farmer_child	TOCDFLIC	Anthracene	4.0582E-009	4.1945E-009
RCPTR_24	farmer_child	TOCDFLIC	Antimony	3.5285E-008	3.6062E-008
RCPTR_24	farmer_child	TOCDFLIC	Arsenic	1.0225E-007	1.0260E-007
RCPTR_24	farmer_child	TOCDFLIC	Barium	3.6346E-009	3.6898E-009
RCPTR_24	farmer_child	TOCDFLIC	Benzene	5.7460E-014	5.7460E-014
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.8934E-007	5.5995E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.8888E-006	3.9488E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4068E-006	2.5774E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.0029E-006	6.2340E-006
RCPTR_24	farmer_child	TOCDFLIC	Benzoic acid	9.3170E-012	9.3180E-012
RCPTR_24	farmer_child	TOCDFLIC	Benzyl alcohol	1.7082E-012	1.7091E-012
RCPTR_24	farmer_child	TOCDFLIC	Beryllium	1.7432E-008	1.9551E-008
RCPTR_24	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.7095E-012	1.7103E-012
RCPTR_24	farmer_child	TOCDFLIC	Bromodichloromethane	1.5293E-014	1.5294E-014
RCPTR_24	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.2674E-013	5.2678E-013
RCPTR_24	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.6461E-008	9.1943E-008
RCPTR_24	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5116E-009	2.5131E-009
RCPTR_24	farmer_child	TOCDFLIC	Cadmium	1.3831E-008	1.4900E-008
RCPTR_24	farmer_child	TOCDFLIC	Carbon disulfide	3.4811E-015	3.4811E-015
RCPTR_24	farmer_child	TOCDFLIC	Carbon tetrachloride	5.4958E-015	5.4958E-015
RCPTR_24	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4242E-010	1.4309E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Chloroaniline, p-	7.9368E-012	7.9455E-012
RCPTR_24	farmer_child	TOCDFLIC	Chlorobenzene	3.2159E-014	3.2160E-014
RCPTR_24	farmer_child	TOCDFLIC	Chloroethane	9.0469E-017	9.0469E-017
RCPTR_24	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.8659E-015	4.8659E-015
RCPTR_24	farmer_child	TOCDFLIC	Chloronaphthalene,2-	6.1575E-010	6.2079E-010
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.2009E-011	2.2059E-011
RCPTR_24	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.9302E-010	7.9573E-010
RCPTR_24	farmer_child	TOCDFLIC	Chromium	7.4010E-007	8.5485E-007
RCPTR_24	farmer_child	TOCDFLIC	Chromium, hexavalent	6.3655E-007	6.3716E-007
RCPTR_24	farmer_child	TOCDFLIC	Chrysene	1.2248E-006	1.3411E-006
RCPTR_24	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.6921E-009	9.7058E-009
RCPTR_24	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.3365E+001	4.3365E+001
RCPTR_24	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.8575E-005	7.9216E-005
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.0035E-012	1.0036E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.2135E-012	1.2135E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.1682E-012	1.1682E-012
RCPTR_24	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.7886E-009	4.8089E-009
RCPTR_24	farmer_child	TOCDFLIC	Dichlorodifluoromethane	7.2117E-018	7.2117E-018
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8156E-015	1.8156E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2555E-015	2.2555E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8744E-016	6.8744E-016
RCPTR_24	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1051E-015	1.1051E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.9864E-011	1.0017E-010
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	6.2189E-015	6.2189E-015
RCPTR_24	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0515E-015	2.0515E-015
RCPTR_24	farmer_child	TOCDFLIC	Diethyl phthalate	5.5239E-009	5.5245E-009
RCPTR_24	farmer_child	TOCDFLIC	Dimethyl phthalate	5.9955E-011	6.0008E-011
RCPTR_24	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.5024E-011	1.5043E-011
RCPTR_24	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.1023E-012	8.1034E-012
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.3828E-011	1.3851E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.0654E-011	1.0669E-011
RCPTR_24	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.2014E-013	3.2022E-013
RCPTR_24	farmer_child	TOCDFLIC	Ethylbenzene	2.6245E-014	2.6246E-014
RCPTR_24	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.1205E-009	8.1366E-009
RCPTR_24	farmer_child	TOCDFLIC	Fluoranthene	5.1228E-008	5.9805E-008
RCPTR_24	farmer_child	TOCDFLIC	Fluorene	9.2391E-010	9.3386E-010
RCPTR_24	farmer_child	TOCDFLIC	GB	5.3609E-015	5.3623E-015
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.8152E-014	8.3804E-014
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.3248E-014	9.8662E-014
RCPTR_24	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.2325E-013	2.3896E-013
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.8459E-013	1.0444E-012
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.6130E-013	6.0489E-013
RCPTR_24	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.8052E-013	5.2314E-013
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.0776E-013	3.3843E-013
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0139E-013	3.3134E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4889E-013	3.8327E-013
RCPTR_24	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5456E-013	2.7974E-013
RCPTR_24	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9655E-011	1.9657E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorobenzene	3.7669E-008	4.0023E-008
RCPTR_24	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.2265E-011	5.2276E-011
RCPTR_24	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2054E-011	1.2056E-011
RCPTR_24	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.8573E-004	5.8677E-004
RCPTR_24	farmer_child	TOCDFLIC	Isophorone	2.2890E-012	2.2898E-012
RCPTR_24	farmer_child	TOCDFLIC	Lead	2.0067E-006	2.3907E-006
RCPTR_24	farmer_child	TOCDFLIC	Mercuric chloride	4.9659E-006	8.8966E-006
RCPTR_24	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.2506E-016	1.2506E-016
RCPTR_24	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0244E-017	1.0244E-017
RCPTR_24	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.7230E-014	3.7231E-014
RCPTR_24	farmer_child	TOCDFLIC	Methyl mercury	5.5082E-008	6.6658E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Methylene chloride	7.9189E-016	7.9189E-016
RCPTR_24	farmer_child	TOCDFLIC	Naphthalene	9.6680E-012	9.6708E-012
RCPTR_24	farmer_child	TOCDFLIC	Nickel	3.3102E-007	3.3600E-007
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.9014E-011	3.9057E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 3-	9.2906E-012	9.2945E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.2003E-011	1.2010E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitrobenzene	3.8628E-012	3.8649E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.7592E-012	1.7596E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.8667E-011	2.8675E-011
RCPTR_24	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1797E-012	2.1801E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.1424E-012	2.1426E-012
RCPTR_24	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.9211E-013	1.9212E-013
RCPTR_24	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7312E-013	2.9860E-013
RCPTR_24	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.9773E-014	9.7992E-014
RCPTR_24	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0097E-012	2.1541E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.2875E-013	5.9160E-013
RCPTR_24	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1732E-012	1.3098E-012
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorobenzene	1.4843E-010	1.4849E-010
RCPTR_24	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.8765E-011	5.8769E-011
RCPTR_24	farmer_child	TOCDFLIC	Pentachlorophenol	3.2000E-008	3.2067E-008
RCPTR_24	farmer_child	TOCDFLIC	Phenanthrene	2.9578E-012	2.9578E-012
RCPTR_24	farmer_child	TOCDFLIC	Phenol	3.0601E-012	3.0620E-012
RCPTR_24	farmer_child	TOCDFLIC	Pronamide	2.9074E-010	2.9287E-010
RCPTR_24	farmer_child	TOCDFLIC	Pyrene	8.2271E-008	1.2121E-007
RCPTR_24	farmer_child	TOCDFLIC	Selenium	6.8719E-008	6.8725E-008
RCPTR_24	farmer_child	TOCDFLIC	Silver	2.4162E-008	2.4201E-008
RCPTR_24	farmer_child	TOCDFLIC	Styrene	1.1155E-012	1.1155E-012
RCPTR_24	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.8000E-013	7.8607E-013
RCPTR_24	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.0441E-013	1.0915E-012
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3698E-010	2.3731E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.6101E-012	9.6102E-012
RCPTR_24	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.6080E-015	6.6080E-015
RCPTR_24	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.7474E-009	1.7505E-009
RCPTR_24	farmer_child	TOCDFLIC	Thallium (I)	6.2979E-007	6.3702E-007
RCPTR_24	farmer_child	TOCDFLIC	Toluene	5.1210E-014	5.1210E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.0751E-012	9.0762E-012
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.2695E-015	4.2695E-015
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.2645E-014	3.2645E-014
RCPTR_24	farmer_child	TOCDFLIC	Trichloroethylene	5.3077E-015	5.3077E-015
RCPTR_24	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.9757E-016	6.9757E-016
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0252E-009	1.0423E-009
RCPTR_24	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.1252E-010	2.1326E-010
RCPTR_24	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.2082E-013	1.2083E-013
RCPTR_24	farmer_child	TOCDFLIC	Vinyl Chloride	1.8582E-018	1.8582E-018
RCPTR_24	farmer_child	TOCDFLIC	Xylene, m-	8.3566E-014	8.3566E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFLIC	Xylene, o-	5.3581E-014	5.3581E-014
RCPTR_24	farmer_child	TOCDFLIC	Xylene, p-	1.0624E-013	1.0624E-013
RCPTR_24	farmer_child	TOCDFLIC	Zinc	1.0502E-007	1.0969E-007
RCPTR_24	farmer_child	TOCDFMPF	Acenaphthene	1.0093E-009	1.0129E-009
RCPTR_24	farmer_child	TOCDFMPF	Acetone	3.1354E-015	3.1354E-015
RCPTR_24	farmer_child	TOCDFMPF	Acetophenone	5.3295E-012	5.3306E-012
RCPTR_24	farmer_child	TOCDFMPF	Aniline	3.2108E-013	3.2109E-013
RCPTR_24	farmer_child	TOCDFMPF	Anthracene	1.7294E-008	1.7875E-008
RCPTR_24	farmer_child	TOCDFMPF	Antimony	1.0516E-008	1.0748E-008
RCPTR_24	farmer_child	TOCDFMPF	Arsenic	2.4029E-008	2.4109E-008
RCPTR_24	farmer_child	TOCDFMPF	Barium	3.4118E-009	3.4636E-009
RCPTR_24	farmer_child	TOCDFMPF	Benzene	2.7938E-015	2.7938E-015
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.0845E-006	2.3854E-006
RCPTR_24	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.6563E-005	1.6818E-005
RCPTR_24	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0251E-005	1.0979E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.5567E-005	2.6552E-005
RCPTR_24	farmer_child	TOCDFMPF	Benzoic acid	3.7011E-011	3.7015E-011
RCPTR_24	farmer_child	TOCDFMPF	Benzyl alcohol	7.2796E-012	7.2833E-012
RCPTR_24	farmer_child	TOCDFMPF	Beryllium	4.9854E-009	5.5917E-009
RCPTR_24	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.2852E-012	7.2883E-012
RCPTR_24	farmer_child	TOCDFMPF	Bromodichloromethane	2.4891E-014	2.4891E-014
RCPTR_24	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.3913E-013	9.3921E-013
RCPTR_24	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8323E-007	3.9182E-007
RCPTR_24	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0698E-008	1.0704E-008
RCPTR_24	farmer_child	TOCDFMPF	Cadmium	6.0597E-009	6.5280E-009
RCPTR_24	farmer_child	TOCDFMPF	Carbon disulfide	4.8858E-015	4.8858E-015
RCPTR_24	farmer_child	TOCDFMPF	Carbon tetrachloride	7.7334E-015	7.7334E-015
RCPTR_24	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.0688E-010	6.0976E-010
RCPTR_24	farmer_child	TOCDFMPF	Chloroaniline, p-	3.3823E-011	3.3860E-011
RCPTR_24	farmer_child	TOCDFMPF	Chlorobenzene	4.5253E-014	4.5253E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Chloroethane	1.2730E-016	1.2730E-016
RCPTR_24	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.5864E-015	6.5864E-015
RCPTR_24	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.6240E-009	2.6455E-009
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.3791E-011	9.4006E-011
RCPTR_24	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.3793E-009	3.3908E-009
RCPTR_24	farmer_child	TOCDFMPF	Chromium	1.4338E-007	1.6562E-007
RCPTR_24	farmer_child	TOCDFMPF	Chromium, hexavalent	1.2332E-007	1.2344E-007
RCPTR_24	farmer_child	TOCDFMPF	Chrysene	5.2167E-006	5.7124E-006
RCPTR_24	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.1281E-008	4.1340E-008
RCPTR_24	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.8468E+002	1.8468E+002
RCPTR_24	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.3480E-004	3.3753E-004
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.2765E-012	4.2766E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.1713E-012	5.1715E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.9781E-012	4.9783E-012
RCPTR_24	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6682E-008	2.6795E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.0148E-017	1.0148E-017
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.5549E-015	2.5549E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1739E-015	3.1739E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.6734E-016	9.6734E-016
RCPTR_24	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5550E-015	1.5550E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.2553E-010	4.2683E-010
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.7509E-015	8.7509E-015
RCPTR_24	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.8868E-015	2.8868E-015
RCPTR_24	farmer_child	TOCDFMPF	Diethyl phthalate	2.3526E-008	2.3528E-008
RCPTR_24	farmer_child	TOCDFMPF	Dimethyl phthalate	2.1787E-011	2.1806E-011
RCPTR_24	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.4026E-011	6.4108E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.4458E-011	3.4462E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.8929E-011	5.9025E-011
RCPTR_24	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.5401E-011	4.5465E-011
RCPTR_24	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3643E-012	1.3646E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Ethylbenzene	2.7698E-014	2.7698E-014
RCPTR_24	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.9792E-009	8.9971E-009
RCPTR_24	farmer_child	TOCDFMPF	Fluoranthene	2.1829E-007	2.5484E-007
RCPTR_24	farmer_child	TOCDFMPF	Fluorene	3.9372E-009	3.9796E-009
RCPTR_24	farmer_child	TOCDFMPF	GB	7.6233E-015	7.6252E-015
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6434E-013	1.7624E-013
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.2490E-012	6.6121E-012
RCPTR_24	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0343E-012	1.1071E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2465E-012	2.3832E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2183E-012	1.3130E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1380E-012	1.2390E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.6108E-011	5.0704E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1245E-011	1.2363E-011
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9526E-012	2.1452E-012
RCPTR_24	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3945E-012	1.5325E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.3757E-011	8.3765E-011
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorobenzene	1.6053E-007	1.7056E-007
RCPTR_24	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.2272E-010	2.2277E-010
RCPTR_24	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.1367E-011	5.1376E-011
RCPTR_24	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.4949E-003	2.4993E-003
RCPTR_24	farmer_child	TOCDFMPF	Isophorone	9.7544E-012	9.7581E-012
RCPTR_24	farmer_child	TOCDFMPF	Lead	1.5844E-009	1.8876E-009
RCPTR_24	farmer_child	TOCDFMPF	Mercuric chloride	5.6188E-008	1.0067E-007
RCPTR_24	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.4995E-016	1.4995E-016
RCPTR_24	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.3638E-018	5.3638E-018
RCPTR_24	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.5122E-014	3.5122E-014
RCPTR_24	farmer_child	TOCDFMPF	Methyl mercury	6.2303E-010	7.5403E-010
RCPTR_24	farmer_child	TOCDFMPF	Methylene chloride	8.7805E-016	8.7805E-016
RCPTR_24	farmer_child	TOCDFMPF	Naphthalene	4.1200E-011	4.1212E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Nickel	2.5996E-007	2.6387E-007
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6596E-010	1.6614E-010
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.9520E-011	3.9537E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.1059E-011	5.1086E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitrobenzene	1.6461E-011	1.6470E-011
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.4968E-012	7.4988E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2191E-010	1.2194E-010
RCPTR_24	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.2888E-012	9.2904E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.1297E-012	9.1306E-012
RCPTR_24	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	8.1867E-013	8.1870E-013
RCPTR_24	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0510E-013	4.4292E-013
RCPTR_24	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.6374E-013	6.1539E-013
RCPTR_24	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.9263E-012	8.4964E-012
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.8823E-012	6.5819E-012
RCPTR_24	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9049E-011	2.1268E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorobenzene	6.3252E-010	6.3279E-010
RCPTR_24	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.4996E-010	2.4998E-010
RCPTR_24	farmer_child	TOCDFMPF	Pentachlorophenol	1.3606E-007	1.3635E-007
RCPTR_24	farmer_child	TOCDFMPF	Phenanthrene	1.2605E-011	1.2605E-011
RCPTR_24	farmer_child	TOCDFMPF	Phenol	1.3041E-011	1.3049E-011
RCPTR_24	farmer_child	TOCDFMPF	Pronamide	1.2390E-009	1.2480E-009
RCPTR_24	farmer_child	TOCDFMPF	Pyrene	3.5058E-007	5.1654E-007
RCPTR_24	farmer_child	TOCDFMPF	Selenium	2.0131E-008	2.0132E-008
RCPTR_24	farmer_child	TOCDFMPF	Silver	9.6824E-008	9.6982E-008
RCPTR_24	farmer_child	TOCDFMPF	Styrene	1.1923E-012	1.1923E-012
RCPTR_24	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9270E-012	2.2278E-012
RCPTR_24	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.7006E-012	4.4667E-012
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0099E-009	1.0113E-009
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3516E-011	1.3516E-011
RCPTR_24	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0606E-014	2.0606E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.4316E-009	7.4448E-009
RCPTR_24	farmer_child	TOCDFMPF	Thallium (I)	1.8608E-007	1.8822E-007
RCPTR_24	farmer_child	TOCDFMPF	Toluene	1.4337E-014	1.4337E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.8673E-011	3.8678E-011
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.0078E-015	6.0078E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.5936E-014	4.5937E-014
RCPTR_24	farmer_child	TOCDFMPF	Trichloroethylene	7.4687E-015	7.4687E-015
RCPTR_24	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.8158E-016	9.8158E-016
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.3689E-009	4.4418E-009
RCPTR_24	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	9.0562E-010	9.0876E-010
RCPTR_24	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.7002E-013	1.7002E-013
RCPTR_24	farmer_child	TOCDFMPF	Vinyl Chloride	2.4267E-018	2.4267E-018
RCPTR_24	farmer_child	TOCDFMPF	Xylene, m-	6.5937E-014	6.5938E-014
RCPTR_24	farmer_child	TOCDFMPF	Xylene, o-	6.6453E-014	6.6453E-014
RCPTR_24	farmer_child	TOCDFMPF	Xylene, p-	8.3832E-014	8.3832E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDFMPF	Zinc	6.4374E-008	6.7238E-008
RCPTR_24	farmer_child	TOCDHVAC	GB	3.3784E-014	3.3793E-014
RCPTR_24	farmer_child	TOCDLIC2	Acenaphthene	4.8877E-010	4.9050E-010
RCPTR_24	farmer_child	TOCDLIC2	Acetone	6.1944E-015	6.1944E-015
RCPTR_24	farmer_child	TOCDLIC2	Acetophenone	2.5808E-012	2.5814E-012
RCPTR_24	farmer_child	TOCDLIC2	Aniline	1.5548E-013	1.5549E-013
RCPTR_24	farmer_child	TOCDLIC2	Anthracene	8.3747E-009	8.6559E-009
RCPTR_24	farmer_child	TOCDLIC2	Antimony	4.6944E-008	4.7978E-008
RCPTR_24	farmer_child	TOCDLIC2	Arsenic	1.0225E-007	1.0260E-007
RCPTR_24	farmer_child	TOCDLIC2	Barium	3.5024E-008	3.5556E-008
RCPTR_24	farmer_child	TOCDLIC2	Benzene	4.1351E-015	4.1351E-015
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0098E-006	1.1555E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.0251E-006	8.1489E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.9668E-006	5.3189E-006
RCPTR_24	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2388E-005	1.2865E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Benzoic acid	1.7923E-011	1.7925E-011
RCPTR_24	farmer_child	TOCDLIC2	Benzyl alcohol	3.5251E-012	3.5269E-012
RCPTR_24	farmer_child	TOCDLIC2	Beryllium	1.7432E-008	1.9551E-008
RCPTR_24	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.5279E-012	3.5293E-012
RCPTR_24	farmer_child	TOCDLIC2	Bromodichloromethane	4.6828E-014	4.6828E-014
RCPTR_24	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2213E-012	1.2214E-012
RCPTR_24	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3715E-007	1.8974E-007
RCPTR_24	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.1830E-009	5.1860E-009
RCPTR_24	farmer_child	TOCDLIC2	Cadmium	1.5716E-009	1.6931E-009
RCPTR_24	farmer_child	TOCDLIC2	Carbon disulfide	5.2755E-015	5.2755E-015
RCPTR_24	farmer_child	TOCDLIC2	Carbon tetrachloride	8.3644E-015	8.3644E-015
RCPTR_24	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.9390E-010	2.9529E-010
RCPTR_24	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6379E-011	1.6397E-011
RCPTR_24	farmer_child	TOCDLIC2	Chlorobenzene	4.8945E-014	4.8946E-014
RCPTR_24	farmer_child	TOCDLIC2	Chloroethane	1.3769E-016	1.3769E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.5024E-014	1.5024E-014
RCPTR_24	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2707E-009	1.2811E-009
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.5418E-011	4.5522E-011
RCPTR_24	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.6365E-009	1.6421E-009
RCPTR_24	farmer_child	TOCDLIC2	Chromium	7.4010E-007	8.5485E-007
RCPTR_24	farmer_child	TOCDLIC2	Chromium, hexavalent	6.3655E-007	6.3716E-007
RCPTR_24	farmer_child	TOCDLIC2	Chrysene	2.5274E-006	2.7675E-006
RCPTR_24	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0001E-008	2.0029E-008
RCPTR_24	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.9491E+001	8.9491E+001
RCPTR_24	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.6215E-004	1.6347E-004
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.0709E-012	2.0710E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.5042E-012	2.5043E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.4107E-012	2.4107E-012
RCPTR_24	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1515E-008	1.1564E-008
RCPTR_24	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.0976E-017	1.0976E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.7633E-015	2.7633E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4329E-015	3.4329E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0463E-015	1.0463E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.6819E-015	1.6819E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.0608E-010	2.0671E-010
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	9.4649E-015	9.4649E-015
RCPTR_24	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.1224E-015	3.1224E-015
RCPTR_24	farmer_child	TOCDLIC2	Diethyl phthalate	1.1399E-008	1.1401E-008
RCPTR_24	farmer_child	TOCDLIC2	Dimethyl phthalate	7.3434E-011	7.3498E-011
RCPTR_24	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.1005E-011	3.1044E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.6763E-011	1.6766E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.8536E-011	2.8583E-011
RCPTR_24	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.1985E-011	2.2016E-011
RCPTR_24	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.6065E-013	6.6082E-013
RCPTR_24	farmer_child	TOCDLIC2	Ethylbenzene	3.3977E-014	3.3977E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.4370E-009	5.4478E-009
RCPTR_24	farmer_child	TOCDLIC2	Fluoranthene	1.0572E-007	1.2342E-007
RCPTR_24	farmer_child	TOCDLIC2	Fluorene	1.9066E-009	1.9272E-009
RCPTR_24	farmer_child	TOCDLIC2	GB	5.5733E-015	5.5747E-015
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.4854E-013	5.8821E-013
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.0934E-013	5.3891E-013
RCPTR_24	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.8726E-013	5.2154E-013
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4781E-012	1.5680E-012
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0588E-012	1.1410E-012
RCPTR_24	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0245E-012	1.1154E-012
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.9035E-013	1.0890E-012
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.9681E-013	6.5612E-013
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3251E-013	5.8500E-013
RCPTR_24	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.0993E-013	6.7026E-013
RCPTR_24	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.0560E-011	4.0564E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorobenzene	7.7736E-008	8.2594E-008
RCPTR_24	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0786E-010	1.0788E-010
RCPTR_24	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4874E-011	2.4879E-011
RCPTR_24	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_24	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2087E-003	1.2109E-003
RCPTR_24	farmer_child	TOCDLIC2	Isophorone	4.7236E-012	4.7253E-012
RCPTR_24	farmer_child	TOCDLIC2	Lead	1.4468E-007	1.7237E-007
RCPTR_24	farmer_child	TOCDLIC2	Mercuric chloride	4.9659E-006	8.8966E-006
RCPTR_24	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.6358E-016	1.6358E-016
RCPTR_24	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.5205E-018	6.5205E-018
RCPTR_24	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.6696E-014	3.6696E-014
RCPTR_24	farmer_child	TOCDLIC2	Methyl mercury	5.5082E-008	6.6658E-008
RCPTR_24	farmer_child	TOCDLIC2	Methylene chloride	2.8806E-015	2.8806E-015
RCPTR_24	farmer_child	TOCDLIC2	Naphthalene	1.9951E-011	1.9957E-011
RCPTR_24	farmer_child	TOCDLIC2	Nickel	1.1507E-007	1.1680E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 2-	8.0719E-011	8.0808E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.9222E-011	1.9230E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.4834E-011	2.4847E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitrobenzene	7.9714E-012	7.9758E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.6303E-012	3.6313E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.9312E-011	5.9327E-011
RCPTR_24	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.4981E-012	4.4989E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.4211E-012	4.4215E-012
RCPTR_24	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.9644E-013	3.9646E-013
RCPTR_24	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.1705E-013	1.0026E-012
RCPTR_24	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0364E-013	3.3144E-013
RCPTR_24	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.7579E-012	4.0280E-012
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1188E-012	1.2518E-012
RCPTR_24	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1223E-012	3.4858E-012
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorobenzene	3.0631E-010	3.0644E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.2158E-010	1.2159E-010
RCPTR_24	farmer_child	TOCDLIC2	Pentachlorophenol	6.6207E-008	6.6346E-008
RCPTR_24	farmer_child	TOCDLIC2	Phenanthrene	6.1038E-012	6.1039E-012
RCPTR_24	farmer_child	TOCDLIC2	Phenol	6.6766E-012	6.6808E-012
RCPTR_24	farmer_child	TOCDLIC2	Pronamide	5.9998E-010	6.0437E-010
RCPTR_24	farmer_child	TOCDLIC2	Pyrene	1.6978E-007	2.5014E-007
RCPTR_24	farmer_child	TOCDLIC2	Selenium	6.8719E-008	6.8725E-008
RCPTR_24	farmer_child	TOCDLIC2	Silver	2.4162E-008	2.4201E-008
RCPTR_24	farmer_child	TOCDLIC2	Styrene	9.3446E-013	9.3448E-013
RCPTR_24	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9712E-012	2.2787E-012
RCPTR_24	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6200E-012	1.9552E-012
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.8903E-010	4.8972E-010
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4626E-011	1.4626E-011
RCPTR_24	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.0057E-014	1.0057E-014
RCPTR_24	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.6153E-009	3.6217E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_24	farmer_child	TOCDLIC2	Thallium (I)	6.2979E-007	6.3702E-007
RCPTR_24	farmer_child	TOCDLIC2	Toluene	5.3905E-014	5.3905E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8728E-011	1.8730E-011
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.4980E-015	6.4980E-015
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.9684E-014	4.9685E-014
RCPTR_24	farmer_child	TOCDLIC2	Trichloroethylene	8.0781E-015	8.0781E-015
RCPTR_24	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0617E-015	1.0617E-015
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.1157E-009	2.1510E-009
RCPTR_24	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.3857E-010	4.4009E-010
RCPTR_24	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.8389E-013	1.8390E-013
RCPTR_24	farmer_child	TOCDLIC2	Vinyl Chloride	3.1015E-018	3.1015E-018
RCPTR_24	farmer_child	TOCDLIC2	Xylene, m-	9.7009E-014	9.7009E-014
RCPTR_24	farmer_child	TOCDLIC2	Xylene, o-	7.1889E-014	7.1889E-014
RCPTR_24	farmer_child	TOCDLIC2	Xylene, p-	1.2333E-013	1.2333E-013
RCPTR_24	farmer_child	TOCDLIC2	Zinc	1.2540E-007	1.3097E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFBRA	Antimony	3.1135E-006	3.5652E-006
RCPTR_25	farmer_adult	TOCDFBRA	Arsenic	5.1915E-006	5.3507E-006
RCPTR_25	farmer_adult	TOCDFBRA	Barium	4.2954E-007	4.7506E-007
RCPTR_25	farmer_adult	TOCDFBRA	Beryllium	1.4674E-006	1.6561E-006
RCPTR_25	farmer_adult	TOCDFBRA	Cadmium	2.4300E-007	3.3239E-007
RCPTR_25	farmer_adult	TOCDFBRA	Chromium	3.9461E-005	4.0393E-005
RCPTR_25	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.0803E-005	3.1206E-005
RCPTR_25	farmer_adult	TOCDFBRA	Lead	1.5714E-005	1.8713E-005
RCPTR_25	farmer_adult	TOCDFBRA	Mercuric chloride	2.8598E-003	3.1416E-003
RCPTR_25	farmer_adult	TOCDFBRA	Methyl mercury	2.7362E-005	2.8833E-005
RCPTR_25	farmer_adult	TOCDFBRA	Nickel	1.7011E-005	1.8106E-005
RCPTR_25	farmer_adult	TOCDFBRA	Selenium	5.8422E-006	5.8661E-006
RCPTR_25	farmer_adult	TOCDFBRA	Silver	1.9572E-006	2.0607E-006
RCPTR_25	farmer_adult	TOCDFBRA	Thallium (I)	5.2960E-005	5.5324E-005
RCPTR_25	farmer_adult	TOCDFBRA	Zinc	8.9936E-006	1.1052E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Acenaphthene	6.1850E-010	3.0999E-009
RCPTR_25	farmer_adult	TOCDFDFS	Acetone	7.4072E-015	3.8625E-014
RCPTR_25	farmer_adult	TOCDFDFS	Acetophenone	3.2859E-012	1.7100E-011
RCPTR_25	farmer_adult	TOCDFDFS	Aniline	1.8938E-013	9.8114E-013
RCPTR_25	farmer_adult	TOCDFDFS	Anthracene	1.0969E-008	5.4726E-008
RCPTR_25	farmer_adult	TOCDFDFS	Antimony	2.9568E-005	3.3854E-005
RCPTR_25	farmer_adult	TOCDFDFS	Aroclor 1254	2.7728E-010	4.2878E-010
RCPTR_25	farmer_adult	TOCDFDFS	Arsenic	2.7875E-006	2.8729E-006
RCPTR_25	farmer_adult	TOCDFDFS	Barium	8.1102E-008	8.9690E-008
RCPTR_25	farmer_adult	TOCDFDFS	Benzene	6.1853E-015	3.1970E-014
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.6911E-006	8.3574E-006
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.2932E-005	6.5817E-005
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3103E-005	3.9862E-005
RCPTR_25	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.7295E-005	1.0314E-004
RCPTR_25	farmer_adult	TOCDFDFS	Benzoic acid	2.7661E-011	1.1424E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Benzyl alcohol	4.2799E-012	2.2252E-011
RCPTR_25	farmer_adult	TOCDFDFS	Beryllium	7.6263E-007	8.6061E-007
RCPTR_25	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.2699E-012	2.2265E-011
RCPTR_25	farmer_adult	TOCDFDFS	Bromodichloromethane	4.8401E-014	2.5197E-013
RCPTR_25	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.9225E-012	1.0014E-011
RCPTR_25	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.4126E-007	1.1972E-006
RCPTR_25	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.8237E-008	4.2535E-008
RCPTR_25	farmer_adult	TOCDFDFS	Cadmium	6.3574E-007	8.6942E-007
RCPTR_25	farmer_adult	TOCDFDFS	Carbon disulfide	3.2218E-015	1.6706E-014
RCPTR_25	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.6151E-014	8.3411E-014
RCPTR_25	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.2039E-010	1.8940E-009
RCPTR_25	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.0001E-011	1.0347E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorobenzene	9.5097E-014	4.8822E-013
RCPTR_25	farmer_adult	TOCDFDFS	Chloroethane	2.7802E-016	1.3753E-015
RCPTR_25	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.4503E-014	7.5466E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.6004E-009	8.0925E-009
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.5111E-011	2.8718E-010
RCPTR_25	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.9618E-009	1.0584E-008
RCPTR_25	farmer_adult	TOCDFDFS	Chromium	1.1019E-005	1.1279E-005
RCPTR_25	farmer_adult	TOCDFDFS	Chromium, hexavalent	8.6030E-006	8.7155E-006
RCPTR_25	farmer_adult	TOCDFDFS	Chrysene	1.7085E-005	2.0661E-005
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3270E-007	1.4922E-007
RCPTR_25	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.7176E+002	6.7176E+002
RCPTR_25	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3872E-003	1.4263E-003
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.6794E-012	1.3101E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.1654E-012	1.5827E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.0278E-012	1.5231E-011
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2526E-007	1.4738E-007
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.1186E-017	1.0947E-016
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.2918E-015	2.7547E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5712E-015	3.4221E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.0104E-015	1.0431E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.2331E-015	1.6769E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.5137E-010	1.3425E-009
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.8268E-014	9.4383E-014
RCPTR_25	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.9880E-015	3.1129E-014
RCPTR_25	farmer_adult	TOCDFDFS	Diethyl phthalate	8.2128E-008	8.4952E-008
RCPTR_25	farmer_adult	TOCDFDFS	Dimethyl phthalate	8.8193E-011	4.3428E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.8145E-011	1.9595E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.7526E-011	1.1174E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.8358E-011	1.8140E-010
RCPTR_25	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.8585E-011	1.3936E-010
RCPTR_25	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.9972E-013	4.1688E-012
RCPTR_25	farmer_adult	TOCDFDFS	Ethylbenzene	6.1510E-014	2.9954E-013
RCPTR_25	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.9328E-009	4.3903E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Fluoranthene	2.5184E-007	8.0223E-007
RCPTR_25	farmer_adult	TOCDFDFS	Fluorene	2.4955E-009	1.2194E-008
RCPTR_25	farmer_adult	TOCDFDFS	GB	2.1563E-014	1.1215E-013
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3123E-012	1.4220E-012
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.5575E-013	7.0111E-013
RCPTR_25	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2911E-012	2.4788E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2399E-011	1.3284E-011
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.9632E-012	7.5867E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.2120E-012	6.8339E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.8441E-012	5.3774E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.2994E-012	4.7710E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.7363E-012	6.3618E-012
RCPTR_25	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.9571E-012	4.3898E-012
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.7617E-011	2.5806E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.1274E-007	5.2391E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	7.8646E-010	3.4052E-009
RCPTR_25	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.1310E-011	1.5718E-010
RCPTR_25	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.4722E-003	9.5455E-003
RCPTR_25	farmer_adult	TOCDFDFS	Isophorone	5.7293E-012	2.9812E-011
RCPTR_25	farmer_adult	TOCDFDFS	Lead	8.8381E-005	1.0524E-004
RCPTR_25	farmer_adult	TOCDFDFS	Mercuric chloride	7.6860E-007	8.4401E-007
RCPTR_25	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.5964E-016	2.9161E-015
RCPTR_25	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	9.4854E-017	4.9372E-016
RCPTR_25	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.9715E-014	2.5921E-013
RCPTR_25	farmer_adult	TOCDFDFS	Methyl mercury	7.4602E-009	7.8539E-009
RCPTR_25	farmer_adult	TOCDFDFS	Methylene chloride	1.4390E-015	7.4934E-015
RCPTR_25	farmer_adult	TOCDFDFS	Naphthalene	2.4687E-011	1.2601E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nickel	9.5017E-006	1.0113E-005
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 2-	9.7183E-011	5.0264E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.2993E-011	1.1959E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.9792E-011	1.5456E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitrobenzene	9.6574E-012	5.0317E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.4027E-012	2.2910E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.2435E-010	3.9822E-010
RCPTR_25	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.4867E-012	2.8389E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.4141E-012	2.7905E-011
RCPTR_25	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.1767E-013	2.5231E-012
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.5181E-012	3.8824E-012
RCPTR_25	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2100E-012	1.3325E-012
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9453E-011	3.1891E-011
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4108E-012	2.7289E-012
RCPTR_25	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.9725E-012	1.1251E-011
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.0124E-010	1.9817E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0645E-010	7.7867E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Pentachlorophenol	3.5859E-007	4.6576E-007
RCPTR_25	farmer_adult	TOCDFDFS	Phenanthrene	7.7719E-012	3.8591E-011
RCPTR_25	farmer_adult	TOCDFDFS	Phenol	7.6925E-012	3.9871E-011
RCPTR_25	farmer_adult	TOCDFDFS	Pronamide	1.5690E-009	7.6470E-009
RCPTR_25	farmer_adult	TOCDFDFS	Pyrene	4.1807E-007	1.5950E-006
RCPTR_25	farmer_adult	TOCDFDFS	Selenium	3.1370E-006	3.1497E-006
RCPTR_25	farmer_adult	TOCDFDFS	Silver	1.0676E-006	1.1240E-006
RCPTR_25	farmer_adult	TOCDFDFS	Styrene	1.5734E-012	8.1403E-012
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2783E-011	1.5023E-011
RCPTR_25	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.8790E-012	4.8040E-012
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.8027E-010	3.1071E-009
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.3821E-010	1.6678E-010
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.9390E-014	1.0030E-013
RCPTR_25	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.0715E-008	2.3749E-008
RCPTR_25	farmer_adult	TOCDFDFS	Thallium (I)	2.7526E-005	2.8754E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFDFS	Toluene	2.6523E-014	1.3522E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.4565E-011	1.1857E-010
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.2483E-014	6.4786E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	9.5207E-014	4.9531E-013
RCPTR_25	farmer_adult	TOCDFDFS	Trichloroethylene	1.5557E-014	8.0548E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.0435E-015	1.0586E-014
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.0514E-009	1.3655E-008
RCPTR_25	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.2657E-010	2.8326E-009
RCPTR_25	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.5287E-013	1.8334E-012
RCPTR_25	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.5514E-012	2.1659E-011
RCPTR_25	farmer_adult	TOCDFDFS	Vinyl Chloride	5.0395E-018	2.6171E-017
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, m-	5.9176E-013	9.0797E-013
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, o-	5.2311E-013	8.8360E-013
RCPTR_25	farmer_adult	TOCDFDFS	Xylene, p-	5.9677E-013	1.0872E-012
RCPTR_25	farmer_adult	TOCDFDFS	Zinc	5.6441E-006	6.9352E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Acenaphthene	3.9397E-010	1.9752E-009
RCPTR_25	farmer_adult	TOCDFLIC	Acetone	9.9579E-015	5.1925E-014
RCPTR_25	farmer_adult	TOCDFLIC	Acetophenone	3.5894E-012	1.8680E-011
RCPTR_25	farmer_adult	TOCDFLIC	Aniline	1.2068E-013	6.2520E-013
RCPTR_25	farmer_adult	TOCDFLIC	Anthracene	6.9843E-009	3.4867E-008
RCPTR_25	farmer_adult	TOCDFLIC	Antimony	5.5010E-007	6.2971E-007
RCPTR_25	farmer_adult	TOCDFLIC	Arsenic	1.7728E-006	1.8270E-006
RCPTR_25	farmer_adult	TOCDFLIC	Barium	5.8633E-008	6.4832E-008
RCPTR_25	farmer_adult	TOCDFLIC	Benzene	9.2253E-014	4.7683E-013
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.5781E-006	5.2709E-006
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9173E-005	4.0933E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.0880E-005	2.5162E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.0699E-005	6.4200E-005
RCPTR_25	farmer_adult	TOCDFLIC	Benzoic acid	1.8930E-011	7.8112E-011
RCPTR_25	farmer_adult	TOCDFLIC	Benzyl alcohol	2.7272E-012	1.4179E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Beryllium	3.0005E-007	3.3854E-007
RCPTR_25	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.7208E-012	1.4187E-011
RCPTR_25	farmer_adult	TOCDFLIC	Bromodichloromethane	2.4371E-014	1.2688E-013
RCPTR_25	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	8.3899E-013	4.3701E-012
RCPTR_25	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.5370E-007	7.6283E-007
RCPTR_25	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.3420E-008	2.6156E-008
RCPTR_25	farmer_adult	TOCDFLIC	Cadmium	1.8504E-007	2.5295E-007
RCPTR_25	farmer_adult	TOCDFLIC	Carbon disulfide	5.5702E-015	2.8884E-014
RCPTR_25	farmer_adult	TOCDFLIC	Carbon tetrachloride	8.8311E-015	4.5608E-014
RCPTR_25	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.3230E-010	1.2076E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.2745E-011	6.5933E-011
RCPTR_25	farmer_adult	TOCDFLIC	Chlorobenzene	5.1995E-014	2.6695E-013
RCPTR_25	farmer_adult	TOCDFLIC	Chloroethane	1.5208E-016	7.5208E-016
RCPTR_25	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.7578E-015	4.0368E-014
RCPTR_25	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.0197E-009	5.1565E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.5118E-011	1.8300E-010
RCPTR_25	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.8804E-009	6.7371E-009
RCPTR_25	farmer_adult	TOCDFLIC	Chromium	1.4390E-005	1.4729E-005
RCPTR_25	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.1239E-005	1.1385E-005
RCPTR_25	farmer_adult	TOCDFLIC	Chrysene	1.0792E-005	1.3052E-005
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.4408E-008	9.4927E-008
RCPTR_25	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.3063E+002	4.3063E+002
RCPTR_25	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.6397E-004	8.8659E-004
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.7071E-012	8.3481E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.0169E-012	1.0085E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.9292E-012	9.7055E-012
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.0541E-008	4.7801E-008
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.1580E-017	5.9853E-017
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.8935E-015	1.5063E-014
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5931E-015	1.8712E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0993E-015	5.7038E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.7679E-015	9.1692E-015
RCPTR_25	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.8847E-010	8.5635E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	9.9891E-015	5.1608E-014
RCPTR_25	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.2740E-015	1.7021E-014
RCPTR_25	farmer_adult	TOCDFLIC	Diethyl phthalate	5.2636E-008	5.4436E-008
RCPTR_25	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0127E-010	4.9916E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.4310E-011	1.2487E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.7164E-011	7.2123E-011
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.4354E-011	1.1550E-010
RCPTR_25	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.8196E-011	8.8782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.0960E-013	2.6564E-012
RCPTR_25	farmer_adult	TOCDFLIC	Ethylbenzene	4.4832E-014	2.1837E-013
RCPTR_25	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.5925E-008	8.5130E-008
RCPTR_25	farmer_adult	TOCDFLIC	Fluoranthene	1.5980E-007	5.1044E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Fluorene	1.5894E-009	7.7693E-009
RCPTR_25	farmer_adult	TOCDFLIC	GB	8.5534E-015	4.4487E-014
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.6274E-013	9.3287E-013
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0004E-012	1.0670E-012
RCPTR_25	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4506E-012	2.6455E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0495E-011	1.1219E-011
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.1683E-012	6.7071E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.3976E-012	5.9291E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.4320E-012	3.8070E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.3544E-012	3.7195E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.8663E-012	4.2844E-012
RCPTR_25	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.8265E-012	3.1331E-012
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.6594E-011	1.6432E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.1775E-008	3.3378E-007
RCPTR_25	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.0079E-010	4.3790E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.9956E-011	1.0016E-010
RCPTR_25	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0134E-003	6.0557E-003
RCPTR_25	farmer_adult	TOCDFLIC	Isophorone	3.6509E-012	1.8997E-011
RCPTR_25	farmer_adult	TOCDFLIC	Lead	3.4210E-005	4.0725E-005
RCPTR_25	farmer_adult	TOCDFLIC	Mercuric chloride	7.0633E-005	7.7645E-005
RCPTR_25	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.9911E-016	1.0375E-015
RCPTR_25	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.6327E-017	8.4983E-017
RCPTR_25	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.9236E-014	3.0885E-013
RCPTR_25	farmer_adult	TOCDFLIC	Methyl mercury	6.5857E-007	6.9518E-007
RCPTR_25	farmer_adult	TOCDFLIC	Methylene chloride	1.2616E-015	6.5695E-015
RCPTR_25	farmer_adult	TOCDFLIC	Naphthalene	1.5730E-011	8.0297E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nickel	5.5870E-006	5.9460E-006
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 2-	6.2661E-011	3.2411E-010
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.4826E-011	7.7112E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.9203E-011	9.9655E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrobenzene	6.1538E-012	3.2063E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.8054E-012	1.4598E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.4535E-010	2.5746E-010
RCPTR_25	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.4964E-012	1.8090E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.4503E-012	1.7782E-011
RCPTR_25	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.2745E-013	1.6054E-012
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1254E-012	3.4452E-012
RCPTR_25	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0293E-012	1.1323E-012
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0565E-011	2.2231E-011
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.3281E-012	6.0303E-012
RCPTR_25	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2112E-011	1.3664E-011
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.1304E-010	1.2564E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.3017E-010	4.9915E-010
RCPTR_25	farmer_adult	TOCDFLIC	Pentachlorophenol	2.3250E-007	3.0161E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Phenanthrene	4.9507E-012	2.4589E-011
RCPTR_25	farmer_adult	TOCDFLIC	Phenol	4.9020E-012	2.5407E-011
RCPTR_25	farmer_adult	TOCDFLIC	Pronamide	4.9993E-010	2.4364E-009
RCPTR_25	farmer_adult	TOCDFLIC	Pyrene	2.6609E-007	1.0159E-006
RCPTR_25	farmer_adult	TOCDFLIC	Selenium	1.2253E-006	1.2303E-006
RCPTR_25	farmer_adult	TOCDFLIC	Silver	4.0766E-007	4.2917E-007
RCPTR_25	farmer_adult	TOCDFLIC	Styrene	1.7891E-012	9.2565E-012
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.6755E-012	7.8515E-012
RCPTR_25	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.5208E-012	1.0567E-011
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.3355E-010	1.9800E-009
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.6000E-011	9.1624E-011
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.0599E-014	5.4838E-014
RCPTR_25	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.9353E-009	1.5340E-008
RCPTR_25	farmer_adult	TOCDFLIC	Thallium (I)	1.0832E-005	1.1314E-005
RCPTR_25	farmer_adult	TOCDFLIC	Toluene	8.3402E-014	4.2521E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.5647E-011	7.5549E-011
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	6.8257E-015	3.5424E-014
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.2058E-014	2.7083E-013
RCPTR_25	farmer_adult	TOCDFLIC	Trichloroethylene	8.5064E-015	4.4043E-014
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.1173E-015	5.7882E-015
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.9464E-009	8.7033E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.2796E-010	1.8062E-009
RCPTR_25	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.9294E-013	1.0025E-012
RCPTR_25	farmer_adult	TOCDFLIC	Vinyl Chloride	2.9683E-018	1.5419E-017
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, m-	5.3069E-013	8.3897E-013
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, o-	2.9950E-013	5.2309E-013
RCPTR_25	farmer_adult	TOCDFLIC	Xylene, p-	5.3877E-013	1.0169E-012
RCPTR_25	farmer_adult	TOCDFLIC	Zinc	1.5409E-006	1.8928E-006
RCPTR_25	farmer_adult	TOCDFMPF	Acenaphthene	1.6669E-009	8.3567E-009
RCPTR_25	farmer_adult	TOCDFMPF	Acetone	4.9521E-015	2.5823E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Acetophenone	8.4366E-012	4.3905E-011
RCPTR_25	farmer_adult	TOCDFMPF	Aniline	5.1056E-013	2.6451E-012
RCPTR_25	farmer_adult	TOCDFMPF	Anthracene	2.9551E-008	1.4752E-007
RCPTR_25	farmer_adult	TOCDFMPF	Antimony	1.6360E-007	1.8727E-007
RCPTR_25	farmer_adult	TOCDFMPF	Arsenic	4.1569E-007	4.2841E-007
RCPTR_25	farmer_adult	TOCDFMPF	Barium	5.4919E-008	6.0726E-008
RCPTR_25	farmer_adult	TOCDFMPF	Benzene	4.4532E-015	2.3018E-014
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5153E-005	2.2316E-005
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6601E-004	1.7348E-004
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	8.8403E-005	1.0653E-004
RCPTR_25	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.5719E-004	2.7207E-004
RCPTR_25	farmer_adult	TOCDFMPF	Benzoic acid	7.4655E-011	3.0807E-010
RCPTR_25	farmer_adult	TOCDFMPF	Benzyl alcohol	1.1538E-011	5.9990E-011
RCPTR_25	farmer_adult	TOCDFMPF	Beryllium	8.5627E-008	9.6612E-008
RCPTR_25	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.1511E-011	6.0024E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Bromodichloromethane	3.9380E-014	2.0501E-013
RCPTR_25	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.4851E-012	7.7354E-012
RCPTR_25	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.5027E-007	3.2274E-006
RCPTR_25	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.9362E-008	1.1094E-007
RCPTR_25	farmer_adult	TOCDFMPF	Cadmium	8.0891E-008	1.1058E-007
RCPTR_25	farmer_adult	TOCDFMPF	Carbon disulfide	7.7617E-015	4.0248E-014
RCPTR_25	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.2337E-014	6.3716E-014
RCPTR_25	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.4057E-009	5.1089E-009
RCPTR_25	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.3922E-011	2.7895E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chlorobenzene	7.2638E-014	3.7294E-013
RCPTR_25	farmer_adult	TOCDFMPF	Chloroethane	2.1245E-016	1.0507E-015
RCPTR_25	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.0425E-014	5.4248E-014
RCPTR_25	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.3141E-009	2.1816E-008
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.4858E-010	7.7423E-010
RCPTR_25	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.9577E-009	2.8505E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Chromium	2.7818E-006	2.8474E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.1726E-006	2.2010E-006
RCPTR_25	farmer_adult	TOCDFMPF	Chrysene	4.5688E-005	5.5254E-005
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.5717E-007	4.0167E-007
RCPTR_25	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.8212E+003	1.8212E+003
RCPTR_25	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.6612E-003	3.7575E-003
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.2224E-012	3.5319E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	8.5331E-012	4.2667E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.1623E-012	4.1062E-011
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2468E-007	2.6487E-007
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.6178E-017	8.3616E-017
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.0423E-015	2.1043E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0196E-015	2.6141E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.5357E-015	7.9683E-015
RCPTR_25	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.4698E-015	1.2809E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.2203E-009	3.6228E-009
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.3955E-014	7.2097E-014
RCPTR_25	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.5738E-015	2.3779E-014
RCPTR_25	farmer_adult	TOCDFMPF	Diethyl phthalate	2.2261E-007	2.3023E-007
RCPTR_25	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.6539E-011	1.8008E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.0285E-010	5.2829E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.5693E-010	3.0457E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0306E-010	4.8869E-010
RCPTR_25	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.6988E-011	3.7563E-010
RCPTR_25	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.1560E-012	1.1239E-011
RCPTR_25	farmer_adult	TOCDFMPF	Ethylbenzene	4.6975E-014	2.2880E-013
RCPTR_25	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.3644E-008	9.3756E-008
RCPTR_25	farmer_adult	TOCDFMPF	Fluoranthene	6.7630E-007	2.1598E-006
RCPTR_25	farmer_adult	TOCDFMPF	Fluorene	6.7245E-009	3.2871E-008
RCPTR_25	farmer_adult	TOCDFMPF	GB	1.2075E-014	6.2805E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8105E-012	1.9580E-012
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.6830E-011	7.1288E-011
RCPTR_25	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1328E-011	1.2231E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.3864E-011	2.5515E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3360E-011	1.4529E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2768E-011	1.4027E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.1351E-010	5.6965E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2498E-010	1.3859E-010
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.1606E-011	2.3944E-011
RCPTR_25	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5462E-011	1.7140E-011
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.5486E-010	6.9526E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.0369E-007	1.4122E-006
RCPTR_25	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.2657E-010	1.8528E-009
RCPTR_25	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	8.4431E-011	4.2376E-010
RCPTR_25	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.5449E-002	2.5629E-002
RCPTR_25	farmer_adult	TOCDFMPF	Isophorone	1.5446E-011	8.0372E-011
RCPTR_25	farmer_adult	TOCDFMPF	Lead	2.6952E-008	3.2085E-008
RCPTR_25	farmer_adult	TOCDFMPF	Mercuric chloride	7.9442E-007	8.7323E-007
RCPTR_25	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.3702E-016	1.2350E-015
RCPTR_25	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	8.4875E-018	4.4179E-017
RCPTR_25	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.5479E-014	2.8926E-013
RCPTR_25	farmer_adult	TOCDFMPF	Methyl mercury	7.4283E-009	7.8396E-009
RCPTR_25	farmer_adult	TOCDFMPF	Methylene chloride	1.3888E-015	7.2318E-015
RCPTR_25	farmer_adult	TOCDFMPF	Naphthalene	6.6549E-011	3.3972E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nickel	4.3780E-006	4.6593E-006
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.6463E-010	1.3688E-009
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.2612E-011	3.2565E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.1101E-011	4.2086E-010
RCPTR_25	farmer_adult	TOCDFMPF	Nitrobenzene	2.6036E-011	1.3565E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.1869E-011	6.1763E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.1365E-010	1.0871E-009
RCPTR_25	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.4793E-011	7.6537E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.4597E-011	7.5231E-011
RCPTR_25	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.3861E-012	6.7927E-012
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.6332E-012	5.1077E-012
RCPTR_25	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.4604E-012	7.1074E-012
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.0731E-011	8.7281E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.9009E-011	6.6786E-011
RCPTR_25	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9594E-010	2.2104E-010
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3263E-009	5.3175E-009
RCPTR_25	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.5057E-010	2.1088E-009
RCPTR_25	farmer_adult	TOCDFMPF	Pentachlorophenol	9.8156E-007	1.2734E-006
RCPTR_25	farmer_adult	TOCDFMPF	Phenanthrene	2.0946E-011	1.0403E-010
RCPTR_25	farmer_adult	TOCDFMPF	Phenol	2.0739E-011	1.0749E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Pronamide	2.1151E-009	1.0308E-008
RCPTR_25	farmer_adult	TOCDFMPF	Pyrene	1.1259E-006	4.2984E-006
RCPTR_25	farmer_adult	TOCDFMPF	Selenium	3.5816E-007	3.5962E-007
RCPTR_25	farmer_adult	TOCDFMPF	Silver	1.6301E-006	1.7161E-006
RCPTR_25	farmer_adult	TOCDFMPF	Styrene	1.8986E-012	9.8229E-012
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8827E-011	2.2143E-011
RCPTR_25	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.4677E-011	4.3001E-011
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.8343E-009	8.3770E-009
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0614E-010	1.2796E-010
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.2816E-014	1.6978E-013
RCPTR_25	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.9282E-008	6.4775E-008
RCPTR_25	farmer_adult	TOCDFMPF	Thallium (I)	3.1935E-006	3.3356E-006
RCPTR_25	farmer_adult	TOCDFMPF	Toluene	2.3182E-014	1.1819E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.6201E-011	3.1964E-010
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	9.5356E-015	4.9488E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.2726E-014	3.7836E-013
RCPTR_25	farmer_adult	TOCDFMPF	Trichloroethylene	1.1884E-014	6.1529E-014
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.5609E-015	8.0863E-015
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	8.2342E-009	3.6822E-008
RCPTR_25	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.2334E-009	7.6414E-009
RCPTR_25	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.6954E-013	1.4005E-012
RCPTR_25	farmer_adult	TOCDFMPF	Vinyl Chloride	3.8485E-018	1.9990E-017
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, m-	4.1831E-013	6.5985E-013
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, o-	3.7095E-013	6.4632E-013
RCPTR_25	farmer_adult	TOCDFMPF	Xylene, p-	4.2446E-013	7.9907E-013
RCPTR_25	farmer_adult	TOCDFMPF	Zinc	9.4244E-007	1.1577E-006
RCPTR_25	farmer_adult	TOCDHVAC	GB	6.3664E-014	3.3113E-013
RCPTR_25	farmer_adult	TOCDLIC2	Acenaphthene	8.1301E-010	4.0761E-009
RCPTR_25	farmer_adult	TOCDLIC2	Acetone	9.8543E-015	5.1385E-014
RCPTR_25	farmer_adult	TOCDLIC2	Acetophenone	4.1151E-012	2.1415E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Aniline	2.4903E-013	1.2902E-012
RCPTR_25	farmer_adult	TOCDLIC2	Anthracene	1.4413E-008	7.1953E-008
RCPTR_25	farmer_adult	TOCDLIC2	Antimony	7.3187E-007	8.3779E-007
RCPTR_25	farmer_adult	TOCDLIC2	Arsenic	1.7728E-006	1.8270E-006
RCPTR_25	farmer_adult	TOCDLIC2	Barium	5.6501E-007	6.2474E-007
RCPTR_25	farmer_adult	TOCDLIC2	Benzene	6.6389E-015	3.4315E-014
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.3840E-006	1.0877E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(a)pyrene	8.0840E-005	8.4471E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.3088E-005	5.1925E-005
RCPTR_25	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2526E-004	1.3249E-004
RCPTR_25	farmer_adult	TOCDLIC2	Benzoic acid	3.6417E-011	1.5027E-010
RCPTR_25	farmer_adult	TOCDLIC2	Benzyl alcohol	5.6280E-012	2.9261E-011
RCPTR_25	farmer_adult	TOCDLIC2	Beryllium	3.0005E-007	3.3854E-007
RCPTR_25	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.6148E-012	2.9278E-011
RCPTR_25	farmer_adult	TOCDLIC2	Bromodichloromethane	7.4624E-014	3.8849E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.9453E-012	1.0132E-011
RCPTR_25	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.1717E-007	1.5742E-006
RCPTR_25	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.8330E-008	5.3976E-008
RCPTR_25	farmer_adult	TOCDLIC2	Cadmium	2.1026E-008	2.8743E-008
RCPTR_25	farmer_adult	TOCDLIC2	Carbon disulfide	8.4415E-015	4.3773E-014
RCPTR_25	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.3441E-014	6.9414E-014
RCPTR_25	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.8576E-010	2.4920E-009
RCPTR_25	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.6301E-011	1.3606E-010
RCPTR_25	farmer_adult	TOCDLIC2	Chlorobenzene	7.9134E-014	4.0630E-013
RCPTR_25	farmer_adult	TOCDLIC2	Chloroethane	2.3146E-016	1.1446E-015
RCPTR_25	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.3953E-014	1.2464E-013
RCPTR_25	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.1042E-009	1.0641E-008
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.2470E-011	3.7764E-010
RCPTR_25	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.8804E-009	1.3903E-008
RCPTR_25	farmer_adult	TOCDLIC2	Chromium	1.4390E-005	1.4729E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.1239E-005	1.1385E-005
RCPTR_25	farmer_adult	TOCDLIC2	Chrysene	2.2271E-005	2.6934E-005
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.7419E-007	1.9589E-007
RCPTR_25	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.8866E+002	8.8866E+002
RCPTR_25	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.7829E-003	1.8296E-003
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.5228E-012	1.7227E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.1621E-012	2.0811E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.9812E-012	2.0029E-011
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.7491E-008	1.1495E-007
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.7624E-017	9.1094E-017
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.4038E-015	2.2925E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4685E-015	2.8479E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.6731E-015	8.6810E-015
RCPTR_25	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.6907E-015	1.3955E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	5.9530E-010	1.7672E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.5203E-014	7.8546E-014
RCPTR_25	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.9828E-015	2.5905E-014
RCPTR_25	farmer_adult	TOCDLIC2	Diethyl phthalate	1.0862E-007	1.1234E-007
RCPTR_25	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.2404E-010	6.1137E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.0166E-011	2.5768E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	7.6890E-011	1.4922E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.0258E-011	2.3835E-010
RCPTR_25	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.7549E-011	1.8321E-010
RCPTR_25	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.0516E-012	5.4819E-012
RCPTR_25	farmer_adult	TOCDLIC2	Ethylbenzene	5.8039E-014	2.8270E-013
RCPTR_25	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.0835E-008	5.6998E-008
RCPTR_25	farmer_adult	TOCDLIC2	Fluoranthene	3.2978E-007	1.0534E-006
RCPTR_25	farmer_adult	TOCDLIC2	Fluorene	3.2798E-009	1.6033E-008
RCPTR_25	farmer_adult	TOCDLIC2	GB	8.8922E-015	4.6249E-014
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.0554E-012	6.5477E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.4646E-012	5.8281E-012
RCPTR_25	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.3486E-012	5.7740E-012
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5755E-011	1.6842E-011
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1635E-011	1.2651E-011
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1508E-011	1.2642E-011
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1044E-011	1.2251E-011
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.6424E-012	7.3653E-012
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.9012E-012	6.5393E-012
RCPTR_25	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.7724E-012	7.5071E-012
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.5517E-011	3.3910E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.4812E-007	6.8879E-007
RCPTR_25	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.0800E-010	9.0367E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.1183E-011	2.0670E-010
RCPTR_25	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2409E-002	1.2497E-002

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Isophorone	7.5341E-012	3.9202E-011
RCPTR_25	farmer_adult	TOCDLIC2	Lead	2.4665E-006	2.9362E-006
RCPTR_25	farmer_adult	TOCDLIC2	Mercuric chloride	7.0633E-005	7.7645E-005
RCPTR_25	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.6044E-016	1.3570E-015
RCPTR_25	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.0393E-017	5.4095E-017
RCPTR_25	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.8385E-014	3.0441E-013
RCPTR_25	farmer_adult	TOCDLIC2	Methyl mercury	6.5857E-007	6.9518E-007
RCPTR_25	farmer_adult	TOCDLIC2	Methylene chloride	4.5891E-015	2.3897E-014
RCPTR_25	farmer_adult	TOCDLIC2	Naphthalene	3.2460E-011	1.6570E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nickel	1.9421E-006	2.0669E-006
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.2964E-010	6.7058E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.0674E-011	1.5954E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.9731E-011	2.0618E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitrobenzene	1.2699E-011	6.6166E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.7894E-012	3.0126E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.0072E-010	5.3268E-010
RCPTR_25	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.2153E-012	3.7332E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.1201E-012	3.6695E-011
RCPTR_25	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.7575E-013	3.3129E-012
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0494E-011	1.1568E-011
RCPTR_25	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4814E-012	3.8298E-012
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.8454E-011	4.1570E-011
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1274E-011	1.2760E-011
RCPTR_25	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.2234E-011	3.6362E-011
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.4601E-010	2.5928E-009
RCPTR_25	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.6931E-010	1.0327E-009
RCPTR_25	farmer_adult	TOCDLIC2	Pentachlorophenol	4.8104E-007	6.2402E-007
RCPTR_25	farmer_adult	TOCDLIC2	Phenanthrene	1.0216E-011	5.0744E-011
RCPTR_25	farmer_adult	TOCDLIC2	Phenol	1.0695E-011	5.5433E-011
RCPTR_25	farmer_adult	TOCDLIC2	Pronamide	1.0317E-009	5.0279E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Pyrene	5.4911E-007	2.0965E-006
RCPTR_25	farmer_adult	TOCDLIC2	Selenium	1.2253E-006	1.2303E-006
RCPTR_25	farmer_adult	TOCDLIC2	Silver	4.0766E-007	4.2917E-007
RCPTR_25	farmer_adult	TOCDLIC2	Styrene	1.4988E-012	7.7545E-012
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9351E-011	2.2761E-011
RCPTR_25	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5263E-011	1.8928E-011
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.9470E-010	4.0860E-009
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1567E-010	1.3945E-010
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.6132E-014	8.3462E-014
RCPTR_25	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.4349E-008	3.1737E-008
RCPTR_25	farmer_adult	TOCDLIC2	Thallium (I)	1.0832E-005	1.1314E-005
RCPTR_25	farmer_adult	TOCDLIC2	Toluene	8.7792E-014	4.4759E-013
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.2290E-011	1.5591E-010
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.0388E-014	5.3915E-014
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	7.9231E-014	4.1220E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_adult	TOCDLIC2	Trichloroethylene	1.2946E-014	6.7032E-014
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.7005E-015	8.8095E-015
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.0166E-009	1.7960E-008
RCPTR_25	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.0895E-009	3.7274E-009
RCPTR_25	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.9365E-013	1.5257E-012
RCPTR_25	farmer_adult	TOCDLIC2	Vinyl Chloride	4.9543E-018	2.5735E-017
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, m-	6.1606E-013	9.7393E-013
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, o-	4.0183E-013	7.0183E-013
RCPTR_25	farmer_adult	TOCDLIC2	Xylene, p-	6.2544E-013	1.1804E-012
RCPTR_25	farmer_adult	TOCDLIC2	Zinc	1.8398E-006	2.2600E-006
RCPTR_25	farmer_child	TOCDFBRA	Antimony	3.4974E-006	3.5652E-006
RCPTR_25	farmer_child	TOCDFBRA	Arsenic	5.3352E-006	5.3507E-006
RCPTR_25	farmer_child	TOCDFBRA	Barium	4.6883E-007	4.7506E-007
RCPTR_25	farmer_child	TOCDFBRA	Beryllium	1.4965E-006	1.6561E-006
RCPTR_25	farmer_child	TOCDFBRA	Cadmium	3.1078E-007	3.3239E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFBRA	Chromium	3.5551E-005	4.0393E-005
RCPTR_25	farmer_child	TOCDFBRA	Chromium, hexavalent	3.1181E-005	3.1206E-005
RCPTR_25	farmer_child	TOCDFBRA	Lead	1.5999E-005	1.8713E-005
RCPTR_25	farmer_child	TOCDFBRA	Mercuric chloride	1.8211E-003	3.1416E-003
RCPTR_25	farmer_child	TOCDFBRA	Methyl mercury	2.4944E-005	2.8833E-005
RCPTR_25	farmer_child	TOCDFBRA	Nickel	1.7873E-005	1.8106E-005
RCPTR_25	farmer_child	TOCDFBRA	Selenium	5.8657E-006	5.8661E-006
RCPTR_25	farmer_child	TOCDFBRA	Silver	2.0578E-006	2.0607E-006
RCPTR_25	farmer_child	TOCDFBRA	Thallium (I)	5.4779E-005	5.5324E-005
RCPTR_25	farmer_child	TOCDFBRA	Zinc	1.0633E-005	1.1052E-005
RCPTR_25	farmer_child	TOCDFDFS	Acenaphthene	3.0890E-009	3.0999E-009
RCPTR_25	farmer_child	TOCDFDFS	Acetone	3.8625E-014	3.8625E-014
RCPTR_25	farmer_child	TOCDFDFS	Acetophenone	1.7096E-011	1.7100E-011
RCPTR_25	farmer_child	TOCDFDFS	Aniline	9.8111E-013	9.8114E-013
RCPTR_25	farmer_child	TOCDFDFS	Anthracene	5.2952E-008	5.4726E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Antimony	3.3211E-005	3.3854E-005
RCPTR_25	farmer_child	TOCDFDFS	Aroclor 1254	4.2664E-010	4.2878E-010
RCPTR_25	farmer_child	TOCDFDFS	Arsenic	2.8646E-006	2.8729E-006
RCPTR_25	farmer_child	TOCDFDFS	Barium	8.8515E-008	8.9690E-008
RCPTR_25	farmer_child	TOCDFDFS	Benzene	3.1970E-014	3.1970E-014
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.4292E-006	8.3574E-006
RCPTR_25	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.4938E-005	6.5817E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.7607E-005	3.9862E-005
RCPTR_25	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.9575E-005	1.0314E-004
RCPTR_25	farmer_child	TOCDFDFS	Benzoic acid	1.1423E-010	1.1424E-010
RCPTR_25	farmer_child	TOCDFDFS	Benzyl alcohol	2.2241E-011	2.2252E-011
RCPTR_25	farmer_child	TOCDFDFS	Beryllium	7.7774E-007	8.6061E-007
RCPTR_25	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.2255E-011	2.2265E-011
RCPTR_25	farmer_child	TOCDFDFS	Bromodichloromethane	2.5197E-013	2.5197E-013
RCPTR_25	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0013E-011	1.0014E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	8.6546E-007	1.1972E-006
RCPTR_25	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.2516E-008	4.2535E-008
RCPTR_25	farmer_child	TOCDFDFS	Cadmium	8.1293E-007	8.6942E-007
RCPTR_25	farmer_child	TOCDFDFS	Carbon disulfide	1.6706E-014	1.6706E-014
RCPTR_25	farmer_child	TOCDFDFS	Carbon tetrachloride	8.3411E-014	8.3411E-014
RCPTR_25	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.8852E-009	1.8940E-009
RCPTR_25	farmer_child	TOCDFDFS	Chloroaniline, p-	1.0336E-010	1.0347E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorobenzene	4.8822E-013	4.8822E-013
RCPTR_25	farmer_child	TOCDFDFS	Chloroethane	1.3753E-015	1.3753E-015
RCPTR_25	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.5466E-014	7.5466E-014
RCPTR_25	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.0269E-009	8.0925E-009
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.8652E-010	2.8718E-010
RCPTR_25	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.0548E-008	1.0584E-008
RCPTR_25	farmer_child	TOCDFDFS	Chromium	9.9279E-006	1.1279E-005
RCPTR_25	farmer_child	TOCDFDFS	Chromium, hexavalent	8.7084E-006	8.7155E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Chrysene	1.9114E-005	2.0661E-005
RCPTR_25	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.4904E-007	1.4922E-007
RCPTR_25	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.7176E+002	6.7176E+002
RCPTR_25	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.4094E-003	1.4263E-003
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.3101E-011	1.3101E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.5826E-011	1.5827E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.5231E-011	1.5231E-011
RCPTR_25	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4686E-007	1.4738E-007
RCPTR_25	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.0947E-016	1.0947E-016
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.7547E-014	2.7547E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4221E-014	3.4221E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0431E-014	1.0431E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.6769E-014	1.6769E-014
RCPTR_25	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.3386E-009	1.3425E-009
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.4383E-014	9.4383E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.1129E-014	3.1129E-014
RCPTR_25	farmer_child	TOCDFDFS	Diethyl phthalate	8.4944E-008	8.4952E-008
RCPTR_25	farmer_child	TOCDFDFS	Dimethyl phthalate	4.3390E-010	4.3428E-010
RCPTR_25	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.9570E-010	1.9595E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.1173E-010	1.1174E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.8111E-010	1.8140E-010
RCPTR_25	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.3916E-010	1.3936E-010
RCPTR_25	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.1677E-012	4.1688E-012
RCPTR_25	farmer_child	TOCDFDFS	Ethylbenzene	2.9954E-013	2.9954E-013
RCPTR_25	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.3837E-009	4.3903E-009
RCPTR_25	farmer_child	TOCDFDFS	Fluoranthene	6.9050E-007	8.0223E-007
RCPTR_25	farmer_child	TOCDFDFS	Fluorene	1.2064E-008	1.2194E-008
RCPTR_25	farmer_child	TOCDFDFS	GB	1.1212E-013	1.1215E-013
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3348E-012	1.4220E-012
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.6515E-013	7.0111E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3300E-012	2.4788E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2581E-011	1.3284E-011
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.0934E-012	7.5867E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.3418E-012	6.8339E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.9559E-012	5.3774E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.3976E-012	4.7710E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.8670E-012	6.3618E-012
RCPTR_25	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.0475E-012	4.3898E-012
RCPTR_25	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.5804E-010	2.5806E-010
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorobenzene	4.9327E-007	5.2391E-007
RCPTR_25	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.4045E-009	3.4052E-009
RCPTR_25	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.5715E-010	1.5718E-010
RCPTR_25	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.5178E-003	9.5455E-003
RCPTR_25	farmer_child	TOCDFDFS	Isophorone	2.9801E-011	2.9812E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Lead	8.9980E-005	1.0524E-004
RCPTR_25	farmer_child	TOCDFDFS	Mercuric chloride	4.9062E-007	8.4401E-007
RCPTR_25	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.9161E-015	2.9161E-015
RCPTR_25	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.9372E-016	4.9372E-016
RCPTR_25	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.5921E-013	2.5921E-013
RCPTR_25	farmer_child	TOCDFDFS	Methyl mercury	6.8131E-009	7.8539E-009
RCPTR_25	farmer_child	TOCDFDFS	Methylene chloride	7.4934E-015	7.4934E-015
RCPTR_25	farmer_child	TOCDFDFS	Naphthalene	1.2598E-010	1.2601E-010
RCPTR_25	farmer_child	TOCDFDFS	Nickel	9.9830E-006	1.0113E-005
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.0209E-010	5.0264E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.1954E-010	1.1959E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.5448E-010	1.5456E-010
RCPTR_25	farmer_child	TOCDFDFS	Nitrobenzene	5.0289E-011	5.0317E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.2904E-011	2.2910E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.9812E-010	3.9822E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.8384E-011	2.8389E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.7902E-011	2.7905E-011
RCPTR_25	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.5230E-012	2.5231E-012
RCPTR_25	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.5931E-012	3.8824E-012
RCPTR_25	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2351E-012	1.3325E-012
RCPTR_25	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.9980E-011	3.1891E-011
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.4792E-012	2.7289E-012
RCPTR_25	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0244E-011	1.1251E-011
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorobenzene	1.9809E-009	1.9817E-009
RCPTR_25	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	7.7862E-010	7.7867E-010
RCPTR_25	farmer_child	TOCDFDFS	Pentachlorophenol	4.6489E-007	4.6576E-007
RCPTR_25	farmer_child	TOCDFDFS	Phenanthrene	3.8591E-011	3.8591E-011
RCPTR_25	farmer_child	TOCDFDFS	Phenol	3.9846E-011	3.9871E-011
RCPTR_25	farmer_child	TOCDFDFS	Pronamide	7.5917E-009	7.6470E-009
RCPTR_25	farmer_child	TOCDFDFS	Pyrene	1.0878E-006	1.5950E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Selenium	3.1495E-006	3.1497E-006
RCPTR_25	farmer_child	TOCDFDFS	Silver	1.1224E-006	1.1240E-006
RCPTR_25	farmer_child	TOCDFDFS	Styrene	8.1402E-012	8.1403E-012
RCPTR_25	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3283E-011	1.5023E-011
RCPTR_25	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.0877E-012	4.8040E-012
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.1028E-009	3.1071E-009
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6678E-010	1.6678E-010
RCPTR_25	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0030E-013	1.0030E-013
RCPTR_25	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.3709E-008	2.3749E-008
RCPTR_25	farmer_child	TOCDFDFS	Thallium (I)	2.8471E-005	2.8754E-005
RCPTR_25	farmer_child	TOCDFDFS	Toluene	1.3522E-013	1.3522E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.1856E-010	1.1857E-010
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.4786E-014	6.4786E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.9531E-013	4.9531E-013
RCPTR_25	farmer_child	TOCDFDFS	Trichloroethylene	8.0548E-014	8.0548E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.0586E-014	1.0586E-014
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.3432E-008	1.3655E-008
RCPTR_25	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.8230E-009	2.8326E-009
RCPTR_25	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.8333E-012	1.8334E-012
RCPTR_25	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.1639E-011	2.1659E-011
RCPTR_25	farmer_child	TOCDFDFS	Vinyl Chloride	2.6171E-017	2.6171E-017
RCPTR_25	farmer_child	TOCDFDFS	Xylene, m-	9.0797E-013	9.0797E-013
RCPTR_25	farmer_child	TOCDFDFS	Xylene, o-	8.8360E-013	8.8360E-013
RCPTR_25	farmer_child	TOCDFDFS	Xylene, p-	1.0872E-012	1.0872E-012
RCPTR_25	farmer_child	TOCDFDFS	Zinc	6.6720E-006	6.9352E-006
RCPTR_25	farmer_child	TOCDFLIC	Acenaphthene	1.9682E-009	1.9752E-009
RCPTR_25	farmer_child	TOCDFLIC	Acetone	5.1925E-014	5.1925E-014
RCPTR_25	farmer_child	TOCDFLIC	Acetophenone	1.8675E-011	1.8680E-011
RCPTR_25	farmer_child	TOCDFLIC	Aniline	6.2518E-013	6.2520E-013
RCPTR_25	farmer_child	TOCDFLIC	Anthracene	3.3737E-008	3.4867E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Antimony	6.1777E-007	6.2971E-007
RCPTR_25	farmer_child	TOCDFLIC	Arsenic	1.8217E-006	1.8270E-006
RCPTR_25	farmer_child	TOCDFLIC	Barium	6.3984E-008	6.4832E-008
RCPTR_25	farmer_child	TOCDFLIC	Benzene	4.7683E-013	4.7683E-013
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.6816E-006	5.2709E-006
RCPTR_25	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.0397E-005	4.0933E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.3733E-005	2.5162E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.2065E-005	6.4200E-005
RCPTR_25	farmer_child	TOCDFLIC	Benzoic acid	7.8104E-011	7.8112E-011
RCPTR_25	farmer_child	TOCDFLIC	Benzyl alcohol	1.4172E-011	1.4179E-011
RCPTR_25	farmer_child	TOCDFLIC	Beryllium	3.0598E-007	3.3854E-007
RCPTR_25	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.4181E-011	1.4187E-011
RCPTR_25	farmer_child	TOCDFLIC	Bromodichloromethane	1.2688E-013	1.2688E-013
RCPTR_25	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.3697E-012	4.3701E-012
RCPTR_25	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.5144E-007	7.6283E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.6144E-008	2.6156E-008
RCPTR_25	farmer_child	TOCDFLIC	Cadmium	2.3654E-007	2.5295E-007
RCPTR_25	farmer_child	TOCDFLIC	Carbon disulfide	2.8884E-014	2.8884E-014
RCPTR_25	farmer_child	TOCDFLIC	Carbon tetrachloride	4.5608E-014	4.5608E-014
RCPTR_25	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2020E-009	1.2076E-009
RCPTR_25	farmer_child	TOCDFLIC	Chloroaniline, p-	6.5860E-011	6.5933E-011
RCPTR_25	farmer_child	TOCDFLIC	Chlorobenzene	2.6695E-013	2.6695E-013
RCPTR_25	farmer_child	TOCDFLIC	Chloroethane	7.5208E-016	7.5208E-016
RCPTR_25	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.0368E-014	4.0368E-014
RCPTR_25	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.1147E-009	5.1565E-009
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.8258E-010	1.8300E-010
RCPTR_25	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.7146E-009	6.7371E-009
RCPTR_25	farmer_child	TOCDFLIC	Chromium	1.2967E-005	1.4729E-005
RCPTR_25	farmer_child	TOCDFLIC	Chromium, hexavalent	1.1376E-005	1.1385E-005
RCPTR_25	farmer_child	TOCDFLIC	Chrysene	1.2074E-005	1.3052E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.4813E-008	9.4927E-008
RCPTR_25	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.3063E+002	4.3063E+002
RCPTR_25	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.7681E-004	8.8659E-004
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.3479E-012	8.3481E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.0085E-011	1.0085E-011
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	9.7052E-012	9.7055E-012
RCPTR_25	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.7632E-008	4.7801E-008
RCPTR_25	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.9853E-017	5.9853E-017
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.5063E-014	1.5063E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8712E-014	1.8712E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.7038E-015	5.7038E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.1692E-015	9.1692E-015
RCPTR_25	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	8.5382E-010	8.5635E-010
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.1608E-014	5.1608E-014
RCPTR_25	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.7021E-014	1.7021E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Diethyl phthalate	5.4431E-008	5.4436E-008
RCPTR_25	farmer_child	TOCDFLIC	Dimethyl phthalate	4.9872E-010	4.9916E-010
RCPTR_25	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.2471E-010	1.2487E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	7.2114E-011	7.2123E-011
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.1531E-010	1.1550E-010
RCPTR_25	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	8.8657E-011	8.8782E-011
RCPTR_25	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.6557E-012	2.6564E-012
RCPTR_25	farmer_child	TOCDFLIC	Ethylbenzene	2.1837E-013	2.1837E-013
RCPTR_25	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.4996E-008	8.5130E-008
RCPTR_25	farmer_child	TOCDFLIC	Fluoranthene	4.3926E-007	5.1044E-007
RCPTR_25	farmer_child	TOCDFLIC	Fluorene	7.6868E-009	7.7693E-009
RCPTR_25	farmer_child	TOCDFLIC	GB	4.4476E-014	4.4487E-014
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.7713E-013	9.3287E-013
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0142E-012	1.0670E-012
RCPTR_25	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4910E-012	2.6455E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0644E-011	1.1219E-011
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.2808E-012	6.7071E-012
RCPTR_25	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.5085E-012	5.9291E-012
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.5106E-012	3.8070E-012
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.4305E-012	3.7195E-012
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.9537E-012	4.2844E-012
RCPTR_25	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.8906E-012	3.1331E-012
RCPTR_25	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.6431E-010	1.6432E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorobenzene	3.1425E-007	3.3378E-007
RCPTR_25	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.3781E-010	4.3790E-010
RCPTR_25	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0014E-010	1.0016E-010
RCPTR_25	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.0397E-003	6.0557E-003
RCPTR_25	farmer_child	TOCDFLIC	Isophorone	1.8990E-011	1.8997E-011
RCPTR_25	farmer_child	TOCDFLIC	Lead	3.4828E-005	4.0725E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Mercuric chloride	4.4786E-005	7.7645E-005
RCPTR_25	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.0375E-015	1.0375E-015
RCPTR_25	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	8.4983E-017	8.4983E-017
RCPTR_25	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.0885E-013	3.0885E-013
RCPTR_25	farmer_child	TOCDFLIC	Methyl mercury	5.9840E-007	6.9518E-007
RCPTR_25	farmer_child	TOCDFLIC	Methylene chloride	6.5695E-015	6.5695E-015
RCPTR_25	farmer_child	TOCDFLIC	Naphthalene	8.0274E-011	8.0297E-011
RCPTR_25	farmer_child	TOCDFLIC	Nickel	5.8695E-006	5.9460E-006
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.2376E-010	3.2411E-010
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 3-	7.7079E-011	7.7112E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.9602E-011	9.9655E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrobenzene	3.2045E-011	3.2063E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.4595E-011	1.4598E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.5740E-010	2.5746E-010
RCPTR_25	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.8087E-011	1.8090E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.7780E-011	1.7782E-011
RCPTR_25	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.6053E-012	1.6054E-012
RCPTR_25	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1913E-012	3.4452E-012
RCPTR_25	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0504E-012	1.1323E-012
RCPTR_25	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0924E-011	2.2231E-011
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.4791E-012	6.0303E-012
RCPTR_25	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2442E-011	1.3664E-011
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorobenzene	1.2559E-009	1.2564E-009
RCPTR_25	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.9912E-010	4.9915E-010
RCPTR_25	farmer_child	TOCDFLIC	Pentachlorophenol	3.0105E-007	3.0161E-007
RCPTR_25	farmer_child	TOCDFLIC	Phenanthrene	2.4589E-011	2.4589E-011
RCPTR_25	farmer_child	TOCDFLIC	Phenol	2.5391E-011	2.5407E-011
RCPTR_25	farmer_child	TOCDFLIC	Pronamide	2.4188E-009	2.4364E-009
RCPTR_25	farmer_child	TOCDFLIC	Pyrene	6.9280E-007	1.0159E-006
RCPTR_25	farmer_child	TOCDFLIC	Selenium	1.2302E-006	1.2303E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Silver	4.2857E-007	4.2917E-007
RCPTR_25	farmer_child	TOCDFLIC	Styrene	9.2563E-012	9.2565E-012
RCPTR_25	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.9379E-012	7.8515E-012
RCPTR_25	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	8.9825E-012	1.0567E-011
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.9773E-009	1.9800E-009
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.1624E-011	9.1624E-011
RCPTR_25	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.4838E-014	5.4838E-014
RCPTR_25	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.5314E-008	1.5340E-008
RCPTR_25	farmer_child	TOCDFLIC	Thallium (I)	1.1203E-005	1.1314E-005
RCPTR_25	farmer_child	TOCDFLIC	Toluene	4.2521E-013	4.2521E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	7.5539E-011	7.5549E-011
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.5424E-014	3.5424E-014
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.7083E-013	2.7083E-013
RCPTR_25	farmer_child	TOCDFLIC	Trichloroethylene	4.4043E-014	4.4043E-014
RCPTR_25	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.7882E-015	5.7882E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	8.5612E-009	8.7033E-009
RCPTR_25	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.8001E-009	1.8062E-009
RCPTR_25	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.0024E-012	1.0025E-012
RCPTR_25	farmer_child	TOCDFLIC	Vinyl Chloride	1.5419E-017	1.5419E-017
RCPTR_25	farmer_child	TOCDFLIC	Xylene, m-	8.3896E-013	8.3897E-013
RCPTR_25	farmer_child	TOCDFLIC	Xylene, o-	5.2309E-013	5.2309E-013
RCPTR_25	farmer_child	TOCDFLIC	Xylene, p-	1.0169E-012	1.0169E-012
RCPTR_25	farmer_child	TOCDFLIC	Zinc	1.8210E-006	1.8928E-006
RCPTR_25	farmer_child	TOCDFMPF	Acenaphthene	8.3273E-009	8.3567E-009
RCPTR_25	farmer_child	TOCDFMPF	Acetone	2.5823E-014	2.5823E-014
RCPTR_25	farmer_child	TOCDFMPF	Acetophenone	4.3896E-011	4.3905E-011
RCPTR_25	farmer_child	TOCDFMPF	Aniline	2.6450E-012	2.6451E-012
RCPTR_25	farmer_child	TOCDFMPF	Anthracene	1.4274E-007	1.4752E-007
RCPTR_25	farmer_child	TOCDFMPF	Antimony	1.8372E-007	1.8727E-007
RCPTR_25	farmer_child	TOCDFMPF	Arsenic	4.2717E-007	4.2841E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Barium	5.9932E-008	6.0726E-008
RCPTR_25	farmer_child	TOCDFMPF	Benzene	2.3018E-014	2.3018E-014
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.9822E-005	2.2316E-005
RCPTR_25	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7120E-004	1.7348E-004
RCPTR_25	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0048E-004	1.0653E-004
RCPTR_25	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.6299E-004	2.7207E-004
RCPTR_25	farmer_child	TOCDFMPF	Benzoic acid	3.0803E-010	3.0807E-010
RCPTR_25	farmer_child	TOCDFMPF	Benzyl alcohol	5.9960E-011	5.9990E-011
RCPTR_25	farmer_child	TOCDFMPF	Beryllium	8.7321E-008	9.6612E-008
RCPTR_25	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	5.9999E-011	6.0024E-011
RCPTR_25	farmer_child	TOCDFMPF	Bromodichloromethane	2.0501E-013	2.0501E-013
RCPTR_25	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.7348E-012	7.7354E-012
RCPTR_25	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.3331E-006	3.2274E-006
RCPTR_25	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.1089E-007	1.1094E-007
RCPTR_25	farmer_child	TOCDFMPF	Cadmium	1.0340E-007	1.1058E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Carbon disulfide	4.0248E-014	4.0248E-014
RCPTR_25	farmer_child	TOCDFMPF	Carbon tetrachloride	6.3716E-014	6.3716E-014
RCPTR_25	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.0852E-009	5.1089E-009
RCPTR_25	farmer_child	TOCDFMPF	Chloroaniline, p-	2.7864E-010	2.7895E-010
RCPTR_25	farmer_child	TOCDFMPF	Chlorobenzene	3.7294E-013	3.7294E-013
RCPTR_25	farmer_child	TOCDFMPF	Chloroethane	1.0507E-015	1.0507E-015
RCPTR_25	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.4248E-014	5.4248E-014
RCPTR_25	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.1640E-008	2.1816E-008
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenol, 2-	7.7246E-010	7.7423E-010
RCPTR_25	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.8410E-008	2.8505E-008
RCPTR_25	farmer_child	TOCDFMPF	Chromium	2.5066E-006	2.8474E-006
RCPTR_25	farmer_child	TOCDFMPF	Chromium, hexavalent	2.1991E-006	2.2010E-006
RCPTR_25	farmer_child	TOCDFMPF	Chrysene	5.1115E-005	5.5254E-005
RCPTR_25	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.0119E-007	4.0167E-007
RCPTR_25	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.8212E+003	1.8212E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.7159E-003	3.7575E-003
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.5319E-011	3.5319E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.2666E-011	4.2667E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.1061E-011	4.1062E-011
RCPTR_25	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6393E-007	2.6487E-007
RCPTR_25	farmer_child	TOCDFMPF	Dichlorodifluoromethane	8.3616E-017	8.3616E-017
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.1043E-014	2.1043E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6141E-014	2.6141E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	7.9683E-015	7.9683E-015
RCPTR_25	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.2809E-014	1.2809E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.6121E-009	3.6228E-009
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.2097E-014	7.2097E-014
RCPTR_25	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.3779E-014	2.3779E-014
RCPTR_25	farmer_child	TOCDFMPF	Diethyl phthalate	2.3021E-007	2.3023E-007
RCPTR_25	farmer_child	TOCDFMPF	Dimethyl phthalate	1.7993E-010	1.8008E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.2762E-010	5.2829E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.0453E-010	3.0457E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.8790E-010	4.8869E-010
RCPTR_25	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.7510E-010	3.7563E-010
RCPTR_25	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.1236E-011	1.1239E-011
RCPTR_25	farmer_child	TOCDFMPF	Ethylbenzene	2.2880E-013	2.2880E-013
RCPTR_25	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.3608E-008	9.3756E-008
RCPTR_25	farmer_child	TOCDFMPF	Fluoranthene	1.8587E-006	2.1598E-006
RCPTR_25	farmer_child	TOCDFMPF	Fluorene	3.2522E-008	3.2871E-008
RCPTR_25	farmer_child	TOCDFMPF	GB	6.2789E-014	6.2805E-014
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.8408E-012	1.9580E-012
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.7754E-011	7.1288E-011
RCPTR_25	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1515E-011	1.2231E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4204E-011	2.5515E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3604E-011	1.4529E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3031E-011	1.4027E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.2528E-010	5.6965E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2782E-010	1.3859E-010
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2094E-011	2.3944E-011
RCPTR_25	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.5812E-011	1.7140E-011
RCPTR_25	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	6.9519E-010	6.9526E-010
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorobenzene	1.3296E-006	1.4122E-006
RCPTR_25	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.8524E-009	1.8528E-009
RCPTR_25	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.2369E-010	4.2376E-010
RCPTR_25	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.5561E-002	2.5629E-002
RCPTR_25	farmer_child	TOCDFMPF	Isophorone	8.0341E-011	8.0372E-011
RCPTR_25	farmer_child	TOCDFMPF	Lead	2.7439E-008	3.2085E-008
RCPTR_25	farmer_child	TOCDFMPF	Mercuric chloride	5.0395E-007	8.7323E-007
RCPTR_25	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.2350E-015	1.2350E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.4179E-017	4.4179E-017
RCPTR_25	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.8926E-013	2.8926E-013
RCPTR_25	farmer_child	TOCDFMPF	Methyl mercury	6.7521E-009	7.8396E-009
RCPTR_25	farmer_child	TOCDFMPF	Methylene chloride	7.2318E-015	7.2318E-015
RCPTR_25	farmer_child	TOCDFMPF	Naphthalene	3.3962E-010	3.3972E-010
RCPTR_25	farmer_child	TOCDFMPF	Nickel	4.5994E-006	4.6593E-006
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.3673E-009	1.3688E-009
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.2552E-010	3.2565E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.2064E-010	4.2086E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitrobenzene	1.3558E-010	1.3565E-010
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.1747E-011	6.1763E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.0869E-009	1.0871E-009
RCPTR_25	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	7.6523E-011	7.6537E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	7.5225E-011	7.5231E-011
RCPTR_25	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	6.7924E-012	6.7927E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.7309E-012	5.1077E-012
RCPTR_25	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.5929E-012	7.1074E-012
RCPTR_25	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.2146E-011	8.7281E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.0681E-011	6.6786E-011
RCPTR_25	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0127E-010	2.2104E-010
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorobenzene	5.3153E-009	5.3175E-009
RCPTR_25	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.1087E-009	2.1088E-009
RCPTR_25	farmer_child	TOCDFMPF	Pentachlorophenol	1.2710E-006	1.2734E-006
RCPTR_25	farmer_child	TOCDFMPF	Phenanthrene	1.0403E-010	1.0403E-010
RCPTR_25	farmer_child	TOCDFMPF	Phenol	1.0743E-010	1.0749E-010
RCPTR_25	farmer_child	TOCDFMPF	Pronamide	1.0234E-008	1.0308E-008
RCPTR_25	farmer_child	TOCDFMPF	Pyrene	2.9312E-006	4.2984E-006
RCPTR_25	farmer_child	TOCDFMPF	Selenium	3.5960E-007	3.5962E-007
RCPTR_25	farmer_child	TOCDFMPF	Silver	1.7137E-006	1.7161E-006
RCPTR_25	farmer_child	TOCDFMPF	Styrene	9.8227E-012	9.8229E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9567E-011	2.2143E-011
RCPTR_25	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.6555E-011	4.3001E-011
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.3654E-009	8.3770E-009
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.2796E-010	1.2796E-010
RCPTR_25	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.6978E-013	1.6978E-013
RCPTR_25	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.4667E-008	6.4775E-008
RCPTR_25	farmer_child	TOCDFMPF	Thallium (I)	3.3029E-006	3.3356E-006
RCPTR_25	farmer_child	TOCDFMPF	Toluene	1.1819E-013	1.1819E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.1960E-010	3.1964E-010
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.9488E-014	4.9488E-014
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.7835E-013	3.7836E-013
RCPTR_25	farmer_child	TOCDFMPF	Trichloroethylene	6.1529E-014	6.1529E-014
RCPTR_25	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	8.0863E-015	8.0863E-015
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.6221E-008	3.6822E-008
RCPTR_25	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	7.6156E-009	7.6414E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.4004E-012	1.4005E-012
RCPTR_25	farmer_child	TOCDFMPF	Vinyl Chloride	1.9990E-017	1.9990E-017
RCPTR_25	farmer_child	TOCDFMPF	Xylene, m-	6.5985E-013	6.5985E-013
RCPTR_25	farmer_child	TOCDFMPF	Xylene, o-	6.4632E-013	6.4632E-013
RCPTR_25	farmer_child	TOCDFMPF	Xylene, p-	7.9907E-013	7.9907E-013
RCPTR_25	farmer_child	TOCDFMPF	Zinc	1.1138E-006	1.1577E-006
RCPTR_25	farmer_child	TOCDHVAC	GB	3.3105E-013	3.3113E-013
RCPTR_25	farmer_child	TOCDLIC2	Acenaphthene	4.0617E-009	4.0761E-009
RCPTR_25	farmer_child	TOCDLIC2	Acetone	5.1385E-014	5.1385E-014
RCPTR_25	farmer_child	TOCDLIC2	Acetophenone	2.1411E-011	2.1415E-011
RCPTR_25	farmer_child	TOCDLIC2	Aniline	1.2901E-012	1.2902E-012
RCPTR_25	farmer_child	TOCDLIC2	Anthracene	6.9620E-008	7.1953E-008
RCPTR_25	farmer_child	TOCDLIC2	Antimony	8.2190E-007	8.3779E-007
RCPTR_25	farmer_child	TOCDLIC2	Arsenic	1.8217E-006	1.8270E-006
RCPTR_25	farmer_child	TOCDLIC2	Barium	6.1657E-007	6.2474E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Benzene	3.4315E-014	3.4315E-014
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)anthracene	9.6611E-006	1.0877E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.3364E-005	8.4471E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.8976E-005	5.1925E-005
RCPTR_25	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2808E-004	1.3249E-004
RCPTR_25	farmer_child	TOCDLIC2	Benzoic acid	1.5025E-010	1.5027E-010
RCPTR_25	farmer_child	TOCDLIC2	Benzyl alcohol	2.9246E-011	2.9261E-011
RCPTR_25	farmer_child	TOCDLIC2	Beryllium	3.0598E-007	3.3854E-007
RCPTR_25	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.9265E-011	2.9278E-011
RCPTR_25	farmer_child	TOCDLIC2	Bromodichloromethane	3.8849E-013	3.8849E-013
RCPTR_25	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0132E-011	1.0132E-011
RCPTR_25	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.1380E-006	1.5742E-006
RCPTR_25	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.3951E-008	5.3976E-008
RCPTR_25	farmer_child	TOCDLIC2	Cadmium	2.6877E-008	2.8743E-008
RCPTR_25	farmer_child	TOCDLIC2	Carbon disulfide	4.3773E-014	4.3773E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Carbon tetrachloride	6.9414E-014	6.9414E-014
RCPTR_25	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.4805E-009	2.4920E-009
RCPTR_25	farmer_child	TOCDLIC2	Chloroaniline, p-	1.3591E-010	1.3606E-010
RCPTR_25	farmer_child	TOCDLIC2	Chlorobenzene	4.0629E-013	4.0630E-013
RCPTR_25	farmer_child	TOCDLIC2	Chloroethane	1.1446E-015	1.1446E-015
RCPTR_25	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.2464E-013	1.2464E-013
RCPTR_25	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.0555E-008	1.0641E-008
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.7678E-010	3.7764E-010
RCPTR_25	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.3856E-008	1.3903E-008
RCPTR_25	farmer_child	TOCDLIC2	Chromium	1.2967E-005	1.4729E-005
RCPTR_25	farmer_child	TOCDLIC2	Chromium, hexavalent	1.1376E-005	1.1385E-005
RCPTR_25	farmer_child	TOCDLIC2	Chrysene	2.4916E-005	2.6934E-005
RCPTR_25	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.9566E-007	1.9589E-007
RCPTR_25	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.8866E+002	8.8866E+002
RCPTR_25	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.8094E-003	1.8296E-003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.7227E-011	1.7227E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.0811E-011	2.0811E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.0028E-011	2.0029E-011
RCPTR_25	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1454E-007	1.1495E-007
RCPTR_25	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.1094E-017	9.1094E-017
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.2925E-014	2.2925E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8479E-014	2.8479E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	8.6810E-015	8.6810E-015
RCPTR_25	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.3955E-014	1.3955E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.7620E-009	1.7672E-009
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	7.8546E-014	7.8546E-014
RCPTR_25	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.5905E-014	2.5905E-014
RCPTR_25	farmer_child	TOCDLIC2	Diethyl phthalate	1.1233E-007	1.1234E-007
RCPTR_25	farmer_child	TOCDLIC2	Dimethyl phthalate	6.1084E-010	6.1137E-010
RCPTR_25	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.5735E-010	2.5768E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.4920E-010	1.4922E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.3797E-010	2.3835E-010
RCPTR_25	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.8296E-010	1.8321E-010
RCPTR_25	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.4805E-012	5.4819E-012
RCPTR_25	farmer_child	TOCDLIC2	Ethylbenzene	2.8269E-013	2.8270E-013
RCPTR_25	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.6908E-008	5.6998E-008
RCPTR_25	farmer_child	TOCDLIC2	Fluoranthene	9.0647E-007	1.0534E-006
RCPTR_25	farmer_child	TOCDLIC2	Fluorene	1.5863E-008	1.6033E-008
RCPTR_25	farmer_child	TOCDLIC2	GB	4.6237E-014	4.6249E-014
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.1564E-012	6.5477E-012
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.5399E-012	5.8281E-012
RCPTR_25	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.4368E-012	5.7740E-012
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5979E-011	1.6842E-011
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1847E-011	1.2651E-011
RCPTR_25	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1745E-011	1.2642E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1297E-011	1.2251E-011
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.7930E-012	7.3653E-012
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.0345E-012	6.5393E-012
RCPTR_25	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.9260E-012	7.5071E-012
RCPTR_25	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.3907E-010	3.3910E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorobenzene	6.4850E-007	6.8879E-007
RCPTR_25	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	9.0349E-010	9.0367E-010
RCPTR_25	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.0666E-010	2.0670E-010
RCPTR_25	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_25	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2464E-002	1.2497E-002
RCPTR_25	farmer_child	TOCDLIC2	Isophorone	3.9188E-011	3.9202E-011
RCPTR_25	farmer_child	TOCDLIC2	Lead	2.5110E-006	2.9362E-006
RCPTR_25	farmer_child	TOCDLIC2	Mercuric chloride	4.4786E-005	7.7645E-005
RCPTR_25	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.3570E-015	1.3570E-015
RCPTR_25	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.4095E-017	5.4095E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.0441E-013	3.0441E-013
RCPTR_25	farmer_child	TOCDLIC2	Methyl mercury	5.9840E-007	6.9518E-007
RCPTR_25	farmer_child	TOCDLIC2	Methylene chloride	2.3897E-014	2.3897E-014
RCPTR_25	farmer_child	TOCDLIC2	Naphthalene	1.6566E-010	1.6570E-010
RCPTR_25	farmer_child	TOCDLIC2	Nickel	2.0403E-006	2.0669E-006
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 2-	6.6984E-010	6.7058E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.5947E-010	1.5954E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.0607E-010	2.0618E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitrobenzene	6.6129E-011	6.6166E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.0118E-011	3.0126E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.3255E-010	5.3268E-010
RCPTR_25	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.7325E-011	3.7332E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.6692E-011	3.6695E-011
RCPTR_25	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.3127E-012	3.3129E-012
RCPTR_25	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0715E-011	1.1568E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.5528E-012	3.8298E-012
RCPTR_25	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.9127E-011	4.1570E-011
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1594E-011	1.2760E-011
RCPTR_25	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.3111E-011	3.6362E-011
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorobenzene	2.5917E-009	2.5928E-009
RCPTR_25	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0327E-009	1.0327E-009
RCPTR_25	farmer_child	TOCDLIC2	Pentachlorophenol	6.2286E-007	6.2402E-007
RCPTR_25	farmer_child	TOCDLIC2	Phenanthrene	5.0743E-011	5.0744E-011
RCPTR_25	farmer_child	TOCDLIC2	Phenol	5.5399E-011	5.5433E-011
RCPTR_25	farmer_child	TOCDLIC2	Pronamide	4.9915E-009	5.0279E-009
RCPTR_25	farmer_child	TOCDLIC2	Pyrene	1.4297E-006	2.0965E-006
RCPTR_25	farmer_child	TOCDLIC2	Selenium	1.2302E-006	1.2303E-006
RCPTR_25	farmer_child	TOCDLIC2	Silver	4.2857E-007	4.2917E-007
RCPTR_25	farmer_child	TOCDLIC2	Styrene	7.7543E-012	7.7545E-012
RCPTR_25	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0112E-011	2.2761E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6090E-011	1.8928E-011
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.0803E-009	4.0860E-009
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.3945E-010	1.3945E-010
RCPTR_25	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.3461E-014	8.3462E-014
RCPTR_25	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.1684E-008	3.1737E-008
RCPTR_25	farmer_child	TOCDLIC2	Thallium (I)	1.1203E-005	1.1314E-005
RCPTR_25	farmer_child	TOCDLIC2	Toluene	4.4759E-013	4.4759E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.5589E-010	1.5591E-010
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	5.3915E-014	5.3915E-014
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.1219E-013	4.1220E-013
RCPTR_25	farmer_child	TOCDLIC2	Trichloroethylene	6.7032E-014	6.7032E-014
RCPTR_25	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	8.8095E-015	8.8095E-015
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.7667E-008	1.7960E-008
RCPTR_25	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.7147E-009	3.7274E-009
RCPTR_25	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.5257E-012	1.5257E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_25	farmer_child	TOCDLIC2	Vinyl Chloride	2.5735E-017	2.5735E-017
RCPTR_25	farmer_child	TOCDLIC2	Xylene, m-	9.7393E-013	9.7393E-013
RCPTR_25	farmer_child	TOCDLIC2	Xylene, o-	7.0183E-013	7.0183E-013
RCPTR_25	farmer_child	TOCDLIC2	Xylene, p-	1.1804E-012	1.1804E-012
RCPTR_25	farmer_child	TOCDLIC2	Zinc	2.1743E-006	2.2600E-006
RCPTR_26	farmer_adult	TOCDFBRA	Antimony	1.1973E-007	1.4063E-007
RCPTR_26	farmer_adult	TOCDFBRA	Arsenic	1.9850E-007	2.0587E-007
RCPTR_26	farmer_adult	TOCDFBRA	Barium	1.6486E-008	1.8592E-008
RCPTR_26	farmer_adult	TOCDFBRA	Beryllium	5.7296E-008	6.6026E-008
RCPTR_26	farmer_adult	TOCDFBRA	Cadmium	9.4505E-009	1.3586E-008
RCPTR_26	farmer_adult	TOCDFBRA	Chromium	1.5774E-006	1.6205E-006
RCPTR_26	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.1768E-006	1.1954E-006
RCPTR_26	farmer_adult	TOCDFBRA	Lead	6.2282E-007	7.6159E-007
RCPTR_26	farmer_adult	TOCDFBRA	Mercuric chloride	1.6098E-004	1.7720E-004
RCPTR_26	farmer_adult	TOCDFBRA	Methyl mercury	1.4236E-006	1.5083E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFBRA	Nickel	6.5153E-007	7.0223E-007
RCPTR_26	farmer_adult	TOCDFBRA	Selenium	2.2309E-007	2.2419E-007
RCPTR_26	farmer_adult	TOCDFBRA	Silver	7.4920E-008	7.9709E-008
RCPTR_26	farmer_adult	TOCDFBRA	Thallium (I)	2.0265E-006	2.1358E-006
RCPTR_26	farmer_adult	TOCDFBRA	Zinc	3.4732E-007	4.4258E-007
RCPTR_26	farmer_adult	TOCDFDFS	Acenaphthene	4.6688E-011	2.3561E-010
RCPTR_26	farmer_adult	TOCDFDFS	Acetone	5.6393E-016	2.9406E-015
RCPTR_26	farmer_adult	TOCDFDFS	Acetophenone	2.5005E-013	1.3018E-012
RCPTR_26	farmer_adult	TOCDFDFS	Aniline	1.4399E-014	7.4679E-014
RCPTR_26	farmer_adult	TOCDFDFS	Anthracene	8.2668E-010	4.1580E-009
RCPTR_26	farmer_adult	TOCDFDFS	Antimony	1.1598E-006	1.3527E-006
RCPTR_26	farmer_adult	TOCDFDFS	Aroclor 1254	1.6852E-011	2.8381E-011
RCPTR_26	farmer_adult	TOCDFDFS	Arsenic	1.0888E-007	1.1273E-007
RCPTR_26	farmer_adult	TOCDFDFS	Barium	3.1766E-009	3.5632E-009
RCPTR_26	farmer_adult	TOCDFDFS	Benzene	4.7006E-016	2.4331E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.6048E-007	5.6179E-007
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.8160E-006	4.0145E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.0843E-006	2.5922E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.9452E-006	6.3304E-006
RCPTR_26	farmer_adult	TOCDFDFS	Benzoic acid	2.0225E-012	8.6141E-012
RCPTR_26	farmer_adult	TOCDFDFS	Benzyl alcohol	3.2564E-013	1.6939E-012
RCPTR_26	farmer_adult	TOCDFDFS	Beryllium	3.0247E-008	3.4657E-008
RCPTR_26	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.2507E-013	1.6951E-012
RCPTR_26	farmer_adult	TOCDFDFS	Bromodichloromethane	3.6836E-015	1.9182E-014
RCPTR_26	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.4633E-013	7.6237E-013
RCPTR_26	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.8352E-008	9.1130E-008
RCPTR_26	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.2420E-009	2.5684E-009
RCPTR_26	farmer_adult	TOCDFDFS	Cadmium	2.5141E-008	3.5660E-008
RCPTR_26	farmer_adult	TOCDFDFS	Carbon disulfide	2.4500E-016	1.2716E-015
RCPTR_26	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.2272E-015	6.3480E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.7371E-011	1.4195E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.5203E-012	7.8751E-012
RCPTR_26	farmer_adult	TOCDFDFS	Chlorobenzene	7.2166E-015	3.7147E-014
RCPTR_26	farmer_adult	TOCDFDFS	Chloroethane	2.0963E-017	1.0451E-016
RCPTR_26	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.1037E-015	5.7451E-015
RCPTR_26	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.2107E-010	6.1534E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.1952E-012	2.1864E-011
RCPTR_26	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.0970E-010	7.8997E-010
RCPTR_26	farmer_adult	TOCDFDFS	Chromium	4.4460E-007	4.5631E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chromium, hexavalent	3.3583E-007	3.4090E-007
RCPTR_26	farmer_adult	TOCDFDFS	Chrysene	1.0807E-006	1.3480E-006
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	8.4776E-009	9.7339E-009
RCPTR_26	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.3409E+001	4.3409E+001
RCPTR_26	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	8.0638E-005	8.2408E-005
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.0137E-013	9.9484E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.3896E-013	1.2029E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.2885E-013	1.1579E-012
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.7178E-009	9.3832E-009
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.6088E-018	8.3302E-018
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.0274E-016	2.0971E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0014E-016	2.6052E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.5290E-016	7.9403E-016
RCPTR_26	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.4589E-016	1.2764E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.1587E-011	9.9436E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.3883E-015	7.1832E-015
RCPTR_26	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.5554E-016	2.3696E-015
RCPTR_26	farmer_adult	TOCDFDFS	Diethyl phthalate	5.3129E-009	5.5279E-009
RCPTR_26	farmer_adult	TOCDFDFS	Dimethyl phthalate	6.6247E-012	3.2973E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	2.8960E-012	1.4910E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.8428E-012	7.9703E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.8461E-012	1.3736E-011
RCPTR_26	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.1435E-012	1.0577E-011
RCPTR_26	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	6.0881E-014	3.1738E-013
RCPTR_26	farmer_adult	TOCDFDFS	Ethylbenzene	4.6184E-015	2.2741E-014
RCPTR_26	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.2867E-010	2.6335E-010
RCPTR_26	farmer_adult	TOCDFDFS	Fluoranthene	1.7529E-008	5.9411E-008
RCPTR_26	farmer_adult	TOCDFDFS	Fluorene	1.8740E-010	9.2578E-010
RCPTR_26	farmer_adult	TOCDFDFS	GB	1.6408E-015	8.5378E-015
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.2593E-014	7.9261E-014
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.7682E-014	4.0479E-014
RCPTR_26	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2762E-013	1.3906E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.1740E-013	7.7301E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.8628E-013	4.2456E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.3479E-013	3.7256E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.6218E-013	2.9541E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.3329E-013	2.6273E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.1284E-013	3.5205E-013
RCPTR_26	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.1530E-013	2.4237E-013
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	4.2356E-012	1.9496E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorobenzene	8.3810E-009	3.9684E-008
RCPTR_26	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	5.7343E-011	2.5672E-010
RCPTR_26	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.3670E-012	1.1950E-011
RCPTR_26	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.9116E-004	5.9446E-004
RCPTR_26	farmer_adult	TOCDFDFS	Isophorone	4.3601E-013	2.2695E-012
RCPTR_26	farmer_adult	TOCDFDFS	Lead	3.5438E-006	4.3026E-006
RCPTR_26	farmer_adult	TOCDFDFS	Mercuric chloride	5.4970E-008	6.0650E-008
RCPTR_26	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	4.2600E-017	2.2201E-016
RCPTR_26	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	7.2183E-018	3.7585E-017
RCPTR_26	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.7849E-015	1.9734E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Methyl mercury	4.3870E-010	4.6835E-010
RCPTR_26	farmer_adult	TOCDFDFS	Methylene chloride	1.0952E-016	5.7047E-016
RCPTR_26	farmer_adult	TOCDFDFS	Naphthalene	1.8712E-012	9.5856E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nickel	3.7161E-007	3.9914E-007
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 2-	7.3857E-012	3.8255E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.7495E-012	9.1035E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.2642E-012	1.1763E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitrobenzene	7.3510E-013	3.8307E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.3503E-013	1.7440E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.4966E-011	2.8203E-011
RCPTR_26	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.1711E-013	2.1608E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	4.1129E-013	2.1236E-012
RCPTR_26	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	3.7937E-014	1.9062E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.8549E-013	2.0736E-013
RCPTR_26	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.3710E-014	7.1063E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.7803E-012	1.9456E-012
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.4576E-013	1.6821E-013
RCPTR_26	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.8648E-013	6.7436E-013
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorobenzene	3.4901E-011	1.4761E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.4198E-011	5.7763E-011
RCPTR_26	farmer_adult	TOCDFDFS	Pentachlorophenol	2.3462E-008	3.1621E-008
RCPTR_26	farmer_adult	TOCDFDFS	Phenanthrene	5.8565E-013	2.9321E-012
RCPTR_26	farmer_adult	TOCDFDFS	Phenol	5.8498E-013	3.0349E-012
RCPTR_26	farmer_adult	TOCDFDFS	Pronamide	1.1790E-010	5.8064E-010
RCPTR_26	farmer_adult	TOCDFDFS	Pyrene	3.0659E-008	1.2023E-007
RCPTR_26	farmer_adult	TOCDFDFS	Selenium	1.2241E-007	1.2299E-007
RCPTR_26	farmer_adult	TOCDFDFS	Silver	4.1735E-008	4.4274E-008
RCPTR_26	farmer_adult	TOCDFDFS	Styrene	1.1959E-013	6.1956E-013
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.8411E-013	9.4607E-013
RCPTR_26	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4462E-013	3.1308E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	5.0517E-011	2.3528E-010
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.0086E-012	1.1184E-011
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.4731E-015	7.6328E-015
RCPTR_26	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.2721E-010	1.7195E-009
RCPTR_26	farmer_adult	TOCDFDFS	Thallium (I)	1.0758E-006	1.1310E-006
RCPTR_26	farmer_adult	TOCDFDFS	Toluene	2.0100E-015	1.0285E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.8408E-012	8.9979E-012
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	9.4945E-016	4.9315E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	7.2450E-015	3.7707E-014
RCPTR_26	farmer_adult	TOCDFDFS	Trichloroethylene	1.1827E-015	6.1307E-015
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.5536E-016	8.0573E-016
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.2613E-010	1.0334E-009
RCPTR_26	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.8874E-011	2.1160E-010
RCPTR_26	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.6844E-014	1.3956E-013
RCPTR_26	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.3449E-013	1.6368E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFDFS	Vinyl Chloride	3.8314E-019	1.9920E-018
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, m-	3.1984E-014	5.6058E-014
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, o-	2.8743E-014	5.6189E-014
RCPTR_26	farmer_adult	TOCDFDFS	Xylene, p-	3.3276E-014	7.0612E-014
RCPTR_26	farmer_adult	TOCDFDFS	Zinc	2.2206E-007	2.8018E-007
RCPTR_26	farmer_adult	TOCDFLIC	Acenaphthene	2.7866E-011	1.4058E-010
RCPTR_26	farmer_adult	TOCDFLIC	Acetone	7.0984E-016	3.7015E-015
RCPTR_26	farmer_adult	TOCDFLIC	Acetophenone	2.5576E-013	1.3315E-012
RCPTR_26	farmer_adult	TOCDFLIC	Aniline	8.5916E-015	4.4557E-014
RCPTR_26	farmer_adult	TOCDFLIC	Anthracene	4.9335E-010	2.4810E-009
RCPTR_26	farmer_adult	TOCDFLIC	Antimony	2.1100E-008	2.4596E-008
RCPTR_26	farmer_adult	TOCDFLIC	Arsenic	6.7722E-008	7.0103E-008
RCPTR_26	farmer_adult	TOCDFLIC	Barium	2.2459E-009	2.5181E-009
RCPTR_26	farmer_adult	TOCDFLIC	Benzene	6.5652E-015	3.3980E-014
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.1601E-007	3.3592E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.2770E-006	2.3929E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.2524E-006	1.5547E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.5516E-006	3.7743E-006
RCPTR_26	farmer_adult	TOCDFLIC	Benzoic acid	1.2992E-012	5.5180E-012
RCPTR_26	farmer_adult	TOCDFLIC	Benzyl alcohol	1.9430E-013	1.0107E-012
RCPTR_26	farmer_adult	TOCDFLIC	Beryllium	1.1635E-008	1.3325E-008
RCPTR_26	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.9395E-013	1.0113E-012
RCPTR_26	farmer_adult	TOCDFLIC	Bromodichloromethane	1.7367E-015	9.0438E-015
RCPTR_26	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.9794E-014	3.1151E-013
RCPTR_26	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.0949E-008	5.4370E-008
RCPTR_26	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.3243E-009	1.5190E-009
RCPTR_26	farmer_adult	TOCDFLIC	Cadmium	7.1546E-009	1.0137E-008
RCPTR_26	farmer_adult	TOCDFLIC	Carbon disulfide	3.9665E-016	2.0586E-015
RCPTR_26	farmer_adult	TOCDFLIC	Carbon tetrachloride	6.2836E-016	3.2500E-015
RCPTR_26	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.2422E-011	8.4817E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Chloroaniline, p-	9.0719E-013	4.6987E-012
RCPTR_26	farmer_adult	TOCDFLIC	Chlorobenzene	3.6954E-015	1.9019E-014
RCPTR_26	farmer_adult	TOCDFLIC	Chloroethane	1.0742E-017	5.3514E-017
RCPTR_26	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	5.5279E-016	2.8774E-015
RCPTR_26	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	7.2263E-011	3.6716E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.5030E-012	1.3045E-011
RCPTR_26	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.2547E-010	4.7168E-010
RCPTR_26	farmer_adult	TOCDFLIC	Chromium	5.6744E-007	5.8234E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chromium, hexavalent	4.2906E-007	4.3551E-007
RCPTR_26	farmer_adult	TOCDFLIC	Chrysene	6.4985E-007	8.0872E-007
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	5.1195E-009	5.8690E-009
RCPTR_26	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.6336E+001	2.6336E+001
RCPTR_26	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.8208E-005	4.9206E-005
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.2024E-013	5.9365E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.4265E-013	7.1778E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.3660E-013	6.9094E-013
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.3891E-009	2.9024E-009
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	8.2360E-019	4.2648E-018
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.0619E-016	1.0737E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.5606E-016	1.3338E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	7.8288E-017	4.0653E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.2590E-016	6.5350E-016
RCPTR_26	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.9000E-011	5.9481E-011
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	7.1084E-016	3.6777E-015
RCPTR_26	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.3322E-016	1.2132E-015
RCPTR_26	farmer_adult	TOCDFLIC	Diethyl phthalate	3.2225E-009	3.3508E-009
RCPTR_26	farmer_adult	TOCDFLIC	Dimethyl phthalate	7.1327E-012	3.5496E-011
RCPTR_26	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.7283E-012	8.8965E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.3459E-012	4.8379E-012
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.6974E-012	8.1946E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.2794E-012	6.3111E-012
RCPTR_26	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.6324E-014	1.8936E-013
RCPTR_26	farmer_adult	TOCDFLIC	Ethylbenzene	3.1552E-015	1.5526E-014
RCPTR_26	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.2631E-009	4.9171E-009
RCPTR_26	farmer_adult	TOCDFLIC	Fluoranthene	1.0498E-008	3.5484E-008
RCPTR_26	farmer_adult	TOCDFLIC	Fluorene	1.1188E-010	5.5242E-010
RCPTR_26	farmer_adult	TOCDFLIC	GB	6.0945E-016	3.1710E-015
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.6426E-014	5.0590E-014
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.5632E-014	5.9634E-014
RCPTR_26	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3267E-013	1.4428E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.8705E-013	6.3126E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3278E-013	3.6505E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.8387E-013	3.1541E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.8120E-013	2.0395E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.7751E-013	1.9969E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.0552E-013	2.3102E-013
RCPTR_26	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.4993E-013	1.6860E-013
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.5281E-012	1.1633E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.0060E-009	2.3683E-008
RCPTR_26	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	6.9134E-012	3.0944E-011
RCPTR_26	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.4132E-012	7.1306E-012
RCPTR_26	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5699E-004	3.5886E-004
RCPTR_26	farmer_adult	TOCDFLIC	Isophorone	2.6015E-013	1.3541E-012
RCPTR_26	farmer_adult	TOCDFLIC	Lead	1.3408E-006	1.6269E-006
RCPTR_26	farmer_adult	TOCDFLIC	Mercuric chloride	4.7791E-006	5.2749E-006
RCPTR_26	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.4191E-017	7.3955E-017
RCPTR_26	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.1634E-018	6.0576E-018
RCPTR_26	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.2224E-015	2.2016E-014
RCPTR_26	farmer_adult	TOCDFLIC	Methyl mercury	3.7490E-008	4.0079E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Methylene chloride	8.9906E-017	4.6828E-016
RCPTR_26	farmer_adult	TOCDFLIC	Naphthalene	1.1167E-012	5.7194E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nickel	2.1369E-007	2.2945E-007
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 2-	4.4595E-012	2.3097E-011
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.0563E-012	5.4963E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.3669E-012	7.1019E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrobenzene	4.3859E-013	2.2855E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.9990E-013	1.0406E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrophenol, 4-	9.1555E-012	1.7147E-011
RCPTR_26	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.4890E-013	1.2892E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.4544E-013	1.2671E-012
RCPTR_26	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.2589E-014	1.1368E-013
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.6116E-013	1.7994E-013
RCPTR_26	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.3008E-014	5.9057E-014
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.1934E-012	1.3019E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.0951E-013	3.5673E-013
RCPTR_26	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	6.8749E-013	7.8963E-013
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.0682E-011	8.7931E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	8.5070E-012	3.4810E-011
RCPTR_26	farmer_adult	TOCDFLIC	Pentachlorophenol	1.4384E-008	1.9310E-008
RCPTR_26	farmer_adult	TOCDFLIC	Phenanthrene	3.4960E-013	1.7496E-012
RCPTR_26	farmer_adult	TOCDFLIC	Phenol	3.4906E-013	1.8108E-012
RCPTR_26	farmer_adult	TOCDFLIC	Pronamide	3.5204E-011	1.7325E-010
RCPTR_26	farmer_adult	TOCDFLIC	Pyrene	1.8328E-008	7.1767E-008
RCPTR_26	farmer_adult	TOCDFLIC	Selenium	4.6763E-008	4.6982E-008
RCPTR_26	farmer_adult	TOCDFLIC	Silver	1.5586E-008	1.6530E-008
RCPTR_26	farmer_adult	TOCDFLIC	Styrene	1.2734E-013	6.5966E-013
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.9268E-013	4.7325E-013
RCPTR_26	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	5.1319E-013	6.5593E-013
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.0197E-011	1.4044E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.6854E-012	5.7991E-012
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	7.5416E-016	3.9077E-015
RCPTR_26	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.4394E-010	1.0431E-009
RCPTR_26	farmer_adult	TOCDFLIC	Thallium (I)	4.1399E-007	4.3517E-007
RCPTR_26	farmer_adult	TOCDFLIC	Toluene	5.9201E-015	3.0286E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.0993E-012	5.3694E-012
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	4.8612E-016	2.5248E-015
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.7093E-015	1.9305E-014
RCPTR_26	farmer_adult	TOCDFLIC	Trichloroethylene	6.0554E-016	3.1388E-015
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.9548E-017	4.1252E-016
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.3526E-010	6.1693E-010
RCPTR_26	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.5351E-011	1.2647E-010
RCPTR_26	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.3744E-014	7.1452E-014
RCPTR_26	farmer_adult	TOCDFLIC	Vinyl Chloride	2.1134E-019	1.0989E-018
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, m-	2.8011E-014	4.9986E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, o-	1.6052E-014	3.1992E-014
RCPTR_26	farmer_adult	TOCDFLIC	Xylene, p-	2.9272E-014	6.3353E-014
RCPTR_26	farmer_adult	TOCDFLIC	Zinc	5.9281E-008	7.4735E-008
RCPTR_26	farmer_adult	TOCDFMPF	Acenaphthene	1.1864E-010	5.9854E-010
RCPTR_26	farmer_adult	TOCDFMPF	Acetone	3.5523E-016	1.8524E-015
RCPTR_26	farmer_adult	TOCDFMPF	Acetophenone	6.0496E-013	3.1493E-012
RCPTR_26	farmer_adult	TOCDFMPF	Aniline	3.6579E-014	1.8970E-013
RCPTR_26	farmer_adult	TOCDFMPF	Anthracene	2.1005E-009	1.0563E-008
RCPTR_26	farmer_adult	TOCDFMPF	Antimony	6.2779E-009	7.3177E-009
RCPTR_26	farmer_adult	TOCDFMPF	Arsenic	1.5887E-008	1.6446E-008
RCPTR_26	farmer_adult	TOCDFMPF	Barium	2.1046E-009	2.3596E-009
RCPTR_26	farmer_adult	TOCDFMPF	Benzene	3.1891E-016	1.6506E-015
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)anthracene	9.1965E-007	1.4302E-006
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(a)pyrene	9.6972E-006	1.0191E-005
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	5.3314E-006	6.6185E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.5124E-005	1.6074E-005
RCPTR_26	farmer_adult	TOCDFMPF	Benzoic acid	5.1555E-012	2.1899E-011
RCPTR_26	farmer_adult	TOCDFMPF	Benzyl alcohol	8.2724E-013	4.3030E-012
RCPTR_26	farmer_adult	TOCDFMPF	Beryllium	3.3216E-009	3.8040E-009
RCPTR_26	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	8.2576E-013	4.3059E-012
RCPTR_26	farmer_adult	TOCDFMPF	Bromodichloromethane	2.8240E-015	1.4706E-014
RCPTR_26	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.0651E-013	5.5488E-013
RCPTR_26	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	4.6615E-008	2.3148E-007
RCPTR_26	farmer_adult	TOCDFMPF	Butylbenzylphthalate	5.6434E-009	6.4723E-009
RCPTR_26	farmer_adult	TOCDFMPF	Cadmium	3.1290E-009	4.4328E-009
RCPTR_26	farmer_adult	TOCDFMPF	Carbon disulfide	5.5619E-016	2.8866E-015
RCPTR_26	farmer_adult	TOCDFMPF	Carbon tetrachloride	8.8338E-016	4.5691E-015
RCPTR_26	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	9.5438E-011	3.6109E-010
RCPTR_26	farmer_adult	TOCDFMPF	Chloroaniline, p-	3.8624E-012	2.0005E-011
RCPTR_26	farmer_adult	TOCDFMPF	Chlorobenzene	5.1951E-015	2.6738E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Chloroethane	1.5102E-017	7.5231E-017
RCPTR_26	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	7.4755E-016	3.8912E-015
RCPTR_26	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.0766E-010	1.5632E-009
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.0657E-011	5.5538E-011
RCPTR_26	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	5.3417E-010	2.0082E-009
RCPTR_26	farmer_adult	TOCDFMPF	Chromium	1.0974E-007	1.1262E-007
RCPTR_26	farmer_adult	TOCDFMPF	Chromium, hexavalent	8.2983E-008	8.4229E-008
RCPTR_26	farmer_adult	TOCDFMPF	Chrysene	2.7662E-006	3.4427E-006
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.1786E-008	2.4977E-008
RCPTR_26	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.1204E+002	1.1204E+002
RCPTR_26	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.0516E-004	2.0941E-004
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	5.1193E-013	2.5275E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	6.0733E-013	3.0560E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	5.8158E-013	2.9417E-012
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.3308E-008	1.6167E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.1579E-018	5.9956E-018
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	2.8988E-016	1.5094E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5998E-016	1.8751E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.1006E-016	5.7151E-016
RCPTR_26	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.7699E-016	9.1872E-016
RCPTR_26	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	8.0863E-011	2.5321E-010
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	9.9933E-016	5.1702E-015
RCPTR_26	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.2787E-016	1.7055E-015
RCPTR_26	farmer_adult	TOCDFMPF	Diethyl phthalate	1.3710E-008	1.4256E-008
RCPTR_26	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.5895E-012	1.2887E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	7.3583E-012	3.7877E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.9651E-012	2.0556E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	7.2270E-012	3.4889E-011
RCPTR_26	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	5.4472E-012	2.6870E-011
RCPTR_26	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.5465E-013	8.0622E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Ethylbenzene	3.3267E-015	1.6370E-014
RCPTR_26	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.7167E-009	5.4396E-009
RCPTR_26	farmer_adult	TOCDFMPF	Fluoranthene	4.4691E-008	1.5107E-007
RCPTR_26	farmer_adult	TOCDFMPF	Fluorene	4.7634E-010	2.3520E-009
RCPTR_26	farmer_adult	TOCDFMPF	GB	8.6583E-016	4.5050E-015
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.7781E-014	1.0656E-013
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.7315E-012	4.0004E-012
RCPTR_26	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.1554E-013	6.6945E-013
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3405E-012	1.4416E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.2340E-013	7.9364E-013
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.7371E-013	7.4862E-013
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.7203E-011	3.0619E-011
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.6361E-012	7.4657E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1524E-012	1.2954E-012
RCPTR_26	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.2294E-013	9.2545E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.0764E-011	4.9530E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.1312E-008	1.0083E-007
RCPTR_26	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.9435E-011	1.3175E-010
RCPTR_26	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.0165E-012	3.0359E-011
RCPTR_26	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5189E-003	1.5269E-003
RCPTR_26	farmer_adult	TOCDFMPF	Isophorone	1.1076E-012	5.7651E-012
RCPTR_26	farmer_adult	TOCDFMPF	Lead	1.0567E-009	1.2822E-009
RCPTR_26	farmer_adult	TOCDFMPF	Mercuric chloride	5.4052E-008	5.9658E-008
RCPTR_26	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.7000E-017	8.8591E-017
RCPTR_26	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	6.0860E-019	3.1689E-018
RCPTR_26	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.9796E-015	2.0750E-014
RCPTR_26	farmer_adult	TOCDFMPF	Methyl mercury	4.2453E-010	4.5380E-010
RCPTR_26	farmer_adult	TOCDFMPF	Methylene chloride	9.9595E-017	5.1875E-016
RCPTR_26	farmer_adult	TOCDFMPF	Naphthalene	4.7544E-012	2.4351E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Nickel	1.6753E-007	1.7988E-007
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.8952E-011	9.8159E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 3-	4.4890E-012	2.3358E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitroaniline, 4-	5.8091E-012	3.0182E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitrobenzene	1.8673E-012	9.7307E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 2-	8.5107E-013	4.4303E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrophenol, 4-	3.8887E-011	7.2851E-011
RCPTR_26	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.0597E-012	5.4890E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.0450E-012	5.3946E-012
RCPTR_26	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	9.6190E-014	4.8403E-013
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.3964E-013	2.6758E-013
RCPTR_26	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.3372E-013	3.7182E-013
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.7074E-012	5.1356E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.4440E-012	3.9695E-012
RCPTR_26	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.1169E-011	1.2829E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorobenzene	8.8097E-011	3.7441E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	3.6173E-011	1.4796E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pentachlorophenol	6.1087E-008	8.2023E-008
RCPTR_26	farmer_adult	TOCDFMPF	Phenanthrene	1.4884E-012	7.4488E-012
RCPTR_26	farmer_adult	TOCDFMPF	Phenol	1.4861E-012	7.7094E-012
RCPTR_26	farmer_adult	TOCDFMPF	Pronamide	1.4988E-010	7.3761E-010
RCPTR_26	farmer_adult	TOCDFMPF	Pyrene	7.8025E-008	3.0555E-007
RCPTR_26	farmer_adult	TOCDFMPF	Selenium	1.3676E-008	1.3740E-008
RCPTR_26	farmer_adult	TOCDFMPF	Silver	6.2351E-008	6.6128E-008
RCPTR_26	farmer_adult	TOCDFMPF	Styrene	1.3598E-013	7.0444E-013
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1128E-012	1.3412E-012
RCPTR_26	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.0993E-012	2.6833E-012
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.2855E-010	5.9790E-010
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	6.5822E-012	8.1480E-012
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.3496E-015	1.2175E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.8858E-009	4.4319E-009
RCPTR_26	farmer_adult	TOCDFMPF	Thallium (I)	1.2211E-007	1.2836E-007
RCPTR_26	farmer_adult	TOCDFMPF	Toluene	1.6559E-015	8.4712E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.6800E-012	2.2860E-011
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	6.8340E-016	3.5495E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	5.2147E-015	2.7140E-014
RCPTR_26	farmer_adult	TOCDFMPF	Trichloroethylene	8.5130E-016	4.4126E-015
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.1183E-016	5.7993E-016
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	5.7582E-010	2.6265E-009
RCPTR_26	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.5047E-010	5.3842E-010
RCPTR_26	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.9322E-014	1.0045E-013
RCPTR_26	farmer_adult	TOCDFMPF	Vinyl Chloride	2.7574E-019	1.4337E-018
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, m-	2.2149E-014	3.9476E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, o-	1.9947E-014	3.9701E-014
RCPTR_26	farmer_adult	TOCDFMPF	Xylene, p-	2.3139E-014	5.0011E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDFMPF	Zinc	3.6274E-008	4.5727E-008
RCPTR_26	farmer_adult	TOCDHVAC	GB	3.4366E-015	1.7886E-014
RCPTR_26	farmer_adult	TOCDLIC2	Acenaphthene	5.7505E-011	2.9011E-010
RCPTR_26	farmer_adult	TOCDLIC2	Acetone	7.0245E-016	3.6630E-015
RCPTR_26	farmer_adult	TOCDLIC2	Acetophenone	2.9322E-013	1.5265E-012
RCPTR_26	farmer_adult	TOCDLIC2	Aniline	1.7730E-014	9.1949E-014
RCPTR_26	farmer_adult	TOCDLIC2	Anthracene	1.0181E-009	5.1198E-009
RCPTR_26	farmer_adult	TOCDLIC2	Antimony	2.8073E-008	3.2724E-008
RCPTR_26	farmer_adult	TOCDLIC2	Arsenic	6.7722E-008	7.0103E-008
RCPTR_26	farmer_adult	TOCDLIC2	Barium	2.1642E-008	2.4265E-008
RCPTR_26	farmer_adult	TOCDLIC2	Benzene	4.7246E-016	2.4453E-015
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.4577E-007	6.9322E-007
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.6990E-006	4.9382E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.5846E-006	3.2083E-006
RCPTR_26	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	7.3293E-006	7.7889E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Benzoic acid	2.4993E-012	1.0615E-011
RCPTR_26	farmer_adult	TOCDLIC2	Benzyl alcohol	4.0096E-013	2.0857E-012
RCPTR_26	farmer_adult	TOCDLIC2	Beryllium	1.1635E-008	1.3325E-008
RCPTR_26	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	4.0024E-013	2.0870E-012
RCPTR_26	farmer_adult	TOCDLIC2	Bromodichloromethane	5.3178E-015	2.7692E-014
RCPTR_26	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.3864E-013	7.2226E-013
RCPTR_26	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.2594E-008	1.1220E-007
RCPTR_26	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.7329E-009	3.1347E-009
RCPTR_26	farmer_adult	TOCDLIC2	Cadmium	8.1297E-010	1.1518E-009
RCPTR_26	farmer_adult	TOCDLIC2	Carbon disulfide	6.0111E-016	3.1197E-015
RCPTR_26	farmer_adult	TOCDLIC2	Carbon tetrachloride	9.5635E-016	4.9465E-015
RCPTR_26	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.6270E-011	1.7503E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.8721E-012	9.6964E-012
RCPTR_26	farmer_adult	TOCDLIC2	Chlorobenzene	5.6242E-015	2.8946E-014
RCPTR_26	farmer_adult	TOCDLIC2	Chloroethane	1.6350E-017	8.1446E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.7068E-015	8.8843E-015
RCPTR_26	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.4912E-010	7.5769E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenol, 2-	5.1653E-012	2.6919E-011
RCPTR_26	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.5893E-010	9.7338E-010
RCPTR_26	farmer_adult	TOCDLIC2	Chromium	5.6744E-007	5.8234E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chromium, hexavalent	4.2906E-007	4.3551E-007
RCPTR_26	farmer_adult	TOCDLIC2	Chrysene	1.3411E-006	1.6689E-006
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0565E-008	1.2111E-008
RCPTR_26	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.4348E+001	5.4348E+001
RCPTR_26	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.9485E-005	1.0154E-004
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.4814E-013	1.2251E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	2.9438E-013	1.4812E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	2.8190E-013	1.4258E-012
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.7453E-009	6.9797E-009
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.2535E-018	6.4908E-018

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.1382E-016	1.6341E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8972E-016	2.0300E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.1915E-016	6.1872E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.9161E-016	9.9460E-016
RCPTR_26	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	3.9209E-011	1.2275E-010
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.0819E-015	5.5973E-015
RCPTR_26	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.5496E-016	1.8464E-015
RCPTR_26	farmer_adult	TOCDLIC2	Diethyl phthalate	6.6501E-009	6.9148E-009
RCPTR_26	farmer_adult	TOCDLIC2	Dimethyl phthalate	8.7362E-012	4.3475E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	3.5666E-012	1.8359E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.8537E-012	1.0010E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	3.5027E-012	1.6911E-011
RCPTR_26	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	2.6403E-012	1.3024E-011
RCPTR_26	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	7.4960E-014	3.9077E-013
RCPTR_26	farmer_adult	TOCDLIC2	Ethylbenzene	4.0847E-015	2.0099E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.8543E-009	3.2922E-009
RCPTR_26	farmer_adult	TOCDLIC2	Fluoranthene	2.1664E-008	7.3226E-008
RCPTR_26	farmer_adult	TOCDLIC2	Fluorene	2.3089E-010	1.1400E-009
RCPTR_26	farmer_adult	TOCDLIC2	GB	6.3358E-016	3.2966E-015
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.2586E-013	3.5508E-013
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.0387E-013	3.2573E-013
RCPTR_26	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.8957E-013	3.1490E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	8.8130E-013	9.4767E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.2770E-013	6.8858E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.0525E-013	6.7250E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.8309E-013	6.5629E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.5150E-013	3.9543E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.1369E-013	3.5260E-013
RCPTR_26	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.5925E-013	4.0397E-013
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	5.2172E-012	2.4007E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.0331E-008	4.8872E-008
RCPTR_26	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.4267E-011	6.3858E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.9163E-012	1.4715E-011
RCPTR_26	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3670E-004	7.4055E-004
RCPTR_26	farmer_adult	TOCDLIC2	Isophorone	5.3686E-013	2.7943E-012
RCPTR_26	farmer_adult	TOCDLIC2	Lead	9.6670E-008	1.1730E-007
RCPTR_26	farmer_adult	TOCDLIC2	Mercuric chloride	4.7791E-006	5.2749E-006
RCPTR_26	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.8562E-017	9.6734E-017
RCPTR_26	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	7.4053E-019	3.8559E-018
RCPTR_26	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.1618E-015	2.1700E-014
RCPTR_26	farmer_adult	TOCDLIC2	Methyl mercury	3.7490E-008	4.0079E-008
RCPTR_26	farmer_adult	TOCDLIC2	Methylene chloride	3.2704E-016	1.7034E-015
RCPTR_26	farmer_adult	TOCDLIC2	Naphthalene	2.3045E-012	1.1803E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nickel	7.4280E-008	7.9760E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 2-	9.2266E-012	4.7787E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.1854E-012	1.1372E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroaniline, 4-	2.8281E-012	1.4694E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitrobenzene	9.0509E-013	4.7165E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 2-	4.1252E-013	2.1473E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.8942E-011	3.5478E-011
RCPTR_26	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.1363E-013	2.6605E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	5.0651E-013	2.6148E-012
RCPTR_26	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	4.6616E-014	2.3460E-013
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.4112E-013	6.0419E-013
RCPTR_26	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.7929E-013	1.9975E-013
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.2316E-012	2.4344E-012
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.5493E-013	7.5483E-013
RCPTR_26	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.8296E-012	2.1014E-012
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorobenzene	4.2680E-011	1.8146E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.7601E-011	7.2021E-011
RCPTR_26	farmer_adult	TOCDLIC2	Pentachlorophenol	2.9760E-008	3.9952E-008
RCPTR_26	farmer_adult	TOCDLIC2	Phenanthrene	7.2144E-013	3.6104E-012
RCPTR_26	farmer_adult	TOCDLIC2	Phenol	7.6158E-013	3.9508E-012
RCPTR_26	farmer_adult	TOCDLIC2	Pronamide	7.2649E-011	3.5752E-010
RCPTR_26	farmer_adult	TOCDLIC2	Pyrene	3.7821E-008	1.4810E-007
RCPTR_26	farmer_adult	TOCDLIC2	Selenium	4.6763E-008	4.6982E-008
RCPTR_26	farmer_adult	TOCDLIC2	Silver	1.5586E-008	1.6530E-008
RCPTR_26	farmer_adult	TOCDLIC2	Styrene	1.0668E-013	5.5262E-013
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1383E-012	1.3719E-012
RCPTR_26	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	9.1923E-013	1.1749E-012
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	6.2315E-011	2.8981E-010
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.1309E-012	8.8261E-012
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.1478E-015	5.9474E-015
RCPTR_26	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	9.1851E-010	2.1581E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_adult	TOCDLIC2	Thallium (I)	4.1399E-007	4.3517E-007
RCPTR_26	farmer_adult	TOCDLIC2	Toluene	6.2317E-015	3.1880E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.2685E-012	1.1081E-011
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	7.3985E-016	3.8426E-015
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	5.6455E-015	2.9381E-014
RCPTR_26	farmer_adult	TOCDLIC2	Trichloroethylene	9.2162E-016	4.7771E-015
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.2107E-016	6.2784E-016
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.7913E-010	1.2731E-009
RCPTR_26	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	7.2953E-011	2.6099E-010
RCPTR_26	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.0918E-014	1.0875E-013
RCPTR_26	farmer_adult	TOCDLIC2	Vinyl Chloride	3.5274E-019	1.8341E-018
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, m-	3.2517E-014	5.8028E-014
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, o-	2.1537E-014	4.2923E-014
RCPTR_26	farmer_adult	TOCDLIC2	Xylene, p-	3.3981E-014	7.3544E-014
RCPTR_26	farmer_adult	TOCDLIC2	Zinc	7.0782E-008	8.9234E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFBRA	Antimony	1.3750E-007	1.4063E-007
RCPTR_26	farmer_child	TOCDFBRA	Arsenic	2.0515E-007	2.0587E-007
RCPTR_26	farmer_child	TOCDFBRA	Barium	1.8304E-008	1.8592E-008
RCPTR_26	farmer_child	TOCDFBRA	Beryllium	5.8642E-008	6.6026E-008
RCPTR_26	farmer_child	TOCDFBRA	Cadmium	1.2587E-008	1.3586E-008
RCPTR_26	farmer_child	TOCDFBRA	Chromium	1.3964E-006	1.6205E-006
RCPTR_26	farmer_child	TOCDFBRA	Chromium, hexavalent	1.1942E-006	1.1954E-006
RCPTR_26	farmer_child	TOCDFBRA	Lead	6.3599E-007	7.6159E-007
RCPTR_26	farmer_child	TOCDFBRA	Mercuric chloride	1.0121E-004	1.7720E-004
RCPTR_26	farmer_child	TOCDFBRA	Methyl mercury	1.2845E-006	1.5083E-006
RCPTR_26	farmer_child	TOCDFBRA	Nickel	6.9144E-007	7.0223E-007
RCPTR_26	farmer_child	TOCDFBRA	Selenium	2.2417E-007	2.2419E-007
RCPTR_26	farmer_child	TOCDFBRA	Silver	7.9574E-008	7.9709E-008
RCPTR_26	farmer_child	TOCDFBRA	Thallium (I)	2.1106E-006	2.1358E-006
RCPTR_26	farmer_child	TOCDFBRA	Zinc	4.2316E-007	4.4258E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Acenaphthene	2.3478E-010	2.3561E-010
RCPTR_26	farmer_child	TOCDFDFS	Acetone	2.9406E-015	2.9406E-015
RCPTR_26	farmer_child	TOCDFDFS	Acetophenone	1.3015E-012	1.3018E-012
RCPTR_26	farmer_child	TOCDFDFS	Aniline	7.4677E-014	7.4679E-014
RCPTR_26	farmer_child	TOCDFDFS	Anthracene	4.0230E-009	4.1580E-009
RCPTR_26	farmer_child	TOCDFDFS	Antimony	1.3238E-006	1.3527E-006
RCPTR_26	farmer_child	TOCDFDFS	Aroclor 1254	2.8218E-011	2.8381E-011
RCPTR_26	farmer_child	TOCDFDFS	Arsenic	1.1236E-007	1.1273E-007
RCPTR_26	farmer_child	TOCDFDFS	Barium	3.5103E-009	3.5632E-009
RCPTR_26	farmer_child	TOCDFDFS	Benzene	2.4331E-015	2.4331E-015
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.9171E-007	5.6179E-007
RCPTR_26	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.9540E-006	4.0145E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.4227E-006	2.5922E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	6.0955E-006	6.3304E-006
RCPTR_26	farmer_child	TOCDFDFS	Benzoic acid	8.6131E-012	8.6141E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Benzyl alcohol	1.6931E-012	1.6939E-012
RCPTR_26	farmer_child	TOCDFDFS	Beryllium	3.0927E-008	3.4657E-008
RCPTR_26	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.6944E-012	1.6951E-012
RCPTR_26	farmer_child	TOCDFDFS	Bromodichloromethane	1.9182E-014	1.9182E-014
RCPTR_26	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	7.6231E-013	7.6237E-013
RCPTR_26	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	6.5874E-008	9.1130E-008
RCPTR_26	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.5670E-009	2.5684E-009
RCPTR_26	farmer_child	TOCDFDFS	Cadmium	3.3117E-008	3.5660E-008
RCPTR_26	farmer_child	TOCDFDFS	Carbon disulfide	1.2716E-015	1.2716E-015
RCPTR_26	farmer_child	TOCDFDFS	Carbon tetrachloride	6.3480E-015	6.3480E-015
RCPTR_26	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.4128E-010	1.4195E-010
RCPTR_26	farmer_child	TOCDFDFS	Chloroaniline, p-	7.8665E-012	7.8751E-012
RCPTR_26	farmer_child	TOCDFDFS	Chlorobenzene	3.7147E-014	3.7147E-014
RCPTR_26	farmer_child	TOCDFDFS	Chloroethane	1.0451E-016	1.0451E-016
RCPTR_26	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.7451E-015	5.7451E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Chloronaphthalene,2-	6.1035E-010	6.1534E-010
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.1814E-011	2.1864E-011
RCPTR_26	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.8728E-010	7.8997E-010
RCPTR_26	farmer_child	TOCDFDFS	Chromium	3.9547E-007	4.5631E-007
RCPTR_26	farmer_child	TOCDFDFS	Chromium, hexavalent	3.4057E-007	3.4090E-007
RCPTR_26	farmer_child	TOCDFDFS	Chrysene	1.2323E-006	1.3480E-006
RCPTR_26	farmer_child	TOCDFDFS	Di-n-butyl phthalate	9.7203E-009	9.7339E-009
RCPTR_26	farmer_child	TOCDFDFS	Di-n-octylphthalate	4.3409E+001	4.3409E+001
RCPTR_26	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	8.1643E-005	8.2408E-005
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	9.9481E-013	9.9484E-013
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.2029E-012	1.2029E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.1579E-012	1.1579E-012
RCPTR_26	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	9.3443E-009	9.3832E-009
RCPTR_26	farmer_child	TOCDFDFS	Dichlorodifluoromethane	8.3302E-018	8.3302E-018
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.0971E-015	2.0971E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6052E-015	2.6052E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.9403E-016	7.9403E-016
RCPTR_26	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.2764E-015	1.2764E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	9.9134E-011	9.9436E-011
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	7.1832E-015	7.1832E-015
RCPTR_26	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.3696E-015	2.3696E-015
RCPTR_26	farmer_child	TOCDFDFS	Diethyl phthalate	5.5273E-009	5.5279E-009
RCPTR_26	farmer_child	TOCDFDFS	Dimethyl phthalate	3.2945E-011	3.2973E-011
RCPTR_26	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.4891E-011	1.4910E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.9693E-012	7.9703E-012
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.3714E-011	1.3736E-011
RCPTR_26	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.0562E-011	1.0577E-011
RCPTR_26	farmer_child	TOCDFDFS	Ethyl methanesulfonate	3.1730E-013	3.1738E-013
RCPTR_26	farmer_child	TOCDFDFS	Ethylbenzene	2.2740E-014	2.2741E-014
RCPTR_26	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.6284E-010	2.6335E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Fluoranthene	5.0909E-008	5.9411E-008
RCPTR_26	farmer_child	TOCDFDFS	Fluorene	9.1591E-010	9.2578E-010
RCPTR_26	farmer_child	TOCDFDFS	GB	8.5356E-015	8.5378E-015
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	7.3961E-014	7.9261E-014
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.8261E-014	4.0479E-014
RCPTR_26	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.2999E-013	1.3906E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	7.2885E-013	7.7301E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.9427E-013	4.2456E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	3.4268E-013	3.7256E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	2.6915E-013	2.9541E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.3942E-013	2.6273E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	3.2104E-013	3.5205E-013
RCPTR_26	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.2096E-013	2.4237E-013
RCPTR_26	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.9494E-011	1.9496E-011
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorobenzene	3.7351E-008	3.9684E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.5666E-010	2.5672E-010
RCPTR_26	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.1948E-011	1.1950E-011
RCPTR_26	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	5.9321E-004	5.9446E-004
RCPTR_26	farmer_child	TOCDFDFS	Isophorone	2.2687E-012	2.2695E-012
RCPTR_26	farmer_child	TOCDFDFS	Lead	3.6158E-006	4.3026E-006
RCPTR_26	farmer_child	TOCDFDFS	Mercuric chloride	3.4031E-008	6.0650E-008
RCPTR_26	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.2201E-016	2.2201E-016
RCPTR_26	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	3.7585E-017	3.7585E-017
RCPTR_26	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.9734E-014	1.9734E-014
RCPTR_26	farmer_child	TOCDFDFS	Methyl mercury	3.8996E-010	4.6835E-010
RCPTR_26	farmer_child	TOCDFDFS	Methylene chloride	5.7047E-016	5.7047E-016
RCPTR_26	farmer_child	TOCDFDFS	Naphthalene	9.5829E-012	9.5856E-012
RCPTR_26	farmer_child	TOCDFDFS	Nickel	3.9327E-007	3.9914E-007
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 2-	3.8213E-011	3.8255E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 3-	9.0997E-012	9.1035E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.1757E-011	1.1763E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitrobenzene	3.8285E-012	3.8307E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.7436E-012	1.7440E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.8196E-011	2.8203E-011
RCPTR_26	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.1604E-012	2.1608E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.1234E-012	2.1236E-012
RCPTR_26	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.9061E-013	1.9062E-013
RCPTR_26	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.9000E-013	2.0736E-013
RCPTR_26	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	6.5216E-014	7.1063E-014
RCPTR_26	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.8160E-012	1.9456E-012
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.5059E-013	1.6821E-013
RCPTR_26	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	6.0515E-013	6.7436E-013
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorobenzene	1.4755E-010	1.4761E-010
RCPTR_26	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	5.7760E-011	5.7763E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Pentachlorophenol	3.1555E-008	3.1621E-008
RCPTR_26	farmer_child	TOCDFDFS	Phenanthrene	2.9320E-012	2.9321E-012
RCPTR_26	farmer_child	TOCDFDFS	Phenol	3.0330E-012	3.0349E-012
RCPTR_26	farmer_child	TOCDFDFS	Pronamide	5.7643E-010	5.8064E-010
RCPTR_26	farmer_child	TOCDFDFS	Pyrene	8.1633E-008	1.2023E-007
RCPTR_26	farmer_child	TOCDFDFS	Selenium	1.2298E-007	1.2299E-007
RCPTR_26	farmer_child	TOCDFDFS	Silver	4.4203E-008	4.4274E-008
RCPTR_26	farmer_child	TOCDFDFS	Styrene	6.1954E-013	6.1956E-013
RCPTR_26	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	8.2024E-013	9.4607E-013
RCPTR_26	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.6007E-013	3.1308E-013
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.3496E-010	2.3528E-010
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1184E-011	1.1184E-011
RCPTR_26	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	7.6327E-015	7.6328E-015
RCPTR_26	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.7165E-009	1.7195E-009
RCPTR_26	farmer_child	TOCDFDFS	Thallium (I)	1.1183E-006	1.1310E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFDFS	Toluene	1.0285E-014	1.0285E-014
RCPTR_26	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	8.9967E-012	8.9979E-012
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.9315E-015	4.9315E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.7706E-014	3.7707E-014
RCPTR_26	farmer_child	TOCDFDFS	Trichloroethylene	6.1307E-015	6.1307E-015
RCPTR_26	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	8.0573E-016	8.0573E-016
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.0165E-009	1.0334E-009
RCPTR_26	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.1087E-010	2.1160E-010
RCPTR_26	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.3956E-013	1.3956E-013
RCPTR_26	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.6353E-012	1.6368E-012
RCPTR_26	farmer_child	TOCDFDFS	Vinyl Chloride	1.9920E-018	1.9920E-018
RCPTR_26	farmer_child	TOCDFDFS	Xylene, m-	5.6058E-014	5.6058E-014
RCPTR_26	farmer_child	TOCDFDFS	Xylene, o-	5.6188E-014	5.6189E-014
RCPTR_26	farmer_child	TOCDFDFS	Xylene, p-	7.0612E-014	7.0612E-014
RCPTR_26	farmer_child	TOCDFDFS	Zinc	2.6833E-007	2.8018E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Acenaphthene	1.4009E-010	1.4058E-010
RCPTR_26	farmer_child	TOCDFLIC	Acetone	3.7015E-015	3.7015E-015
RCPTR_26	farmer_child	TOCDFLIC	Acetophenone	1.3312E-012	1.3315E-012
RCPTR_26	farmer_child	TOCDFLIC	Aniline	4.4556E-014	4.4557E-014
RCPTR_26	farmer_child	TOCDFLIC	Anthracene	2.4004E-009	2.4810E-009
RCPTR_26	farmer_child	TOCDFLIC	Antimony	2.4072E-008	2.4596E-008
RCPTR_26	farmer_child	TOCDFLIC	Arsenic	6.9872E-008	7.0103E-008
RCPTR_26	farmer_child	TOCDFLIC	Barium	2.4808E-009	2.5181E-009
RCPTR_26	farmer_child	TOCDFLIC	Benzene	3.3980E-014	3.3980E-014
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.9418E-007	3.3592E-007
RCPTR_26	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.3576E-006	2.3929E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.4539E-006	1.5547E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.6385E-006	3.7743E-006
RCPTR_26	farmer_child	TOCDFLIC	Benzoic acid	5.5174E-012	5.5180E-012
RCPTR_26	farmer_child	TOCDFLIC	Benzyl alcohol	1.0102E-012	1.0107E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Beryllium	1.1895E-008	1.3325E-008
RCPTR_26	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.0109E-012	1.0113E-012
RCPTR_26	farmer_child	TOCDFLIC	Bromodichloromethane	9.0438E-015	9.0438E-015
RCPTR_26	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.1148E-013	3.1151E-013
RCPTR_26	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.9302E-008	5.4370E-008
RCPTR_26	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.5182E-009	1.5190E-009
RCPTR_26	farmer_child	TOCDFLIC	Cadmium	9.4158E-009	1.0137E-008
RCPTR_26	farmer_child	TOCDFLIC	Carbon disulfide	2.0586E-015	2.0586E-015
RCPTR_26	farmer_child	TOCDFLIC	Carbon tetrachloride	3.2500E-015	3.2500E-015
RCPTR_26	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	8.4417E-011	8.4817E-011
RCPTR_26	farmer_child	TOCDFLIC	Chloroaniline, p-	4.6935E-012	4.6987E-012
RCPTR_26	farmer_child	TOCDFLIC	Chlorobenzene	1.9019E-014	1.9019E-014
RCPTR_26	farmer_child	TOCDFLIC	Chloroethane	5.3514E-017	5.3514E-017
RCPTR_26	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.8774E-015	2.8774E-015
RCPTR_26	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.6418E-010	3.6716E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.3015E-011	1.3045E-011
RCPTR_26	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.7008E-010	4.7168E-010
RCPTR_26	farmer_child	TOCDFLIC	Chromium	5.0494E-007	5.8234E-007
RCPTR_26	farmer_child	TOCDFLIC	Chromium, hexavalent	4.3510E-007	4.3551E-007
RCPTR_26	farmer_child	TOCDFLIC	Chrysene	7.3998E-007	8.0872E-007
RCPTR_26	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.8608E-009	5.8690E-009
RCPTR_26	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.6336E+001	2.6336E+001
RCPTR_26	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.8775E-005	4.9206E-005
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.9364E-013	5.9365E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	7.1776E-013	7.1778E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	6.9091E-013	6.9094E-013
RCPTR_26	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.8904E-009	2.9024E-009
RCPTR_26	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.2648E-018	4.2648E-018
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.0737E-015	1.0737E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.3338E-015	1.3338E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.0653E-016	4.0653E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	6.5350E-016	6.5350E-016
RCPTR_26	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.9301E-011	5.9481E-011
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.6777E-015	3.6777E-015
RCPTR_26	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.2132E-015	1.2132E-015
RCPTR_26	farmer_child	TOCDFLIC	Diethyl phthalate	3.3504E-009	3.3508E-009
RCPTR_26	farmer_child	TOCDFLIC	Dimethyl phthalate	3.5465E-011	3.5496E-011
RCPTR_26	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	8.8853E-012	8.8965E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.8373E-012	4.8379E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	8.1812E-012	8.1946E-012
RCPTR_26	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	6.3022E-012	6.3111E-012
RCPTR_26	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.8931E-013	1.8936E-013
RCPTR_26	farmer_child	TOCDFLIC	Ethylbenzene	1.5526E-014	1.5526E-014
RCPTR_26	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.9076E-009	4.9171E-009
RCPTR_26	farmer_child	TOCDFLIC	Fluoranthene	3.0412E-008	3.5484E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Fluorene	5.4654E-010	5.5242E-010
RCPTR_26	farmer_child	TOCDFLIC	GB	3.1702E-015	3.1710E-015
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	4.7280E-014	5.0590E-014
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	5.6461E-014	5.9634E-014
RCPTR_26	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.3508E-013	1.4428E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	5.9615E-013	6.3126E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	3.3952E-013	3.6505E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	2.9046E-013	3.1541E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.8597E-013	2.0395E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.8213E-013	1.9969E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.1085E-013	2.3102E-013
RCPTR_26	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.5384E-013	1.6860E-013
RCPTR_26	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.1632E-011	1.1633E-011
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorobenzene	2.2291E-008	2.3683E-008
RCPTR_26	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.0938E-011	3.0944E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	7.1294E-012	7.1306E-012
RCPTR_26	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.5815E-004	3.5886E-004
RCPTR_26	farmer_child	TOCDFLIC	Isophorone	1.3536E-012	1.3541E-012
RCPTR_26	farmer_child	TOCDFLIC	Lead	1.3679E-006	1.6269E-006
RCPTR_26	farmer_child	TOCDFLIC	Mercuric chloride	2.9514E-006	5.2749E-006
RCPTR_26	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	7.3955E-017	7.3955E-017
RCPTR_26	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	6.0576E-018	6.0576E-018
RCPTR_26	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.2016E-014	2.2016E-014
RCPTR_26	farmer_child	TOCDFLIC	Methyl mercury	3.3236E-008	4.0079E-008
RCPTR_26	farmer_child	TOCDFLIC	Methylene chloride	4.6828E-016	4.6828E-016
RCPTR_26	farmer_child	TOCDFLIC	Naphthalene	5.7178E-012	5.7194E-012
RCPTR_26	farmer_child	TOCDFLIC	Nickel	2.2610E-007	2.2945E-007
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.3072E-011	2.3097E-011
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 3-	5.4940E-012	5.4963E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Nitroaniline, 4-	7.0981E-012	7.1019E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrobenzene	2.2842E-012	2.2855E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.0403E-012	1.0406E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.7143E-011	1.7147E-011
RCPTR_26	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.2890E-012	1.2892E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.2670E-012	1.2671E-012
RCPTR_26	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.1368E-013	1.1368E-013
RCPTR_26	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.6502E-013	1.7994E-013
RCPTR_26	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	5.4247E-014	5.9057E-014
RCPTR_26	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.2168E-012	1.3019E-012
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.1967E-013	3.5673E-013
RCPTR_26	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	7.0919E-013	7.8963E-013
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorobenzene	8.7894E-011	8.7931E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	3.4808E-011	3.4810E-011
RCPTR_26	farmer_child	TOCDFLIC	Pentachlorophenol	1.9270E-008	1.9310E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Phenanthrene	1.7495E-012	1.7496E-012
RCPTR_26	farmer_child	TOCDFLIC	Phenol	1.8096E-012	1.8108E-012
RCPTR_26	farmer_child	TOCDFLIC	Pronamide	1.7199E-010	1.7325E-010
RCPTR_26	farmer_child	TOCDFLIC	Pyrene	4.8738E-008	7.1767E-008
RCPTR_26	farmer_child	TOCDFLIC	Selenium	4.6979E-008	4.6982E-008
RCPTR_26	farmer_child	TOCDFLIC	Silver	1.6504E-008	1.6530E-008
RCPTR_26	farmer_child	TOCDFLIC	Styrene	6.5964E-013	6.5966E-013
RCPTR_26	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	4.1066E-013	4.7325E-013
RCPTR_26	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	5.4539E-013	6.5593E-013
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.4024E-010	1.4044E-010
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.7991E-012	5.7991E-012
RCPTR_26	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.9077E-015	3.9077E-015
RCPTR_26	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.0412E-009	1.0431E-009
RCPTR_26	farmer_child	TOCDFLIC	Thallium (I)	4.3029E-007	4.3517E-007
RCPTR_26	farmer_child	TOCDFLIC	Toluene	3.0286E-014	3.0286E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	5.3687E-012	5.3694E-012
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.5248E-015	2.5248E-015
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.9305E-014	1.9305E-014
RCPTR_26	farmer_child	TOCDFLIC	Trichloroethylene	3.1388E-015	3.1388E-015
RCPTR_26	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.1252E-016	4.1252E-016
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.0680E-010	6.1693E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.2604E-010	1.2647E-010
RCPTR_26	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	7.1450E-014	7.1452E-014
RCPTR_26	farmer_child	TOCDFLIC	Vinyl Chloride	1.0989E-018	1.0989E-018
RCPTR_26	farmer_child	TOCDFLIC	Xylene, m-	4.9986E-014	4.9986E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, o-	3.1992E-014	3.1992E-014
RCPTR_26	farmer_child	TOCDFLIC	Xylene, p-	6.3353E-014	6.3353E-014
RCPTR_26	farmer_child	TOCDFLIC	Zinc	7.1584E-008	7.4735E-008
RCPTR_26	farmer_child	TOCDFMPF	Acenaphthene	5.9643E-010	5.9854E-010
RCPTR_26	farmer_child	TOCDFMPF	Acetone	1.8524E-015	1.8524E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Acetophenone	3.1487E-012	3.1493E-012
RCPTR_26	farmer_child	TOCDFMPF	Aniline	1.8970E-013	1.8970E-013
RCPTR_26	farmer_child	TOCDFMPF	Anthracene	1.0220E-008	1.0563E-008
RCPTR_26	farmer_child	TOCDFMPF	Antimony	7.1617E-009	7.3177E-009
RCPTR_26	farmer_child	TOCDFMPF	Arsenic	1.6392E-008	1.6446E-008
RCPTR_26	farmer_child	TOCDFMPF	Barium	2.3247E-009	2.3596E-009
RCPTR_26	farmer_child	TOCDFMPF	Benzene	1.6506E-015	1.6506E-015
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.2525E-006	1.4302E-006
RCPTR_26	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.0041E-005	1.0191E-005
RCPTR_26	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	6.1890E-006	6.6185E-006
RCPTR_26	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.5495E-005	1.6074E-005
RCPTR_26	farmer_child	TOCDFMPF	Benzoic acid	2.1897E-011	2.1899E-011
RCPTR_26	farmer_child	TOCDFMPF	Benzyl alcohol	4.3008E-012	4.3030E-012
RCPTR_26	farmer_child	TOCDFMPF	Beryllium	3.3960E-009	3.8040E-009
RCPTR_26	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	4.3041E-012	4.3059E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Bromodichloromethane	1.4706E-014	1.4706E-014
RCPTR_26	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	5.5483E-013	5.5488E-013
RCPTR_26	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.6733E-007	2.3148E-007
RCPTR_26	farmer_child	TOCDFMPF	Butylbenzylphthalate	6.4686E-009	6.4723E-009
RCPTR_26	farmer_child	TOCDFMPF	Cadmium	4.1176E-009	4.4328E-009
RCPTR_26	farmer_child	TOCDFMPF	Carbon disulfide	2.8866E-015	2.8866E-015
RCPTR_26	farmer_child	TOCDFMPF	Carbon tetrachloride	4.5691E-015	4.5691E-015
RCPTR_26	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	3.5939E-010	3.6109E-010
RCPTR_26	farmer_child	TOCDFMPF	Chloroaniline, p-	1.9983E-011	2.0005E-011
RCPTR_26	farmer_child	TOCDFMPF	Chlorobenzene	2.6737E-014	2.6738E-014
RCPTR_26	farmer_child	TOCDFMPF	Chloroethane	7.5231E-017	7.5231E-017
RCPTR_26	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	3.8912E-015	3.8912E-015
RCPTR_26	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.5505E-009	1.5632E-009
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenol, 2-	5.5412E-011	5.5538E-011
RCPTR_26	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.0013E-009	2.0082E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Chromium	9.7652E-008	1.1262E-007
RCPTR_26	farmer_child	TOCDFMPF	Chromium, hexavalent	8.4149E-008	8.4229E-008
RCPTR_26	farmer_child	TOCDFMPF	Chrysene	3.1500E-006	3.4427E-006
RCPTR_26	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.4943E-008	2.4977E-008
RCPTR_26	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.1204E+002	1.1204E+002
RCPTR_26	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.0758E-004	2.0941E-004
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.5274E-012	2.5275E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.0559E-012	3.0560E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	2.9416E-012	2.9417E-012
RCPTR_26	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.6100E-008	1.6167E-008
RCPTR_26	farmer_child	TOCDFMPF	Dichlorodifluoromethane	5.9956E-018	5.9956E-018
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.5094E-015	1.5094E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.8751E-015	1.8751E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	5.7151E-016	5.7151E-016
RCPTR_26	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	9.1872E-016	9.1872E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.5245E-010	2.5321E-010
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	5.1702E-015	5.1702E-015
RCPTR_26	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.7055E-015	1.7055E-015
RCPTR_26	farmer_child	TOCDFMPF	Diethyl phthalate	1.4255E-008	1.4256E-008
RCPTR_26	farmer_child	TOCDFMPF	Dimethyl phthalate	1.2875E-011	1.2887E-011
RCPTR_26	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	3.7829E-011	3.7877E-011
RCPTR_26	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.0553E-011	2.0556E-011
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	3.4833E-011	3.4889E-011
RCPTR_26	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.6832E-011	2.6870E-011
RCPTR_26	farmer_child	TOCDFMPF	Ethyl methanesulfonate	8.0601E-013	8.0622E-013
RCPTR_26	farmer_child	TOCDFMPF	Ethylbenzene	1.6370E-014	1.6370E-014
RCPTR_26	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	5.4290E-009	5.4396E-009
RCPTR_26	farmer_child	TOCDFMPF	Fluoranthene	1.2948E-007	1.5107E-007
RCPTR_26	farmer_child	TOCDFMPF	Fluorene	2.3269E-009	2.3520E-009
RCPTR_26	farmer_child	TOCDFMPF	GB	4.5038E-015	4.5050E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	9.9582E-014	1.0656E-013
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.7872E-012	4.0004E-012
RCPTR_26	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	6.2671E-013	6.6945E-013
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.3613E-012	1.4416E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	7.3806E-013	7.9364E-013
RCPTR_26	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	6.8934E-013	7.4862E-013
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	2.7919E-011	3.0619E-011
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	6.8089E-012	7.4657E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.1823E-012	1.2954E-012
RCPTR_26	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	8.4437E-013	9.2545E-013
RCPTR_26	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.9525E-011	4.9530E-011
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorobenzene	9.4903E-008	1.0083E-007
RCPTR_26	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.3172E-010	1.3175E-010
RCPTR_26	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.0354E-011	3.0359E-011
RCPTR_26	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.5239E-003	1.5269E-003
RCPTR_26	farmer_child	TOCDFMPF	Isophorone	5.7629E-012	5.7651E-012
RCPTR_26	farmer_child	TOCDFMPF	Lead	1.0781E-009	1.2822E-009
RCPTR_26	farmer_child	TOCDFMPF	Mercuric chloride	3.3387E-008	5.9658E-008
RCPTR_26	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	8.8591E-017	8.8591E-017
RCPTR_26	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	3.1689E-018	3.1689E-018
RCPTR_26	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.0750E-014	2.0750E-014
RCPTR_26	farmer_child	TOCDFMPF	Methyl mercury	3.7643E-010	4.5380E-010
RCPTR_26	farmer_child	TOCDFMPF	Methylene chloride	5.1875E-016	5.1875E-016
RCPTR_26	farmer_child	TOCDFMPF	Naphthalene	2.4344E-011	2.4351E-011
RCPTR_26	farmer_child	TOCDFMPF	Nickel	1.7725E-007	1.7988E-007
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 2-	9.8051E-011	9.8159E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.3349E-011	2.3358E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.0166E-011	3.0182E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitrobenzene	9.7253E-012	9.7307E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 2-	4.4291E-012	4.4303E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrophenol, 4-	7.2832E-011	7.2851E-011
RCPTR_26	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	5.4880E-012	5.4890E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	5.3941E-012	5.3946E-012
RCPTR_26	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.8401E-013	4.8403E-013
RCPTR_26	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.4539E-013	2.6758E-013
RCPTR_26	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	3.4152E-013	3.7182E-013
RCPTR_26	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.7999E-012	5.1356E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.5570E-012	3.9695E-012
RCPTR_26	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.1522E-011	1.2829E-011
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorobenzene	3.7426E-010	3.7441E-010
RCPTR_26	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.4795E-010	1.4796E-010
RCPTR_26	farmer_child	TOCDFMPF	Pentachlorophenol	8.1853E-008	8.2023E-008
RCPTR_26	farmer_child	TOCDFMPF	Phenanthrene	7.4487E-012	7.4488E-012
RCPTR_26	farmer_child	TOCDFMPF	Phenol	7.7046E-012	7.7094E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Pronamide	7.3226E-010	7.3761E-010
RCPTR_26	farmer_child	TOCDFMPF	Pyrene	2.0750E-007	3.0555E-007
RCPTR_26	farmer_child	TOCDFMPF	Selenium	1.3739E-008	1.3740E-008
RCPTR_26	farmer_child	TOCDFMPF	Silver	6.6021E-008	6.6128E-008
RCPTR_26	farmer_child	TOCDFMPF	Styrene	7.0443E-013	7.0444E-013
RCPTR_26	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.1638E-012	1.3412E-012
RCPTR_26	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.2310E-012	2.6833E-012
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.9707E-010	5.9790E-010
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	8.1479E-012	8.1480E-012
RCPTR_26	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.2175E-014	1.2175E-014
RCPTR_26	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	4.4241E-009	4.4319E-009
RCPTR_26	farmer_child	TOCDFMPF	Thallium (I)	1.2692E-007	1.2836E-007
RCPTR_26	farmer_child	TOCDFMPF	Toluene	8.4712E-015	8.4712E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.2857E-011	2.2860E-011
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	3.5495E-015	3.5495E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	2.7139E-014	2.7140E-014
RCPTR_26	farmer_child	TOCDFMPF	Trichloroethylene	4.4126E-015	4.4126E-015
RCPTR_26	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	5.7993E-016	5.7993E-016
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.5834E-009	2.6265E-009
RCPTR_26	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	5.3656E-010	5.3842E-010
RCPTR_26	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.0045E-013	1.0045E-013
RCPTR_26	farmer_child	TOCDFMPF	Vinyl Chloride	1.4337E-018	1.4337E-018
RCPTR_26	farmer_child	TOCDFMPF	Xylene, m-	3.9476E-014	3.9476E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, o-	3.9701E-014	3.9701E-014
RCPTR_26	farmer_child	TOCDFMPF	Xylene, p-	5.0011E-014	5.0011E-014
RCPTR_26	farmer_child	TOCDFMPF	Zinc	4.3799E-008	4.5727E-008
RCPTR_26	farmer_child	TOCDHVAC	GB	1.7881E-014	1.7886E-014
RCPTR_26	farmer_child	TOCDLIC2	Acenaphthene	2.8909E-010	2.9011E-010
RCPTR_26	farmer_child	TOCDLIC2	Acetone	3.6630E-015	3.6630E-015
RCPTR_26	farmer_child	TOCDLIC2	Acetophenone	1.5262E-012	1.5265E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Aniline	9.1947E-014	9.1949E-014
RCPTR_26	farmer_child	TOCDLIC2	Anthracene	4.9535E-009	5.1198E-009
RCPTR_26	farmer_child	TOCDLIC2	Antimony	3.2026E-008	3.2724E-008
RCPTR_26	farmer_child	TOCDLIC2	Arsenic	6.9872E-008	7.0103E-008
RCPTR_26	farmer_child	TOCDLIC2	Barium	2.3906E-008	2.4265E-008
RCPTR_26	farmer_child	TOCDLIC2	Benzene	2.4453E-015	2.4453E-015
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)anthracene	6.0707E-007	6.9322E-007
RCPTR_26	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.8653E-006	4.9382E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	3.0002E-006	3.2083E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	7.5086E-006	7.7889E-006
RCPTR_26	farmer_child	TOCDLIC2	Benzoic acid	1.0614E-011	1.0615E-011
RCPTR_26	farmer_child	TOCDLIC2	Benzyl alcohol	2.0846E-012	2.0857E-012
RCPTR_26	farmer_child	TOCDLIC2	Beryllium	1.1895E-008	1.3325E-008
RCPTR_26	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.0862E-012	2.0870E-012
RCPTR_26	farmer_child	TOCDLIC2	Bromodichloromethane	2.7692E-014	2.7692E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	7.2220E-013	7.2226E-013
RCPTR_26	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	8.1105E-008	1.1220E-007
RCPTR_26	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.1329E-009	3.1347E-009
RCPTR_26	farmer_child	TOCDLIC2	Cadmium	1.0699E-009	1.1518E-009
RCPTR_26	farmer_child	TOCDLIC2	Carbon disulfide	3.1197E-015	3.1197E-015
RCPTR_26	farmer_child	TOCDLIC2	Carbon tetrachloride	4.9465E-015	4.9465E-015
RCPTR_26	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.7421E-010	1.7503E-010
RCPTR_26	farmer_child	TOCDLIC2	Chloroaniline, p-	9.6858E-012	9.6964E-012
RCPTR_26	farmer_child	TOCDLIC2	Chlorobenzene	2.8946E-014	2.8946E-014
RCPTR_26	farmer_child	TOCDLIC2	Chloroethane	8.1446E-017	8.1446E-017
RCPTR_26	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	8.8843E-015	8.8843E-015
RCPTR_26	farmer_child	TOCDLIC2	Chloronaphthalene,2-	7.5154E-010	7.5769E-010
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.6858E-011	2.6919E-011
RCPTR_26	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	9.7007E-010	9.7338E-010
RCPTR_26	farmer_child	TOCDLIC2	Chromium	5.0494E-007	5.8234E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Chromium, hexavalent	4.3510E-007	4.3551E-007
RCPTR_26	farmer_child	TOCDLIC2	Chrysene	1.5270E-006	1.6689E-006
RCPTR_26	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.2095E-008	1.2111E-008
RCPTR_26	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.4348E+001	5.4348E+001
RCPTR_26	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.0065E-004	1.0154E-004
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.2251E-012	1.2251E-012
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.4812E-012	1.4812E-012
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.4258E-012	1.4258E-012
RCPTR_26	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.9508E-009	6.9797E-009
RCPTR_26	farmer_child	TOCDLIC2	Dichlorodifluoromethane	6.4908E-018	6.4908E-018
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.6341E-015	1.6341E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.0300E-015	2.0300E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	6.1872E-016	6.1872E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	9.9460E-016	9.9460E-016
RCPTR_26	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.2237E-010	1.2275E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	5.5973E-015	5.5973E-015
RCPTR_26	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.8464E-015	1.8464E-015
RCPTR_26	farmer_child	TOCDLIC2	Diethyl phthalate	6.9141E-009	6.9148E-009
RCPTR_26	farmer_child	TOCDLIC2	Dimethyl phthalate	4.3437E-011	4.3475E-011
RCPTR_26	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.8336E-011	1.8359E-011
RCPTR_26	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.0008E-011	1.0010E-011
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.6883E-011	1.6911E-011
RCPTR_26	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.3005E-011	1.3024E-011
RCPTR_26	farmer_child	TOCDLIC2	Ethyl methanesulfonate	3.9067E-013	3.9077E-013
RCPTR_26	farmer_child	TOCDLIC2	Ethylbenzene	2.0099E-014	2.0099E-014
RCPTR_26	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.2858E-009	3.2922E-009
RCPTR_26	farmer_child	TOCDLIC2	Fluoranthene	6.2759E-008	7.3226E-008
RCPTR_26	farmer_child	TOCDLIC2	Fluorene	1.1279E-009	1.1400E-009
RCPTR_26	farmer_child	TOCDLIC2	GB	3.2958E-015	3.2966E-015
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	3.3185E-013	3.5508E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.0840E-013	3.2573E-013
RCPTR_26	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.9482E-013	3.1490E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	8.9496E-013	9.4767E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	6.4041E-013	6.8858E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	6.1929E-013	6.7250E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	5.9844E-013	6.5629E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	3.6065E-013	3.9543E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.2182E-013	3.5260E-013
RCPTR_26	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	3.6860E-013	4.0397E-013
RCPTR_26	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.4005E-011	2.4007E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorobenzene	4.6000E-008	4.8872E-008
RCPTR_26	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	6.3845E-011	6.3858E-011
RCPTR_26	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.4712E-011	1.4715E-011
RCPTR_26	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_26	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.3909E-004	7.4055E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Isophorone	2.7933E-012	2.7943E-012
RCPTR_26	farmer_child	TOCDLIC2	Lead	9.8626E-008	1.1730E-007
RCPTR_26	farmer_child	TOCDLIC2	Mercuric chloride	2.9514E-006	5.2749E-006
RCPTR_26	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	9.6734E-017	9.6734E-017
RCPTR_26	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	3.8559E-018	3.8559E-018
RCPTR_26	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.1700E-014	2.1700E-014
RCPTR_26	farmer_child	TOCDLIC2	Methyl mercury	3.3236E-008	4.0079E-008
RCPTR_26	farmer_child	TOCDLIC2	Methylene chloride	1.7034E-015	1.7034E-015
RCPTR_26	farmer_child	TOCDLIC2	Naphthalene	1.1799E-011	1.1803E-011
RCPTR_26	farmer_child	TOCDLIC2	Nickel	7.8593E-008	7.9760E-008
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 2-	4.7735E-011	4.7787E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.1367E-011	1.1372E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.4686E-011	1.4694E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitrobenzene	4.7139E-012	4.7165E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.1468E-012	2.1473E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.5468E-011	3.5478E-011
RCPTR_26	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.6600E-012	2.6605E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.6145E-012	2.6148E-012
RCPTR_26	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.3459E-013	2.3460E-013
RCPTR_26	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	5.5410E-013	6.0419E-013
RCPTR_26	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.8348E-013	1.9975E-013
RCPTR_26	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.2754E-012	2.4344E-012
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	6.7641E-013	7.5483E-013
RCPTR_26	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.8873E-012	2.1014E-012
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorobenzene	1.8138E-010	1.8146E-010
RCPTR_26	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	7.2016E-011	7.2021E-011
RCPTR_26	farmer_child	TOCDLIC2	Pentachlorophenol	3.9869E-008	3.9952E-008
RCPTR_26	farmer_child	TOCDLIC2	Phenanthrene	3.6104E-012	3.6104E-012
RCPTR_26	farmer_child	TOCDLIC2	Phenol	3.9483E-012	3.9508E-012
RCPTR_26	farmer_child	TOCDLIC2	Pronamide	3.5493E-010	3.5752E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Pyrene	1.0058E-007	1.4810E-007
RCPTR_26	farmer_child	TOCDLIC2	Selenium	4.6979E-008	4.6982E-008
RCPTR_26	farmer_child	TOCDLIC2	Silver	1.6504E-008	1.6530E-008
RCPTR_26	farmer_child	TOCDLIC2	Styrene	5.5261E-013	5.5262E-013
RCPTR_26	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.1904E-012	1.3719E-012
RCPTR_26	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	9.7692E-013	1.1749E-012
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.8941E-010	2.8981E-010
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.8260E-012	8.8261E-012
RCPTR_26	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.9474E-015	5.9474E-015
RCPTR_26	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.1543E-009	2.1581E-009
RCPTR_26	farmer_child	TOCDLIC2	Thallium (I)	4.3029E-007	4.3517E-007
RCPTR_26	farmer_child	TOCDLIC2	Toluene	3.1880E-014	3.1880E-014
RCPTR_26	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.1079E-011	1.1081E-011
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	3.8426E-015	3.8426E-015
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.9381E-014	2.9381E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_26	farmer_child	TOCDLIC2	Trichloroethylene	4.7771E-015	4.7771E-015
RCPTR_26	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	6.2784E-016	6.2784E-016
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.2522E-009	1.2731E-009
RCPTR_26	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.6009E-010	2.6099E-010
RCPTR_26	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.0874E-013	1.0875E-013
RCPTR_26	farmer_child	TOCDLIC2	Vinyl Chloride	1.8341E-018	1.8341E-018
RCPTR_26	farmer_child	TOCDLIC2	Xylene, m-	5.8027E-014	5.8028E-014
RCPTR_26	farmer_child	TOCDLIC2	Xylene, o-	4.2923E-014	4.2923E-014
RCPTR_26	farmer_child	TOCDLIC2	Xylene, p-	7.3544E-014	7.3544E-014
RCPTR_26	farmer_child	TOCDLIC2	Zinc	8.5472E-008	8.9234E-008
RCPTR_27	farmer_adult	TOCDFBRA	Antimony	3.5946E-006	4.1179E-006
RCPTR_27	farmer_adult	TOCDFBRA	Arsenic	5.9931E-006	6.1775E-006
RCPTR_27	farmer_adult	TOCDFBRA	Barium	4.9589E-007	5.4863E-007
RCPTR_27	farmer_adult	TOCDFBRA	Beryllium	1.6946E-006	1.9132E-006
RCPTR_27	farmer_adult	TOCDFBRA	Cadmium	2.8061E-007	3.8417E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFBRA	Chromium	4.5590E-005	4.6670E-005
RCPTR_27	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5559E-005	3.6026E-005
RCPTR_27	farmer_adult	TOCDFBRA	Lead	1.8152E-005	2.1626E-005
RCPTR_27	farmer_adult	TOCDFBRA	Mercuric chloride	3.9387E-003	4.3339E-003
RCPTR_27	farmer_adult	TOCDFBRA	Methyl mercury	3.5360E-005	3.7423E-005
RCPTR_27	farmer_adult	TOCDFBRA	Nickel	1.9638E-005	2.0907E-005
RCPTR_27	farmer_adult	TOCDFBRA	Selenium	6.7441E-006	6.7718E-006
RCPTR_27	farmer_adult	TOCDFBRA	Silver	2.2594E-006	2.3794E-006
RCPTR_27	farmer_adult	TOCDFBRA	Thallium (I)	6.1139E-005	6.3876E-005
RCPTR_27	farmer_adult	TOCDFBRA	Zinc	1.0384E-005	1.2769E-005
RCPTR_27	farmer_adult	TOCDFDFS	Acenaphthene	7.4804E-010	3.7540E-009
RCPTR_27	farmer_adult	TOCDFDFS	Acetone	8.9730E-015	4.6790E-014
RCPTR_27	farmer_adult	TOCDFDFS	Acetophenone	3.9802E-012	2.0715E-011
RCPTR_27	farmer_adult	TOCDFDFS	Aniline	2.2938E-013	1.1885E-012
RCPTR_27	farmer_adult	TOCDFDFS	Anthracene	1.3252E-008	6.6258E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Antimony	2.4665E-005	2.8260E-005
RCPTR_27	farmer_adult	TOCDFDFS	Aroclor 1254	3.0276E-010	4.8618E-010
RCPTR_27	farmer_adult	TOCDFDFS	Arsenic	2.3249E-006	2.3965E-006
RCPTR_27	farmer_adult	TOCDFDFS	Barium	6.7649E-008	7.4854E-008
RCPTR_27	farmer_adult	TOCDFDFS	Benzene	7.4915E-015	3.8727E-014
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.5708E-006	9.7683E-006
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.0547E-005	7.3634E-005
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.8530E-005	4.6589E-005
RCPTR_27	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0978E-004	1.1571E-004
RCPTR_27	farmer_adult	TOCDFDFS	Benzoic acid	3.3506E-011	1.3839E-010
RCPTR_27	farmer_adult	TOCDFDFS	Benzyl alcohol	5.1844E-012	2.6956E-011
RCPTR_27	farmer_adult	TOCDFDFS	Beryllium	6.3643E-007	7.1864E-007
RCPTR_27	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.1725E-012	2.6971E-011
RCPTR_27	farmer_adult	TOCDFDFS	Bromodichloromethane	5.8630E-014	3.0523E-013
RCPTR_27	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.3289E-012	1.2131E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.9206E-007	1.4500E-006
RCPTR_27	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.0922E-008	4.6113E-008
RCPTR_27	farmer_adult	TOCDFDFS	Cadmium	5.3048E-007	7.2653E-007
RCPTR_27	farmer_adult	TOCDFDFS	Carbon disulfide	3.9024E-015	2.0237E-014
RCPTR_27	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.9561E-014	1.0104E-013
RCPTR_27	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.3105E-010	2.2950E-009
RCPTR_27	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.4227E-011	1.2534E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorobenzene	1.1515E-013	5.9139E-013
RCPTR_27	farmer_adult	TOCDFDFS	Chloroethane	3.3688E-016	1.6662E-015
RCPTR_27	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.7568E-014	9.1419E-014
RCPTR_27	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.9371E-009	9.8016E-009
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.6761E-011	3.4789E-010
RCPTR_27	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.5350E-009	1.2768E-008
RCPTR_27	farmer_adult	TOCDFDFS	Chromium	9.2021E-006	9.4203E-006
RCPTR_27	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.1749E-006	7.2694E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Chrysene	1.9967E-005	2.4203E-005
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.5803E-007	1.7801E-007
RCPTR_27	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.1675E+002	8.1675E+002
RCPTR_27	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5348E-003	1.5677E-003
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.2412E-012	1.5866E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.8313E-012	1.9169E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.6651E-012	1.8448E-011
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4218E-007	1.6862E-007
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.5633E-017	1.3258E-016
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.4102E-015	3.3370E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.9600E-015	4.1455E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.4352E-015	1.2636E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.9164E-015	2.0314E-014
RCPTR_27	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.4752E-010	1.6271E-009
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.2127E-014	1.1433E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.2520E-015	3.7708E-014
RCPTR_27	farmer_adult	TOCDFDFS	Diethyl phthalate	9.9807E-008	1.0323E-007
RCPTR_27	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0641E-010	5.2565E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.6212E-011	2.3738E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.9362E-011	1.3504E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.5948E-011	2.1922E-010
RCPTR_27	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.4494E-011	1.6868E-010
RCPTR_27	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	9.6878E-013	5.0501E-012
RCPTR_27	farmer_adult	TOCDFDFS	Ethylbenzene	7.4383E-014	3.6273E-013
RCPTR_27	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.1634E-009	4.7147E-009
RCPTR_27	farmer_adult	TOCDFDFS	Fluoranthene	2.9979E-007	9.6612E-007
RCPTR_27	farmer_adult	TOCDFDFS	Fluorene	3.0159E-009	1.4764E-008
RCPTR_27	farmer_adult	TOCDFDFS	GB	2.6121E-014	1.3586E-013
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2959E-012	1.3963E-012
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.8154E-013	7.2383E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2835E-012	2.4560E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2993E-011	1.3837E-011
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.8949E-012	7.4730E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.9149E-012	6.4835E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.6284E-012	5.1321E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.1215E-012	4.5680E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.5359E-012	6.1312E-012
RCPTR_27	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.8070E-012	4.2179E-012
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.9028E-011	3.1185E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.3601E-007	6.3408E-007
RCPTR_27	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	9.3884E-010	4.1111E-009
RCPTR_27	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7934E-011	1.9041E-010
RCPTR_27	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1164E-002	1.1225E-002
RCPTR_27	farmer_adult	TOCDFDFS	Isophorone	6.9405E-012	3.6114E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Lead	7.3788E-005	8.7930E-005
RCPTR_27	farmer_adult	TOCDFDFS	Mercuric chloride	8.8796E-007	9.7814E-007
RCPTR_27	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.7793E-016	3.5325E-015
RCPTR_27	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.1489E-016	5.9807E-016
RCPTR_27	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.0225E-014	3.1400E-013
RCPTR_27	farmer_adult	TOCDFDFS	Methyl mercury	7.6101E-009	8.0809E-009
RCPTR_27	farmer_adult	TOCDFDFS	Methylene chloride	1.7432E-015	9.0775E-015
RCPTR_27	farmer_adult	TOCDFDFS	Naphthalene	2.9888E-011	1.5263E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nickel	7.9250E-006	8.4381E-006
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1769E-010	6.0886E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.7849E-011	1.4486E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.6050E-011	1.8719E-010
RCPTR_27	farmer_adult	TOCDFDFS	Nitrobenzene	1.1698E-011	6.0953E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.3329E-012	2.7752E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.7245E-010	4.8307E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.6468E-012	3.4391E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.5589E-012	3.3804E-011
RCPTR_27	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.1358E-013	3.0429E-012
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.2532E-012	3.5813E-012
RCPTR_27	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1173E-012	1.2276E-012
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2545E-011	3.5106E-011
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.6416E-012	2.9930E-012
RCPTR_27	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0558E-011	1.1925E-011
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.7242E-010	2.3658E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.3407E-010	9.2726E-010
RCPTR_27	farmer_adult	TOCDFDFS	Pentachlorophenol	4.3580E-007	5.6563E-007
RCPTR_27	farmer_adult	TOCDFDFS	Phenanthrene	9.3993E-012	4.6734E-011
RCPTR_27	farmer_adult	TOCDFDFS	Phenol	9.3188E-012	4.8300E-011
RCPTR_27	farmer_adult	TOCDFDFS	Pronamide	1.8990E-009	9.2619E-009
RCPTR_27	farmer_adult	TOCDFDFS	Pyrene	5.0349E-007	1.9286E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Selenium	2.6162E-006	2.6269E-006
RCPTR_27	farmer_adult	TOCDFDFS	Silver	8.9041E-007	9.3774E-007
RCPTR_27	farmer_adult	TOCDFDFS	Styrene	1.9056E-012	9.8607E-012
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4164E-011	1.6712E-011
RCPTR_27	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.4048E-012	5.4873E-012
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.2288E-010	3.7628E-009
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6800E-010	2.0261E-010
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.3469E-014	1.2148E-013
RCPTR_27	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2995E-008	2.8784E-008
RCPTR_27	farmer_adult	TOCDFDFS	Thallium (I)	2.2958E-005	2.3988E-005
RCPTR_27	farmer_adult	TOCDFDFS	Toluene	3.2114E-014	1.6379E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9691E-011	1.4357E-010
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.5120E-014	7.8480E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.1533E-013	6.0002E-013
RCPTR_27	farmer_adult	TOCDFDFS	Trichloroethylene	1.8843E-014	9.7572E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.4751E-015	1.2823E-014
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.6984E-009	1.6544E-008
RCPTR_27	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0024E-009	3.4325E-009
RCPTR_27	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.2742E-013	2.2209E-012
RCPTR_27	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.3689E-012	2.6090E-011
RCPTR_27	farmer_adult	TOCDFDFS	Vinyl Chloride	6.0995E-018	3.1698E-017
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, m-	5.5451E-013	9.3757E-013
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, o-	4.9585E-013	9.3254E-013
RCPTR_27	farmer_adult	TOCDFDFS	Xylene, p-	5.7181E-013	1.1659E-012
RCPTR_27	farmer_adult	TOCDFDFS	Zinc	4.7087E-006	5.7919E-006
RCPTR_27	farmer_adult	TOCDFLIC	Acenaphthene	4.1996E-010	2.1077E-009
RCPTR_27	farmer_adult	TOCDFLIC	Acetone	1.0629E-014	5.5423E-014
RCPTR_27	farmer_adult	TOCDFLIC	Acetophenone	3.8309E-012	1.9937E-011
RCPTR_27	farmer_adult	TOCDFLIC	Aniline	1.2879E-013	6.6729E-013
RCPTR_27	farmer_adult	TOCDFLIC	Anthracene	7.4392E-009	3.7200E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Antimony	4.3311E-007	4.9625E-007
RCPTR_27	farmer_adult	TOCDFLIC	Arsenic	1.3955E-006	1.4385E-006
RCPTR_27	farmer_adult	TOCDFLIC	Barium	4.6161E-008	5.1077E-008
RCPTR_27	farmer_adult	TOCDFLIC	Benzene	9.8449E-014	5.0893E-013
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.6794E-006	5.4735E-006
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.9426E-005	4.1145E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.1588E-005	2.6108E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.1381E-005	6.4667E-005
RCPTR_27	farmer_adult	TOCDFLIC	Benzoic acid	2.0183E-011	8.3351E-011
RCPTR_27	farmer_adult	TOCDFLIC	Benzyl alcohol	2.9108E-012	1.5134E-011
RCPTR_27	farmer_adult	TOCDFLIC	Beryllium	2.3637E-007	2.6690E-007
RCPTR_27	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.9041E-012	1.5143E-011
RCPTR_27	farmer_adult	TOCDFLIC	Bromodichloromethane	2.6012E-014	1.3542E-013
RCPTR_27	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	8.9548E-013	4.6644E-012
RCPTR_27	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6397E-007	8.1412E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2794E-008	2.5708E-008
RCPTR_27	farmer_adult	TOCDFLIC	Cadmium	1.4575E-007	1.9961E-007
RCPTR_27	farmer_adult	TOCDFLIC	Carbon disulfide	5.9448E-015	3.0829E-014
RCPTR_27	farmer_adult	TOCDFLIC	Carbon tetrachloride	9.4240E-015	4.8678E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.5441E-010	1.2886E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.3602E-011	7.0372E-011
RCPTR_27	farmer_adult	TOCDFLIC	Chlorobenzene	5.5477E-014	2.8491E-013
RCPTR_27	farmer_adult	TOCDFLIC	Chloroethane	1.6231E-016	8.0272E-016
RCPTR_27	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.2801E-015	4.3087E-014
RCPTR_27	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.0876E-009	5.5031E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.7483E-011	1.9532E-010
RCPTR_27	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.9832E-009	7.1670E-009
RCPTR_27	farmer_adult	TOCDFLIC	Chromium	1.1346E-005	1.1615E-005
RCPTR_27	farmer_adult	TOCDFLIC	Chromium, hexavalent	8.8465E-006	8.9629E-006
RCPTR_27	farmer_adult	TOCDFLIC	Chrysene	1.1190E-005	1.3565E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.8677E-008	9.9898E-008
RCPTR_27	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.5894E+002	4.5894E+002
RCPTR_27	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.5704E-004	8.7502E-004
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.8197E-012	8.9081E-012
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.1510E-012	1.0762E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.0577E-012	1.0358E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.1174E-008	4.8852E-008
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.2349E-017	6.3873E-017
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.0883E-015	1.6077E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8349E-015	1.9972E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1732E-015	6.0879E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.8868E-015	9.7866E-015
RCPTR_27	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.0753E-010	9.1365E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.0660E-014	5.5083E-014
RCPTR_27	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.4938E-015	1.8167E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6081E-008	5.8001E-008
RCPTR_27	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0776E-010	5.3244E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.5946E-011	1.3328E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9415E-011	7.6727E-011
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.5781E-011	1.2306E-010
RCPTR_27	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.9363E-011	9.4702E-011
RCPTR_27	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.4392E-013	2.8354E-012
RCPTR_27	farmer_adult	TOCDFLIC	Ethylbenzene	4.7778E-014	2.3300E-013
RCPTR_27	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.3308E-008	8.3097E-008
RCPTR_27	farmer_adult	TOCDFLIC	Fluoranthene	1.6818E-007	5.4227E-007
RCPTR_27	farmer_adult	TOCDFLIC	Fluorene	1.6931E-009	8.2893E-009
RCPTR_27	farmer_adult	TOCDFLIC	GB	9.1295E-015	4.7484E-014
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.9098E-013	8.5183E-013
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.5298E-013	1.0116E-012
RCPTR_27	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.2625E-012	2.4322E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0058E-011	1.0707E-011
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.6669E-012	6.1391E-012
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.8133E-012	5.2742E-012
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.0687E-012	3.4021E-012
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0069E-012	3.3321E-012
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4835E-012	3.8575E-012
RCPTR_27	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5406E-012	2.8144E-012
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.8732E-011	1.7506E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.6346E-008	3.5599E-007
RCPTR_27	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.0640E-010	4.6621E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.1299E-011	1.0691E-010
RCPTR_27	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2607E-003	6.2942E-003
RCPTR_27	farmer_adult	TOCDFLIC	Isophorone	3.8968E-012	2.0276E-011
RCPTR_27	farmer_adult	TOCDFLIC	Lead	2.6964E-005	3.2132E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Mercuric chloride	7.2872E-005	8.0289E-005
RCPTR_27	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.1251E-016	1.1074E-015
RCPTR_27	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7425E-017	9.0706E-017
RCPTR_27	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.3225E-014	3.2965E-013
RCPTR_27	farmer_adult	TOCDFLIC	Methyl mercury	6.1915E-007	6.5787E-007
RCPTR_27	farmer_adult	TOCDFLIC	Methylene chloride	1.3465E-015	7.0119E-015
RCPTR_27	farmer_adult	TOCDFLIC	Naphthalene	1.6780E-011	8.5697E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nickel	4.3982E-006	4.6829E-006
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 2-	6.6864E-011	3.4592E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.5822E-011	8.2303E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.0481E-011	1.0635E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitrobenzene	6.5680E-012	3.4222E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.9942E-012	1.5581E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5489E-010	2.7455E-010
RCPTR_27	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.7319E-012	1.9309E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.6826E-012	1.8979E-011
RCPTR_27	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.4403E-013	1.7080E-012
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7248E-012	2.9989E-012
RCPTR_27	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.9637E-013	9.8462E-013
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0488E-011	2.2093E-011
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.2768E-012	5.9786E-012
RCPTR_27	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1699E-011	1.3213E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.2018E-010	1.3271E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.3243E-010	5.2626E-010
RCPTR_27	farmer_adult	TOCDFLIC	Pentachlorophenol	2.4779E-007	3.2155E-007
RCPTR_27	farmer_adult	TOCDFLIC	Phenanthrene	5.2769E-012	2.6238E-011
RCPTR_27	farmer_adult	TOCDFLIC	Phenol	5.2321E-012	2.7118E-011
RCPTR_27	farmer_adult	TOCDFLIC	Pronamide	5.3310E-010	2.6000E-009
RCPTR_27	farmer_adult	TOCDFLIC	Pyrene	2.8261E-007	1.0827E-006
RCPTR_27	farmer_adult	TOCDFLIC	Selenium	9.6447E-007	9.6842E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Silver	3.2091E-007	3.3797E-007
RCPTR_27	farmer_adult	TOCDFLIC	Styrene	1.9092E-012	9.8796E-012
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.6655E-012	7.8661E-012
RCPTR_27	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.6607E-012	1.0792E-011
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.6201E-010	2.1126E-009
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.1000E-011	9.7677E-011
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.1306E-014	5.8524E-014
RCPTR_27	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.3871E-009	1.6358E-008
RCPTR_27	farmer_adult	TOCDFLIC	Thallium (I)	8.5266E-006	8.9090E-006
RCPTR_27	farmer_adult	TOCDFLIC	Toluene	8.8980E-014	4.5381E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.6668E-011	8.0605E-011
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.2846E-015	3.7810E-014
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.5563E-014	2.8907E-013
RCPTR_27	farmer_adult	TOCDFLIC	Trichloroethylene	9.0779E-015	4.7008E-014
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.1924E-015	6.1779E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.0767E-009	9.2888E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.6300E-010	1.9273E-009
RCPTR_27	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.0592E-013	1.0700E-012
RCPTR_27	farmer_adult	TOCDFLIC	Vinyl Chloride	3.1662E-018	1.6455E-017
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, m-	4.6758E-013	7.9662E-013
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, o-	2.6627E-013	5.0492E-013
RCPTR_27	farmer_adult	TOCDFLIC	Xylene, p-	4.8304E-013	9.9334E-013
RCPTR_27	farmer_adult	TOCDFLIC	Zinc	1.2134E-006	1.4925E-006
RCPTR_27	farmer_adult	TOCDFMPF	Acenaphthene	1.7924E-009	8.9959E-009
RCPTR_27	farmer_adult	TOCDFMPF	Acetone	5.3323E-015	2.7805E-014
RCPTR_27	farmer_adult	TOCDFMPF	Acetophenone	9.0838E-012	4.7276E-011
RCPTR_27	farmer_adult	TOCDFMPF	Aniline	5.4968E-013	2.8481E-012
RCPTR_27	farmer_adult	TOCDFMPF	Anthracene	3.1752E-008	1.5877E-007
RCPTR_27	farmer_adult	TOCDFMPF	Antimony	1.2926E-007	1.4810E-007
RCPTR_27	farmer_adult	TOCDFMPF	Arsenic	3.2837E-007	3.3849E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Barium	4.3389E-008	4.8010E-008
RCPTR_27	farmer_adult	TOCDFMPF	Benzene	4.7943E-015	2.4784E-014
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5707E-005	2.3365E-005
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6833E-004	1.7566E-004
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	9.2153E-005	1.1145E-004
RCPTR_27	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.6205E-004	2.7609E-004
RCPTR_27	farmer_adult	TOCDFMPF	Benzoic acid	8.0304E-011	3.3164E-010
RCPTR_27	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2424E-011	6.4595E-011
RCPTR_27	farmer_adult	TOCDFMPF	Beryllium	6.7690E-008	7.6433E-008
RCPTR_27	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2395E-011	6.4633E-011
RCPTR_27	farmer_adult	TOCDFMPF	Bromodichloromethane	4.2402E-014	2.2075E-013
RCPTR_27	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5991E-012	8.3293E-012
RCPTR_27	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.9985E-007	3.4748E-006
RCPTR_27	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.7333E-008	1.0977E-007
RCPTR_27	farmer_adult	TOCDFMPF	Cadmium	6.3937E-008	8.7566E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Carbon disulfide	8.3567E-015	4.3337E-014
RCPTR_27	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.3282E-014	6.8605E-014
RCPTR_27	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5126E-009	5.5001E-009
RCPTR_27	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.8056E-011	3.0036E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorobenzene	7.8186E-014	4.0154E-013
RCPTR_27	farmer_adult	TOCDFMPF	Chloroethane	2.2875E-016	1.1313E-015
RCPTR_27	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.1225E-014	5.8413E-014
RCPTR_27	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.6420E-009	2.3488E-008
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.5998E-010	8.3367E-010
RCPTR_27	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.4652E-009	3.0590E-008
RCPTR_27	farmer_adult	TOCDFMPF	Chromium	2.2010E-006	2.2532E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7161E-006	1.7387E-006
RCPTR_27	farmer_adult	TOCDFMPF	Chrysene	4.7767E-005	5.7904E-005
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.7850E-007	4.2639E-007
RCPTR_27	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.9588E+003	1.9588E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.6591E-003	3.7360E-003
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.7669E-012	3.8021E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	9.1809E-012	4.5936E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.7827E-012	4.4209E-011
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2994E-007	2.7281E-007
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.7404E-017	9.0019E-017
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.3525E-015	2.2658E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4048E-015	2.8147E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6535E-015	8.5800E-015
RCPTR_27	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6592E-015	1.3793E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3125E-009	3.8996E-009
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5024E-014	7.7631E-014
RCPTR_27	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.9240E-015	2.5603E-014
RCPTR_27	farmer_adult	TOCDFMPF	Diethyl phthalate	2.3935E-007	2.4755E-007
RCPTR_27	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.9221E-011	1.9378E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1074E-010	5.6884E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6792E-010	3.2689E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1004E-010	5.2526E-010
RCPTR_27	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.2645E-011	4.0421E-010
RCPTR_27	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.3216E-012	1.2102E-011
RCPTR_27	farmer_adult	TOCDFMPF	Ethylbenzene	5.0502E-014	2.4629E-013
RCPTR_27	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.1269E-008	9.2115E-008
RCPTR_27	farmer_adult	TOCDFMPF	Fluoranthene	7.1784E-007	2.3145E-006
RCPTR_27	farmer_adult	TOCDFMPF	Fluorene	7.2264E-009	3.5380E-008
RCPTR_27	farmer_adult	TOCDFMPF	GB	1.3002E-014	6.7627E-014
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6682E-012	1.7965E-012
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.4037E-011	6.7976E-011
RCPTR_27	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0512E-011	1.1300E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.3010E-011	2.4495E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2335E-011	1.3364E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1434E-011	1.2529E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.6114E-010	5.1125E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1253E-010	1.2470E-010
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9554E-011	2.1654E-011
RCPTR_27	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3960E-011	1.5464E-011
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.6532E-010	7.4721E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.2586E-007	1.5194E-006
RCPTR_27	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.5415E-010	1.9899E-009
RCPTR_27	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.0906E-011	4.5629E-010
RCPTR_27	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6723E-002	2.6867E-002
RCPTR_27	farmer_adult	TOCDFMPF	Isophorone	1.6632E-011	8.6542E-011
RCPTR_27	farmer_adult	TOCDFMPF	Lead	2.1318E-008	2.5403E-008
RCPTR_27	farmer_adult	TOCDFMPF	Mercuric chloride	8.2605E-007	9.1011E-007
RCPTR_27	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.5521E-016	1.3298E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	9.1381E-018	4.7570E-017
RCPTR_27	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.9738E-014	3.1147E-013
RCPTR_27	farmer_adult	TOCDFMPF	Methyl mercury	7.0221E-009	7.4610E-009
RCPTR_27	farmer_adult	TOCDFMPF	Methylene chloride	1.4953E-015	7.7870E-015
RCPTR_27	farmer_adult	TOCDFMPF	Naphthalene	7.1622E-011	3.6577E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nickel	3.4585E-006	3.6825E-006
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.8487E-010	1.4738E-009
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.7410E-011	3.5065E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.7257E-011	4.5310E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitrobenzene	2.8033E-011	1.4606E-010
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.2780E-011	6.6504E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.5988E-010	1.1697E-009
RCPTR_27	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5928E-011	8.2413E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.5718E-011	8.1007E-011
RCPTR_27	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.4685E-012	7.2902E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.0544E-012	4.4623E-012
RCPTR_27	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.6469E-012	6.2030E-012
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.1003E-011	8.7351E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.8848E-011	6.6675E-011
RCPTR_27	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9044E-010	2.1509E-010
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3669E-009	5.6645E-009
RCPTR_27	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.6434E-010	2.2423E-009
RCPTR_27	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0557E-006	1.3699E-006
RCPTR_27	farmer_adult	TOCDFMPF	Phenanthrene	2.2523E-011	1.1199E-010
RCPTR_27	farmer_adult	TOCDFMPF	Phenol	2.2331E-011	1.1574E-010
RCPTR_27	farmer_adult	TOCDFMPF	Pronamide	2.2754E-009	1.1097E-008
RCPTR_27	farmer_adult	TOCDFMPF	Pyrene	1.2063E-006	4.6213E-006
RCPTR_27	farmer_adult	TOCDFMPF	Selenium	2.8291E-007	2.8407E-007
RCPTR_27	farmer_adult	TOCDFMPF	Silver	1.2877E-006	1.3562E-006
RCPTR_27	farmer_adult	TOCDFMPF	Styrene	2.0439E-012	1.0577E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8934E-011	2.2344E-011
RCPTR_27	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.5517E-011	4.4259E-011
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.9719E-009	9.0170E-009
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1415E-010	1.3766E-010
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.5313E-014	1.8279E-013
RCPTR_27	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.1471E-008	6.9689E-008
RCPTR_27	farmer_adult	TOCDFMPF	Thallium (I)	2.5227E-006	2.6359E-006
RCPTR_27	farmer_adult	TOCDFMPF	Toluene	2.4950E-014	1.2725E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.1144E-011	3.4404E-010
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0267E-014	5.3287E-014
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.8307E-014	4.0740E-013
RCPTR_27	farmer_adult	TOCDFMPF	Trichloroethylene	1.2794E-014	6.6251E-014
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.6805E-015	8.7069E-015
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	8.8638E-009	3.9646E-008
RCPTR_27	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4029E-009	8.2262E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.9021E-013	1.5080E-012
RCPTR_27	farmer_adult	TOCDFMPF	Vinyl Chloride	4.1413E-018	2.1522E-017
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, m-	3.7001E-013	6.3010E-013
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, o-	3.3116E-013	6.2767E-013
RCPTR_27	farmer_adult	TOCDFMPF	Xylene, p-	3.8221E-013	7.8558E-013
RCPTR_27	farmer_adult	TOCDFMPF	Zinc	7.4473E-007	9.1604E-007
RCPTR_27	farmer_adult	TOCDHVAC	GB	7.6924E-014	4.0010E-013
RCPTR_27	farmer_adult	TOCDLIC2	Acenaphthene	8.6664E-010	4.3495E-009
RCPTR_27	farmer_adult	TOCDLIC2	Acetone	1.0518E-014	5.4846E-014
RCPTR_27	farmer_adult	TOCDLIC2	Acetophenone	4.3920E-012	2.2858E-011
RCPTR_27	farmer_adult	TOCDLIC2	Aniline	2.6577E-013	1.3770E-012
RCPTR_27	farmer_adult	TOCDLIC2	Anthracene	1.5352E-008	7.6766E-008
RCPTR_27	farmer_adult	TOCDLIC2	Antimony	5.7623E-007	6.6023E-007
RCPTR_27	farmer_adult	TOCDLIC2	Arsenic	1.3955E-006	1.4385E-006
RCPTR_27	farmer_adult	TOCDLIC2	Barium	4.4482E-007	4.9220E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Benzene	7.0848E-015	3.6625E-014
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.5930E-006	1.1295E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(a)pyrene	8.1362E-005	8.4907E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.4550E-005	5.3878E-005
RCPTR_27	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2667E-004	1.3345E-004
RCPTR_27	farmer_adult	TOCDLIC2	Benzoic acid	3.8827E-011	1.6034E-010
RCPTR_27	farmer_adult	TOCDLIC2	Benzyl alcohol	6.0068E-012	3.1232E-011
RCPTR_27	farmer_adult	TOCDLIC2	Beryllium	2.3637E-007	2.6690E-007
RCPTR_27	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.9930E-012	3.1249E-011
RCPTR_27	farmer_adult	TOCDLIC2	Bromodichloromethane	7.9647E-014	4.1465E-013
RCPTR_27	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.0762E-012	1.0815E-011
RCPTR_27	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3837E-007	1.6800E-006
RCPTR_27	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.7038E-008	5.3052E-008
RCPTR_27	farmer_adult	TOCDLIC2	Cadmium	1.6561E-008	2.2682E-008
RCPTR_27	farmer_adult	TOCDLIC2	Carbon disulfide	9.0092E-015	4.6720E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.4343E-014	7.4087E-014
RCPTR_27	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.3136E-010	2.6593E-009
RCPTR_27	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.8070E-011	1.4522E-010
RCPTR_27	farmer_adult	TOCDLIC2	Chlorobenzene	8.4434E-014	4.3363E-013
RCPTR_27	farmer_adult	TOCDLIC2	Chloroethane	2.4703E-016	1.2217E-015
RCPTR_27	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.5565E-014	1.3303E-013
RCPTR_27	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.2444E-009	1.1356E-008
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.7351E-011	4.0307E-010
RCPTR_27	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.0927E-009	1.4790E-008
RCPTR_27	farmer_adult	TOCDLIC2	Chromium	1.1346E-005	1.1615E-005
RCPTR_27	farmer_adult	TOCDLIC2	Chromium, hexavalent	8.8465E-006	8.9629E-006
RCPTR_27	farmer_adult	TOCDLIC2	Chrysene	2.3093E-005	2.7993E-005
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8300E-007	2.0615E-007
RCPTR_27	farmer_adult	TOCDLIC2	Di-n-octylphthalate	9.4709E+002	9.4709E+002
RCPTR_27	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.7686E-003	1.8057E-003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.7552E-012	1.8383E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.4389E-012	2.2210E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.2464E-012	2.1375E-011
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.9013E-008	1.1748E-007
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.8794E-017	9.7212E-017
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.7003E-015	2.4469E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8366E-015	3.0397E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.7856E-015	9.2656E-015
RCPTR_27	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.8717E-015	1.4895E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.3462E-010	1.8854E-009
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.6225E-014	8.3834E-014
RCPTR_27	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.3174E-015	2.7649E-014
RCPTR_27	farmer_adult	TOCDLIC2	Diethyl phthalate	1.1573E-007	1.1969E-007
RCPTR_27	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3199E-010	6.5214E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.3543E-011	2.7503E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.1547E-011	1.5875E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.3202E-011	2.5396E-010
RCPTR_27	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.9958E-011	1.9543E-010
RCPTR_27	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1225E-012	5.8511E-012
RCPTR_27	farmer_adult	TOCDLIC2	Ethylbenzene	6.1853E-014	3.0164E-013
RCPTR_27	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.9083E-008	5.5637E-008
RCPTR_27	farmer_adult	TOCDLIC2	Fluoranthene	3.4705E-007	1.1190E-006
RCPTR_27	farmer_adult	TOCDLIC2	Fluorene	3.4939E-009	1.7106E-008
RCPTR_27	farmer_adult	TOCDLIC2	GB	9.4911E-015	4.9364E-014
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.5518E-012	5.9789E-012
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.2053E-012	5.5254E-012
RCPTR_27	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.9381E-012	5.3084E-012
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5099E-011	1.6073E-011
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0689E-011	1.1580E-011
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0263E-011	1.1245E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.8747E-012	1.0948E-011
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.9542E-012	6.5983E-012
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.3169E-012	5.8878E-012
RCPTR_27	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.0875E-012	6.7434E-012
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.9928E-011	3.6127E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.5755E-007	7.3463E-007
RCPTR_27	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.1957E-010	9.6209E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.3953E-011	2.2061E-010
RCPTR_27	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2920E-002	1.2989E-002
RCPTR_27	farmer_adult	TOCDLIC2	Isophorone	8.0415E-012	4.1843E-011
RCPTR_27	farmer_adult	TOCDLIC2	Lead	1.9441E-006	2.3167E-006
RCPTR_27	farmer_adult	TOCDLIC2	Mercuric chloride	7.2872E-005	8.0289E-005
RCPTR_27	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.7797E-016	1.4484E-015
RCPTR_27	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1091E-017	5.7738E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.2317E-014	3.2491E-013
RCPTR_27	farmer_adult	TOCDLIC2	Methyl mercury	6.1915E-007	6.5787E-007
RCPTR_27	farmer_adult	TOCDLIC2	Methylene chloride	4.8980E-015	2.5507E-014
RCPTR_27	farmer_adult	TOCDLIC2	Naphthalene	3.4629E-011	1.7685E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nickel	1.5288E-006	1.6278E-006
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.3834E-010	7.1570E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.2736E-011	1.7028E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.2374E-011	2.2004E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitrobenzene	1.3554E-011	7.0622E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.1789E-012	3.2154E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.2047E-010	5.6804E-010
RCPTR_27	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.7012E-012	3.9846E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.5995E-012	3.9167E-011
RCPTR_27	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.0996E-013	3.5247E-012
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.1492E-012	1.0069E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0318E-012	3.3303E-012
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.8310E-011	4.1312E-011
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1166E-011	1.2651E-011
RCPTR_27	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1133E-011	3.5163E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.6073E-010	2.7386E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.7399E-010	1.0888E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pentachlorophenol	5.1267E-007	6.6528E-007
RCPTR_27	farmer_adult	TOCDLIC2	Phenanthrene	1.0890E-011	5.4146E-011
RCPTR_27	farmer_adult	TOCDLIC2	Phenol	1.1415E-011	5.9167E-011
RCPTR_27	farmer_adult	TOCDLIC2	Pronamide	1.1001E-009	5.3655E-009
RCPTR_27	farmer_adult	TOCDLIC2	Pyrene	5.8321E-007	2.2344E-006
RCPTR_27	farmer_adult	TOCDLIC2	Selenium	9.6447E-007	9.6842E-007
RCPTR_27	farmer_adult	TOCDLIC2	Silver	3.2091E-007	3.3797E-007
RCPTR_27	farmer_adult	TOCDLIC2	Styrene	1.5994E-012	8.2765E-012
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9323E-011	2.2803E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5513E-011	1.9332E-011
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.5341E-010	4.3597E-009
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2328E-010	1.4866E-010
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7208E-014	8.9072E-014
RCPTR_27	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5284E-008	3.3843E-008
RCPTR_27	farmer_adult	TOCDLIC2	Thallium (I)	8.5266E-006	8.9090E-006
RCPTR_27	farmer_adult	TOCDLIC2	Toluene	9.3664E-014	4.7770E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.4397E-011	1.6634E-010
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.1087E-014	5.7545E-014
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	8.4564E-014	4.3996E-013
RCPTR_27	farmer_adult	TOCDLIC2	Trichloroethylene	1.3816E-014	7.1544E-014
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.8148E-015	9.4026E-015
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.2856E-009	1.9169E-008
RCPTR_27	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1618E-009	3.9773E-009
RCPTR_27	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.1340E-013	1.6285E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_adult	TOCDLIC2	Vinyl Chloride	5.2846E-018	2.7464E-017
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, m-	5.4280E-013	9.2477E-013
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, o-	3.5725E-013	6.7745E-013
RCPTR_27	farmer_adult	TOCDLIC2	Xylene, p-	5.6075E-013	1.1531E-012
RCPTR_27	farmer_adult	TOCDLIC2	Zinc	1.4488E-006	1.7820E-006
RCPTR_27	farmer_child	TOCDFBRA	Antimony	4.0394E-006	4.1179E-006
RCPTR_27	farmer_child	TOCDFBRA	Arsenic	6.1596E-006	6.1775E-006
RCPTR_27	farmer_child	TOCDFBRA	Barium	5.4142E-007	5.4863E-007
RCPTR_27	farmer_child	TOCDFBRA	Beryllium	1.7283E-006	1.9132E-006
RCPTR_27	farmer_child	TOCDFBRA	Cadmium	3.5913E-007	3.8417E-007
RCPTR_27	farmer_child	TOCDFBRA	Chromium	4.1059E-005	4.6670E-005
RCPTR_27	farmer_child	TOCDFBRA	Chromium, hexavalent	3.5996E-005	3.6026E-005
RCPTR_27	farmer_child	TOCDFBRA	Lead	1.8481E-005	2.1626E-005
RCPTR_27	farmer_child	TOCDFBRA	Mercuric chloride	2.4822E-003	4.3339E-003
RCPTR_27	farmer_child	TOCDFBRA	Methyl mercury	3.1969E-005	3.7423E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFBRA	Nickel	2.0637E-005	2.0907E-005
RCPTR_27	farmer_child	TOCDFBRA	Selenium	6.7713E-006	6.7718E-006
RCPTR_27	farmer_child	TOCDFBRA	Silver	2.3760E-006	2.3794E-006
RCPTR_27	farmer_child	TOCDFBRA	Thallium (I)	6.3245E-005	6.3876E-005
RCPTR_27	farmer_child	TOCDFBRA	Zinc	1.2283E-005	1.2769E-005
RCPTR_27	farmer_child	TOCDFDFS	Acenaphthene	3.7408E-009	3.7540E-009
RCPTR_27	farmer_child	TOCDFDFS	Acetone	4.6790E-014	4.6790E-014
RCPTR_27	farmer_child	TOCDFDFS	Acetophenone	2.0710E-011	2.0715E-011
RCPTR_27	farmer_child	TOCDFDFS	Aniline	1.1885E-012	1.1885E-012
RCPTR_27	farmer_child	TOCDFDFS	Anthracene	6.4109E-008	6.6258E-008
RCPTR_27	farmer_child	TOCDFDFS	Antimony	2.7721E-005	2.8260E-005
RCPTR_27	farmer_child	TOCDFDFS	Aroclor 1254	4.8359E-010	4.8618E-010
RCPTR_27	farmer_child	TOCDFDFS	Arsenic	2.3896E-006	2.3965E-006
RCPTR_27	farmer_child	TOCDFDFS	Barium	7.3868E-008	7.4854E-008
RCPTR_27	farmer_child	TOCDFDFS	Benzene	3.8727E-014	3.8727E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.6552E-006	9.7683E-006
RCPTR_27	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.2693E-005	7.3634E-005
RCPTR_27	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.3900E-005	4.6589E-005
RCPTR_27	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1209E-004	1.1571E-004
RCPTR_27	farmer_child	TOCDFDFS	Benzoic acid	1.3837E-010	1.3839E-010
RCPTR_27	farmer_child	TOCDFDFS	Benzyl alcohol	2.6942E-011	2.6956E-011
RCPTR_27	farmer_child	TOCDFDFS	Beryllium	6.4911E-007	7.1864E-007
RCPTR_27	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.6960E-011	2.6971E-011
RCPTR_27	farmer_child	TOCDFDFS	Bromodichloromethane	3.0523E-013	3.0523E-013
RCPTR_27	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.2130E-011	1.2131E-011
RCPTR_27	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0482E-006	1.4500E-006
RCPTR_27	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.6090E-008	4.6113E-008
RCPTR_27	farmer_child	TOCDFDFS	Cadmium	6.7913E-007	7.2653E-007
RCPTR_27	farmer_child	TOCDFDFS	Carbon disulfide	2.0237E-014	2.0237E-014
RCPTR_27	farmer_child	TOCDFDFS	Carbon tetrachloride	1.0104E-013	1.0104E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.2844E-009	2.2950E-009
RCPTR_27	farmer_child	TOCDFDFS	Chloroaniline, p-	1.2520E-010	1.2534E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorobenzene	5.9138E-013	5.9139E-013
RCPTR_27	farmer_child	TOCDFDFS	Chloroethane	1.6662E-015	1.6662E-015
RCPTR_27	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.1419E-014	9.1419E-014
RCPTR_27	farmer_child	TOCDFDFS	Chloronaphthalene,2-	9.7221E-009	9.8016E-009
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.4709E-010	3.4789E-010
RCPTR_27	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.2725E-008	1.2768E-008
RCPTR_27	farmer_child	TOCDFDFS	Chromium	8.2865E-006	9.4203E-006
RCPTR_27	farmer_child	TOCDFDFS	Chromium, hexavalent	7.2633E-006	7.2694E-006
RCPTR_27	farmer_child	TOCDFDFS	Chrysene	2.2370E-005	2.4203E-005
RCPTR_27	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.7780E-007	1.7801E-007
RCPTR_27	farmer_child	TOCDFDFS	Di-n-octylphthalate	8.1675E+002	8.1675E+002
RCPTR_27	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5535E-003	1.5677E-003
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5866E-011	1.5866E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.9168E-011	1.9169E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.8448E-011	1.8448E-011
RCPTR_27	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6800E-007	1.6862E-007
RCPTR_27	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.3258E-016	1.3258E-016
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.3370E-014	3.3370E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1455E-014	4.1455E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.2636E-014	1.2636E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.0314E-014	2.0314E-014
RCPTR_27	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.6223E-009	1.6271E-009
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.1433E-013	1.1433E-013
RCPTR_27	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.7708E-014	3.7708E-014
RCPTR_27	farmer_child	TOCDFDFS	Diethyl phthalate	1.0322E-007	1.0323E-007
RCPTR_27	farmer_child	TOCDFDFS	Dimethyl phthalate	5.2519E-010	5.2565E-010
RCPTR_27	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.3708E-010	2.3738E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3502E-010	1.3504E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.1886E-010	2.1922E-010
RCPTR_27	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6844E-010	1.6868E-010
RCPTR_27	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.0487E-012	5.0501E-012
RCPTR_27	farmer_child	TOCDFDFS	Ethylbenzene	3.6273E-013	3.6273E-013
RCPTR_27	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.7067E-009	4.7147E-009
RCPTR_27	farmer_child	TOCDFDFS	Fluoranthene	8.3086E-007	9.6612E-007
RCPTR_27	farmer_child	TOCDFDFS	Fluorene	1.4607E-008	1.4764E-008
RCPTR_27	farmer_child	TOCDFDFS	GB	1.3583E-013	1.3586E-013
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3165E-012	1.3963E-012
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.9030E-013	7.2383E-013
RCPTR_27	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3193E-012	2.4560E-012
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3166E-011	1.3837E-011
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.0156E-012	7.4730E-012
RCPTR_27	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.0336E-012	6.4835E-012
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.7340E-012	5.1321E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.2145E-012	4.5680E-012
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.6603E-012	6.1312E-012
RCPTR_27	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.8928E-012	4.2179E-012
RCPTR_27	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.1182E-010	3.1185E-010
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorobenzene	5.9696E-007	6.3408E-007
RCPTR_27	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.1103E-009	4.1111E-009
RCPTR_27	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.9038E-010	1.9041E-010
RCPTR_27	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1202E-002	1.1225E-002
RCPTR_27	farmer_child	TOCDFDFS	Isophorone	3.6100E-011	3.6114E-011
RCPTR_27	farmer_child	TOCDFDFS	Lead	7.5129E-005	8.7930E-005
RCPTR_27	farmer_child	TOCDFDFS	Mercuric chloride	5.5557E-007	9.7814E-007
RCPTR_27	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.5325E-015	3.5325E-015
RCPTR_27	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.9807E-016	5.9807E-016
RCPTR_27	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.1400E-013	3.1400E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Methyl mercury	6.8364E-009	8.0809E-009
RCPTR_27	farmer_child	TOCDFDFS	Methylene chloride	9.0775E-015	9.0775E-015
RCPTR_27	farmer_child	TOCDFDFS	Naphthalene	1.5259E-010	1.5263E-010
RCPTR_27	farmer_child	TOCDFDFS	Nickel	8.3288E-006	8.4381E-006
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.0819E-010	6.0886E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.4480E-010	1.4486E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.8709E-010	1.8719E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitrobenzene	6.0919E-011	6.0953E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.7745E-011	2.7752E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.8295E-010	4.8307E-010
RCPTR_27	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.4385E-011	3.4391E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.3801E-011	3.3804E-011
RCPTR_27	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.0428E-012	3.0429E-012
RCPTR_27	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.3208E-012	3.5813E-012
RCPTR_27	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1399E-012	1.2276E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.3099E-011	3.5106E-011
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.7172E-012	2.9930E-012
RCPTR_27	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0849E-011	1.1925E-011
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorobenzene	2.3649E-009	2.3658E-009
RCPTR_27	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.2720E-010	9.2726E-010
RCPTR_27	farmer_child	TOCDFDFS	Pentachlorophenol	5.6458E-007	5.6563E-007
RCPTR_27	farmer_child	TOCDFDFS	Phenanthrene	4.6733E-011	4.6734E-011
RCPTR_27	farmer_child	TOCDFDFS	Phenol	4.8270E-011	4.8300E-011
RCPTR_27	farmer_child	TOCDFDFS	Pronamide	9.1949E-009	9.2619E-009
RCPTR_27	farmer_child	TOCDFDFS	Pyrene	1.3145E-006	1.9286E-006
RCPTR_27	farmer_child	TOCDFDFS	Selenium	2.6267E-006	2.6269E-006
RCPTR_27	farmer_child	TOCDFDFS	Silver	9.3641E-007	9.3774E-007
RCPTR_27	farmer_child	TOCDFDFS	Styrene	9.8605E-012	9.8607E-012
RCPTR_27	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4732E-011	1.6712E-011
RCPTR_27	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.6490E-012	5.4873E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.7576E-009	3.7628E-009
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.0261E-010	2.0261E-010
RCPTR_27	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.2148E-013	1.2148E-013
RCPTR_27	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8736E-008	2.8784E-008
RCPTR_27	farmer_child	TOCDFDFS	Thallium (I)	2.3751E-005	2.3988E-005
RCPTR_27	farmer_child	TOCDFDFS	Toluene	1.6378E-013	1.6379E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.4355E-010	1.4357E-010
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.8480E-014	7.8480E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.0001E-013	6.0002E-013
RCPTR_27	farmer_child	TOCDFDFS	Trichloroethylene	9.7572E-014	9.7572E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2823E-014	1.2823E-014
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6274E-008	1.6544E-008
RCPTR_27	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.4208E-009	3.4325E-009
RCPTR_27	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.2208E-012	2.2209E-012
RCPTR_27	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.6066E-011	2.6090E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFDFS	Vinyl Chloride	3.1698E-017	3.1698E-017
RCPTR_27	farmer_child	TOCDFDFS	Xylene, m-	9.3757E-013	9.3757E-013
RCPTR_27	farmer_child	TOCDFDFS	Xylene, o-	9.3254E-013	9.3254E-013
RCPTR_27	farmer_child	TOCDFDFS	Xylene, p-	1.1659E-012	1.1659E-012
RCPTR_27	farmer_child	TOCDFDFS	Zinc	5.5710E-006	5.7919E-006
RCPTR_27	farmer_child	TOCDFLIC	Acenaphthene	2.1003E-009	2.1077E-009
RCPTR_27	farmer_child	TOCDFLIC	Acetone	5.5422E-014	5.5423E-014
RCPTR_27	farmer_child	TOCDFLIC	Acetophenone	1.9933E-011	1.9937E-011
RCPTR_27	farmer_child	TOCDFLIC	Aniline	6.6727E-013	6.6729E-013
RCPTR_27	farmer_child	TOCDFLIC	Anthracene	3.5993E-008	3.7200E-008
RCPTR_27	farmer_child	TOCDFLIC	Antimony	4.8678E-007	4.9625E-007
RCPTR_27	farmer_child	TOCDFLIC	Arsenic	1.4343E-006	1.4385E-006
RCPTR_27	farmer_child	TOCDFLIC	Barium	5.0404E-008	5.1077E-008
RCPTR_27	farmer_child	TOCDFLIC	Benzene	5.0893E-013	5.0893E-013
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.8489E-006	5.4735E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.0621E-005	4.1145E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4600E-005	2.6108E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.2663E-005	6.4667E-005
RCPTR_27	farmer_child	TOCDFLIC	Benzoic acid	8.3342E-011	8.3351E-011
RCPTR_27	farmer_child	TOCDFLIC	Benzyl alcohol	1.5127E-011	1.5134E-011
RCPTR_27	farmer_child	TOCDFLIC	Beryllium	2.4108E-007	2.6690E-007
RCPTR_27	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.5137E-011	1.5143E-011
RCPTR_27	farmer_child	TOCDFLIC	Bromodichloromethane	1.3542E-013	1.3542E-013
RCPTR_27	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.6640E-012	4.6644E-012
RCPTR_27	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.8850E-007	8.1412E-007
RCPTR_27	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5695E-008	2.5708E-008
RCPTR_27	farmer_child	TOCDFLIC	Cadmium	1.8659E-007	1.9961E-007
RCPTR_27	farmer_child	TOCDFLIC	Carbon disulfide	3.0829E-014	3.0829E-014
RCPTR_27	farmer_child	TOCDFLIC	Carbon tetrachloride	4.8678E-014	4.8678E-014
RCPTR_27	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2827E-009	1.2886E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Chloroaniline, p-	7.0295E-011	7.0372E-011
RCPTR_27	farmer_child	TOCDFLIC	Chlorobenzene	2.8491E-013	2.8491E-013
RCPTR_27	farmer_child	TOCDFLIC	Chloroethane	8.0272E-016	8.0272E-016
RCPTR_27	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.3087E-014	4.3087E-014
RCPTR_27	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.4585E-009	5.5031E-009
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.9488E-010	1.9532E-010
RCPTR_27	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.1430E-009	7.1670E-009
RCPTR_27	farmer_child	TOCDFLIC	Chromium	1.0217E-005	1.1615E-005
RCPTR_27	farmer_child	TOCDFLIC	Chromium, hexavalent	8.9555E-006	8.9629E-006
RCPTR_27	farmer_child	TOCDFLIC	Chrysene	1.2537E-005	1.3565E-005
RCPTR_27	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.9776E-008	9.9898E-008
RCPTR_27	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.5894E+002	4.5894E+002
RCPTR_27	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.6724E-004	8.7502E-004
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.9078E-012	8.9081E-012
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.0762E-011	1.0762E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.0357E-011	1.0358E-011
RCPTR_27	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.8672E-008	4.8852E-008
RCPTR_27	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.3873E-017	6.3873E-017
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6077E-014	1.6077E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9972E-014	1.9972E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.0879E-015	6.0879E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.7866E-015	9.7866E-015
RCPTR_27	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.1095E-010	9.1365E-010
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.5083E-014	5.5083E-014
RCPTR_27	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8167E-014	1.8167E-014
RCPTR_27	farmer_child	TOCDFLIC	Diethyl phthalate	5.7996E-008	5.8001E-008
RCPTR_27	farmer_child	TOCDFLIC	Dimethyl phthalate	5.3198E-010	5.3244E-010
RCPTR_27	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.3311E-010	1.3328E-010
RCPTR_27	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	7.6718E-011	7.6727E-011
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.2286E-010	1.2306E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	9.4569E-011	9.4702E-011
RCPTR_27	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.8346E-012	2.8354E-012
RCPTR_27	farmer_child	TOCDFLIC	Ethylbenzene	2.3300E-013	2.3300E-013
RCPTR_27	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.2954E-008	8.3097E-008
RCPTR_27	farmer_child	TOCDFLIC	Fluoranthene	4.6633E-007	5.4227E-007
RCPTR_27	farmer_child	TOCDFLIC	Fluorene	8.2011E-009	8.2893E-009
RCPTR_27	farmer_child	TOCDFLIC	GB	4.7472E-014	4.7484E-014
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.0346E-013	8.5183E-013
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.6512E-013	1.0116E-012
RCPTR_27	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.2977E-012	2.4322E-012
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0191E-011	1.0707E-011
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.7655E-012	6.1391E-012
RCPTR_27	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.9095E-012	5.2742E-012
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.1386E-012	3.4021E-012
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.0746E-012	3.3321E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.5617E-012	3.8575E-012
RCPTR_27	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.5979E-012	2.8144E-012
RCPTR_27	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7505E-010	1.7506E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorobenzene	3.3515E-007	3.5599E-007
RCPTR_27	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.6612E-010	4.6621E-010
RCPTR_27	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0689E-010	1.0691E-010
RCPTR_27	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2815E-003	6.2942E-003
RCPTR_27	farmer_child	TOCDFLIC	Isophorone	2.0269E-011	2.0276E-011
RCPTR_27	farmer_child	TOCDFLIC	Lead	2.7454E-005	3.2132E-005
RCPTR_27	farmer_child	TOCDFLIC	Mercuric chloride	4.5534E-005	8.0289E-005
RCPTR_27	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.1074E-015	1.1074E-015
RCPTR_27	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.0706E-017	9.0706E-017
RCPTR_27	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.2965E-013	3.2965E-013
RCPTR_27	farmer_child	TOCDFLIC	Methyl mercury	5.5551E-007	6.5787E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Methylene chloride	7.0119E-015	7.0119E-015
RCPTR_27	farmer_child	TOCDFLIC	Naphthalene	8.5672E-011	8.5697E-011
RCPTR_27	farmer_child	TOCDFLIC	Nickel	4.6223E-006	4.6829E-006
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.4554E-010	3.4592E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.2269E-011	8.2303E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.0629E-010	1.0635E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitrobenzene	3.4203E-011	3.4222E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.5577E-011	1.5581E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.7449E-010	2.7455E-010
RCPTR_27	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9305E-011	1.9309E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.8978E-011	1.8979E-011
RCPTR_27	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.7079E-012	1.7080E-012
RCPTR_27	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.7812E-012	2.9989E-012
RCPTR_27	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.1445E-013	9.8462E-013
RCPTR_27	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0834E-011	2.2093E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.4277E-012	5.9786E-012
RCPTR_27	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2020E-011	1.3213E-011
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorobenzene	1.3265E-009	1.3271E-009
RCPTR_27	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.2623E-010	5.2626E-010
RCPTR_27	farmer_child	TOCDFLIC	Pentachlorophenol	3.2095E-007	3.2155E-007
RCPTR_27	farmer_child	TOCDFLIC	Phenanthrene	2.6238E-011	2.6238E-011
RCPTR_27	farmer_child	TOCDFLIC	Phenol	2.7101E-011	2.7118E-011
RCPTR_27	farmer_child	TOCDFLIC	Pronamide	2.5812E-009	2.6000E-009
RCPTR_27	farmer_child	TOCDFLIC	Pyrene	7.3794E-007	1.0827E-006
RCPTR_27	farmer_child	TOCDFLIC	Selenium	9.6836E-007	9.6842E-007
RCPTR_27	farmer_child	TOCDFLIC	Silver	3.3749E-007	3.3797E-007
RCPTR_27	farmer_child	TOCDFLIC	Styrene	9.8794E-012	9.8796E-012
RCPTR_27	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.9334E-012	7.8661E-012
RCPTR_27	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.1417E-012	1.0792E-011
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1097E-009	2.1126E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.7676E-011	9.7677E-011
RCPTR_27	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.8524E-014	5.8524E-014
RCPTR_27	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.6330E-008	1.6358E-008
RCPTR_27	farmer_child	TOCDFLIC	Thallium (I)	8.8209E-006	8.9090E-006
RCPTR_27	farmer_child	TOCDFLIC	Toluene	4.5381E-013	4.5381E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.0595E-011	8.0605E-011
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.7810E-014	3.7810E-014
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.8907E-013	2.8907E-013
RCPTR_27	farmer_child	TOCDFLIC	Trichloroethylene	4.7008E-014	4.7008E-014
RCPTR_27	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.1779E-015	6.1779E-015
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	9.1371E-009	9.2888E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9208E-009	1.9273E-009
RCPTR_27	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.0699E-012	1.0700E-012
RCPTR_27	farmer_child	TOCDFLIC	Vinyl Chloride	1.6455E-017	1.6455E-017
RCPTR_27	farmer_child	TOCDFLIC	Xylene, m-	7.9661E-013	7.9662E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFLIC	Xylene, o-	5.0492E-013	5.0492E-013
RCPTR_27	farmer_child	TOCDFLIC	Xylene, p-	9.9334E-013	9.9334E-013
RCPTR_27	farmer_child	TOCDFLIC	Zinc	1.4356E-006	1.4925E-006
RCPTR_27	farmer_child	TOCDFMPF	Acenaphthene	8.9642E-009	8.9959E-009
RCPTR_27	farmer_child	TOCDFMPF	Acetone	2.7805E-014	2.7805E-014
RCPTR_27	farmer_child	TOCDFMPF	Acetophenone	4.7266E-011	4.7276E-011
RCPTR_27	farmer_child	TOCDFMPF	Aniline	2.8480E-012	2.8481E-012
RCPTR_27	farmer_child	TOCDFMPF	Anthracene	1.5362E-007	1.5877E-007
RCPTR_27	farmer_child	TOCDFMPF	Antimony	1.4527E-007	1.4810E-007
RCPTR_27	farmer_child	TOCDFMPF	Arsenic	3.3751E-007	3.3849E-007
RCPTR_27	farmer_child	TOCDFMPF	Barium	4.7377E-008	4.8010E-008
RCPTR_27	farmer_child	TOCDFMPF	Benzene	2.4784E-014	2.4784E-014
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.0699E-005	2.3365E-005
RCPTR_27	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7343E-004	1.7566E-004
RCPTR_27	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0501E-004	1.1145E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.6753E-004	2.7609E-004
RCPTR_27	farmer_child	TOCDFMPF	Benzoic acid	3.3160E-010	3.3164E-010
RCPTR_27	farmer_child	TOCDFMPF	Benzyl alcohol	6.4563E-011	6.4595E-011
RCPTR_27	farmer_child	TOCDFMPF	Beryllium	6.9038E-008	7.6433E-008
RCPTR_27	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.4606E-011	6.4633E-011
RCPTR_27	farmer_child	TOCDFMPF	Bromodichloromethane	2.2075E-013	2.2075E-013
RCPTR_27	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.3286E-012	8.3293E-012
RCPTR_27	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.5118E-006	3.4748E-006
RCPTR_27	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0972E-007	1.0977E-007
RCPTR_27	farmer_child	TOCDFMPF	Cadmium	8.1853E-008	8.7566E-008
RCPTR_27	farmer_child	TOCDFMPF	Carbon disulfide	4.3337E-014	4.3337E-014
RCPTR_27	farmer_child	TOCDFMPF	Carbon tetrachloride	6.8605E-014	6.8605E-014
RCPTR_27	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.4746E-009	5.5001E-009
RCPTR_27	farmer_child	TOCDFMPF	Chloroaniline, p-	3.0003E-010	3.0036E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorobenzene	4.0154E-013	4.0154E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Chloroethane	1.1313E-015	1.1313E-015
RCPTR_27	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.8413E-014	5.8413E-014
RCPTR_27	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.3298E-008	2.3488E-008
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenol, 2-	8.3177E-010	8.3367E-010
RCPTR_27	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.0488E-008	3.0590E-008
RCPTR_27	farmer_child	TOCDFMPF	Chromium	1.9820E-006	2.2532E-006
RCPTR_27	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7373E-006	1.7387E-006
RCPTR_27	farmer_child	TOCDFMPF	Chrysene	5.3518E-005	5.7904E-005
RCPTR_27	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.2588E-007	4.2639E-007
RCPTR_27	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.9588E+003	1.9588E+003
RCPTR_27	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.7028E-003	3.7360E-003
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.8020E-011	3.8021E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.5934E-011	4.5936E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.4207E-011	4.4209E-011
RCPTR_27	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.7181E-007	2.7281E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Dichlorodifluoromethane	9.0019E-017	9.0019E-017
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.2658E-014	2.2658E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8147E-014	2.8147E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.5800E-015	8.5800E-015
RCPTR_27	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.3793E-014	1.3793E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.8881E-009	3.8996E-009
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.7630E-014	7.7631E-014
RCPTR_27	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.5603E-014	2.5603E-014
RCPTR_27	farmer_child	TOCDFMPF	Diethyl phthalate	2.4753E-007	2.4755E-007
RCPTR_27	farmer_child	TOCDFMPF	Dimethyl phthalate	1.9361E-010	1.9378E-010
RCPTR_27	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.6812E-010	5.6884E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.2685E-010	3.2689E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.2440E-010	5.2526E-010
RCPTR_27	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.0364E-010	4.0421E-010
RCPTR_27	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.2099E-011	1.2102E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Ethylbenzene	2.4629E-013	2.4629E-013
RCPTR_27	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.1957E-008	9.2115E-008
RCPTR_27	farmer_child	TOCDFMPF	Fluoranthene	1.9904E-006	2.3145E-006
RCPTR_27	farmer_child	TOCDFMPF	Fluorene	3.5004E-008	3.5380E-008
RCPTR_27	farmer_child	TOCDFMPF	GB	6.7610E-014	6.7627E-014
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6945E-012	1.7965E-012
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.4853E-011	6.7976E-011
RCPTR_27	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0675E-011	1.1300E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.3316E-011	2.4495E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2550E-011	1.3364E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1663E-011	1.2529E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.7164E-010	5.1125E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1506E-010	1.2470E-010
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9993E-011	2.1654E-011
RCPTR_27	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4274E-011	1.5464E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.4713E-010	7.4721E-010
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorobenzene	1.4305E-006	1.5194E-006
RCPTR_27	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.9895E-009	1.9899E-009
RCPTR_27	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.5621E-010	4.5629E-010
RCPTR_27	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6813E-002	2.6867E-002
RCPTR_27	farmer_child	TOCDFMPF	Isophorone	8.6510E-011	8.6542E-011
RCPTR_27	farmer_child	TOCDFMPF	Lead	2.1705E-008	2.5403E-008
RCPTR_27	farmer_child	TOCDFMPF	Mercuric chloride	5.1619E-007	9.1011E-007
RCPTR_27	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.3298E-015	1.3298E-015
RCPTR_27	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.7570E-017	4.7570E-017
RCPTR_27	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.1147E-013	3.1147E-013
RCPTR_27	farmer_child	TOCDFMPF	Methyl mercury	6.3008E-009	7.4610E-009
RCPTR_27	farmer_child	TOCDFMPF	Methylene chloride	7.7869E-015	7.7870E-015
RCPTR_27	farmer_child	TOCDFMPF	Naphthalene	3.6566E-010	3.6577E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Nickel	3.6348E-006	3.6825E-006
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.4722E-009	1.4738E-009
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.5050E-010	3.5065E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.5286E-010	4.5310E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitrobenzene	1.4598E-010	1.4606E-010
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.6487E-011	6.6504E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.1694E-009	1.1697E-009
RCPTR_27	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.2399E-011	8.2413E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	8.1000E-011	8.1007E-011
RCPTR_27	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.2898E-012	7.2902E-012
RCPTR_27	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.1384E-012	4.4623E-012
RCPTR_27	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.7608E-012	6.2030E-012
RCPTR_27	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.2375E-011	8.7351E-011
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.0531E-011	6.6675E-011
RCPTR_27	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9567E-010	2.1509E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorobenzene	5.6622E-009	5.6645E-009
RCPTR_27	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2421E-009	2.2423E-009
RCPTR_27	farmer_child	TOCDFMPF	Pentachlorophenol	1.3674E-006	1.3699E-006
RCPTR_27	farmer_child	TOCDFMPF	Phenanthrene	1.1199E-010	1.1199E-010
RCPTR_27	farmer_child	TOCDFMPF	Phenol	1.1567E-010	1.1574E-010
RCPTR_27	farmer_child	TOCDFMPF	Pronamide	1.1017E-008	1.1097E-008
RCPTR_27	farmer_child	TOCDFMPF	Pyrene	3.1497E-006	4.6213E-006
RCPTR_27	farmer_child	TOCDFMPF	Selenium	2.8405E-007	2.8407E-007
RCPTR_27	farmer_child	TOCDFMPF	Silver	1.3543E-006	1.3562E-006
RCPTR_27	farmer_child	TOCDFMPF	Styrene	1.0576E-011	1.0577E-011
RCPTR_27	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9695E-011	2.2344E-011
RCPTR_27	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.7490E-011	4.4259E-011
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.0045E-009	9.0170E-009
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3766E-010	1.3766E-010
RCPTR_27	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8279E-013	1.8279E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.9572E-008	6.9689E-008
RCPTR_27	farmer_child	TOCDFMPF	Thallium (I)	2.6098E-006	2.6359E-006
RCPTR_27	farmer_child	TOCDFMPF	Toluene	1.2725E-013	1.2725E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.4399E-010	3.4404E-010
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.3287E-014	5.3287E-014
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.0740E-013	4.0740E-013
RCPTR_27	farmer_child	TOCDFMPF	Trichloroethylene	6.6250E-014	6.6251E-014
RCPTR_27	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	8.7069E-015	8.7069E-015
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.8999E-008	3.9646E-008
RCPTR_27	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.1983E-009	8.2262E-009
RCPTR_27	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.5079E-012	1.5080E-012
RCPTR_27	farmer_child	TOCDFMPF	Vinyl Chloride	2.1522E-017	2.1522E-017
RCPTR_27	farmer_child	TOCDFMPF	Xylene, m-	6.3010E-013	6.3010E-013
RCPTR_27	farmer_child	TOCDFMPF	Xylene, o-	6.2767E-013	6.2767E-013
RCPTR_27	farmer_child	TOCDFMPF	Xylene, p-	7.8558E-013	7.8558E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDFMPF	Zinc	8.8111E-007	9.1604E-007
RCPTR_27	farmer_child	TOCDHVAC	GB	4.0000E-013	4.0010E-013
RCPTR_27	farmer_child	TOCDLIC2	Acenaphthene	4.3342E-009	4.3495E-009
RCPTR_27	farmer_child	TOCDLIC2	Acetone	5.4846E-014	5.4846E-014
RCPTR_27	farmer_child	TOCDLIC2	Acetophenone	2.2853E-011	2.2858E-011
RCPTR_27	farmer_child	TOCDLIC2	Aniline	1.3770E-012	1.3770E-012
RCPTR_27	farmer_child	TOCDLIC2	Anthracene	7.4276E-008	7.6766E-008
RCPTR_27	farmer_child	TOCDLIC2	Antimony	6.4763E-007	6.6023E-007
RCPTR_27	farmer_child	TOCDLIC2	Arsenic	1.4343E-006	1.4385E-006
RCPTR_27	farmer_child	TOCDLIC2	Barium	4.8571E-007	4.9220E-007
RCPTR_27	farmer_child	TOCDLIC2	Benzene	3.6625E-014	3.6625E-014
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0006E-005	1.1295E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.3827E-005	8.4907E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.0765E-005	5.3878E-005
RCPTR_27	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2931E-004	1.3345E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Benzoic acid	1.6033E-010	1.6034E-010
RCPTR_27	farmer_child	TOCDLIC2	Benzyl alcohol	3.1216E-011	3.1232E-011
RCPTR_27	farmer_child	TOCDLIC2	Beryllium	2.4108E-007	2.6690E-007
RCPTR_27	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.1237E-011	3.1249E-011
RCPTR_27	farmer_child	TOCDLIC2	Bromodichloromethane	4.1465E-013	4.1465E-013
RCPTR_27	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0814E-011	1.0815E-011
RCPTR_27	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.2145E-006	1.6800E-006
RCPTR_27	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.3025E-008	5.3052E-008
RCPTR_27	farmer_child	TOCDLIC2	Cadmium	2.1202E-008	2.2682E-008
RCPTR_27	farmer_child	TOCDLIC2	Carbon disulfide	4.6720E-014	4.6720E-014
RCPTR_27	farmer_child	TOCDLIC2	Carbon tetrachloride	7.4087E-014	7.4087E-014
RCPTR_27	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.6469E-009	2.6593E-009
RCPTR_27	farmer_child	TOCDLIC2	Chloroaniline, p-	1.4506E-010	1.4522E-010
RCPTR_27	farmer_child	TOCDLIC2	Chlorobenzene	4.3363E-013	4.3363E-013
RCPTR_27	farmer_child	TOCDLIC2	Chloroethane	1.2217E-015	1.2217E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.3303E-013	1.3303E-013
RCPTR_27	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.1264E-008	1.1356E-008
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.0215E-010	4.0307E-010
RCPTR_27	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4741E-008	1.4790E-008
RCPTR_27	farmer_child	TOCDLIC2	Chromium	1.0217E-005	1.1615E-005
RCPTR_27	farmer_child	TOCDLIC2	Chromium, hexavalent	8.9555E-006	8.9629E-006
RCPTR_27	farmer_child	TOCDLIC2	Chrysene	2.5873E-005	2.7993E-005
RCPTR_27	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0590E-007	2.0615E-007
RCPTR_27	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.4709E+002	9.4709E+002
RCPTR_27	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.7897E-003	1.8057E-003
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.8382E-011	1.8383E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.2209E-011	2.2210E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.1374E-011	2.1375E-011
RCPTR_27	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1705E-007	1.1748E-007
RCPTR_27	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.7212E-017	9.7212E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.4469E-014	2.4469E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0397E-014	3.0397E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	9.2656E-015	9.2656E-015
RCPTR_27	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.4895E-014	1.4895E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.8799E-009	1.8854E-009
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	8.3834E-014	8.3834E-014
RCPTR_27	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.7649E-014	2.7649E-014
RCPTR_27	farmer_child	TOCDLIC2	Diethyl phthalate	1.1968E-007	1.1969E-007
RCPTR_27	farmer_child	TOCDLIC2	Dimethyl phthalate	6.5157E-010	6.5214E-010
RCPTR_27	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.7468E-010	2.7503E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.5873E-010	1.5875E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.5354E-010	2.5396E-010
RCPTR_27	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.9516E-010	1.9543E-010
RCPTR_27	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.8496E-012	5.8511E-012
RCPTR_27	farmer_child	TOCDLIC2	Ethylbenzene	3.0164E-013	3.0164E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.5541E-008	5.5637E-008
RCPTR_27	farmer_child	TOCDLIC2	Fluoranthene	9.6233E-007	1.1190E-006
RCPTR_27	farmer_child	TOCDLIC2	Fluorene	1.6924E-008	1.7106E-008
RCPTR_27	farmer_child	TOCDLIC2	GB	4.9352E-014	4.9364E-014
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.6394E-012	5.9789E-012
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.2717E-012	5.5254E-012
RCPTR_27	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.0148E-012	5.3084E-012
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.5300E-011	1.6073E-011
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0875E-011	1.1580E-011
RCPTR_27	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0468E-011	1.1245E-011
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0100E-011	1.0948E-011
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.0884E-012	6.5983E-012
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.4362E-012	5.8878E-012
RCPTR_27	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.2246E-012	6.7434E-012
RCPTR_27	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.6123E-010	3.6127E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorobenzene	6.9162E-007	7.3463E-007
RCPTR_27	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	9.6190E-010	9.6209E-010
RCPTR_27	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.2058E-010	2.2061E-010
RCPTR_27	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_27	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2963E-002	1.2989E-002
RCPTR_27	farmer_child	TOCDLIC2	Isophorone	4.1827E-011	4.1843E-011
RCPTR_27	farmer_child	TOCDLIC2	Lead	1.9794E-006	2.3167E-006
RCPTR_27	farmer_child	TOCDLIC2	Mercuric chloride	4.5534E-005	8.0289E-005
RCPTR_27	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.4484E-015	1.4484E-015
RCPTR_27	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.7738E-017	5.7738E-017
RCPTR_27	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.2491E-013	3.2491E-013
RCPTR_27	farmer_child	TOCDLIC2	Methyl mercury	5.5551E-007	6.5787E-007
RCPTR_27	farmer_child	TOCDLIC2	Methylene chloride	2.5507E-014	2.5507E-014
RCPTR_27	farmer_child	TOCDLIC2	Naphthalene	1.7680E-010	1.7685E-010
RCPTR_27	farmer_child	TOCDLIC2	Nickel	1.6067E-006	1.6278E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 2-	7.1492E-010	7.1570E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.7021E-010	1.7028E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.1992E-010	2.2004E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitrobenzene	7.0582E-011	7.0622E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.2146E-011	3.2154E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.6791E-010	5.6804E-010
RCPTR_27	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.9839E-011	3.9846E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.9163E-011	3.9167E-011
RCPTR_27	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.5245E-012	3.5247E-012
RCPTR_27	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.3386E-012	1.0069E-011
RCPTR_27	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.0930E-012	3.3303E-012
RCPTR_27	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.8959E-011	4.1312E-011
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1485E-011	1.2651E-011
RCPTR_27	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1989E-011	3.5163E-011
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorobenzene	2.7375E-009	2.7386E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0888E-009	1.0888E-009
RCPTR_27	farmer_child	TOCDLIC2	Pentachlorophenol	6.6404E-007	6.6528E-007
RCPTR_27	farmer_child	TOCDLIC2	Phenanthrene	5.4145E-011	5.4146E-011
RCPTR_27	farmer_child	TOCDLIC2	Phenol	5.9130E-011	5.9167E-011
RCPTR_27	farmer_child	TOCDLIC2	Pronamide	5.3267E-009	5.3655E-009
RCPTR_27	farmer_child	TOCDLIC2	Pyrene	1.5228E-006	2.2344E-006
RCPTR_27	farmer_child	TOCDLIC2	Selenium	9.6836E-007	9.6842E-007
RCPTR_27	farmer_child	TOCDLIC2	Silver	3.3749E-007	3.3797E-007
RCPTR_27	farmer_child	TOCDLIC2	Styrene	8.2763E-012	8.2765E-012
RCPTR_27	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0099E-011	2.2803E-011
RCPTR_27	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6375E-011	1.9332E-011
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.3536E-009	4.3597E-009
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4866E-010	1.4866E-010
RCPTR_27	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.9072E-014	8.9072E-014
RCPTR_27	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.3786E-008	3.3843E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_27	farmer_child	TOCDLIC2	Thallium (I)	8.8209E-006	8.9090E-006
RCPTR_27	farmer_child	TOCDLIC2	Toluene	4.7770E-013	4.7770E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.6632E-010	1.6634E-010
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	5.7545E-014	5.7545E-014
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.3995E-013	4.3996E-013
RCPTR_27	farmer_child	TOCDLIC2	Trichloroethylene	7.1544E-014	7.1544E-014
RCPTR_27	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.4026E-015	9.4026E-015
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.8856E-008	1.9169E-008
RCPTR_27	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.9639E-009	3.9773E-009
RCPTR_27	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.6284E-012	1.6285E-012
RCPTR_27	farmer_child	TOCDLIC2	Vinyl Chloride	2.7464E-017	2.7464E-017
RCPTR_27	farmer_child	TOCDLIC2	Xylene, m-	9.2477E-013	9.2477E-013
RCPTR_27	farmer_child	TOCDLIC2	Xylene, o-	6.7745E-013	6.7745E-013
RCPTR_27	farmer_child	TOCDLIC2	Xylene, p-	1.1531E-012	1.1531E-012
RCPTR_27	farmer_child	TOCDLIC2	Zinc	1.7141E-006	1.7820E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFBRA	Antimony	2.7764E-006	3.1803E-006
RCPTR_28	farmer_adult	TOCDFBRA	Arsenic	4.6289E-006	4.7713E-006
RCPTR_28	farmer_adult	TOCDFBRA	Barium	3.8301E-007	4.2373E-007
RCPTR_28	farmer_adult	TOCDFBRA	Beryllium	1.3088E-006	1.4775E-006
RCPTR_28	farmer_adult	TOCDFBRA	Cadmium	2.1673E-007	2.9668E-007
RCPTR_28	farmer_adult	TOCDFBRA	Chromium	3.5209E-005	3.6042E-005
RCPTR_28	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.7465E-005	2.7826E-005
RCPTR_28	farmer_adult	TOCDFBRA	Lead	1.4019E-005	1.6701E-005
RCPTR_28	farmer_adult	TOCDFBRA	Mercuric chloride	2.6808E-003	2.9485E-003
RCPTR_28	farmer_adult	TOCDFBRA	Methyl mercury	2.4509E-005	2.5906E-005
RCPTR_28	farmer_adult	TOCDFBRA	Nickel	1.5168E-005	1.6148E-005
RCPTR_28	farmer_adult	TOCDFBRA	Selenium	5.2090E-006	5.2303E-006
RCPTR_28	farmer_adult	TOCDFBRA	Silver	1.7451E-006	1.8377E-006
RCPTR_28	farmer_adult	TOCDFBRA	Thallium (I)	4.7222E-005	4.9335E-005
RCPTR_28	farmer_adult	TOCDFBRA	Zinc	8.0202E-006	9.8617E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Acenaphthene	8.0357E-010	4.0329E-009
RCPTR_28	farmer_adult	TOCDFDFS	Acetone	9.6397E-015	5.0266E-014
RCPTR_28	farmer_adult	TOCDFDFS	Acetophenone	4.2759E-012	2.2253E-011
RCPTR_28	farmer_adult	TOCDFDFS	Aniline	2.4643E-013	1.2768E-012
RCPTR_28	farmer_adult	TOCDFDFS	Anthracene	1.4234E-008	7.1178E-008
RCPTR_28	farmer_adult	TOCDFDFS	Antimony	2.7500E-005	3.1492E-005
RCPTR_28	farmer_adult	TOCDFDFS	Aroclor 1254	3.2116E-010	5.1820E-010
RCPTR_28	farmer_adult	TOCDFDFS	Arsenic	2.5924E-006	2.6720E-006
RCPTR_28	farmer_adult	TOCDFDFS	Barium	7.5428E-008	8.3427E-008
RCPTR_28	farmer_adult	TOCDFDFS	Benzene	8.0482E-015	4.1604E-014
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)anthracene	7.0324E-006	1.0462E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.5190E-005	7.8442E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.1298E-005	4.9936E-005
RCPTR_28	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.1712E-004	1.2331E-004
RCPTR_28	farmer_adult	TOCDFDFS	Benzoic acid	3.6031E-011	1.4870E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Benzyl alcohol	5.5696E-012	2.8958E-011
RCPTR_28	farmer_adult	TOCDFDFS	Beryllium	7.0936E-007	8.0063E-007
RCPTR_28	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.5568E-012	2.8975E-011
RCPTR_28	farmer_adult	TOCDFDFS	Bromodichloromethane	6.2985E-014	3.2791E-013
RCPTR_28	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5019E-012	1.3032E-011
RCPTR_28	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.1373E-007	1.5577E-006
RCPTR_28	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.3285E-008	4.8860E-008
RCPTR_28	farmer_adult	TOCDFDFS	Cadmium	5.9132E-007	8.0899E-007
RCPTR_28	farmer_adult	TOCDFDFS	Carbon disulfide	4.1924E-015	2.1741E-014
RCPTR_28	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.1015E-014	1.0855E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.7901E-010	2.4666E-009
RCPTR_28	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.6027E-011	1.3465E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorobenzene	1.2371E-013	6.3532E-013
RCPTR_28	farmer_adult	TOCDFDFS	Chloroethane	3.6200E-016	1.7900E-015
RCPTR_28	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.8873E-014	9.8211E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.0811E-009	1.0530E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.1721E-011	3.7373E-010
RCPTR_28	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.7949E-009	1.3714E-008
RCPTR_28	farmer_adult	TOCDFDFS	Chromium	1.0251E-005	1.0494E-005
RCPTR_28	farmer_adult	TOCDFDFS	Chromium, hexavalent	8.0008E-006	8.1056E-006
RCPTR_28	farmer_adult	TOCDFDFS	Chrysene	2.1414E-005	2.5949E-005
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.6997E-007	1.9144E-007
RCPTR_28	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.8125E+002	8.8125E+002
RCPTR_28	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.6672E-003	1.7038E-003
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.4823E-012	1.7045E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.1162E-012	2.0593E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.9376E-012	1.9819E-011
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.5182E-007	1.8016E-007
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.7534E-017	1.4243E-016
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.8865E-015	3.5849E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.5514E-015	4.4535E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.6161E-015	1.3575E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2074E-015	2.1823E-014
RCPTR_28	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.8950E-010	1.7493E-009
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.3772E-014	1.2283E-013
RCPTR_28	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.7906E-015	4.0509E-014
RCPTR_28	farmer_adult	TOCDFDFS	Diethyl phthalate	1.0768E-007	1.1135E-007
RCPTR_28	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1427E-010	5.6466E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.9649E-011	2.5502E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.4686E-011	1.4524E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.9301E-011	2.3544E-010
RCPTR_28	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.7047E-011	1.8120E-010
RCPTR_28	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0408E-012	5.4252E-012
RCPTR_28	farmer_adult	TOCDFDFS	Ethylbenzene	7.9914E-014	3.8968E-013
RCPTR_28	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.3959E-009	4.9877E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Fluoranthene	3.2183E-007	1.0376E-006
RCPTR_28	farmer_adult	TOCDFDFS	Fluorene	3.2397E-009	1.5861E-008
RCPTR_28	farmer_adult	TOCDFDFS	GB	2.8062E-014	1.4596E-013
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3515E-012	1.4543E-012
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.1728E-013	7.6074E-013
RCPTR_28	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.3855E-012	2.5622E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3693E-011	1.4565E-011
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.1940E-012	7.7873E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.1264E-012	6.7083E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.7968E-012	5.3157E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.2741E-012	4.7343E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.7482E-012	6.3624E-012
RCPTR_28	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.9507E-012	4.3744E-012
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.4083E-011	3.3494E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4609E-007	6.8117E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.0072E-009	4.4152E-009
RCPTR_28	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.0760E-011	2.0456E-010
RCPTR_28	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2072E-002	1.2140E-002
RCPTR_28	farmer_adult	TOCDFDFS	Isophorone	7.4562E-012	3.8797E-011
RCPTR_28	farmer_adult	TOCDFDFS	Lead	8.2218E-005	9.7919E-005
RCPTR_28	farmer_adult	TOCDFDFS	Mercuric chloride	9.4775E-007	1.0444E-006
RCPTR_28	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.2829E-016	3.7950E-015
RCPTR_28	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2342E-016	6.4250E-016
RCPTR_28	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.4699E-014	3.3733E-013
RCPTR_28	farmer_adult	TOCDFDFS	Methyl mercury	7.9764E-009	8.4811E-009
RCPTR_28	farmer_adult	TOCDFDFS	Methylene chloride	1.8727E-015	9.7518E-015
RCPTR_28	farmer_adult	TOCDFDFS	Naphthalene	3.2109E-011	1.6397E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nickel	8.8367E-006	9.4064E-006
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2643E-010	6.5409E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.9918E-011	1.5562E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.8723E-011	2.0109E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitrobenzene	1.2567E-011	6.5481E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.7291E-012	2.9814E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.9371E-010	5.1997E-010
RCPTR_28	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.1409E-012	3.6946E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.0467E-012	3.6316E-011
RCPTR_28	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.5739E-013	3.2672E-012
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.3503E-012	3.6851E-012
RCPTR_28	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1503E-012	1.2628E-012
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4601E-011	3.7291E-011
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8043E-012	3.1764E-012
RCPTR_28	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1145E-011	1.2585E-011
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.1014E-010	2.5368E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.4926E-010	9.9394E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Pentachlorophenol	4.7006E-007	6.0953E-007
RCPTR_28	farmer_adult	TOCDFDFS	Phenanthrene	1.0097E-011	5.0206E-011
RCPTR_28	farmer_adult	TOCDFDFS	Phenol	1.0011E-011	5.1889E-011
RCPTR_28	farmer_adult	TOCDFDFS	Pronamide	2.0405E-009	9.9503E-009
RCPTR_28	farmer_adult	TOCDFDFS	Pyrene	5.4086E-007	2.0718E-006
RCPTR_28	farmer_adult	TOCDFDFS	Selenium	2.9174E-006	2.9293E-006
RCPTR_28	farmer_adult	TOCDFDFS	Silver	9.9286E-007	1.0454E-006
RCPTR_28	farmer_adult	TOCDFDFS	Styrene	2.0472E-012	1.0593E-011
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5061E-011	1.7773E-011
RCPTR_28	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.7012E-012	5.8581E-012
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.8435E-010	4.0427E-009
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8122E-010	2.1841E-010
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.5210E-014	1.3050E-013
RCPTR_28	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4001E-008	3.0963E-008
RCPTR_28	farmer_adult	TOCDFDFS	Thallium (I)	2.5600E-005	2.6743E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFDFS	Toluene	3.4501E-014	1.7595E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.1897E-011	1.5424E-010
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.6244E-014	8.4310E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.2390E-013	6.4459E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichloroethylene	2.0243E-014	1.0482E-013
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.6590E-015	1.3776E-014
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.9761E-009	1.7776E-008
RCPTR_28	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0788E-009	3.6894E-009
RCPTR_28	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.5917E-013	2.3859E-012
RCPTR_28	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.7471E-012	2.8007E-011
RCPTR_28	farmer_adult	TOCDFDFS	Vinyl Chloride	6.5519E-018	3.4052E-017
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, m-	5.7236E-013	9.8388E-013
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, o-	5.1286E-013	9.8199E-013
RCPTR_28	farmer_adult	TOCDFDFS	Xylene, p-	5.9256E-013	1.2308E-012
RCPTR_28	farmer_adult	TOCDFDFS	Zinc	5.2495E-006	6.4521E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Acenaphthene	4.5588E-010	2.2880E-009
RCPTR_28	farmer_adult	TOCDFLIC	Acetone	1.1538E-014	6.0166E-014
RCPTR_28	farmer_adult	TOCDFLIC	Acetophenone	4.1588E-012	2.1644E-011
RCPTR_28	farmer_adult	TOCDFLIC	Aniline	1.3981E-013	7.2440E-013
RCPTR_28	farmer_adult	TOCDFLIC	Anthracene	8.0744E-009	4.0382E-008
RCPTR_28	farmer_adult	TOCDFLIC	Antimony	4.8816E-007	5.5901E-007
RCPTR_28	farmer_adult	TOCDFLIC	Arsenic	1.5730E-006	1.6213E-006
RCPTR_28	farmer_adult	TOCDFLIC	Barium	5.2030E-008	5.7546E-008
RCPTR_28	farmer_adult	TOCDFLIC	Benzene	1.0688E-013	5.5249E-013
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.9801E-006	5.9248E-006
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.2473E-005	4.4302E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3387E-005	2.8283E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.6188E-005	6.9653E-005
RCPTR_28	farmer_adult	TOCDFLIC	Benzoic acid	2.1933E-011	9.0507E-011
RCPTR_28	farmer_adult	TOCDFLIC	Benzyl alcohol	3.1599E-012	1.6430E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Beryllium	2.6632E-007	3.0058E-007
RCPTR_28	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.1526E-012	1.6439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Bromodichloromethane	2.8238E-014	1.4701E-013
RCPTR_28	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	9.7212E-013	5.0636E-012
RCPTR_28	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.7799E-007	8.8378E-007
RCPTR_28	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.4367E-008	2.7530E-008
RCPTR_28	farmer_adult	TOCDFLIC	Cadmium	1.6423E-007	2.2467E-007
RCPTR_28	farmer_adult	TOCDFLIC	Carbon disulfide	6.4537E-015	3.3468E-014
RCPTR_28	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0231E-014	5.2845E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.8538E-010	1.3996E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.4767E-011	7.6395E-011
RCPTR_28	farmer_adult	TOCDFLIC	Chlorobenzene	6.0226E-014	3.0930E-013
RCPTR_28	farmer_adult	TOCDFLIC	Chloroethane	1.7625E-016	8.7147E-016
RCPTR_28	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.9888E-015	4.6775E-014
RCPTR_28	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.1807E-009	5.9741E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.0691E-011	2.1204E-010
RCPTR_28	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1516E-009	7.7790E-009
RCPTR_28	farmer_adult	TOCDFLIC	Chromium	1.2777E-005	1.3079E-005
RCPTR_28	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.9723E-006	1.0103E-005
RCPTR_28	farmer_adult	TOCDFLIC	Chrysene	1.2130E-005	1.4700E-005
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.6404E-008	1.0858E-007
RCPTR_28	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.0050E+002	5.0050E+002
RCPTR_28	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.4086E-004	9.6103E-004
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.9757E-012	9.6707E-012
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.3353E-012	1.1684E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.2340E-012	1.1244E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.4436E-008	5.2755E-008
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3404E-017	6.9338E-017
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.3526E-015	1.7453E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1632E-015	2.1681E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.2736E-015	6.6090E-015
RCPTR_28	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.0484E-015	1.0624E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.3463E-010	9.9262E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.1573E-014	5.9797E-014
RCPTR_28	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.7927E-015	1.9721E-014
RCPTR_28	farmer_adult	TOCDFLIC	Diethyl phthalate	6.1153E-008	6.3237E-008
RCPTR_28	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1695E-010	5.7797E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.8169E-011	1.4468E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.2893E-011	8.3399E-011
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.7953E-011	1.3356E-010
RCPTR_28	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.1015E-011	1.0280E-010
RCPTR_28	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.9048E-013	3.0780E-012
RCPTR_28	farmer_adult	TOCDFLIC	Ethylbenzene	5.1871E-014	2.5295E-013
RCPTR_28	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.8225E-008	8.8844E-008
RCPTR_28	farmer_adult	TOCDFLIC	Fluoranthene	1.8245E-007	5.8853E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Fluorene	1.8379E-009	8.9986E-009
RCPTR_28	farmer_adult	TOCDFLIC	GB	9.9110E-015	5.1548E-014
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.3349E-013	8.9638E-013
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0136E-012	1.0744E-012
RCPTR_28	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.3883E-012	2.5638E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0713E-011	1.1389E-011
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.9744E-012	6.4638E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.0364E-012	5.5126E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.2129E-012	3.5598E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.1503E-012	3.4888E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.6543E-012	4.0440E-012
RCPTR_28	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.6636E-012	2.9487E-012
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.2007E-011	1.9001E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.2874E-008	3.8645E-007
RCPTR_28	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.1535E-010	5.0596E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.3126E-011	1.1606E-010
RCPTR_28	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8420E-003	6.8797E-003
RCPTR_28	farmer_adult	TOCDFLIC	Isophorone	4.2303E-012	2.2012E-011
RCPTR_28	farmer_adult	TOCDFLIC	Lead	3.0371E-005	3.6169E-005
RCPTR_28	farmer_adult	TOCDFLIC	Mercuric chloride	7.8600E-005	8.6636E-005
RCPTR_28	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.3070E-016	1.2021E-015
RCPTR_28	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.8916E-017	9.8468E-017
RCPTR_28	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.8636E-014	3.5786E-013
RCPTR_28	farmer_adult	TOCDFLIC	Methyl mercury	6.5576E-007	6.9771E-007
RCPTR_28	farmer_adult	TOCDFLIC	Methylene chloride	1.4617E-015	7.6120E-015
RCPTR_28	farmer_adult	TOCDFLIC	Naphthalene	1.8217E-011	9.3031E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nickel	4.9576E-006	5.2771E-006
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.2586E-011	3.7553E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.7176E-011	8.9347E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.2231E-011	1.1545E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitrobenzene	7.1301E-012	3.7151E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.2504E-012	1.6915E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6876E-010	2.9867E-010
RCPTR_28	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.0514E-012	2.0961E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.9980E-012	2.0604E-011
RCPTR_28	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.7248E-013	1.8532E-012
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.8343E-012	3.1166E-012
RCPTR_28	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.3212E-013	1.0230E-012
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.2015E-011	2.3719E-011
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.6617E-012	6.4127E-012
RCPTR_28	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2480E-011	1.4092E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.4488E-010	1.4380E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4251E-010	5.7005E-010
RCPTR_28	farmer_adult	TOCDFLIC	Pentachlorophenol	2.7013E-007	3.5021E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Phenanthrene	5.7284E-012	2.8484E-011
RCPTR_28	farmer_adult	TOCDFLIC	Phenol	5.6800E-012	2.9439E-011
RCPTR_28	farmer_adult	TOCDFLIC	Pronamide	5.7884E-010	2.8227E-009
RCPTR_28	farmer_adult	TOCDFLIC	Pyrene	3.0680E-007	1.1753E-006
RCPTR_28	farmer_adult	TOCDFLIC	Selenium	1.0872E-006	1.0917E-006
RCPTR_28	farmer_adult	TOCDFLIC	Silver	3.6174E-007	3.8088E-007
RCPTR_28	farmer_adult	TOCDFLIC	Styrene	2.0726E-012	1.0725E-011
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.1637E-012	8.4547E-012
RCPTR_28	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.3425E-012	1.1645E-011
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.0175E-010	2.2936E-009
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.8314E-011	1.0642E-010
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2273E-014	6.3532E-014
RCPTR_28	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.0437E-009	1.7782E-008
RCPTR_28	farmer_adult	TOCDFLIC	Thallium (I)	9.6113E-006	1.0040E-005
RCPTR_28	farmer_adult	TOCDFLIC	Toluene	9.6600E-014	4.9266E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.8096E-011	8.7504E-011
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.9081E-015	4.1046E-014
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.0318E-014	3.1381E-013
RCPTR_28	farmer_adult	TOCDFLIC	Trichloroethylene	9.8549E-015	5.1031E-014
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.2945E-015	6.7067E-015
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.2563E-009	1.0086E-008
RCPTR_28	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.1233E-010	2.0934E-009
RCPTR_28	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.2354E-013	1.1616E-012
RCPTR_28	farmer_adult	TOCDFLIC	Vinyl Chloride	3.4368E-018	1.7863E-017
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, m-	4.8750E-013	8.4470E-013
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, o-	2.7820E-013	5.3728E-013
RCPTR_28	farmer_adult	TOCDFLIC	Xylene, p-	5.0568E-013	1.0596E-012
RCPTR_28	farmer_adult	TOCDFLIC	Zinc	1.3675E-006	1.6807E-006
RCPTR_28	farmer_adult	TOCDFMPF	Acenaphthene	1.9469E-009	9.7713E-009
RCPTR_28	farmer_adult	TOCDFMPF	Acetone	5.7920E-015	3.0202E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Acetophenone	9.8669E-012	5.1351E-011
RCPTR_28	farmer_adult	TOCDFMPF	Aniline	5.9708E-013	3.0936E-012
RCPTR_28	farmer_adult	TOCDFMPF	Anthracene	3.4483E-008	1.7246E-007
RCPTR_28	farmer_adult	TOCDFMPF	Antimony	1.4564E-007	1.6678E-007
RCPTR_28	farmer_adult	TOCDFMPF	Arsenic	3.7004E-007	3.8139E-007
RCPTR_28	farmer_adult	TOCDFMPF	Barium	4.8890E-008	5.4074E-008
RCPTR_28	farmer_adult	TOCDFMPF	Benzene	5.2077E-015	2.6921E-014
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.6999E-005	2.5304E-005
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.8141E-004	1.8922E-004
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	9.9888E-005	1.2080E-004
RCPTR_28	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.8270E-004	2.9750E-004
RCPTR_28	farmer_adult	TOCDFMPF	Benzoic acid	8.7319E-011	3.6032E-010
RCPTR_28	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3495E-011	7.0164E-011
RCPTR_28	farmer_adult	TOCDFMPF	Beryllium	7.6244E-008	8.6052E-008
RCPTR_28	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3464E-011	7.0204E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Bromodichloromethane	4.6058E-014	2.3978E-013
RCPTR_28	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.7369E-012	9.0473E-012
RCPTR_28	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.6011E-007	3.7743E-006
RCPTR_28	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.0409E-007	1.1759E-007
RCPTR_28	farmer_adult	TOCDFMPF	Cadmium	7.2023E-008	9.8530E-008
RCPTR_28	farmer_adult	TOCDFMPF	Carbon disulfide	9.0773E-015	4.7073E-014
RCPTR_28	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.4427E-014	7.4519E-014
RCPTR_28	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.6458E-009	5.9771E-009
RCPTR_28	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.3063E-011	3.2626E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chlorobenzene	8.4928E-014	4.3616E-013
RCPTR_28	farmer_adult	TOCDFMPF	Chloroethane	2.4854E-016	1.2289E-015
RCPTR_28	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.2193E-014	6.3449E-014
RCPTR_28	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.0423E-009	2.5513E-008
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.7378E-010	9.0554E-010
RCPTR_28	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.1892E-009	3.3222E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Chromium	2.4778E-006	2.5364E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.9339E-006	1.9593E-006
RCPTR_28	farmer_adult	TOCDFMPF	Chrysene	5.1807E-005	6.2781E-005
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.1173E-007	4.6375E-007
RCPTR_28	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.1375E+003	2.1375E+003
RCPTR_28	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.0189E-003	4.1051E-003
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.4373E-012	4.1300E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	9.9732E-012	4.9896E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.5404E-012	4.8020E-011
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.4827E-007	2.9475E-007
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.8901E-017	9.7777E-017
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.7277E-015	2.4611E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8707E-015	3.0574E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.7960E-015	9.3197E-015
RCPTR_28	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.8885E-015	1.4982E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.4291E-009	4.2391E-009
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.6320E-014	8.4323E-014
RCPTR_28	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.3483E-015	2.7810E-014
RCPTR_28	farmer_adult	TOCDFMPF	Diethyl phthalate	2.6117E-007	2.7007E-007
RCPTR_28	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.2589E-011	2.1047E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2030E-010	6.1789E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.8286E-010	3.5553E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1938E-010	5.7039E-010
RCPTR_28	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.9747E-011	4.3903E-010
RCPTR_28	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.5217E-012	1.3145E-011
RCPTR_28	farmer_adult	TOCDFMPF	Ethylbenzene	5.4860E-014	2.6752E-013
RCPTR_28	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	8.6743E-008	9.8515E-008
RCPTR_28	farmer_adult	TOCDFMPF	Fluoranthene	7.7922E-007	2.5134E-006
RCPTR_28	farmer_adult	TOCDFMPF	Fluorene	7.8491E-009	3.8430E-008
RCPTR_28	farmer_adult	TOCDFMPF	GB	1.4124E-014	7.3457E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7579E-012	1.8905E-012
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.8124E-011	7.2210E-011
RCPTR_28	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1097E-011	1.1912E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4514E-011	2.6061E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3005E-011	1.4071E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1963E-011	1.3094E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.8278E-010	5.3490E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1789E-010	1.3055E-010
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.0513E-011	2.2700E-011
RCPTR_28	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4635E-011	1.6201E-011
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7940E-010	8.1145E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.5393E-007	1.6504E-006
RCPTR_28	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.9263E-010	2.1608E-009
RCPTR_28	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.8763E-011	4.9565E-010
RCPTR_28	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.9222E-002	2.9383E-002
RCPTR_28	farmer_adult	TOCDFMPF	Isophorone	1.8066E-011	9.4003E-011
RCPTR_28	farmer_adult	TOCDFMPF	Lead	2.4004E-008	2.8586E-008
RCPTR_28	farmer_adult	TOCDFMPF	Mercuric chloride	8.9139E-007	9.8252E-007
RCPTR_28	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.7721E-016	1.4445E-015
RCPTR_28	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	9.9258E-018	5.1670E-017
RCPTR_28	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.4888E-014	3.3832E-013
RCPTR_28	farmer_adult	TOCDFMPF	Methyl mercury	7.4382E-009	7.9140E-009
RCPTR_28	farmer_adult	TOCDFMPF	Methylene chloride	1.6242E-015	8.4583E-015
RCPTR_28	farmer_adult	TOCDFMPF	Naphthalene	7.7798E-011	3.9730E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nickel	3.8973E-006	4.1484E-006
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.0943E-010	1.6008E-009
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.3221E-011	3.8087E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.4766E-011	4.9215E-010
RCPTR_28	farmer_adult	TOCDFMPF	Nitrobenzene	3.0450E-011	1.5866E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.3881E-011	7.2237E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrophenol, 4-	7.1944E-010	1.2732E-009
RCPTR_28	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7302E-011	8.9518E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7074E-011	8.7992E-011
RCPTR_28	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.5908E-012	7.9143E-012
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.2166E-012	4.6366E-012
RCPTR_28	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.8711E-012	6.4436E-012
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.7078E-011	9.3815E-011
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.3163E-011	7.1542E-011
RCPTR_28	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0321E-010	2.2945E-010
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.4730E-009	6.1411E-009
RCPTR_28	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.0755E-010	2.4301E-009
RCPTR_28	farmer_adult	TOCDFMPF	Pentachlorophenol	1.1516E-006	1.4929E-006
RCPTR_28	farmer_adult	TOCDFMPF	Phenanthrene	2.4464E-011	1.2164E-010
RCPTR_28	farmer_adult	TOCDFMPF	Phenol	2.4257E-011	1.2572E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Pronamide	2.4720E-009	1.2055E-008
RCPTR_28	farmer_adult	TOCDFMPF	Pyrene	1.3102E-006	5.0195E-006
RCPTR_28	farmer_adult	TOCDFMPF	Selenium	3.1882E-007	3.2012E-007
RCPTR_28	farmer_adult	TOCDFMPF	Silver	1.4511E-006	1.5279E-006
RCPTR_28	farmer_adult	TOCDFMPF	Styrene	2.2201E-012	1.1488E-011
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.0357E-011	2.4026E-011
RCPTR_28	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.8331E-011	4.7776E-011
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.1428E-009	9.7952E-009
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.2454E-010	1.5007E-010
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.8353E-014	1.9854E-013
RCPTR_28	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.4290E-008	7.5803E-008
RCPTR_28	farmer_adult	TOCDFMPF	Thallium (I)	2.8428E-006	2.9697E-006
RCPTR_28	farmer_adult	TOCDFMPF	Toluene	2.7102E-014	1.3822E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.7280E-011	3.7370E-010
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1152E-014	5.7881E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.5058E-014	4.4253E-013
RCPTR_28	farmer_adult	TOCDFMPF	Trichloroethylene	1.3897E-014	7.1962E-014
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.8254E-015	9.4575E-015
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.6357E-009	4.3071E-008
RCPTR_28	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.6151E-009	8.9403E-009
RCPTR_28	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.1523E-013	1.6380E-012
RCPTR_28	farmer_adult	TOCDFMPF	Vinyl Chloride	4.4978E-018	2.3377E-017
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, m-	3.8573E-013	6.6824E-013
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, o-	3.4596E-013	6.6804E-013
RCPTR_28	farmer_adult	TOCDFMPF	Xylene, p-	4.0009E-013	8.3823E-013
RCPTR_28	farmer_adult	TOCDFMPF	Zinc	8.3905E-007	1.0312E-006
RCPTR_28	farmer_adult	TOCDHVAC	GB	6.0739E-014	3.1593E-013
RCPTR_28	farmer_adult	TOCDLIC2	Acenaphthene	9.4077E-010	4.7217E-009
RCPTR_28	farmer_adult	TOCDLIC2	Acetone	1.1418E-014	5.9540E-014
RCPTR_28	farmer_adult	TOCDLIC2	Acetophenone	4.7679E-012	2.4814E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Aniline	2.8852E-013	1.4949E-012
RCPTR_28	farmer_adult	TOCDLIC2	Anthracene	1.6663E-008	8.3333E-008
RCPTR_28	farmer_adult	TOCDLIC2	Antimony	6.4946E-007	7.4373E-007
RCPTR_28	farmer_adult	TOCDLIC2	Arsenic	1.5730E-006	1.6213E-006
RCPTR_28	farmer_adult	TOCDLIC2	Barium	5.0138E-007	5.5454E-007
RCPTR_28	farmer_adult	TOCDLIC2	Benzene	7.6913E-015	3.9760E-014
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)anthracene	8.2135E-006	1.2227E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(a)pyrene	8.7648E-005	9.1422E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.8263E-005	5.8366E-005
RCPTR_28	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.3659E-004	1.4374E-004
RCPTR_28	farmer_adult	TOCDLIC2	Benzoic acid	4.2194E-011	1.7411E-010
RCPTR_28	farmer_adult	TOCDLIC2	Benzyl alcohol	6.5209E-012	3.3905E-011
RCPTR_28	farmer_adult	TOCDLIC2	Beryllium	2.6632E-007	3.0058E-007
RCPTR_28	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.5059E-012	3.3924E-011
RCPTR_28	farmer_adult	TOCDLIC2	Bromodichloromethane	8.6463E-014	4.5014E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.2539E-012	1.1740E-011
RCPTR_28	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.6730E-007	1.8238E-006
RCPTR_28	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.0286E-008	5.6812E-008
RCPTR_28	farmer_adult	TOCDLIC2	Cadmium	1.8661E-008	2.5529E-008
RCPTR_28	farmer_adult	TOCDLIC2	Carbon disulfide	9.7803E-015	5.0719E-014
RCPTR_28	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5571E-014	8.0428E-014
RCPTR_28	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.9528E-010	2.8882E-009
RCPTR_28	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.0473E-011	1.5765E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chlorobenzene	9.1661E-014	4.7074E-013
RCPTR_28	farmer_adult	TOCDLIC2	Chloroethane	2.6825E-016	1.3264E-015
RCPTR_28	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.7754E-014	1.4442E-013
RCPTR_28	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.4365E-009	1.2328E-008
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.3972E-011	4.3757E-010
RCPTR_28	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4402E-009	1.6053E-008
RCPTR_28	farmer_adult	TOCDLIC2	Chromium	1.2777E-005	1.3079E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.9723E-006	1.0103E-005
RCPTR_28	farmer_adult	TOCDLIC2	Chrysene	2.5032E-005	3.0334E-005
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.9894E-007	2.2408E-007
RCPTR_28	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.0328E+003	1.0328E+003
RCPTR_28	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.9416E-003	1.9832E-003
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.0770E-012	1.9957E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.8192E-012	2.4111E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.6101E-012	2.3204E-011
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.0686E-007	1.2686E-007
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.0400E-017	1.0553E-016
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.1025E-015	2.6563E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.3362E-015	3.2998E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.9384E-015	1.0059E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.1175E-015	1.6170E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.9055E-010	2.0484E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.7614E-014	9.1009E-014
RCPTR_28	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.7724E-015	3.0015E-014
RCPTR_28	farmer_adult	TOCDLIC2	Diethyl phthalate	1.2620E-007	1.3050E-007
RCPTR_28	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4324E-010	7.0790E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.8131E-011	2.9858E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.8745E-011	1.7255E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.7686E-011	2.7562E-010
RCPTR_28	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.3367E-011	2.1215E-010
RCPTR_28	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.2185E-012	6.3519E-012
RCPTR_28	farmer_adult	TOCDLIC2	Ethylbenzene	6.7151E-014	3.2746E-013
RCPTR_28	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.2375E-008	5.9484E-008
RCPTR_28	farmer_adult	TOCDLIC2	Fluoranthene	3.7652E-007	1.2145E-006
RCPTR_28	farmer_adult	TOCDLIC2	Fluorene	3.7928E-009	1.8570E-008
RCPTR_28	farmer_adult	TOCDLIC2	GB	1.0304E-014	5.3589E-014
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.8502E-012	6.2916E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.5365E-012	5.8685E-012
RCPTR_28	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2126E-012	5.5956E-012
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6082E-011	1.7097E-011
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1269E-011	1.2192E-011
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0738E-011	1.1753E-011
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0339E-011	1.1455E-011
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.2381E-012	6.9084E-012
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.5777E-012	6.1725E-012
RCPTR_28	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.3822E-012	7.0653E-012
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.6688E-011	3.9211E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.7102E-007	7.9749E-007
RCPTR_28	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.3804E-010	1.0441E-009
RCPTR_28	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.7724E-011	2.3951E-010
RCPTR_28	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4119E-002	1.4197E-002

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Isophorone	8.7299E-012	4.5424E-011
RCPTR_28	farmer_adult	TOCDLIC2	Lead	2.1897E-006	2.6078E-006
RCPTR_28	farmer_adult	TOCDLIC2	Mercuric chloride	7.8600E-005	8.6636E-005
RCPTR_28	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.0176E-016	1.5724E-015
RCPTR_28	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2040E-017	6.2679E-017
RCPTR_28	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.7651E-014	3.5272E-013
RCPTR_28	farmer_adult	TOCDLIC2	Methyl mercury	6.5576E-007	6.9771E-007
RCPTR_28	farmer_adult	TOCDLIC2	Methylene chloride	5.3173E-015	2.7690E-014
RCPTR_28	farmer_adult	TOCDLIC2	Naphthalene	3.7593E-011	1.9198E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nickel	1.7233E-006	1.8344E-006
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.5018E-010	7.7696E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.5537E-011	1.8486E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.5994E-011	2.3886E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitrobenzene	1.4714E-011	7.6666E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.7077E-012	3.4906E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.4916E-010	6.1793E-010
RCPTR_28	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.3607E-012	4.3257E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.2504E-012	4.2519E-011
RCPTR_28	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.6867E-013	3.8243E-012
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.5168E-012	1.0465E-011
RCPTR_28	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.1527E-012	3.4602E-012
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.1167E-011	4.4352E-011
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1980E-011	1.3569E-011
RCPTR_28	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.3213E-011	3.7502E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.1171E-010	2.9674E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.9485E-010	1.1794E-009
RCPTR_28	farmer_adult	TOCDLIC2	Pentachlorophenol	5.5890E-007	7.2456E-007
RCPTR_28	farmer_adult	TOCDLIC2	Phenanthrene	1.1821E-011	5.8781E-011
RCPTR_28	farmer_adult	TOCDLIC2	Phenol	1.2393E-011	6.4231E-011
RCPTR_28	farmer_adult	TOCDLIC2	Pronamide	1.1945E-009	5.8250E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Pyrene	6.3312E-007	2.4255E-006
RCPTR_28	farmer_adult	TOCDLIC2	Selenium	1.0872E-006	1.0917E-006
RCPTR_28	farmer_adult	TOCDLIC2	Silver	3.6174E-007	3.8088E-007
RCPTR_28	farmer_adult	TOCDLIC2	Styrene	1.7363E-012	8.9849E-012
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.0767E-011	2.4509E-011
RCPTR_28	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6734E-011	2.0859E-011
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0354E-009	4.7332E-009
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.3441E-010	1.6196E-010
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.8679E-014	9.6694E-014
RCPTR_28	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6642E-008	3.6790E-008
RCPTR_28	farmer_adult	TOCDLIC2	Thallium (I)	9.6113E-006	1.0040E-005
RCPTR_28	farmer_adult	TOCDLIC2	Toluene	1.0168E-013	5.1859E-013
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.7343E-011	1.8058E-010
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2036E-014	6.2470E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	9.1803E-014	4.7761E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_adult	TOCDLIC2	Trichloroethylene	1.4999E-014	7.7668E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.9702E-015	1.0207E-014
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.6561E-009	2.0813E-008
RCPTR_28	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2636E-009	4.3201E-009
RCPTR_28	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.4022E-013	1.7678E-012
RCPTR_28	farmer_adult	TOCDLIC2	Vinyl Chloride	5.7363E-018	2.9814E-017
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, m-	5.6593E-013	9.8059E-013
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, o-	3.7325E-013	7.2086E-013
RCPTR_28	farmer_adult	TOCDLIC2	Xylene, p-	5.8703E-013	1.2301E-012
RCPTR_28	farmer_adult	TOCDLIC2	Zinc	1.6328E-006	2.0067E-006
RCPTR_28	farmer_child	TOCDFBRA	Antimony	3.1197E-006	3.1803E-006
RCPTR_28	farmer_child	TOCDFBRA	Arsenic	4.7575E-006	4.7713E-006
RCPTR_28	farmer_child	TOCDFBRA	Barium	4.1816E-007	4.2373E-007
RCPTR_28	farmer_child	TOCDFBRA	Beryllium	1.3348E-006	1.4775E-006
RCPTR_28	farmer_child	TOCDFBRA	Cadmium	2.7735E-007	2.9668E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFBRA	Chromium	3.1711E-005	3.6042E-005
RCPTR_28	farmer_child	TOCDFBRA	Chromium, hexavalent	2.7803E-005	2.7826E-005
RCPTR_28	farmer_child	TOCDFBRA	Lead	1.4273E-005	1.6701E-005
RCPTR_28	farmer_child	TOCDFBRA	Mercuric chloride	1.6944E-003	2.9485E-003
RCPTR_28	farmer_child	TOCDFBRA	Methyl mercury	2.2213E-005	2.5906E-005
RCPTR_28	farmer_child	TOCDFBRA	Nickel	1.5939E-005	1.6148E-005
RCPTR_28	farmer_child	TOCDFBRA	Selenium	5.2300E-006	5.2303E-006
RCPTR_28	farmer_child	TOCDFBRA	Silver	1.8351E-006	1.8377E-006
RCPTR_28	farmer_child	TOCDFBRA	Thallium (I)	4.8848E-005	4.9335E-005
RCPTR_28	farmer_child	TOCDFBRA	Zinc	9.4862E-006	9.8617E-006
RCPTR_28	farmer_child	TOCDFDFS	Acenaphthene	4.0187E-009	4.0329E-009
RCPTR_28	farmer_child	TOCDFDFS	Acetone	5.0266E-014	5.0266E-014
RCPTR_28	farmer_child	TOCDFDFS	Acetophenone	2.2249E-011	2.2253E-011
RCPTR_28	farmer_child	TOCDFDFS	Aniline	1.2768E-012	1.2768E-012
RCPTR_28	farmer_child	TOCDFDFS	Anthracene	6.8869E-008	7.1178E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Antimony	3.0893E-005	3.1492E-005
RCPTR_28	farmer_child	TOCDFDFS	Aroclor 1254	5.1541E-010	5.1820E-010
RCPTR_28	farmer_child	TOCDFDFS	Arsenic	2.6642E-006	2.6720E-006
RCPTR_28	farmer_child	TOCDFDFS	Barium	8.2333E-008	8.3427E-008
RCPTR_28	farmer_child	TOCDFDFS	Benzene	4.1604E-014	4.1604E-014
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.2683E-006	1.0462E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.7451E-005	7.8442E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.7054E-005	4.9936E-005
RCPTR_28	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1954E-004	1.2331E-004
RCPTR_28	farmer_child	TOCDFDFS	Benzoic acid	1.4869E-010	1.4870E-010
RCPTR_28	farmer_child	TOCDFDFS	Benzyl alcohol	2.8944E-011	2.8958E-011
RCPTR_28	farmer_child	TOCDFDFS	Beryllium	7.2344E-007	8.0063E-007
RCPTR_28	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.8963E-011	2.8975E-011
RCPTR_28	farmer_child	TOCDFDFS	Bromodichloromethane	3.2791E-013	3.2791E-013
RCPTR_28	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3031E-011	1.3032E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1260E-006	1.5577E-006
RCPTR_28	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.8836E-008	4.8860E-008
RCPTR_28	farmer_child	TOCDFDFS	Cadmium	7.5636E-007	8.0899E-007
RCPTR_28	farmer_child	TOCDFDFS	Carbon disulfide	2.1741E-014	2.1741E-014
RCPTR_28	farmer_child	TOCDFDFS	Carbon tetrachloride	1.0855E-013	1.0855E-013
RCPTR_28	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.4552E-009	2.4666E-009
RCPTR_28	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3450E-010	1.3465E-010
RCPTR_28	farmer_child	TOCDFDFS	Chlorobenzene	6.3532E-013	6.3532E-013
RCPTR_28	farmer_child	TOCDFDFS	Chloroethane	1.7900E-015	1.7900E-015
RCPTR_28	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.8211E-014	9.8211E-014
RCPTR_28	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0444E-008	1.0530E-008
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.7288E-010	3.7373E-010
RCPTR_28	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.3668E-008	1.3714E-008
RCPTR_28	farmer_child	TOCDFDFS	Chromium	9.2349E-006	1.0494E-005
RCPTR_28	farmer_child	TOCDFDFS	Chromium, hexavalent	8.0989E-006	8.1056E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Chrysene	2.3987E-005	2.5949E-005
RCPTR_28	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.9121E-007	1.9144E-007
RCPTR_28	farmer_child	TOCDFDFS	Di-n-octylphthalate	8.8125E+002	8.8125E+002
RCPTR_28	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.6880E-003	1.7038E-003
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7045E-011	1.7045E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.0593E-011	2.0593E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.9818E-011	1.9819E-011
RCPTR_28	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.7950E-007	1.8016E-007
RCPTR_28	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.4243E-016	1.4243E-016
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.5849E-014	3.5849E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4535E-014	4.4535E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.3575E-014	1.3575E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.1823E-014	2.1823E-014
RCPTR_28	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.7441E-009	1.7493E-009
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.2283E-013	1.2283E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.0509E-014	4.0509E-014
RCPTR_28	farmer_child	TOCDFDFS	Diethyl phthalate	1.1134E-007	1.1135E-007
RCPTR_28	farmer_child	TOCDFDFS	Dimethyl phthalate	5.6417E-010	5.6466E-010
RCPTR_28	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.5469E-010	2.5502E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4522E-010	1.4524E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.3506E-010	2.3544E-010
RCPTR_28	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8095E-010	1.8120E-010
RCPTR_28	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.4238E-012	5.4252E-012
RCPTR_28	farmer_child	TOCDFDFS	Ethylbenzene	3.8968E-013	3.8968E-013
RCPTR_28	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.9790E-009	4.9877E-009
RCPTR_28	farmer_child	TOCDFDFS	Fluoranthene	8.9229E-007	1.0376E-006
RCPTR_28	farmer_child	TOCDFDFS	Fluorene	1.5692E-008	1.5861E-008
RCPTR_28	farmer_child	TOCDFDFS	GB	1.4592E-013	1.4596E-013
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.3726E-012	1.4543E-012
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.2629E-013	7.6074E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.4221E-012	2.5622E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.3873E-011	1.4565E-011
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.3179E-012	7.7873E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.2478E-012	6.7083E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.9056E-012	5.3157E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.3700E-012	4.7343E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.8766E-012	6.3624E-012
RCPTR_28	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.0392E-012	4.3744E-012
RCPTR_28	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.3491E-010	3.3494E-010
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorobenzene	6.4129E-007	6.8117E-007
RCPTR_28	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.4143E-009	4.4152E-009
RCPTR_28	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.0453E-010	2.0456E-010
RCPTR_28	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2114E-002	1.2140E-002
RCPTR_28	farmer_child	TOCDFDFS	Isophorone	3.8782E-011	3.8797E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Lead	8.3707E-005	9.7919E-005
RCPTR_28	farmer_child	TOCDFDFS	Mercuric chloride	5.9135E-007	1.0444E-006
RCPTR_28	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.7950E-015	3.7950E-015
RCPTR_28	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.4250E-016	6.4250E-016
RCPTR_28	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.3733E-013	3.3733E-013
RCPTR_28	farmer_child	TOCDFDFS	Methyl mercury	7.1467E-009	8.4811E-009
RCPTR_28	farmer_child	TOCDFDFS	Methylene chloride	9.7518E-015	9.7518E-015
RCPTR_28	farmer_child	TOCDFDFS	Naphthalene	1.6393E-010	1.6397E-010
RCPTR_28	farmer_child	TOCDFDFS	Nickel	9.2851E-006	9.4064E-006
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.5337E-010	6.5409E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.5556E-010	1.5562E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.0098E-010	2.0109E-010
RCPTR_28	farmer_child	TOCDFDFS	Nitrobenzene	6.5445E-011	6.5481E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.9806E-011	2.9814E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.1985E-010	5.1997E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.6940E-011	3.6946E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.6313E-011	3.6316E-011
RCPTR_28	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.2671E-012	3.2672E-012
RCPTR_28	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.4192E-012	3.6851E-012
RCPTR_28	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.1734E-012	1.2628E-012
RCPTR_28	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.5183E-011	3.7291E-011
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8843E-012	3.1764E-012
RCPTR_28	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1451E-011	1.2585E-011
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorobenzene	2.5357E-009	2.5368E-009
RCPTR_28	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.9388E-010	9.9394E-010
RCPTR_28	farmer_child	TOCDFDFS	Pentachlorophenol	6.0840E-007	6.0953E-007
RCPTR_28	farmer_child	TOCDFDFS	Phenanthrene	5.0205E-011	5.0206E-011
RCPTR_28	farmer_child	TOCDFDFS	Phenol	5.1856E-011	5.1889E-011
RCPTR_28	farmer_child	TOCDFDFS	Pronamide	9.8783E-009	9.9503E-009
RCPTR_28	farmer_child	TOCDFDFS	Pyrene	1.4121E-006	2.0718E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Selenium	2.9291E-006	2.9293E-006
RCPTR_28	farmer_child	TOCDFDFS	Silver	1.0439E-006	1.0454E-006
RCPTR_28	farmer_child	TOCDFDFS	Styrene	1.0593E-011	1.0593E-011
RCPTR_28	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5666E-011	1.7773E-011
RCPTR_28	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.9622E-012	5.8581E-012
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.0371E-009	4.0427E-009
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.1841E-010	2.1841E-010
RCPTR_28	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3050E-013	1.3050E-013
RCPTR_28	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.0911E-008	3.0963E-008
RCPTR_28	farmer_child	TOCDFDFS	Thallium (I)	2.6480E-005	2.6743E-005
RCPTR_28	farmer_child	TOCDFDFS	Toluene	1.7595E-013	1.7595E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.5422E-010	1.5424E-010
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.4310E-014	8.4310E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.4459E-013	6.4459E-013
RCPTR_28	farmer_child	TOCDFDFS	Trichloroethylene	1.0482E-013	1.0482E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3776E-014	1.3776E-014
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7486E-008	1.7776E-008
RCPTR_28	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.6769E-009	3.6894E-009
RCPTR_28	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.3858E-012	2.3859E-012
RCPTR_28	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.7981E-011	2.8007E-011
RCPTR_28	farmer_child	TOCDFDFS	Vinyl Chloride	3.4052E-017	3.4052E-017
RCPTR_28	farmer_child	TOCDFDFS	Xylene, m-	9.8387E-013	9.8388E-013
RCPTR_28	farmer_child	TOCDFDFS	Xylene, o-	9.8199E-013	9.8199E-013
RCPTR_28	farmer_child	TOCDFDFS	Xylene, p-	1.2308E-012	1.2308E-012
RCPTR_28	farmer_child	TOCDFDFS	Zinc	6.2069E-006	6.4521E-006
RCPTR_28	farmer_child	TOCDFLIC	Acenaphthene	2.2800E-009	2.2880E-009
RCPTR_28	farmer_child	TOCDFLIC	Acetone	6.0166E-014	6.0166E-014
RCPTR_28	farmer_child	TOCDFLIC	Acetophenone	2.1639E-011	2.1644E-011
RCPTR_28	farmer_child	TOCDFLIC	Aniline	7.2438E-013	7.2440E-013
RCPTR_28	farmer_child	TOCDFLIC	Anthracene	3.9072E-008	4.0382E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Antimony	5.4838E-007	5.5901E-007
RCPTR_28	farmer_child	TOCDFLIC	Arsenic	1.6166E-006	1.6213E-006
RCPTR_28	farmer_child	TOCDFLIC	Barium	5.6791E-008	5.7546E-008
RCPTR_28	farmer_child	TOCDFLIC	Benzene	5.5249E-013	5.5249E-013
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.2478E-006	5.9248E-006
RCPTR_28	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.3744E-005	4.4302E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.6650E-005	2.8283E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.7540E-005	6.9653E-005
RCPTR_28	farmer_child	TOCDFLIC	Benzoic acid	9.0498E-011	9.0507E-011
RCPTR_28	farmer_child	TOCDFLIC	Benzyl alcohol	1.6421E-011	1.6430E-011
RCPTR_28	farmer_child	TOCDFLIC	Beryllium	2.7160E-007	3.0058E-007
RCPTR_28	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.6432E-011	1.6439E-011
RCPTR_28	farmer_child	TOCDFLIC	Bromodichloromethane	1.4701E-013	1.4701E-013
RCPTR_28	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.0632E-012	5.0636E-012
RCPTR_28	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.3885E-007	8.8378E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.7516E-008	2.7530E-008
RCPTR_28	farmer_child	TOCDFLIC	Cadmium	2.1006E-007	2.2467E-007
RCPTR_28	farmer_child	TOCDFLIC	Carbon disulfide	3.3468E-014	3.3468E-014
RCPTR_28	farmer_child	TOCDFLIC	Carbon tetrachloride	5.2845E-014	5.2845E-014
RCPTR_28	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3931E-009	1.3996E-009
RCPTR_28	farmer_child	TOCDFLIC	Chloroaniline, p-	7.6312E-011	7.6395E-011
RCPTR_28	farmer_child	TOCDFLIC	Chlorobenzene	3.0930E-013	3.0930E-013
RCPTR_28	farmer_child	TOCDFLIC	Chloroethane	8.7147E-016	8.7147E-016
RCPTR_28	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.6775E-014	4.6775E-014
RCPTR_28	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.9257E-009	5.9741E-009
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.1156E-010	2.1204E-010
RCPTR_28	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.7530E-009	7.7790E-009
RCPTR_28	farmer_child	TOCDFLIC	Chromium	1.1510E-005	1.3079E-005
RCPTR_28	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0095E-005	1.0103E-005
RCPTR_28	farmer_child	TOCDFLIC	Chrysene	1.3588E-005	1.4700E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0845E-007	1.0858E-007
RCPTR_28	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.0050E+002	5.0050E+002
RCPTR_28	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.5231E-004	9.6103E-004
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	9.6704E-012	9.6707E-012
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.1683E-011	1.1684E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.1244E-011	1.1244E-011
RCPTR_28	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.2560E-008	5.2755E-008
RCPTR_28	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.9338E-017	6.9338E-017
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.7453E-014	1.7453E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1681E-014	2.1681E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.6090E-015	6.6090E-015
RCPTR_28	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0624E-014	1.0624E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.8970E-010	9.9262E-010
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.9797E-014	5.9797E-014
RCPTR_28	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9721E-014	1.9721E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Diethyl phthalate	6.3232E-008	6.3237E-008
RCPTR_28	farmer_child	TOCDFLIC	Dimethyl phthalate	5.7747E-010	5.7797E-010
RCPTR_28	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.4450E-010	1.4468E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.3389E-011	8.3399E-011
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.3334E-010	1.3356E-010
RCPTR_28	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.0266E-010	1.0280E-010
RCPTR_28	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.0772E-012	3.0780E-012
RCPTR_28	farmer_child	TOCDFLIC	Ethylbenzene	2.5295E-013	2.5295E-013
RCPTR_28	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.8689E-008	8.8844E-008
RCPTR_28	farmer_child	TOCDFLIC	Fluoranthene	5.0609E-007	5.8853E-007
RCPTR_28	farmer_child	TOCDFLIC	Fluorene	8.9030E-009	8.9986E-009
RCPTR_28	farmer_child	TOCDFLIC	GB	5.1535E-014	5.1548E-014
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	8.4640E-013	8.9638E-013
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0262E-012	1.0744E-012
RCPTR_28	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.4246E-012	2.5638E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.0852E-011	1.1389E-011
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.0765E-012	6.4638E-012
RCPTR_28	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.1358E-012	5.5126E-012
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.2857E-012	3.5598E-012
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.2208E-012	3.4888E-012
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.7358E-012	4.0440E-012
RCPTR_28	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.7232E-012	2.9487E-012
RCPTR_28	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8999E-010	1.9001E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorobenzene	3.6382E-007	3.8645E-007
RCPTR_28	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.0586E-010	5.0596E-010
RCPTR_28	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1604E-010	1.1606E-010
RCPTR_28	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8654E-003	6.8797E-003
RCPTR_28	farmer_child	TOCDFLIC	Isophorone	2.2003E-011	2.2012E-011
RCPTR_28	farmer_child	TOCDFLIC	Lead	3.0921E-005	3.6169E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Mercuric chloride	4.8978E-005	8.6636E-005
RCPTR_28	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.2021E-015	1.2021E-015
RCPTR_28	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.8468E-017	9.8468E-017
RCPTR_28	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.5786E-013	3.5786E-013
RCPTR_28	farmer_child	TOCDFLIC	Methyl mercury	5.8680E-007	6.9771E-007
RCPTR_28	farmer_child	TOCDFLIC	Methylene chloride	7.6120E-015	7.6120E-015
RCPTR_28	farmer_child	TOCDFLIC	Naphthalene	9.3005E-011	9.3031E-011
RCPTR_28	farmer_child	TOCDFLIC	Nickel	5.2091E-006	5.2771E-006
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.7512E-010	3.7553E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.9310E-011	8.9347E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.1539E-010	1.1545E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitrobenzene	3.7130E-011	3.7151E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.6911E-011	1.6915E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.9860E-010	2.9867E-010
RCPTR_28	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0958E-011	2.0961E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.0602E-011	2.0604E-011
RCPTR_28	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.8531E-012	1.8532E-012
RCPTR_28	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.8924E-012	3.1166E-012
RCPTR_28	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	9.5074E-013	1.0230E-012
RCPTR_28	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.2383E-011	2.3719E-011
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.8232E-012	6.4127E-012
RCPTR_28	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.2823E-011	1.4092E-011
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorobenzene	1.4374E-009	1.4380E-009
RCPTR_28	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.7002E-010	5.7005E-010
RCPTR_28	farmer_child	TOCDFLIC	Pentachlorophenol	3.4956E-007	3.5021E-007
RCPTR_28	farmer_child	TOCDFLIC	Phenanthrene	2.8483E-011	2.8484E-011
RCPTR_28	farmer_child	TOCDFLIC	Phenol	2.9421E-011	2.9439E-011
RCPTR_28	farmer_child	TOCDFLIC	Pronamide	2.8022E-009	2.8227E-009
RCPTR_28	farmer_child	TOCDFLIC	Pyrene	8.0106E-007	1.1753E-006
RCPTR_28	farmer_child	TOCDFLIC	Selenium	1.0916E-006	1.0917E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Silver	3.8034E-007	3.8088E-007
RCPTR_28	farmer_child	TOCDFLIC	Styrene	1.0725E-011	1.0725E-011
RCPTR_28	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.4517E-012	8.4547E-012
RCPTR_28	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.8619E-012	1.1645E-011
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2905E-009	2.2936E-009
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.0642E-010	1.0642E-010
RCPTR_28	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.3532E-014	6.3532E-014
RCPTR_28	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.7752E-008	1.7782E-008
RCPTR_28	farmer_child	TOCDFLIC	Thallium (I)	9.9415E-006	1.0040E-005
RCPTR_28	farmer_child	TOCDFLIC	Toluene	4.9266E-013	4.9266E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.7493E-011	8.7504E-011
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.1046E-014	4.1046E-014
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.1381E-013	3.1381E-013
RCPTR_28	farmer_child	TOCDFLIC	Trichloroethylene	5.1031E-014	5.1031E-014
RCPTR_28	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.7067E-015	6.7067E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	9.9209E-009	1.0086E-008
RCPTR_28	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0864E-009	2.0934E-009
RCPTR_28	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.1615E-012	1.1616E-012
RCPTR_28	farmer_child	TOCDFLIC	Vinyl Chloride	1.7863E-017	1.7863E-017
RCPTR_28	farmer_child	TOCDFLIC	Xylene, m-	8.4470E-013	8.4470E-013
RCPTR_28	farmer_child	TOCDFLIC	Xylene, o-	5.3728E-013	5.3728E-013
RCPTR_28	farmer_child	TOCDFLIC	Xylene, p-	1.0596E-012	1.0596E-012
RCPTR_28	farmer_child	TOCDFLIC	Zinc	1.6168E-006	1.6807E-006
RCPTR_28	farmer_child	TOCDFMPF	Acenaphthene	9.7369E-009	9.7713E-009
RCPTR_28	farmer_child	TOCDFMPF	Acetone	3.0202E-014	3.0202E-014
RCPTR_28	farmer_child	TOCDFMPF	Acetophenone	5.1340E-011	5.1351E-011
RCPTR_28	farmer_child	TOCDFMPF	Aniline	3.0936E-012	3.0936E-012
RCPTR_28	farmer_child	TOCDFMPF	Anthracene	1.6686E-007	1.7246E-007
RCPTR_28	farmer_child	TOCDFMPF	Antimony	1.6361E-007	1.6678E-007
RCPTR_28	farmer_child	TOCDFMPF	Arsenic	3.8029E-007	3.8139E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Barium	5.3365E-008	5.4074E-008
RCPTR_28	farmer_child	TOCDFMPF	Benzene	2.6921E-014	2.6921E-014
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2413E-005	2.5304E-005
RCPTR_28	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.8684E-004	1.8922E-004
RCPTR_28	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1382E-004	1.2080E-004
RCPTR_28	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.8848E-004	2.9750E-004
RCPTR_28	farmer_child	TOCDFMPF	Benzoic acid	3.6028E-010	3.6032E-010
RCPTR_28	farmer_child	TOCDFMPF	Benzyl alcohol	7.0129E-011	7.0164E-011
RCPTR_28	farmer_child	TOCDFMPF	Beryllium	7.7757E-008	8.6052E-008
RCPTR_28	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.0175E-011	7.0204E-011
RCPTR_28	farmer_child	TOCDFMPF	Bromodichloromethane	2.3978E-013	2.3978E-013
RCPTR_28	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.0466E-012	9.0473E-012
RCPTR_28	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.7283E-006	3.7743E-006
RCPTR_28	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.1753E-007	1.1759E-007
RCPTR_28	farmer_child	TOCDFMPF	Cadmium	9.2121E-008	9.8530E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Carbon disulfide	4.7073E-014	4.7073E-014
RCPTR_28	farmer_child	TOCDFMPF	Carbon tetrachloride	7.4519E-014	7.4519E-014
RCPTR_28	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.9493E-009	5.9771E-009
RCPTR_28	farmer_child	TOCDFMPF	Chloroaniline, p-	3.2590E-010	3.2626E-010
RCPTR_28	farmer_child	TOCDFMPF	Chlorobenzene	4.3616E-013	4.3616E-013
RCPTR_28	farmer_child	TOCDFMPF	Chloroethane	1.2289E-015	1.2289E-015
RCPTR_28	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.3449E-014	6.3449E-014
RCPTR_28	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.5306E-008	2.5513E-008
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.0347E-010	9.0554E-010
RCPTR_28	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.3110E-008	3.3222E-008
RCPTR_28	farmer_child	TOCDFMPF	Chromium	2.2322E-006	2.5364E-006
RCPTR_28	farmer_child	TOCDFMPF	Chromium, hexavalent	1.9577E-006	1.9593E-006
RCPTR_28	farmer_child	TOCDFMPF	Chrysene	5.8033E-005	6.2781E-005
RCPTR_28	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.6318E-007	4.6375E-007
RCPTR_28	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.1375E+003	2.1375E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.0678E-003	4.1051E-003
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.1299E-011	4.1300E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.9895E-011	4.9896E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.8019E-011	4.8020E-011
RCPTR_28	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.9366E-007	2.9475E-007
RCPTR_28	farmer_child	TOCDFMPF	Dichlorodifluoromethane	9.7777E-017	9.7777E-017
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.4611E-014	2.4611E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0574E-014	3.0574E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.3197E-015	9.3197E-015
RCPTR_28	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.4982E-014	1.4982E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.2266E-009	4.2391E-009
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.4323E-014	8.4323E-014
RCPTR_28	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.7810E-014	2.7810E-014
RCPTR_28	farmer_child	TOCDFMPF	Diethyl phthalate	2.7005E-007	2.7007E-007
RCPTR_28	farmer_child	TOCDFMPF	Dimethyl phthalate	2.1029E-010	2.1047E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.1711E-010	6.1789E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.5548E-010	3.5553E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.6946E-010	5.7039E-010
RCPTR_28	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.3841E-010	4.3903E-010
RCPTR_28	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3142E-011	1.3145E-011
RCPTR_28	farmer_child	TOCDFMPF	Ethylbenzene	2.6752E-013	2.6752E-013
RCPTR_28	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.8344E-008	9.8515E-008
RCPTR_28	farmer_child	TOCDFMPF	Fluoranthene	2.1614E-006	2.5134E-006
RCPTR_28	farmer_child	TOCDFMPF	Fluorene	3.8021E-008	3.8430E-008
RCPTR_28	farmer_child	TOCDFMPF	GB	7.3439E-014	7.3457E-014
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.7851E-012	1.8905E-012
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.8971E-011	7.2210E-011
RCPTR_28	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.1266E-011	1.1912E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.4833E-011	2.6061E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.3228E-011	1.4071E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.2199E-011	1.3094E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.9371E-010	5.3490E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2052E-010	1.3055E-010
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.0970E-011	2.2700E-011
RCPTR_28	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.4962E-011	1.6201E-011
RCPTR_28	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.1137E-010	8.1145E-010
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorobenzene	1.5538E-006	1.6504E-006
RCPTR_28	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.1603E-009	2.1608E-009
RCPTR_28	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.9556E-010	4.9565E-010
RCPTR_28	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.9322E-002	2.9383E-002
RCPTR_28	farmer_child	TOCDFMPF	Isophorone	9.3968E-011	9.4003E-011
RCPTR_28	farmer_child	TOCDFMPF	Lead	2.4438E-008	2.8586E-008
RCPTR_28	farmer_child	TOCDFMPF	Mercuric chloride	5.5547E-007	9.8252E-007
RCPTR_28	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.4445E-015	1.4445E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.1670E-017	5.1670E-017
RCPTR_28	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.3832E-013	3.3832E-013
RCPTR_28	farmer_child	TOCDFMPF	Methyl mercury	6.6563E-009	7.9140E-009
RCPTR_28	farmer_child	TOCDFMPF	Methylene chloride	8.4582E-015	8.4583E-015
RCPTR_28	farmer_child	TOCDFMPF	Naphthalene	3.9719E-010	3.9730E-010
RCPTR_28	farmer_child	TOCDFMPF	Nickel	4.0949E-006	4.1484E-006
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.5991E-009	1.6008E-009
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.8072E-010	3.8087E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.9189E-010	4.9215E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitrobenzene	1.5857E-010	1.5866E-010
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.2218E-011	7.2237E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2729E-009	1.2732E-009
RCPTR_28	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.9503E-011	8.9518E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	8.7984E-011	8.7992E-011
RCPTR_28	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.9140E-012	7.9143E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.3031E-012	4.6366E-012
RCPTR_28	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.9883E-012	6.4436E-012
RCPTR_28	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.8533E-011	9.3815E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.4965E-011	7.1542E-011
RCPTR_28	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.0879E-010	2.2945E-010
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorobenzene	6.1386E-009	6.1411E-009
RCPTR_28	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.4300E-009	2.4301E-009
RCPTR_28	farmer_child	TOCDFMPF	Pentachlorophenol	1.4902E-006	1.4929E-006
RCPTR_28	farmer_child	TOCDFMPF	Phenanthrene	1.2164E-010	1.2164E-010
RCPTR_28	farmer_child	TOCDFMPF	Phenol	1.2565E-010	1.2572E-010
RCPTR_28	farmer_child	TOCDFMPF	Pronamide	1.1967E-008	1.2055E-008
RCPTR_28	farmer_child	TOCDFMPF	Pyrene	3.4210E-006	5.0195E-006
RCPTR_28	farmer_child	TOCDFMPF	Selenium	3.2010E-007	3.2012E-007
RCPTR_28	farmer_child	TOCDFMPF	Silver	1.5257E-006	1.5279E-006
RCPTR_28	farmer_child	TOCDFMPF	Styrene	1.1488E-011	1.1488E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1176E-011	2.4026E-011
RCPTR_28	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.0462E-011	4.7776E-011
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.7817E-009	9.7952E-009
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.5007E-010	1.5007E-010
RCPTR_28	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9854E-013	1.9854E-013
RCPTR_28	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.5676E-008	7.5803E-008
RCPTR_28	farmer_child	TOCDFMPF	Thallium (I)	2.9404E-006	2.9697E-006
RCPTR_28	farmer_child	TOCDFMPF	Toluene	1.3822E-013	1.3822E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.7365E-010	3.7370E-010
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.7881E-014	5.7881E-014
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.4252E-013	4.4253E-013
RCPTR_28	farmer_child	TOCDFMPF	Trichloroethylene	7.1962E-014	7.1962E-014
RCPTR_28	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.4575E-015	9.4575E-015
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.2368E-008	4.3071E-008
RCPTR_28	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.9101E-009	8.9403E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.6379E-012	1.6380E-012
RCPTR_28	farmer_child	TOCDFMPF	Vinyl Chloride	2.3377E-017	2.3377E-017
RCPTR_28	farmer_child	TOCDFMPF	Xylene, m-	6.6824E-013	6.6824E-013
RCPTR_28	farmer_child	TOCDFMPF	Xylene, o-	6.6803E-013	6.6804E-013
RCPTR_28	farmer_child	TOCDFMPF	Xylene, p-	8.3823E-013	8.3823E-013
RCPTR_28	farmer_child	TOCDFMPF	Zinc	9.9204E-007	1.0312E-006
RCPTR_28	farmer_child	TOCDHVAC	GB	3.1585E-013	3.1593E-013
RCPTR_28	farmer_child	TOCDLIC2	Acenaphthene	4.7051E-009	4.7217E-009
RCPTR_28	farmer_child	TOCDLIC2	Acetone	5.9540E-014	5.9540E-014
RCPTR_28	farmer_child	TOCDLIC2	Acetophenone	2.4809E-011	2.4814E-011
RCPTR_28	farmer_child	TOCDLIC2	Aniline	1.4949E-012	1.4949E-012
RCPTR_28	farmer_child	TOCDLIC2	Anthracene	8.0630E-008	8.3333E-008
RCPTR_28	farmer_child	TOCDLIC2	Antimony	7.2959E-007	7.4373E-007
RCPTR_28	farmer_child	TOCDLIC2	Arsenic	1.6166E-006	1.6213E-006
RCPTR_28	farmer_child	TOCDLIC2	Barium	5.4726E-007	5.5454E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Benzene	3.9760E-014	3.9760E-014
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.0830E-005	1.2227E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(a)pyrene	9.0272E-005	9.1422E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.4995E-005	5.8366E-005
RCPTR_28	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.3938E-004	1.4374E-004
RCPTR_28	farmer_child	TOCDLIC2	Benzoic acid	1.7409E-010	1.7411E-010
RCPTR_28	farmer_child	TOCDLIC2	Benzyl alcohol	3.3888E-011	3.3905E-011
RCPTR_28	farmer_child	TOCDLIC2	Beryllium	2.7160E-007	3.0058E-007
RCPTR_28	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.3910E-011	3.3924E-011
RCPTR_28	farmer_child	TOCDLIC2	Bromodichloromethane	4.5014E-013	4.5014E-013
RCPTR_28	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.1739E-011	1.1740E-011
RCPTR_28	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3184E-006	1.8238E-006
RCPTR_28	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.6783E-008	5.6812E-008
RCPTR_28	farmer_child	TOCDLIC2	Cadmium	2.3869E-008	2.5529E-008
RCPTR_28	farmer_child	TOCDLIC2	Carbon disulfide	5.0719E-014	5.0719E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Carbon tetrachloride	8.0428E-014	8.0428E-014
RCPTR_28	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.8748E-009	2.8882E-009
RCPTR_28	farmer_child	TOCDLIC2	Chloroaniline, p-	1.5748E-010	1.5765E-010
RCPTR_28	farmer_child	TOCDLIC2	Chlorobenzene	4.7074E-013	4.7074E-013
RCPTR_28	farmer_child	TOCDLIC2	Chloroethane	1.3264E-015	1.3264E-015
RCPTR_28	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4442E-013	1.4442E-013
RCPTR_28	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2228E-008	1.2328E-008
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.3657E-010	4.3757E-010
RCPTR_28	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.5999E-008	1.6053E-008
RCPTR_28	farmer_child	TOCDLIC2	Chromium	1.1510E-005	1.3079E-005
RCPTR_28	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0095E-005	1.0103E-005
RCPTR_28	farmer_child	TOCDLIC2	Chrysene	2.8040E-005	3.0334E-005
RCPTR_28	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.2381E-007	2.2408E-007
RCPTR_28	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.0328E+003	1.0328E+003
RCPTR_28	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.9652E-003	1.9832E-003

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.9956E-011	1.9957E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.4110E-011	2.4111E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.3204E-011	2.3204E-011
RCPTR_28	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.2639E-007	1.2686E-007
RCPTR_28	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.0553E-016	1.0553E-016
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.6563E-014	2.6563E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2998E-014	3.2998E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0059E-014	1.0059E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.6170E-014	1.6170E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.0424E-009	2.0484E-009
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	9.1009E-014	9.1009E-014
RCPTR_28	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.0015E-014	3.0015E-014
RCPTR_28	farmer_child	TOCDLIC2	Diethyl phthalate	1.3049E-007	1.3050E-007
RCPTR_28	farmer_child	TOCDLIC2	Dimethyl phthalate	7.0729E-010	7.0790E-010
RCPTR_28	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.9820E-010	2.9858E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.7253E-010	1.7255E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.7517E-010	2.7562E-010
RCPTR_28	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.1185E-010	2.1215E-010
RCPTR_28	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.3502E-012	6.3519E-012
RCPTR_28	farmer_child	TOCDLIC2	Ethylbenzene	3.2746E-013	3.2746E-013
RCPTR_28	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.9381E-008	5.9484E-008
RCPTR_28	farmer_child	TOCDLIC2	Fluoranthene	1.0444E-006	1.2145E-006
RCPTR_28	farmer_child	TOCDLIC2	Fluorene	1.8372E-008	1.8570E-008
RCPTR_28	farmer_child	TOCDLIC2	GB	5.3576E-014	5.3589E-014
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.9407E-012	6.2916E-012
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.6052E-012	5.8685E-012
RCPTR_28	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.2919E-012	5.5956E-012
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.6291E-011	1.7097E-011
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.1462E-011	1.2192E-011
RCPTR_28	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0950E-011	1.1753E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.0573E-011	1.1455E-011
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.3778E-012	6.9084E-012
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.7020E-012	6.1725E-012
RCPTR_28	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.5249E-012	7.0653E-012
RCPTR_28	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.9207E-010	3.9211E-010
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorobenzene	7.5080E-007	7.9749E-007
RCPTR_28	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0439E-009	1.0441E-009
RCPTR_28	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.3946E-010	2.3951E-010
RCPTR_28	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_28	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4168E-002	1.4197E-002
RCPTR_28	farmer_child	TOCDLIC2	Isophorone	4.5407E-011	4.5424E-011
RCPTR_28	farmer_child	TOCDLIC2	Lead	2.2294E-006	2.6078E-006
RCPTR_28	farmer_child	TOCDLIC2	Mercuric chloride	4.8978E-005	8.6636E-005
RCPTR_28	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.5724E-015	1.5724E-015
RCPTR_28	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.2679E-017	6.2679E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.5272E-013	3.5272E-013
RCPTR_28	farmer_child	TOCDLIC2	Methyl mercury	5.8680E-007	6.9771E-007
RCPTR_28	farmer_child	TOCDLIC2	Methylene chloride	2.7690E-014	2.7690E-014
RCPTR_28	farmer_child	TOCDLIC2	Naphthalene	1.9193E-010	1.9198E-010
RCPTR_28	farmer_child	TOCDLIC2	Nickel	1.8107E-006	1.8344E-006
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 2-	7.7611E-010	7.7696E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.8478E-010	1.8486E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.3874E-010	2.3886E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitrobenzene	7.6623E-011	7.6666E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.4897E-011	3.4906E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.1778E-010	6.1793E-010
RCPTR_28	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.3249E-011	4.3257E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.2515E-011	4.2519E-011
RCPTR_28	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.8241E-012	3.8243E-012
RCPTR_28	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	9.7119E-012	1.0465E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.2157E-012	3.4602E-012
RCPTR_28	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.1855E-011	4.4352E-011
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2322E-011	1.3569E-011
RCPTR_28	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.4124E-011	3.7502E-011
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorobenzene	2.9662E-009	2.9674E-009
RCPTR_28	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.1793E-009	1.1794E-009
RCPTR_28	farmer_child	TOCDLIC2	Pentachlorophenol	7.2323E-007	7.2456E-007
RCPTR_28	farmer_child	TOCDLIC2	Phenanthrene	5.8779E-011	5.8781E-011
RCPTR_28	farmer_child	TOCDLIC2	Phenol	6.4191E-011	6.4231E-011
RCPTR_28	farmer_child	TOCDLIC2	Pronamide	5.7828E-009	5.8250E-009
RCPTR_28	farmer_child	TOCDLIC2	Pyrene	1.6531E-006	2.4255E-006
RCPTR_28	farmer_child	TOCDLIC2	Selenium	1.0916E-006	1.0917E-006
RCPTR_28	farmer_child	TOCDLIC2	Silver	3.8034E-007	3.8088E-007
RCPTR_28	farmer_child	TOCDLIC2	Styrene	8.9847E-012	8.9849E-012
RCPTR_28	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1602E-011	2.4509E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7665E-011	2.0859E-011
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.7267E-009	4.7332E-009
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.6196E-010	1.6196E-010
RCPTR_28	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.6694E-014	9.6694E-014
RCPTR_28	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.6729E-008	3.6790E-008
RCPTR_28	farmer_child	TOCDLIC2	Thallium (I)	9.9415E-006	1.0040E-005
RCPTR_28	farmer_child	TOCDLIC2	Toluene	5.1859E-013	5.1859E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8055E-010	1.8058E-010
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.2470E-014	6.2470E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.7761E-013	4.7761E-013
RCPTR_28	farmer_child	TOCDLIC2	Trichloroethylene	7.7668E-014	7.7668E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0207E-014	1.0207E-014
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.0473E-008	2.0813E-008
RCPTR_28	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.3055E-009	4.3201E-009
RCPTR_28	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.7678E-012	1.7678E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_28	farmer_child	TOCDLIC2	Vinyl Chloride	2.9814E-017	2.9814E-017
RCPTR_28	farmer_child	TOCDLIC2	Xylene, m-	9.8059E-013	9.8059E-013
RCPTR_28	farmer_child	TOCDLIC2	Xylene, o-	7.2086E-013	7.2086E-013
RCPTR_28	farmer_child	TOCDLIC2	Xylene, p-	1.2301E-012	1.2301E-012
RCPTR_28	farmer_child	TOCDLIC2	Zinc	1.9305E-006	2.0067E-006
RCPTR_29	farmer_adult	TOCDFBRA	Antimony	3.6203E-006	4.1424E-006
RCPTR_29	farmer_adult	TOCDFBRA	Arsenic	6.0375E-006	6.2215E-006
RCPTR_29	farmer_adult	TOCDFBRA	Barium	4.9948E-007	5.5211E-007
RCPTR_29	farmer_adult	TOCDFBRA	Beryllium	1.7055E-006	1.9236E-006
RCPTR_29	farmer_adult	TOCDFBRA	Cadmium	2.8247E-007	3.8580E-007
RCPTR_29	farmer_adult	TOCDFBRA	Chromium	4.5833E-005	4.6910E-005
RCPTR_29	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.5824E-005	3.6290E-005
RCPTR_29	farmer_adult	TOCDFBRA	Lead	1.8256E-005	2.1723E-005
RCPTR_29	farmer_adult	TOCDFBRA	Mercuric chloride	3.3581E-003	3.6879E-003
RCPTR_29	farmer_adult	TOCDFBRA	Methyl mercury	3.2510E-005	3.4231E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFBRA	Nickel	1.9782E-005	2.1048E-005
RCPTR_29	farmer_adult	TOCDFBRA	Selenium	6.7946E-006	6.8221E-006
RCPTR_29	farmer_adult	TOCDFBRA	Silver	2.2761E-006	2.3957E-006
RCPTR_29	farmer_adult	TOCDFBRA	Thallium (I)	6.1590E-005	6.4321E-005
RCPTR_29	farmer_adult	TOCDFBRA	Zinc	1.0456E-005	1.2836E-005
RCPTR_29	farmer_adult	TOCDFDFS	Acenaphthene	6.9422E-010	3.4770E-009
RCPTR_29	farmer_adult	TOCDFDFS	Acetone	8.3068E-015	4.3315E-014
RCPTR_29	farmer_adult	TOCDFDFS	Acetophenone	3.6851E-012	1.9177E-011
RCPTR_29	farmer_adult	TOCDFDFS	Aniline	2.1240E-013	1.1003E-012
RCPTR_29	farmer_adult	TOCDFDFS	Anthracene	1.2316E-008	6.1387E-008
RCPTR_29	farmer_adult	TOCDFDFS	Antimony	3.4642E-005	3.9636E-005
RCPTR_29	farmer_adult	TOCDFDFS	Aroclor 1254	3.2126E-010	4.9118E-010
RCPTR_29	farmer_adult	TOCDFDFS	Arsenic	3.2663E-006	3.3658E-006
RCPTR_29	farmer_adult	TOCDFDFS	Barium	9.5023E-008	1.0503E-007
RCPTR_29	farmer_adult	TOCDFDFS	Benzene	6.9375E-015	3.5853E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.5133E-006	9.5111E-006
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.2581E-005	7.5914E-005
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.7840E-005	4.5450E-005
RCPTR_29	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.1204E-004	1.1886E-004
RCPTR_29	farmer_adult	TOCDFDFS	Benzoic acid	3.1102E-011	1.2819E-010
RCPTR_29	farmer_adult	TOCDFDFS	Benzyl alcohol	4.7999E-012	2.4954E-011
RCPTR_29	farmer_adult	TOCDFDFS	Beryllium	8.9312E-007	1.0073E-006
RCPTR_29	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.7884E-012	2.4968E-011
RCPTR_29	farmer_adult	TOCDFDFS	Bromodichloromethane	5.4280E-014	2.8257E-013
RCPTR_29	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.1561E-012	1.1230E-011
RCPTR_29	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.7061E-007	1.3426E-006
RCPTR_29	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.4535E-008	4.9358E-008
RCPTR_29	farmer_adult	TOCDFDFS	Cadmium	7.4460E-007	1.0169E-006
RCPTR_29	farmer_adult	TOCDFDFS	Carbon disulfide	3.6134E-015	1.8735E-014
RCPTR_29	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.8116E-014	9.3544E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.8566E-010	2.1261E-009
RCPTR_29	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.2432E-011	1.1604E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorobenzene	1.0668E-013	5.4755E-013
RCPTR_29	farmer_adult	TOCDFDFS	Chloroethane	3.1197E-016	1.5425E-015
RCPTR_29	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.6264E-014	8.4631E-014
RCPTR_29	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.7958E-009	9.0763E-009
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.1804E-011	3.2206E-010
RCPTR_29	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.3467E-009	1.1894E-008
RCPTR_29	farmer_adult	TOCDFDFS	Chromium	1.2896E-005	1.3199E-005
RCPTR_29	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.0081E-005	1.0212E-005
RCPTR_29	farmer_adult	TOCDFDFS	Chrysene	1.9511E-005	2.3543E-005
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.5091E-007	1.6943E-007
RCPTR_29	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.6033E+002	7.6033E+002
RCPTR_29	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5847E-003	1.6303E-003
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.0082E-012	1.4696E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.5523E-012	1.7751E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.3977E-012	1.7083E-011
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4403E-007	1.6891E-007
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.3769E-017	1.2277E-016
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.9346E-015	3.0893E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.3694E-015	3.8377E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.2547E-015	1.1698E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.6261E-015	1.8806E-014
RCPTR_29	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.0876E-010	1.5082E-009
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.0490E-014	1.0585E-013
RCPTR_29	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.7159E-015	3.4910E-014
RCPTR_29	farmer_adult	TOCDFDFS	Diethyl phthalate	9.2959E-008	9.6126E-008
RCPTR_29	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.9070E-011	4.8719E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.2785E-011	2.1975E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.5095E-011	1.2590E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.3185E-011	2.0360E-010
RCPTR_29	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.2113E-011	1.5634E-010
RCPTR_29	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.9685E-013	4.6751E-012
RCPTR_29	farmer_adult	TOCDFDFS	Ethylbenzene	6.9067E-014	3.3600E-013
RCPTR_29	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5909E-009	5.1047E-009
RCPTR_29	farmer_adult	TOCDFDFS	Fluoranthene	2.8501E-007	9.0233E-007
RCPTR_29	farmer_adult	TOCDFDFS	Fluorene	2.8024E-009	1.3679E-008
RCPTR_29	farmer_adult	TOCDFDFS	GB	2.4182E-014	1.2577E-013
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5529E-012	1.6837E-012
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.6828E-013	8.2216E-013
RCPTR_29	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7063E-012	2.9299E-012
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4502E-011	1.5550E-011
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.2352E-012	8.9767E-012
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.4001E-012	8.1416E-012
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.7666E-012	6.3986E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.1151E-012	5.6736E-012
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.8162E-012	7.5563E-012
RCPTR_29	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.7048E-012	5.2170E-012
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.4904E-011	2.8969E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.2674E-007	5.8784E-007
RCPTR_29	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	8.8701E-010	3.8237E-009
RCPTR_29	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.5127E-011	1.7628E-010
RCPTR_29	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0755E-002	1.0840E-002
RCPTR_29	farmer_adult	TOCDFDFS	Isophorone	6.4252E-012	3.3432E-011
RCPTR_29	farmer_adult	TOCDFDFS	Lead	1.0346E-004	1.2310E-004
RCPTR_29	farmer_adult	TOCDFDFS	Mercuric chloride	8.7342E-007	9.5827E-007
RCPTR_29	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.2762E-016	3.2702E-015
RCPTR_29	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.0638E-016	5.5368E-016
RCPTR_29	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.5753E-014	2.9069E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Methyl mercury	8.7571E-009	9.2000E-009
RCPTR_29	farmer_adult	TOCDFDFS	Methylene chloride	1.6138E-015	8.4035E-015
RCPTR_29	farmer_adult	TOCDFDFS	Naphthalene	2.7696E-011	1.4133E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nickel	1.1133E-005	1.1846E-005
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0900E-010	5.6370E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.5787E-011	1.3411E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.3421E-011	1.7334E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitrobenzene	1.0831E-011	5.6427E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.9376E-012	2.5692E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.5354E-010	4.4852E-010
RCPTR_29	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.1535E-012	3.1837E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.0724E-012	3.1294E-011
RCPTR_29	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.8446E-013	2.8334E-012
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.2130E-012	4.6485E-012
RCPTR_29	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4494E-012	1.5958E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4063E-011	3.6891E-011
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.7922E-012	3.1571E-012
RCPTR_29	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1635E-011	1.3111E-011
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.7174E-010	2.2320E-009
RCPTR_29	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.3597E-010	8.7769E-010
RCPTR_29	farmer_adult	TOCDFDFS	Pentachlorophenol	4.0562E-007	5.2580E-007
RCPTR_29	farmer_adult	TOCDFDFS	Phenanthrene	8.7245E-012	4.3287E-011
RCPTR_29	farmer_adult	TOCDFDFS	Phenol	8.6273E-012	4.4714E-011
RCPTR_29	farmer_adult	TOCDFDFS	Pronamide	1.7614E-009	8.5775E-009
RCPTR_29	farmer_adult	TOCDFDFS	Pyrene	4.7054E-007	1.7905E-006
RCPTR_29	farmer_adult	TOCDFDFS	Selenium	3.6759E-006	3.6908E-006
RCPTR_29	farmer_adult	TOCDFDFS	Silver	1.2509E-006	1.3166E-006
RCPTR_29	farmer_adult	TOCDFDFS	Styrene	1.7647E-012	9.1292E-012
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4765E-011	1.7317E-011
RCPTR_29	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.4542E-012	5.5006E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.6434E-010	3.4859E-009
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.5636E-010	1.8840E-010
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.1752E-014	1.1248E-013
RCPTR_29	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2100E-008	2.6717E-008
RCPTR_29	farmer_adult	TOCDFDFS	Thallium (I)	3.2254E-005	3.3684E-005
RCPTR_29	farmer_adult	TOCDFDFS	Toluene	2.9755E-014	1.5165E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.7590E-011	1.3301E-010
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.4001E-014	7.2655E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.0677E-013	5.5547E-013
RCPTR_29	farmer_adult	TOCDFDFS	Trichloroethylene	1.7449E-014	9.0332E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.2919E-015	1.1872E-014
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.4277E-009	1.5319E-008
RCPTR_29	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.3070E-010	3.1803E-009
RCPTR_29	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.9575E-013	2.0561E-012
RCPTR_29	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.1428E-012	2.4329E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFDFS	Vinyl Chloride	5.6530E-018	2.9351E-017
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, m-	7.0650E-013	1.0611E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, o-	6.2303E-013	1.0273E-012
RCPTR_29	farmer_adult	TOCDFDFS	Xylene, p-	7.0914E-013	1.2591E-012
RCPTR_29	farmer_adult	TOCDFDFS	Zinc	6.6118E-006	8.1162E-006
RCPTR_29	farmer_adult	TOCDFLIC	Acenaphthene	4.4440E-010	2.2268E-009
RCPTR_29	farmer_adult	TOCDFLIC	Acetone	1.1225E-014	5.8531E-014
RCPTR_29	farmer_adult	TOCDFLIC	Acetophenone	4.0461E-012	2.1056E-011
RCPTR_29	farmer_adult	TOCDFLIC	Aniline	1.3604E-013	7.0474E-013
RCPTR_29	farmer_adult	TOCDFLIC	Anthracene	7.8802E-009	3.9310E-008
RCPTR_29	farmer_adult	TOCDFLIC	Antimony	6.3673E-007	7.2842E-007
RCPTR_29	farmer_adult	TOCDFLIC	Arsenic	2.0522E-006	2.1147E-006
RCPTR_29	farmer_adult	TOCDFLIC	Barium	6.7870E-008	7.5009E-008
RCPTR_29	farmer_adult	TOCDFLIC	Benzene	1.0400E-013	5.3750E-013
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.0976E-006	6.0091E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.5121E-005	4.7148E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.3893E-005	2.8733E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.9833E-005	7.3901E-005
RCPTR_29	farmer_adult	TOCDFLIC	Benzoic acid	2.1387E-011	8.8098E-011
RCPTR_29	farmer_adult	TOCDFLIC	Benzyl alcohol	3.0743E-012	1.5983E-011
RCPTR_29	farmer_adult	TOCDFLIC	Beryllium	3.4717E-007	3.9150E-007
RCPTR_29	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.0670E-012	1.5992E-011
RCPTR_29	farmer_adult	TOCDFLIC	Bromodichloromethane	2.7472E-014	1.4302E-013
RCPTR_29	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	9.4574E-013	4.9261E-012
RCPTR_29	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.7327E-007	8.5990E-007
RCPTR_29	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.7175E-008	3.0261E-008
RCPTR_29	farmer_adult	TOCDFLIC	Cadmium	2.1412E-007	2.9235E-007
RCPTR_29	farmer_adult	TOCDFLIC	Carbon disulfide	6.2794E-015	3.2559E-014
RCPTR_29	farmer_adult	TOCDFLIC	Carbon tetrachloride	9.9560E-015	5.1412E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.7575E-010	1.3624E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.4368E-011	7.4322E-011
RCPTR_29	farmer_adult	TOCDFLIC	Chlorobenzene	5.8624E-014	3.0093E-013
RCPTR_29	farmer_adult	TOCDFLIC	Chloroethane	1.7152E-016	8.4785E-016
RCPTR_29	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.7449E-015	4.5504E-014
RCPTR_29	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.1499E-009	5.8131E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.9586E-011	2.0628E-010
RCPTR_29	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.1322E-009	7.6067E-009
RCPTR_29	farmer_adult	TOCDFLIC	Chromium	1.6640E-005	1.7031E-005
RCPTR_29	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.3010E-005	1.3180E-005
RCPTR_29	farmer_adult	TOCDFLIC	Chrysene	1.2340E-005	1.4898E-005
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	9.6237E-008	1.0810E-007
RCPTR_29	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.8938E+002	4.8938E+002
RCPTR_29	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.8606E-004	1.0121E-003
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.9260E-012	9.4119E-012
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.2748E-012	1.1369E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.1758E-012	1.0941E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6588E-008	5.4791E-008
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3057E-017	6.7471E-017
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.2617E-015	1.6979E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0503E-015	2.1092E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.2392E-015	6.4295E-015
RCPTR_29	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.9929E-015	1.0336E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.2662E-010	9.6674E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.1261E-014	5.8175E-014
RCPTR_29	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.6907E-015	1.9187E-014
RCPTR_29	farmer_adult	TOCDFLIC	Diethyl phthalate	5.9819E-008	6.1847E-008
RCPTR_29	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.1430E-010	5.6281E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.7406E-011	1.4076E-010
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.2211E-011	8.1618E-011
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.7532E-011	1.3028E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.0538E-011	1.0010E-010
RCPTR_29	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.7443E-013	2.9944E-012
RCPTR_29	farmer_adult	TOCDFLIC	Ethylbenzene	5.0587E-014	2.4620E-013
RCPTR_29	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.8251E-008	9.8637E-008
RCPTR_29	farmer_adult	TOCDFLIC	Fluoranthene	1.8143E-007	5.7672E-007
RCPTR_29	farmer_adult	TOCDFLIC	Fluorene	1.7935E-009	8.7597E-009
RCPTR_29	farmer_adult	TOCDFLIC	GB	9.6418E-015	5.0147E-014
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0136E-012	1.0965E-012
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1662E-012	1.2445E-012
RCPTR_29	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.8751E-012	3.1052E-012
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2217E-011	1.3067E-011
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.2439E-012	7.8791E-012
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.3765E-012	7.0045E-012
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.0520E-012	4.4929E-012
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.9584E-012	4.3874E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.5579E-012	5.0487E-012
RCPTR_29	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.3337E-012	3.6938E-012
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.1390E-011	1.8537E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.1059E-008	3.7639E-007
RCPTR_29	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.1411E-010	4.9410E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.2504E-011	1.1291E-010
RCPTR_29	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8436E-003	6.8923E-003
RCPTR_29	farmer_adult	TOCDFLIC	Isophorone	4.1154E-012	2.1413E-011
RCPTR_29	farmer_adult	TOCDFLIC	Lead	3.9568E-005	4.7072E-005
RCPTR_29	farmer_adult	TOCDFLIC	Mercuric chloride	8.0386E-005	8.8308E-005
RCPTR_29	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.2444E-016	1.1695E-015
RCPTR_29	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.8405E-017	9.5795E-017
RCPTR_29	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.6772E-014	3.4814E-013
RCPTR_29	farmer_adult	TOCDFLIC	Methyl mercury	7.6863E-007	8.0999E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Methylene chloride	1.4221E-015	7.4052E-015
RCPTR_29	farmer_adult	TOCDFLIC	Naphthalene	1.7736E-011	9.0517E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nickel	6.4674E-006	6.8809E-006
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.0643E-011	3.6535E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.6713E-011	8.6922E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.1652E-011	1.1234E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitrobenzene	6.9368E-012	3.6142E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.1624E-012	1.6456E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.6495E-010	2.9132E-010
RCPTR_29	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.9415E-012	2.0392E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.8896E-012	2.0044E-011
RCPTR_29	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.7093E-013	1.8114E-012
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.7084E-012	4.0872E-012
RCPTR_29	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2216E-012	1.3436E-012
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.3734E-011	2.5659E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.1557E-012	6.9602E-012
RCPTR_29	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4072E-011	1.5859E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.5729E-010	1.4207E-009
RCPTR_29	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4880E-010	5.6472E-010
RCPTR_29	farmer_adult	TOCDFLIC	Pentachlorophenol	2.6408E-007	3.4198E-007
RCPTR_29	farmer_adult	TOCDFLIC	Phenanthrene	5.5850E-012	2.7722E-011
RCPTR_29	farmer_adult	TOCDFLIC	Phenol	5.5260E-012	2.8639E-011
RCPTR_29	farmer_adult	TOCDFLIC	Pronamide	5.6402E-010	2.7469E-009
RCPTR_29	farmer_adult	TOCDFLIC	Pyrene	3.0080E-007	1.1461E-006
RCPTR_29	farmer_adult	TOCDFLIC	Selenium	1.4185E-006	1.4242E-006
RCPTR_29	farmer_adult	TOCDFLIC	Silver	4.7191E-007	4.9668E-007
RCPTR_29	farmer_adult	TOCDFLIC	Styrene	2.0169E-012	1.0434E-011
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.6964E-012	9.0369E-012
RCPTR_29	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.7807E-012	1.2101E-011
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.8949E-010	2.2327E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.6336E-011	1.0395E-010
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.1951E-014	6.1817E-014
RCPTR_29	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.8651E-009	1.7339E-008
RCPTR_29	farmer_adult	TOCDFLIC	Thallium (I)	1.2539E-005	1.3094E-005
RCPTR_29	farmer_adult	TOCDFLIC	Toluene	9.4043E-014	4.7934E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.7659E-011	8.5181E-011
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.6946E-015	3.9932E-014
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.8683E-014	3.0529E-013
RCPTR_29	farmer_adult	TOCDFLIC	Trichloroethylene	9.5896E-015	4.9647E-014
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.2596E-015	6.5247E-015
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.1972E-009	9.8137E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.9725E-010	2.0381E-009
RCPTR_29	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.1750E-013	1.1300E-012
RCPTR_29	farmer_adult	TOCDFLIC	Vinyl Chloride	3.3465E-018	1.7381E-017
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, m-	6.2804E-013	9.7553E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, o-	3.5371E-013	6.0575E-013
RCPTR_29	farmer_adult	TOCDFLIC	Xylene, p-	6.3507E-013	1.1740E-012
RCPTR_29	farmer_adult	TOCDFLIC	Zinc	1.7833E-006	2.1887E-006
RCPTR_29	farmer_adult	TOCDFMPF	Acenaphthene	1.8799E-009	9.4194E-009
RCPTR_29	farmer_adult	TOCDFMPF	Acetone	5.5810E-015	2.9102E-014
RCPTR_29	farmer_adult	TOCDFMPF	Acetophenone	9.5085E-012	4.9482E-011
RCPTR_29	farmer_adult	TOCDFMPF	Aniline	5.7545E-013	2.9811E-012
RCPTR_29	farmer_adult	TOCDFMPF	Anthracene	3.3336E-008	1.6629E-007
RCPTR_29	farmer_adult	TOCDFMPF	Antimony	1.8950E-007	2.1679E-007
RCPTR_29	farmer_adult	TOCDFMPF	Arsenic	4.8157E-007	4.9622E-007
RCPTR_29	farmer_adult	TOCDFMPF	Barium	6.3617E-008	7.0310E-008
RCPTR_29	farmer_adult	TOCDFMPF	Benzene	5.0194E-015	2.5942E-014
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.7354E-005	2.5443E-005
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.9126E-004	1.9986E-004
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.0117E-004	1.2165E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.9595E-004	3.1325E-004
RCPTR_29	farmer_adult	TOCDFMPF	Benzoic acid	8.4331E-011	3.4739E-010
RCPTR_29	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3004E-011	6.7610E-011
RCPTR_29	farmer_adult	TOCDFMPF	Beryllium	9.9146E-008	1.1181E-007
RCPTR_29	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2973E-011	6.7648E-011
RCPTR_29	farmer_adult	TOCDFMPF	Bromodichloromethane	4.4383E-014	2.3105E-013
RCPTR_29	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.6737E-012	8.7179E-012
RCPTR_29	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.3297E-007	3.6374E-006
RCPTR_29	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.1534E-007	1.2839E-007
RCPTR_29	farmer_adult	TOCDFMPF	Cadmium	9.3671E-008	1.2789E-007
RCPTR_29	farmer_adult	TOCDFMPF	Carbon disulfide	8.7481E-015	4.5360E-014
RCPTR_29	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.3906E-014	7.1810E-014
RCPTR_29	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5893E-009	5.7628E-009
RCPTR_29	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.0776E-011	3.1438E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chlorobenzene	8.1883E-014	4.2032E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Chloroethane	2.3956E-016	1.1842E-015
RCPTR_29	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.1750E-014	6.1138E-014
RCPTR_29	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.8643E-009	2.4590E-008
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.6745E-010	8.7256E-010
RCPTR_29	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.0227E-009	3.2180E-008
RCPTR_29	farmer_adult	TOCDFMPF	Chromium	3.2192E-006	3.2948E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.5169E-006	2.5496E-006
RCPTR_29	farmer_adult	TOCDFMPF	Chrysene	5.2245E-005	6.3071E-005
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.0722E-007	4.5738E-007
RCPTR_29	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.0695E+003	2.0695E+003
RCPTR_29	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.1791E-003	4.2902E-003
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.1473E-012	3.9813E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	9.6226E-012	4.8092E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.2038E-012	4.6282E-011
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.5823E-007	3.0364E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.8238E-017	9.4241E-017
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.5558E-015	2.3715E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.6572E-015	2.9461E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.7309E-015	8.9805E-015
RCPTR_29	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.7836E-015	1.4437E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3814E-009	4.0891E-009
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5729E-014	8.1256E-014
RCPTR_29	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.1551E-015	2.6799E-014
RCPTR_29	farmer_adult	TOCDFMPF	Diethyl phthalate	2.5296E-007	2.6154E-007
RCPTR_29	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.1234E-011	2.0301E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1593E-010	5.9540E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.7823E-010	3.4462E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.1650E-010	5.5111E-010
RCPTR_29	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.6886E-011	4.2345E-010
RCPTR_29	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.4299E-012	1.2666E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Ethylbenzene	5.2995E-014	2.5791E-013
RCPTR_29	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.7264E-008	1.0867E-007
RCPTR_29	farmer_adult	TOCDFMPF	Fluoranthene	7.6778E-007	2.4399E-006
RCPTR_29	farmer_adult	TOCDFMPF	Fluorene	7.5870E-009	3.7054E-008
RCPTR_29	farmer_adult	TOCDFMPF	GB	1.3609E-014	7.0782E-014
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1285E-012	2.3028E-012
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.7936E-011	8.3191E-011
RCPTR_29	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3298E-011	1.4365E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.7793E-011	2.9732E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5699E-011	1.7079E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5094E-011	1.6582E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.0669E-010	6.7273E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.4759E-010	1.6359E-010
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.5487E-011	2.8234E-011
RCPTR_29	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.8248E-011	2.0221E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.7513E-010	7.8416E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.4292E-007	1.5922E-006
RCPTR_29	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.8287E-010	2.0903E-009
RCPTR_29	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.5191E-011	4.7762E-010
RCPTR_29	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.8962E-002	2.9169E-002
RCPTR_29	farmer_adult	TOCDFMPF	Isophorone	1.7408E-011	9.0579E-011
RCPTR_29	farmer_adult	TOCDFMPF	Lead	3.1195E-008	3.7113E-008
RCPTR_29	farmer_adult	TOCDFMPF	Mercuric chloride	9.0415E-007	9.9318E-007
RCPTR_29	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.6712E-016	1.3919E-015
RCPTR_29	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	9.5659E-018	4.9790E-017
RCPTR_29	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.2525E-014	3.2600E-013
RCPTR_29	farmer_adult	TOCDFMPF	Methyl mercury	8.6741E-009	9.1388E-009
RCPTR_29	farmer_adult	TOCDFMPF	Methylene chloride	1.5652E-015	8.1503E-015
RCPTR_29	farmer_adult	TOCDFMPF	Naphthalene	7.5026E-011	3.8289E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Nickel	5.0716E-006	5.3959E-006
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.9828E-010	1.5427E-009
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.0568E-011	3.6702E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.1424E-011	4.7433E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitrobenzene	2.9343E-011	1.5288E-010
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.3377E-011	6.9608E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.9632E-010	1.2299E-009
RCPTR_29	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.6673E-011	8.6259E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.6453E-011	8.4788E-011
RCPTR_29	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.5700E-012	7.6633E-012
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.5016E-012	6.0640E-012
RCPTR_29	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.6729E-012	8.4398E-012
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.3198E-011	1.0077E-010
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.8195E-011	7.7107E-011
RCPTR_29	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.2773E-010	2.5665E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.5139E-009	6.0121E-009
RCPTR_29	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.2946E-010	2.3856E-009
RCPTR_29	farmer_adult	TOCDFMPF	Pentachlorophenol	1.1147E-006	1.4436E-006
RCPTR_29	farmer_adult	TOCDFMPF	Phenanthrene	2.3626E-011	1.1727E-010
RCPTR_29	farmer_adult	TOCDFMPF	Phenol	2.3375E-011	1.2115E-010
RCPTR_29	farmer_adult	TOCDFMPF	Pronamide	2.3858E-009	1.1619E-008
RCPTR_29	farmer_adult	TOCDFMPF	Pyrene	1.2726E-006	4.8482E-006
RCPTR_29	farmer_adult	TOCDFMPF	Selenium	4.1494E-007	4.1662E-007
RCPTR_29	farmer_adult	TOCDFMPF	Silver	1.8884E-006	1.9875E-006
RCPTR_29	farmer_adult	TOCDFMPF	Styrene	2.1399E-012	1.1071E-011
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1712E-011	2.5492E-011
RCPTR_29	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.9811E-011	4.9251E-011
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.0706E-009	9.4443E-009
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.2056E-010	1.4516E-010
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.6993E-014	1.9135E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.3204E-008	7.3205E-008
RCPTR_29	farmer_adult	TOCDFMPF	Thallium (I)	3.6995E-006	3.8634E-006
RCPTR_29	farmer_adult	TOCDFMPF	Toluene	2.6134E-014	1.3321E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.4700E-011	3.6032E-010
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0748E-014	5.5775E-014
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.1966E-014	4.2641E-013
RCPTR_29	farmer_adult	TOCDFMPF	Trichloroethylene	1.3394E-014	6.9345E-014
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.7594E-015	9.1134E-015
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.2938E-009	4.1512E-008
RCPTR_29	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.5261E-009	8.6210E-009
RCPTR_29	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.0379E-013	1.5784E-012
RCPTR_29	farmer_adult	TOCDFMPF	Vinyl Chloride	4.3381E-018	2.2530E-017
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, m-	4.9538E-013	7.6761E-013
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, o-	4.3839E-013	7.4873E-013
RCPTR_29	farmer_adult	TOCDFMPF	Xylene, p-	5.0066E-013	9.2285E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDFMPF	Zinc	1.0915E-006	1.3397E-006
RCPTR_29	farmer_adult	TOCDHVAC	GB	7.5073E-014	3.9046E-013
RCPTR_29	farmer_adult	TOCDLIC2	Acenaphthene	9.1708E-010	4.5952E-009
RCPTR_29	farmer_adult	TOCDLIC2	Acetone	1.1108E-014	5.7922E-014
RCPTR_29	farmer_adult	TOCDLIC2	Acetophenone	4.6387E-012	2.4140E-011
RCPTR_29	farmer_adult	TOCDLIC2	Aniline	2.8074E-013	1.4543E-012
RCPTR_29	farmer_adult	TOCDLIC2	Anthracene	1.6262E-008	8.1122E-008
RCPTR_29	farmer_adult	TOCDLIC2	Antimony	8.4712E-007	9.6912E-007
RCPTR_29	farmer_adult	TOCDLIC2	Arsenic	2.0522E-006	2.1147E-006
RCPTR_29	farmer_adult	TOCDLIC2	Barium	6.5402E-007	7.2282E-007
RCPTR_29	farmer_adult	TOCDLIC2	Benzene	7.4844E-015	3.8681E-014
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)anthracene	8.4559E-006	1.2401E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(a)pyrene	9.3113E-005	9.7296E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.9306E-005	5.9295E-005
RCPTR_29	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.4411E-004	1.5251E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Benzoic acid	4.1143E-011	1.6948E-010
RCPTR_29	farmer_adult	TOCDLIC2	Benzyl alcohol	6.3442E-012	3.2984E-011
RCPTR_29	farmer_adult	TOCDLIC2	Beryllium	3.4717E-007	3.9150E-007
RCPTR_29	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.3291E-012	3.3002E-011
RCPTR_29	farmer_adult	TOCDLIC2	Bromodichloromethane	8.4119E-014	4.3791E-013
RCPTR_29	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.1928E-012	1.1422E-011
RCPTR_29	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.5757E-007	1.7745E-006
RCPTR_29	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.6079E-008	6.2447E-008
RCPTR_29	farmer_adult	TOCDLIC2	Cadmium	2.4330E-008	3.3219E-008
RCPTR_29	farmer_adult	TOCDLIC2	Carbon disulfide	9.5162E-015	4.9342E-014
RCPTR_29	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.5153E-014	7.8247E-014
RCPTR_29	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.7541E-010	2.8115E-009
RCPTR_29	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.9650E-011	1.5337E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chlorobenzene	8.9223E-014	4.5800E-013
RCPTR_29	farmer_adult	TOCDLIC2	Chloroethane	2.6104E-016	1.2904E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.7001E-014	1.4050E-013
RCPTR_29	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.3730E-009	1.1996E-008
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.1690E-011	4.2568E-010
RCPTR_29	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.4001E-009	1.5698E-008
RCPTR_29	farmer_adult	TOCDLIC2	Chromium	1.6640E-005	1.7031E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.3010E-005	1.3180E-005
RCPTR_29	farmer_adult	TOCDLIC2	Chrysene	2.5466E-005	3.0744E-005
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.9860E-007	2.2307E-007
RCPTR_29	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.0099E+003	1.0099E+003
RCPTR_29	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.0349E-003	2.0886E-003
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.9746E-012	1.9423E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.6944E-012	2.3462E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.4900E-012	2.2579E-011
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1203E-007	1.3176E-007
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.9872E-017	1.0269E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.9642E-015	2.5841E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.1643E-015	3.2102E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.8860E-015	9.7855E-015
RCPTR_29	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.0332E-015	1.5731E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.7403E-010	1.9950E-009
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.7139E-014	8.8540E-014
RCPTR_29	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.6172E-015	2.9201E-014
RCPTR_29	farmer_adult	TOCDLIC2	Diethyl phthalate	1.2344E-007	1.2763E-007
RCPTR_29	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4000E-010	6.8933E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.6556E-011	2.9047E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.7334E-011	1.6886E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.6816E-011	2.6884E-010
RCPTR_29	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.2384E-011	2.0658E-010
RCPTR_29	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1854E-012	6.1793E-012
RCPTR_29	farmer_adult	TOCDLIC2	Ethylbenzene	6.5489E-014	3.1872E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.9088E-008	6.6041E-008
RCPTR_29	farmer_adult	TOCDLIC2	Fluoranthene	3.7440E-007	1.1901E-006
RCPTR_29	farmer_adult	TOCDLIC2	Fluorene	3.7011E-009	1.8077E-008
RCPTR_29	farmer_adult	TOCDLIC2	GB	1.0024E-014	5.2133E-014
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.1145E-012	7.6960E-012
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.3698E-012	6.7979E-012
RCPTR_29	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.2752E-012	6.7774E-012
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8340E-011	1.9616E-011
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3664E-011	1.4862E-011
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3595E-011	1.4934E-011
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3039E-011	1.4457E-011
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	7.8385E-012	8.6879E-012
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.9567E-012	7.7060E-012
RCPTR_29	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.9876E-012	8.8505E-012
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.5414E-011	3.8253E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.6728E-007	7.7674E-007
RCPTR_29	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.3547E-010	1.0196E-009
RCPTR_29	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.6440E-011	2.3301E-010
RCPTR_29	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4123E-002	1.4223E-002
RCPTR_29	farmer_adult	TOCDLIC2	Isophorone	8.4927E-012	4.4190E-011
RCPTR_29	farmer_adult	TOCDLIC2	Lead	2.8528E-006	3.3939E-006
RCPTR_29	farmer_adult	TOCDLIC2	Mercuric chloride	8.0386E-005	8.8308E-005
RCPTR_29	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.9357E-016	1.5297E-015
RCPTR_29	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1715E-017	6.0977E-017
RCPTR_29	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.5812E-014	3.4314E-013
RCPTR_29	farmer_adult	TOCDLIC2	Methyl mercury	7.6863E-007	8.0999E-007
RCPTR_29	farmer_adult	TOCDLIC2	Methylene chloride	5.1730E-015	2.6937E-014
RCPTR_29	farmer_adult	TOCDLIC2	Naphthalene	3.6601E-011	1.8680E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nickel	2.2481E-006	2.3919E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.4616E-010	7.5590E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.4579E-011	1.7984E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.4797E-011	2.3242E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitrobenzene	1.4315E-011	7.4583E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.5261E-012	3.3959E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.4127E-010	6.0274E-010
RCPTR_29	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.1339E-012	4.2082E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.0268E-012	4.1364E-011
RCPTR_29	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.6546E-013	3.7381E-012
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2452E-011	1.3724E-011
RCPTR_29	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.1318E-012	4.5444E-012
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.4381E-011	4.7980E-011
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3025E-011	1.4728E-011
RCPTR_29	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.7448E-011	4.2204E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.3732E-010	2.9318E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.0786E-010	1.1684E-009
RCPTR_29	farmer_adult	TOCDLIC2	Pentachlorophenol	5.4638E-007	7.0754E-007
RCPTR_29	farmer_adult	TOCDLIC2	Phenanthrene	1.1525E-011	5.7208E-011
RCPTR_29	farmer_adult	TOCDLIC2	Phenol	1.2057E-011	6.2486E-011
RCPTR_29	farmer_adult	TOCDLIC2	Pronamide	1.1639E-009	5.6685E-009
RCPTR_29	farmer_adult	TOCDLIC2	Pyrene	6.2074E-007	2.3651E-006
RCPTR_29	farmer_adult	TOCDLIC2	Selenium	1.4185E-006	1.4242E-006
RCPTR_29	farmer_adult	TOCDLIC2	Silver	4.7191E-007	4.9668E-007
RCPTR_29	farmer_adult	TOCDLIC2	Styrene	1.6897E-012	8.7412E-012
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2311E-011	2.6197E-011
RCPTR_29	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7519E-011	2.1676E-011
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0101E-009	4.6074E-009
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.3140E-010	1.5821E-010
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.8189E-014	9.4083E-014
RCPTR_29	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.6273E-008	3.5873E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_adult	TOCDLIC2	Thallium (I)	1.2539E-005	1.3094E-005
RCPTR_29	farmer_adult	TOCDLIC2	Toluene	9.8993E-014	5.0456E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6441E-011	1.7578E-010
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.1711E-014	6.0774E-014
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	8.9313E-014	4.6464E-013
RCPTR_29	farmer_adult	TOCDLIC2	Trichloroethylene	1.4595E-014	7.5561E-014
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.9171E-015	9.9304E-015
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.5342E-009	2.0252E-008
RCPTR_29	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.2325E-009	4.2059E-009
RCPTR_29	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.3103E-013	1.7198E-012
RCPTR_29	farmer_adult	TOCDLIC2	Vinyl Chloride	5.5856E-018	2.9009E-017
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, m-	7.2907E-013	1.1325E-012
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, o-	4.7456E-013	8.1272E-013
RCPTR_29	farmer_adult	TOCDLIC2	Xylene, p-	7.3724E-013	1.3628E-012
RCPTR_29	farmer_adult	TOCDLIC2	Zinc	2.1293E-006	2.6133E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFBRA	Antimony	4.0641E-006	4.1424E-006
RCPTR_29	farmer_child	TOCDFBRA	Arsenic	6.2036E-006	6.2215E-006
RCPTR_29	farmer_child	TOCDFBRA	Barium	5.4490E-007	5.5211E-007
RCPTR_29	farmer_child	TOCDFBRA	Beryllium	1.7391E-006	1.9236E-006
RCPTR_29	farmer_child	TOCDFBRA	Cadmium	3.6082E-007	3.8580E-007
RCPTR_29	farmer_child	TOCDFBRA	Chromium	4.1312E-005	4.6910E-005
RCPTR_29	farmer_child	TOCDFBRA	Chromium, hexavalent	3.6260E-005	3.6290E-005
RCPTR_29	farmer_child	TOCDFBRA	Lead	1.8585E-005	2.1723E-005
RCPTR_29	farmer_child	TOCDFBRA	Mercuric chloride	2.1426E-003	3.6879E-003
RCPTR_29	farmer_child	TOCDFBRA	Methyl mercury	2.9680E-005	3.4231E-005
RCPTR_29	farmer_child	TOCDFBRA	Nickel	2.0779E-005	2.1048E-005
RCPTR_29	farmer_child	TOCDFBRA	Selenium	6.8216E-006	6.8221E-006
RCPTR_29	farmer_child	TOCDFBRA	Silver	2.3924E-006	2.3957E-006
RCPTR_29	farmer_child	TOCDFBRA	Thallium (I)	6.3692E-005	6.4321E-005
RCPTR_29	farmer_child	TOCDFBRA	Zinc	1.2351E-005	1.2836E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Acenaphthene	3.4648E-009	3.4770E-009
RCPTR_29	farmer_child	TOCDFDFS	Acetone	4.3315E-014	4.3315E-014
RCPTR_29	farmer_child	TOCDFDFS	Acetophenone	1.9173E-011	1.9177E-011
RCPTR_29	farmer_child	TOCDFDFS	Aniline	1.1003E-012	1.1003E-012
RCPTR_29	farmer_child	TOCDFDFS	Anthracene	5.9398E-008	6.1387E-008
RCPTR_29	farmer_child	TOCDFDFS	Antimony	3.8887E-005	3.9636E-005
RCPTR_29	farmer_child	TOCDFDFS	Aroclor 1254	4.8878E-010	4.9118E-010
RCPTR_29	farmer_child	TOCDFDFS	Arsenic	3.3562E-006	3.3658E-006
RCPTR_29	farmer_child	TOCDFDFS	Barium	1.0366E-007	1.0503E-007
RCPTR_29	farmer_child	TOCDFDFS	Benzene	3.5853E-014	3.5853E-014
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.4675E-006	9.5111E-006
RCPTR_29	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.4899E-005	7.5914E-005
RCPTR_29	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.2911E-005	4.5450E-005
RCPTR_29	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.1470E-004	1.1886E-004
RCPTR_29	farmer_child	TOCDFDFS	Benzoic acid	1.2818E-010	1.2819E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Benzyl alcohol	2.4942E-011	2.4954E-011
RCPTR_29	farmer_child	TOCDFDFS	Beryllium	9.1072E-007	1.0073E-006
RCPTR_29	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.4958E-011	2.4968E-011
RCPTR_29	farmer_child	TOCDFDFS	Bromodichloromethane	2.8257E-013	2.8257E-013
RCPTR_29	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1229E-011	1.1230E-011
RCPTR_29	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	9.7061E-007	1.3426E-006
RCPTR_29	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.9337E-008	4.9358E-008
RCPTR_29	farmer_child	TOCDFDFS	Cadmium	9.5106E-007	1.0169E-006
RCPTR_29	farmer_child	TOCDFDFS	Carbon disulfide	1.8735E-014	1.8735E-014
RCPTR_29	farmer_child	TOCDFDFS	Carbon tetrachloride	9.3544E-014	9.3544E-014
RCPTR_29	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.1162E-009	2.1261E-009
RCPTR_29	farmer_child	TOCDFDFS	Chloroaniline, p-	1.1591E-010	1.1604E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorobenzene	5.4754E-013	5.4755E-013
RCPTR_29	farmer_child	TOCDFDFS	Chloroethane	1.5425E-015	1.5425E-015
RCPTR_29	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	8.4631E-014	8.4631E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Chloronaphthalene,2-	9.0027E-009	9.0763E-009
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.2132E-010	3.2206E-010
RCPTR_29	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1854E-008	1.1894E-008
RCPTR_29	farmer_child	TOCDFDFS	Chromium	1.1625E-005	1.3199E-005
RCPTR_29	farmer_child	TOCDFDFS	Chromium, hexavalent	1.0204E-005	1.0212E-005
RCPTR_29	farmer_child	TOCDFDFS	Chrysene	2.1798E-005	2.3543E-005
RCPTR_29	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.6923E-007	1.6943E-007
RCPTR_29	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.6033E+002	7.6033E+002
RCPTR_29	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.6106E-003	1.6303E-003
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.4695E-011	1.4696E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.7751E-011	1.7751E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.7083E-011	1.7083E-011
RCPTR_29	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6833E-007	1.6891E-007
RCPTR_29	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.2277E-016	1.2277E-016
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.0893E-014	3.0893E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8377E-014	3.8377E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.1698E-014	1.1698E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.8806E-014	1.8806E-014
RCPTR_29	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.5037E-009	1.5082E-009
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.0585E-013	1.0585E-013
RCPTR_29	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.4910E-014	3.4910E-014
RCPTR_29	farmer_child	TOCDFDFS	Diethyl phthalate	9.6117E-008	9.6126E-008
RCPTR_29	farmer_child	TOCDFDFS	Dimethyl phthalate	4.8677E-010	4.8719E-010
RCPTR_29	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.1948E-010	2.1975E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.2588E-010	1.2590E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.0327E-010	2.0360E-010
RCPTR_29	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.5612E-010	1.5634E-010
RCPTR_29	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.6738E-012	4.6751E-012
RCPTR_29	farmer_child	TOCDFDFS	Ethylbenzene	3.3600E-013	3.3600E-013
RCPTR_29	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.0972E-009	5.1047E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Fluoranthene	7.7702E-007	9.0233E-007
RCPTR_29	farmer_child	TOCDFDFS	Fluorene	1.3533E-008	1.3679E-008
RCPTR_29	farmer_child	TOCDFDFS	GB	1.2574E-013	1.2577E-013
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5797E-012	1.6837E-012
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.7944E-013	8.2216E-013
RCPTR_29	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7527E-012	2.9299E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4717E-011	1.5550E-011
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.3900E-012	8.9767E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.5549E-012	8.1416E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.8991E-012	6.3986E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.2314E-012	5.6736E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.9709E-012	7.5563E-012
RCPTR_29	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.8118E-012	5.2170E-012
RCPTR_29	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.8966E-010	2.8969E-010
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorobenzene	5.5347E-007	5.8784E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.8230E-009	3.8237E-009
RCPTR_29	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.7625E-010	1.7628E-010
RCPTR_29	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.0808E-002	1.0840E-002
RCPTR_29	farmer_child	TOCDFDFS	Isophorone	3.3420E-011	3.3432E-011
RCPTR_29	farmer_child	TOCDFDFS	Lead	1.0532E-004	1.2310E-004
RCPTR_29	farmer_child	TOCDFDFS	Mercuric chloride	5.6065E-007	9.5827E-007
RCPTR_29	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.2702E-015	3.2702E-015
RCPTR_29	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.5368E-016	5.5368E-016
RCPTR_29	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.9069E-013	2.9069E-013
RCPTR_29	farmer_child	TOCDFDFS	Methyl mercury	8.0290E-009	9.2000E-009
RCPTR_29	farmer_child	TOCDFDFS	Methylene chloride	8.4035E-015	8.4035E-015
RCPTR_29	farmer_child	TOCDFDFS	Naphthalene	1.4129E-010	1.4133E-010
RCPTR_29	farmer_child	TOCDFDFS	Nickel	1.1694E-005	1.1846E-005
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.6309E-010	5.6370E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.3405E-010	1.3411E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.7325E-010	1.7334E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitrobenzene	5.6396E-011	5.6427E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.5685E-011	2.5692E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.4841E-010	4.4852E-010
RCPTR_29	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.1832E-011	3.1837E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.1292E-011	3.1294E-011
RCPTR_29	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.8333E-012	2.8334E-012
RCPTR_29	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.3027E-012	4.6485E-012
RCPTR_29	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4793E-012	1.5958E-012
RCPTR_29	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.4674E-011	3.6891E-011
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.8706E-012	3.1571E-012
RCPTR_29	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1948E-011	1.3111E-011
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorobenzene	2.2311E-009	2.2320E-009
RCPTR_29	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.7763E-010	8.7769E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Pentachlorophenol	5.2483E-007	5.2580E-007
RCPTR_29	farmer_child	TOCDFDFS	Phenanthrene	4.3286E-011	4.3287E-011
RCPTR_29	farmer_child	TOCDFDFS	Phenol	4.4686E-011	4.4714E-011
RCPTR_29	farmer_child	TOCDFDFS	Pronamide	8.5155E-009	8.5775E-009
RCPTR_29	farmer_child	TOCDFDFS	Pyrene	1.2217E-006	1.7905E-006
RCPTR_29	farmer_child	TOCDFDFS	Selenium	3.6905E-006	3.6908E-006
RCPTR_29	farmer_child	TOCDFDFS	Silver	1.3148E-006	1.3166E-006
RCPTR_29	farmer_child	TOCDFDFS	Styrene	9.1290E-012	9.1292E-012
RCPTR_29	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.5335E-011	1.7317E-011
RCPTR_29	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.6903E-012	5.5006E-012
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.4811E-009	3.4859E-009
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8840E-010	1.8840E-010
RCPTR_29	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1248E-013	1.1248E-013
RCPTR_29	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.6672E-008	2.6717E-008
RCPTR_29	farmer_child	TOCDFDFS	Thallium (I)	3.3354E-005	3.3684E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFDFS	Toluene	1.5165E-013	1.5165E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.3299E-010	1.3301E-010
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.2655E-014	7.2655E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.5546E-013	5.5547E-013
RCPTR_29	farmer_child	TOCDFDFS	Trichloroethylene	9.0332E-014	9.0332E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1872E-014	1.1872E-014
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.5069E-008	1.5319E-008
RCPTR_29	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.1695E-009	3.1803E-009
RCPTR_29	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.0560E-012	2.0561E-012
RCPTR_29	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.4306E-011	2.4329E-011
RCPTR_29	farmer_child	TOCDFDFS	Vinyl Chloride	2.9351E-017	2.9351E-017
RCPTR_29	farmer_child	TOCDFDFS	Xylene, m-	1.0611E-012	1.0611E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, o-	1.0273E-012	1.0273E-012
RCPTR_29	farmer_child	TOCDFDFS	Xylene, p-	1.2591E-012	1.2591E-012
RCPTR_29	farmer_child	TOCDFDFS	Zinc	7.8094E-006	8.1162E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Acenaphthene	2.2189E-009	2.2268E-009
RCPTR_29	farmer_child	TOCDFLIC	Acetone	5.8531E-014	5.8531E-014
RCPTR_29	farmer_child	TOCDFLIC	Acetophenone	2.1051E-011	2.1056E-011
RCPTR_29	farmer_child	TOCDFLIC	Aniline	7.0473E-013	7.0474E-013
RCPTR_29	farmer_child	TOCDFLIC	Anthracene	3.8036E-008	3.9310E-008
RCPTR_29	farmer_child	TOCDFLIC	Antimony	7.1467E-007	7.2842E-007
RCPTR_29	farmer_child	TOCDFLIC	Arsenic	2.1086E-006	2.1147E-006
RCPTR_29	farmer_child	TOCDFLIC	Barium	7.4032E-008	7.5009E-008
RCPTR_29	farmer_child	TOCDFLIC	Benzene	5.3750E-013	5.3750E-013
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.3436E-006	6.0091E-006
RCPTR_29	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.6530E-005	4.7148E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.7118E-005	2.8733E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	7.1420E-005	7.3901E-005
RCPTR_29	farmer_child	TOCDFLIC	Benzoic acid	8.8088E-011	8.8098E-011
RCPTR_29	farmer_child	TOCDFLIC	Benzyl alcohol	1.5975E-011	1.5983E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Beryllium	3.5401E-007	3.9150E-007
RCPTR_29	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.5986E-011	1.5992E-011
RCPTR_29	farmer_child	TOCDFLIC	Bromodichloromethane	1.4302E-013	1.4302E-013
RCPTR_29	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.9256E-012	4.9261E-012
RCPTR_29	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.2162E-007	8.5990E-007
RCPTR_29	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.0247E-008	3.0261E-008
RCPTR_29	farmer_child	TOCDFLIC	Cadmium	2.7343E-007	2.9235E-007
RCPTR_29	farmer_child	TOCDFLIC	Carbon disulfide	3.2559E-014	3.2559E-014
RCPTR_29	farmer_child	TOCDFLIC	Carbon tetrachloride	5.1412E-014	5.1412E-014
RCPTR_29	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.3561E-009	1.3624E-009
RCPTR_29	farmer_child	TOCDFLIC	Chloroaniline, p-	7.4240E-011	7.4322E-011
RCPTR_29	farmer_child	TOCDFLIC	Chlorobenzene	3.0093E-013	3.0093E-013
RCPTR_29	farmer_child	TOCDFLIC	Chloroethane	8.4785E-016	8.4785E-016
RCPTR_29	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.5504E-014	4.5504E-014
RCPTR_29	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.7659E-009	5.8131E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.0581E-010	2.0628E-010
RCPTR_29	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.5814E-009	7.6067E-009
RCPTR_29	farmer_child	TOCDFLIC	Chromium	1.5001E-005	1.7031E-005
RCPTR_29	farmer_child	TOCDFLIC	Chromium, hexavalent	1.3169E-005	1.3180E-005
RCPTR_29	farmer_child	TOCDFLIC	Chrysene	1.3791E-005	1.4898E-005
RCPTR_29	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.0797E-007	1.0810E-007
RCPTR_29	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.8938E+002	4.8938E+002
RCPTR_29	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.0008E-003	1.0121E-003
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	9.4116E-012	9.4119E-012
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.1369E-011	1.1369E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.0941E-011	1.0941E-011
RCPTR_29	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.4600E-008	5.4791E-008
RCPTR_29	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.7471E-017	6.7471E-017
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6979E-014	1.6979E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1092E-014	2.1092E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.4295E-015	6.4295E-015
RCPTR_29	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0336E-014	1.0336E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.6389E-010	9.6674E-010
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.8175E-014	5.8175E-014
RCPTR_29	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9187E-014	1.9187E-014
RCPTR_29	farmer_child	TOCDFLIC	Diethyl phthalate	6.1841E-008	6.1847E-008
RCPTR_29	farmer_child	TOCDFLIC	Dimethyl phthalate	5.6232E-010	5.6281E-010
RCPTR_29	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.4058E-010	1.4076E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.1608E-011	8.1618E-011
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.3007E-010	1.3028E-010
RCPTR_29	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	9.9964E-011	1.0010E-010
RCPTR_29	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.9936E-012	2.9944E-012
RCPTR_29	farmer_child	TOCDFLIC	Ethylbenzene	2.4620E-013	2.4620E-013
RCPTR_29	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.8486E-008	9.8637E-008
RCPTR_29	farmer_child	TOCDFLIC	Fluoranthene	4.9647E-007	5.7672E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Fluorene	8.6666E-009	8.7597E-009
RCPTR_29	farmer_child	TOCDFLIC	GB	5.0134E-014	5.0147E-014
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0306E-012	1.0965E-012
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1824E-012	1.2445E-012
RCPTR_29	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.9228E-012	3.1052E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2392E-011	1.3067E-011
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.3765E-012	7.8791E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.5076E-012	7.0045E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.1445E-012	4.4929E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	4.0478E-012	4.3874E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.6604E-012	5.0487E-012
RCPTR_29	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.4089E-012	3.6938E-012
RCPTR_29	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.8535E-010	1.8537E-010
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorobenzene	3.5438E-007	3.7639E-007
RCPTR_29	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.9400E-010	4.9410E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1289E-010	1.1291E-010
RCPTR_29	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.8739E-003	6.8923E-003
RCPTR_29	farmer_child	TOCDFLIC	Isophorone	2.1405E-011	2.1413E-011
RCPTR_29	farmer_child	TOCDFLIC	Lead	4.0279E-005	4.7072E-005
RCPTR_29	farmer_child	TOCDFLIC	Mercuric chloride	5.1183E-005	8.8308E-005
RCPTR_29	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.1695E-015	1.1695E-015
RCPTR_29	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.5795E-017	9.5795E-017
RCPTR_29	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.4814E-013	3.4814E-013
RCPTR_29	farmer_child	TOCDFLIC	Methyl mercury	7.0065E-007	8.0999E-007
RCPTR_29	farmer_child	TOCDFLIC	Methylene chloride	7.4052E-015	7.4052E-015
RCPTR_29	farmer_child	TOCDFLIC	Naphthalene	9.0492E-011	9.0517E-011
RCPTR_29	farmer_child	TOCDFLIC	Nickel	6.7929E-006	6.8809E-006
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.6495E-010	3.6535E-010
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.6886E-011	8.6922E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.1228E-010	1.1234E-010
RCPTR_29	farmer_child	TOCDFLIC	Nitrobenzene	3.6122E-011	3.6142E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.6451E-011	1.6456E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.9126E-010	2.9132E-010
RCPTR_29	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.0388E-011	2.0392E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.0043E-011	2.0044E-011
RCPTR_29	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.8113E-012	1.8114E-012
RCPTR_29	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.7864E-012	4.0872E-012
RCPTR_29	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.2466E-012	1.3436E-012
RCPTR_29	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.4150E-011	2.5659E-011
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.3287E-012	6.9602E-012
RCPTR_29	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4451E-011	1.5859E-011
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorobenzene	1.4201E-009	1.4207E-009
RCPTR_29	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.6469E-010	5.6472E-010
RCPTR_29	farmer_child	TOCDFLIC	Pentachlorophenol	3.4135E-007	3.4198E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Phenanthrene	2.7722E-011	2.7722E-011
RCPTR_29	farmer_child	TOCDFLIC	Phenol	2.8622E-011	2.8639E-011
RCPTR_29	farmer_child	TOCDFLIC	Pronamide	2.7270E-009	2.7469E-009
RCPTR_29	farmer_child	TOCDFLIC	Pyrene	7.8183E-007	1.1461E-006
RCPTR_29	farmer_child	TOCDFLIC	Selenium	1.4241E-006	1.4242E-006
RCPTR_29	farmer_child	TOCDFLIC	Silver	4.9599E-007	4.9668E-007
RCPTR_29	farmer_child	TOCDFLIC	Styrene	1.0434E-011	1.0434E-011
RCPTR_29	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.9955E-012	9.0369E-012
RCPTR_29	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0304E-011	1.2101E-011
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.2296E-009	2.2327E-009
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.0395E-010	1.0395E-010
RCPTR_29	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.1817E-014	6.1817E-014
RCPTR_29	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.7310E-008	1.7339E-008
RCPTR_29	farmer_child	TOCDFLIC	Thallium (I)	1.2966E-005	1.3094E-005
RCPTR_29	farmer_child	TOCDFLIC	Toluene	4.7934E-013	4.7934E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.5170E-011	8.5181E-011
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.9931E-014	3.9932E-014
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.0529E-013	3.0529E-013
RCPTR_29	farmer_child	TOCDFLIC	Trichloroethylene	4.9647E-014	4.9647E-014
RCPTR_29	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.5247E-015	6.5247E-015
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	9.6536E-009	9.8137E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.0312E-009	2.0381E-009
RCPTR_29	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.1300E-012	1.1300E-012
RCPTR_29	farmer_child	TOCDFLIC	Vinyl Chloride	1.7381E-017	1.7381E-017
RCPTR_29	farmer_child	TOCDFLIC	Xylene, m-	9.7553E-013	9.7553E-013
RCPTR_29	farmer_child	TOCDFLIC	Xylene, o-	6.0575E-013	6.0575E-013
RCPTR_29	farmer_child	TOCDFLIC	Xylene, p-	1.1740E-012	1.1740E-012
RCPTR_29	farmer_child	TOCDFLIC	Zinc	2.1060E-006	2.1887E-006
RCPTR_29	farmer_child	TOCDFMPF	Acenaphthene	9.3863E-009	9.4194E-009
RCPTR_29	farmer_child	TOCDFMPF	Acetone	2.9102E-014	2.9102E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Acetophenone	4.9471E-011	4.9482E-011
RCPTR_29	farmer_child	TOCDFMPF	Aniline	2.9810E-012	2.9811E-012
RCPTR_29	farmer_child	TOCDFMPF	Anthracene	1.6090E-007	1.6629E-007
RCPTR_29	farmer_child	TOCDFMPF	Antimony	2.1269E-007	2.1679E-007
RCPTR_29	farmer_child	TOCDFMPF	Arsenic	4.9480E-007	4.9622E-007
RCPTR_29	farmer_child	TOCDFMPF	Barium	6.9394E-008	7.0310E-008
RCPTR_29	farmer_child	TOCDFMPF	Benzene	2.5942E-014	2.5942E-014
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.2627E-005	2.5443E-005
RCPTR_29	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.9724E-004	1.9986E-004
RCPTR_29	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1482E-004	1.2165E-004
RCPTR_29	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.0270E-004	3.1325E-004
RCPTR_29	farmer_child	TOCDFMPF	Benzoic acid	3.4735E-010	3.4739E-010
RCPTR_29	farmer_child	TOCDFMPF	Benzyl alcohol	6.7576E-011	6.7610E-011
RCPTR_29	farmer_child	TOCDFMPF	Beryllium	1.0110E-007	1.1181E-007
RCPTR_29	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.7620E-011	6.7648E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Bromodichloromethane	2.3105E-013	2.3105E-013
RCPTR_29	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.7171E-012	8.7179E-012
RCPTR_29	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.6295E-006	3.6374E-006
RCPTR_29	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.2833E-007	1.2839E-007
RCPTR_29	farmer_child	TOCDFMPF	Cadmium	1.1962E-007	1.2789E-007
RCPTR_29	farmer_child	TOCDFMPF	Carbon disulfide	4.5360E-014	4.5360E-014
RCPTR_29	farmer_child	TOCDFMPF	Carbon tetrachloride	7.1810E-014	7.1810E-014
RCPTR_29	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.7360E-009	5.7628E-009
RCPTR_29	farmer_child	TOCDFMPF	Chloroaniline, p-	3.1404E-010	3.1438E-010
RCPTR_29	farmer_child	TOCDFMPF	Chlorobenzene	4.2032E-013	4.2032E-013
RCPTR_29	farmer_child	TOCDFMPF	Chloroethane	1.1842E-015	1.1842E-015
RCPTR_29	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.1138E-014	6.1138E-014
RCPTR_29	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.4390E-008	2.4590E-008
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenol, 2-	8.7057E-010	8.7256E-010
RCPTR_29	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.2073E-008	3.2180E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Chromium	2.9020E-006	3.2948E-006
RCPTR_29	farmer_child	TOCDFMPF	Chromium, hexavalent	2.5476E-006	2.5496E-006
RCPTR_29	farmer_child	TOCDFMPF	Chrysene	5.8387E-005	6.3071E-005
RCPTR_29	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.5684E-007	4.5738E-007
RCPTR_29	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.0695E+003	2.0695E+003
RCPTR_29	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.2421E-003	4.2902E-003
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.9812E-011	3.9813E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.8090E-011	4.8092E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.6281E-011	4.6282E-011
RCPTR_29	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.0258E-007	3.0364E-007
RCPTR_29	farmer_child	TOCDFMPF	Dichlorodifluoromethane	9.4241E-017	9.4241E-017
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.3715E-014	2.3715E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9461E-014	2.9461E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.9805E-015	8.9805E-015
RCPTR_29	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.4437E-014	1.4437E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.0771E-009	4.0891E-009
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.1256E-014	8.1256E-014
RCPTR_29	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.6799E-014	2.6799E-014
RCPTR_29	farmer_child	TOCDFMPF	Diethyl phthalate	2.6152E-007	2.6154E-007
RCPTR_29	farmer_child	TOCDFMPF	Dimethyl phthalate	2.0283E-010	2.0301E-010
RCPTR_29	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.9464E-010	5.9540E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.4458E-010	3.4462E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.5022E-010	5.5111E-010
RCPTR_29	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.2286E-010	4.2345E-010
RCPTR_29	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.2663E-011	1.2666E-011
RCPTR_29	farmer_child	TOCDFMPF	Ethylbenzene	2.5791E-013	2.5791E-013
RCPTR_29	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0850E-007	1.0867E-007
RCPTR_29	farmer_child	TOCDFMPF	Fluoranthene	2.1004E-006	2.4399E-006
RCPTR_29	farmer_child	TOCDFMPF	Fluorene	3.6660E-008	3.7054E-008
RCPTR_29	farmer_child	TOCDFMPF	GB	7.0764E-014	7.0782E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1643E-012	2.3028E-012
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.9025E-011	8.3191E-011
RCPTR_29	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3519E-011	1.4365E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8192E-011	2.9732E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5987E-011	1.7079E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.5404E-011	1.6582E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.2054E-010	6.7273E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.5092E-010	1.6359E-010
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.6061E-011	2.8234E-011
RCPTR_29	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.8660E-011	2.0221E-011
RCPTR_29	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.8409E-010	7.8416E-010
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorobenzene	1.4991E-006	1.5922E-006
RCPTR_29	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.0898E-009	2.0903E-009
RCPTR_29	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.7754E-010	4.7762E-010
RCPTR_29	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.9091E-002	2.9169E-002
RCPTR_29	farmer_child	TOCDFMPF	Isophorone	9.0546E-011	9.0579E-011
RCPTR_29	farmer_child	TOCDFMPF	Lead	3.1757E-008	3.7113E-008
RCPTR_29	farmer_child	TOCDFMPF	Mercuric chloride	5.7601E-007	9.9318E-007
RCPTR_29	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.3919E-015	1.3919E-015
RCPTR_29	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.9790E-017	4.9790E-017
RCPTR_29	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.2600E-013	3.2600E-013
RCPTR_29	farmer_child	TOCDFMPF	Methyl mercury	7.9102E-009	9.1388E-009
RCPTR_29	farmer_child	TOCDFMPF	Methylene chloride	8.1503E-015	8.1503E-015
RCPTR_29	farmer_child	TOCDFMPF	Naphthalene	3.8278E-010	3.8289E-010
RCPTR_29	farmer_child	TOCDFMPF	Nickel	5.3268E-006	5.3959E-006
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.5410E-009	1.5427E-009
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.6686E-010	3.6702E-010
RCPTR_29	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.7408E-010	4.7433E-010
RCPTR_29	farmer_child	TOCDFMPF	Nitrobenzene	1.5280E-010	1.5288E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.9590E-011	6.9608E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.2296E-009	1.2299E-009
RCPTR_29	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.6244E-011	8.6259E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	8.4780E-011	8.4788E-011
RCPTR_29	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.6629E-012	7.6633E-012
RCPTR_29	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.6174E-012	6.0640E-012
RCPTR_29	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.8300E-012	8.4398E-012
RCPTR_29	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.4834E-011	1.0077E-010
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.0111E-011	7.7107E-011
RCPTR_29	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.3387E-010	2.5665E-010
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorobenzene	6.0096E-009	6.0121E-009
RCPTR_29	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.3855E-009	2.3856E-009
RCPTR_29	farmer_child	TOCDFMPF	Pentachlorophenol	1.4410E-006	1.4436E-006
RCPTR_29	farmer_child	TOCDFMPF	Phenanthrene	1.1726E-010	1.1727E-010
RCPTR_29	farmer_child	TOCDFMPF	Phenol	1.2107E-010	1.2115E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Pronamide	1.1535E-008	1.1619E-008
RCPTR_29	farmer_child	TOCDFMPF	Pyrene	3.3074E-006	4.8482E-006
RCPTR_29	farmer_child	TOCDFMPF	Selenium	4.1659E-007	4.1662E-007
RCPTR_29	farmer_child	TOCDFMPF	Silver	1.9847E-006	1.9875E-006
RCPTR_29	farmer_child	TOCDFMPF	Styrene	1.1070E-011	1.1071E-011
RCPTR_29	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2555E-011	2.5492E-011
RCPTR_29	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.1941E-011	4.9251E-011
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	9.4312E-009	9.4443E-009
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.4515E-010	1.4516E-010
RCPTR_29	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.9135E-013	1.9135E-013
RCPTR_29	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.3082E-008	7.3205E-008
RCPTR_29	farmer_child	TOCDFMPF	Thallium (I)	3.8256E-006	3.8634E-006
RCPTR_29	farmer_child	TOCDFMPF	Toluene	1.3321E-013	1.3321E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.6028E-010	3.6032E-010
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.5775E-014	5.5775E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.2641E-013	4.2641E-013
RCPTR_29	farmer_child	TOCDFMPF	Trichloroethylene	6.9345E-014	6.9345E-014
RCPTR_29	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.1134E-015	9.1134E-015
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.0834E-008	4.1512E-008
RCPTR_29	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.5918E-009	8.6210E-009
RCPTR_29	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.5783E-012	1.5784E-012
RCPTR_29	farmer_child	TOCDFMPF	Vinyl Chloride	2.2530E-017	2.2530E-017
RCPTR_29	farmer_child	TOCDFMPF	Xylene, m-	7.6761E-013	7.6761E-013
RCPTR_29	farmer_child	TOCDFMPF	Xylene, o-	7.4873E-013	7.4873E-013
RCPTR_29	farmer_child	TOCDFMPF	Xylene, p-	9.2285E-013	9.2285E-013
RCPTR_29	farmer_child	TOCDFMPF	Zinc	1.2891E-006	1.3397E-006
RCPTR_29	farmer_child	TOCDHVAC	GB	3.9036E-013	3.9046E-013
RCPTR_29	farmer_child	TOCDLIC2	Acenaphthene	4.5791E-009	4.5952E-009
RCPTR_29	farmer_child	TOCDLIC2	Acetone	5.7922E-014	5.7922E-014
RCPTR_29	farmer_child	TOCDLIC2	Acetophenone	2.4135E-011	2.4140E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Aniline	1.4543E-012	1.4543E-012
RCPTR_29	farmer_child	TOCDLIC2	Anthracene	7.8492E-008	8.1122E-008
RCPTR_29	farmer_child	TOCDLIC2	Antimony	9.5082E-007	9.6912E-007
RCPTR_29	farmer_child	TOCDLIC2	Arsenic	2.1086E-006	2.1147E-006
RCPTR_29	farmer_child	TOCDLIC2	Barium	7.1340E-007	7.2282E-007
RCPTR_29	farmer_child	TOCDLIC2	Benzene	3.8681E-014	3.8681E-014
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1027E-005	1.2401E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(a)pyrene	9.6021E-005	9.7296E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.5962E-005	5.9295E-005
RCPTR_29	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.4739E-004	1.5251E-004
RCPTR_29	farmer_child	TOCDLIC2	Benzoic acid	1.6946E-010	1.6948E-010
RCPTR_29	farmer_child	TOCDLIC2	Benzyl alcohol	3.2967E-011	3.2984E-011
RCPTR_29	farmer_child	TOCDLIC2	Beryllium	3.5401E-007	3.9150E-007
RCPTR_29	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.2988E-011	3.3002E-011
RCPTR_29	farmer_child	TOCDLIC2	Bromodichloromethane	4.3791E-013	4.3791E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.1421E-011	1.1422E-011
RCPTR_29	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.2828E-006	1.7745E-006
RCPTR_29	farmer_child	TOCDLIC2	Butylbenzylphthalate	6.2419E-008	6.2447E-008
RCPTR_29	farmer_child	TOCDLIC2	Cadmium	3.1070E-008	3.3219E-008
RCPTR_29	farmer_child	TOCDLIC2	Carbon disulfide	4.9342E-014	4.9342E-014
RCPTR_29	farmer_child	TOCDLIC2	Carbon tetrachloride	7.8247E-014	7.8247E-014
RCPTR_29	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.7984E-009	2.8115E-009
RCPTR_29	farmer_child	TOCDLIC2	Chloroaniline, p-	1.5321E-010	1.5337E-010
RCPTR_29	farmer_child	TOCDLIC2	Chlorobenzene	4.5800E-013	4.5800E-013
RCPTR_29	farmer_child	TOCDLIC2	Chloroethane	1.2904E-015	1.2904E-015
RCPTR_29	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4050E-013	1.4050E-013
RCPTR_29	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.1899E-008	1.1996E-008
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.2471E-010	4.2568E-010
RCPTR_29	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.5645E-008	1.5698E-008
RCPTR_29	farmer_child	TOCDLIC2	Chromium	1.5001E-005	1.7031E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Chromium, hexavalent	1.3169E-005	1.3180E-005
RCPTR_29	farmer_child	TOCDLIC2	Chrysene	2.8460E-005	3.0744E-005
RCPTR_29	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.2281E-007	2.2307E-007
RCPTR_29	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.0099E+003	1.0099E+003
RCPTR_29	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.0654E-003	2.0886E-003
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.9422E-011	1.9423E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.3461E-011	2.3462E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.2578E-011	2.2579E-011
RCPTR_29	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3130E-007	1.3176E-007
RCPTR_29	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.0269E-016	1.0269E-016
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.5841E-014	2.5841E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2102E-014	3.2102E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	9.7855E-015	9.7855E-015
RCPTR_29	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.5731E-014	1.5731E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.9891E-009	1.9950E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	8.8540E-014	8.8540E-014
RCPTR_29	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.9201E-014	2.9201E-014
RCPTR_29	farmer_child	TOCDLIC2	Diethyl phthalate	1.2762E-007	1.2763E-007
RCPTR_29	farmer_child	TOCDLIC2	Dimethyl phthalate	6.8873E-010	6.8933E-010
RCPTR_29	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.9010E-010	2.9047E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.6884E-010	1.6886E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.6841E-010	2.6884E-010
RCPTR_29	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.0629E-010	2.0658E-010
RCPTR_29	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.1777E-012	6.1793E-012
RCPTR_29	farmer_child	TOCDLIC2	Ethylbenzene	3.1872E-013	3.1872E-013
RCPTR_29	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.5940E-008	6.6041E-008
RCPTR_29	farmer_child	TOCDLIC2	Fluoranthene	1.0245E-006	1.1901E-006
RCPTR_29	farmer_child	TOCDLIC2	Fluorene	1.7885E-008	1.8077E-008
RCPTR_29	farmer_child	TOCDLIC2	GB	5.2120E-014	5.2133E-014
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.2338E-012	7.6960E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.4585E-012	6.7979E-012
RCPTR_29	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.3792E-012	6.7774E-012
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8603E-011	1.9616E-011
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3914E-011	1.4862E-011
RCPTR_29	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3875E-011	1.4934E-011
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.3336E-011	1.4457E-011
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	8.0154E-012	8.6879E-012
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	7.1133E-012	7.7060E-012
RCPTR_29	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	8.1680E-012	8.8505E-012
RCPTR_29	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.8249E-010	3.8253E-010
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorobenzene	7.3131E-007	7.7674E-007
RCPTR_29	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0194E-009	1.0196E-009
RCPTR_29	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.3297E-010	2.3301E-010
RCPTR_29	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_29	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4185E-002	1.4223E-002

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Isophorone	4.4173E-011	4.4190E-011
RCPTR_29	farmer_child	TOCDLIC2	Lead	2.9041E-006	3.3939E-006
RCPTR_29	farmer_child	TOCDLIC2	Mercuric chloride	5.1183E-005	8.8308E-005
RCPTR_29	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.5297E-015	1.5297E-015
RCPTR_29	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.0977E-017	6.0977E-017
RCPTR_29	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.4313E-013	3.4314E-013
RCPTR_29	farmer_child	TOCDLIC2	Methyl mercury	7.0065E-007	8.0999E-007
RCPTR_29	farmer_child	TOCDLIC2	Methylene chloride	2.6937E-014	2.6937E-014
RCPTR_29	farmer_child	TOCDLIC2	Naphthalene	1.8674E-010	1.8680E-010
RCPTR_29	farmer_child	TOCDLIC2	Nickel	2.3612E-006	2.3919E-006
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 2-	7.5508E-010	7.5590E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.7976E-010	1.7984E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.3230E-010	2.3242E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitrobenzene	7.4542E-011	7.4583E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.3950E-011	3.3959E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.0260E-010	6.0274E-010
RCPTR_29	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.2074E-011	4.2082E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.1360E-011	4.1364E-011
RCPTR_29	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.7379E-012	3.7381E-012
RCPTR_29	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2714E-011	1.3724E-011
RCPTR_29	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.2163E-012	4.5444E-012
RCPTR_29	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.5158E-011	4.7980E-011
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3391E-011	1.4728E-011
RCPTR_29	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.8459E-011	4.2204E-011
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorobenzene	2.9306E-009	2.9318E-009
RCPTR_29	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.1683E-009	1.1684E-009
RCPTR_29	farmer_child	TOCDLIC2	Pentachlorophenol	7.0624E-007	7.0754E-007
RCPTR_29	farmer_child	TOCDLIC2	Phenanthrene	5.7207E-011	5.7208E-011
RCPTR_29	farmer_child	TOCDLIC2	Phenol	6.2447E-011	6.2486E-011
RCPTR_29	farmer_child	TOCDLIC2	Pronamide	5.6276E-009	5.6685E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Pyrene	1.6134E-006	2.3651E-006
RCPTR_29	farmer_child	TOCDLIC2	Selenium	1.4241E-006	1.4242E-006
RCPTR_29	farmer_child	TOCDLIC2	Silver	4.9599E-007	4.9668E-007
RCPTR_29	farmer_child	TOCDLIC2	Styrene	8.7410E-012	8.7412E-012
RCPTR_29	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.3178E-011	2.6197E-011
RCPTR_29	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8457E-011	2.1676E-011
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.6010E-009	4.6074E-009
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.5820E-010	1.5821E-010
RCPTR_29	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.4083E-014	9.4083E-014
RCPTR_29	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.5813E-008	3.5873E-008
RCPTR_29	farmer_child	TOCDLIC2	Thallium (I)	1.2966E-005	1.3094E-005
RCPTR_29	farmer_child	TOCDLIC2	Toluene	5.0456E-013	5.0456E-013
RCPTR_29	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.7576E-010	1.7578E-010
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.0774E-014	6.0774E-014
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.6463E-013	4.6464E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_29	farmer_child	TOCDLIC2	Trichloroethylene	7.5561E-014	7.5561E-014
RCPTR_29	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.9304E-015	9.9304E-015
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.9921E-008	2.0252E-008
RCPTR_29	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.1917E-009	4.2059E-009
RCPTR_29	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.7198E-012	1.7198E-012
RCPTR_29	farmer_child	TOCDLIC2	Vinyl Chloride	2.9009E-017	2.9009E-017
RCPTR_29	farmer_child	TOCDLIC2	Xylene, m-	1.1325E-012	1.1325E-012
RCPTR_29	farmer_child	TOCDLIC2	Xylene, o-	8.1272E-013	8.1272E-013
RCPTR_29	farmer_child	TOCDLIC2	Xylene, p-	1.3628E-012	1.3628E-012
RCPTR_29	farmer_child	TOCDLIC2	Zinc	2.5146E-006	2.6133E-006
RCPTR_30	farmer_adult	TOCDFBRA	Antimony	4.8708E-007	5.6490E-007
RCPTR_30	farmer_adult	TOCDFBRA	Arsenic	8.0984E-007	8.3727E-007
RCPTR_30	farmer_adult	TOCDFBRA	Barium	6.7132E-008	7.4975E-008
RCPTR_30	farmer_adult	TOCDFBRA	Beryllium	2.3132E-007	2.6382E-007
RCPTR_30	farmer_adult	TOCDFBRA	Cadmium	3.8230E-008	5.3630E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFBRA	Chromium	6.2948E-006	6.4553E-006
RCPTR_30	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.8030E-006	4.8725E-006
RCPTR_30	farmer_adult	TOCDFBRA	Lead	2.4959E-006	3.0126E-006
RCPTR_30	farmer_adult	TOCDFBRA	Mercuric chloride	5.4740E-004	6.0208E-004
RCPTR_30	farmer_adult	TOCDFBRA	Methyl mercury	4.9911E-006	5.2766E-006
RCPTR_30	farmer_adult	TOCDFBRA	Nickel	2.6558E-006	2.8446E-006
RCPTR_30	farmer_adult	TOCDFBRA	Selenium	9.1075E-007	9.1485E-007
RCPTR_30	farmer_adult	TOCDFBRA	Silver	3.0548E-007	3.2331E-007
RCPTR_30	farmer_adult	TOCDFBRA	Thallium (I)	8.2645E-006	8.6716E-006
RCPTR_30	farmer_adult	TOCDFBRA	Zinc	1.4099E-006	1.7646E-006
RCPTR_30	farmer_adult	TOCDFDFS	Acenaphthene	1.5474E-010	7.7966E-010
RCPTR_30	farmer_adult	TOCDFDFS	Acetone	1.8654E-015	9.7271E-015
RCPTR_30	farmer_adult	TOCDFDFS	Acetophenone	8.2722E-013	4.3061E-012
RCPTR_30	farmer_adult	TOCDFDFS	Aniline	4.7643E-014	2.4704E-013
RCPTR_30	farmer_adult	TOCDFDFS	Anthracene	2.7412E-009	1.3761E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Antimony	4.8645E-006	5.6273E-006
RCPTR_30	farmer_adult	TOCDFDFS	Aroclor 1254	5.9507E-011	9.7649E-011
RCPTR_30	farmer_adult	TOCDFDFS	Arsenic	4.5754E-007	4.7274E-007
RCPTR_30	farmer_adult	TOCDFDFS	Barium	1.3332E-008	1.4861E-008
RCPTR_30	farmer_adult	TOCDFDFS	Benzene	1.5555E-015	8.0490E-015
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)anthracene	1.2509E-006	1.9188E-006
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(a)pyrene	1.3439E-005	1.4120E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	7.2357E-006	8.9237E-006
RCPTR_30	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	2.0879E-005	2.2224E-005
RCPTR_30	farmer_adult	TOCDFDFS	Benzoic acid	6.7481E-012	2.8552E-011
RCPTR_30	farmer_adult	TOCDFDFS	Benzyl alcohol	1.0773E-012	5.6034E-012
RCPTR_30	farmer_adult	TOCDFDFS	Beryllium	1.2624E-007	1.4368E-007
RCPTR_30	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	1.0753E-012	5.6070E-012
RCPTR_30	farmer_adult	TOCDFDFS	Bromodichloromethane	1.2186E-014	6.3452E-014
RCPTR_30	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	4.8407E-013	2.5218E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	6.0721E-008	3.0146E-007
RCPTR_30	farmer_adult	TOCDFDFS	Butylbenzylphthalate	8.0121E-009	9.0928E-009
RCPTR_30	farmer_adult	TOCDFDFS	Cadmium	1.0506E-007	1.4666E-007
RCPTR_30	farmer_adult	TOCDFDFS	Carbon disulfide	8.1063E-016	4.2065E-015
RCPTR_30	farmer_adult	TOCDFDFS	Carbon tetrachloride	4.0611E-015	2.1000E-014
RCPTR_30	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2516E-010	4.7109E-010
RCPTR_30	farmer_adult	TOCDFDFS	Chloroaniline, p-	5.0307E-012	2.6051E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chlorobenzene	2.3889E-014	1.2289E-013
RCPTR_30	farmer_adult	TOCDFDFS	Chloroethane	6.9483E-017	3.4583E-016
RCPTR_30	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	3.6511E-015	1.9004E-014
RCPTR_30	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	4.0106E-010	2.0360E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenol, 2-	1.3877E-011	7.2321E-011
RCPTR_30	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.0592E-010	2.6253E-009
RCPTR_30	farmer_adult	TOCDFDFS	Chromium	1.8416E-006	1.8879E-006
RCPTR_30	farmer_adult	TOCDFDFS	Chromium, hexavalent	1.4116E-006	1.4316E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Chrysene	3.7456E-006	4.6355E-006
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	2.9239E-008	3.3396E-008
RCPTR_30	farmer_adult	TOCDFDFS	Di-n-octylphthalate	1.4890E+002	1.4890E+002
RCPTR_30	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	2.8731E-004	2.9429E-004
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	6.6804E-013	3.2927E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	7.9193E-013	3.9805E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	7.5822E-013	3.8315E-012
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	2.7026E-008	3.2556E-008
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	5.3253E-018	2.7559E-017
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	1.3323E-015	6.9370E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6545E-015	8.6178E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	5.0589E-016	2.6266E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	8.1354E-016	4.2224E-015
RCPTR_30	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	1.0640E-010	3.3083E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	4.5940E-015	2.3763E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	1.5071E-015	7.8386E-015
RCPTR_30	farmer_adult	TOCDFDFS	Diethyl phthalate	1.8220E-008	1.8931E-008
RCPTR_30	farmer_adult	TOCDFDFS	Dimethyl phthalate	2.1986E-011	1.0914E-010
RCPTR_30	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	9.5850E-012	4.9326E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	1.3093E-011	2.6746E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	9.4787E-012	4.5501E-011
RCPTR_30	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	7.1164E-012	3.5013E-011
RCPTR_30	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	2.0139E-013	1.0498E-012
RCPTR_30	farmer_adult	TOCDFDFS	Ethylbenzene	1.5325E-014	7.5270E-014
RCPTR_30	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	8.2014E-010	9.3503E-010
RCPTR_30	farmer_adult	TOCDFDFS	Fluoranthene	5.9256E-008	1.9782E-007
RCPTR_30	farmer_adult	TOCDFDFS	Fluorene	6.2187E-010	3.0643E-009
RCPTR_30	farmer_adult	TOCDFDFS	GB	5.4282E-015	2.8242E-014
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.6626E-013	2.9031E-013
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.3590E-013	1.4593E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.6664E-013	5.0787E-013
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.5798E-012	2.7778E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.4152E-012	1.5527E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2426E-012	1.3789E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.7151E-013	1.0901E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.6348E-013	9.6850E-013
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1553E-012	1.2950E-012
RCPTR_30	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	7.9592E-013	8.9243E-013
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.4134E-011	6.4614E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorobenzene	2.7877E-008	1.3142E-007
RCPTR_30	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.9178E-010	8.5127E-010
RCPTR_30	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	7.8411E-012	3.9539E-011
RCPTR_30	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.0526E-003	2.0657E-003
RCPTR_30	farmer_adult	TOCDFDFS	Isophorone	1.4424E-012	7.5072E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Lead	1.4720E-005	1.7720E-005
RCPTR_30	farmer_adult	TOCDFDFS	Mercuric chloride	1.8535E-007	2.0421E-007
RCPTR_30	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	1.4092E-016	7.3436E-016
RCPTR_30	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	2.3879E-017	1.2433E-016
RCPTR_30	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.2520E-014	6.5278E-014
RCPTR_30	farmer_adult	TOCDFDFS	Methyl mercury	1.5756E-009	1.6741E-009
RCPTR_30	farmer_adult	TOCDFDFS	Methylene chloride	3.6231E-016	1.8870E-015
RCPTR_30	farmer_adult	TOCDFDFS	Naphthalene	6.1957E-012	3.1714E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nickel	1.5607E-006	1.6695E-006
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 2-	2.4441E-011	1.2655E-010
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 3-	5.7878E-012	3.0114E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitroaniline, 4-	7.4934E-012	3.8914E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrobenzene	2.4317E-012	1.2671E-011
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 2-	1.1084E-012	5.7691E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrophenol, 4-	5.0961E-011	9.4746E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.3801E-012	7.1479E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	1.3611E-012	7.0251E-012
RCPTR_30	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	1.2683E-013	6.3187E-013
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	6.9534E-013	7.7464E-013
RCPTR_30	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.3896E-013	2.6562E-013
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.2865E-012	6.8573E-012
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.1519E-013	5.9157E-013
RCPTR_30	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.0971E-012	2.3989E-012
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorobenzene	1.1856E-010	4.9139E-010
RCPTR_30	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	4.8407E-011	1.9252E-010
RCPTR_30	farmer_adult	TOCDFDFS	Pentachlorophenol	8.0244E-008	1.0723E-007
RCPTR_30	farmer_adult	TOCDFDFS	Phenanthrene	1.9418E-012	9.7033E-012
RCPTR_30	farmer_adult	TOCDFDFS	Phenol	1.9355E-012	1.0039E-011
RCPTR_30	farmer_adult	TOCDFDFS	Pronamide	3.9111E-010	1.9218E-009
RCPTR_30	farmer_adult	TOCDFDFS	Pyrene	1.0230E-007	3.9863E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Selenium	5.1462E-007	5.1690E-007
RCPTR_30	farmer_adult	TOCDFDFS	Silver	1.7531E-007	1.8535E-007
RCPTR_30	farmer_adult	TOCDFDFS	Styrene	3.9573E-013	2.0495E-012
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	2.7573E-012	3.3032E-012
RCPTR_30	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	8.5158E-013	1.0803E-012
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	1.6802E-010	7.7919E-010
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.0838E-011	3.8034E-011
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	4.8754E-015	2.5250E-014
RCPTR_30	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.4668E-009	5.7491E-009
RCPTR_30	farmer_adult	TOCDFDFS	Thallium (I)	4.5195E-006	4.7379E-006
RCPTR_30	farmer_adult	TOCDFDFS	Toluene	6.6555E-015	3.4029E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	6.1113E-012	2.9785E-011
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	3.1413E-015	1.6313E-014
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	2.3968E-014	1.2473E-013
RCPTR_30	farmer_adult	TOCDFDFS	Trichloroethylene	3.9134E-015	2.0281E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	5.1407E-016	2.6654E-015
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	7.5225E-010	3.4227E-009
RCPTR_30	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.9754E-010	7.0272E-010
RCPTR_30	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	8.8812E-014	4.6166E-013
RCPTR_30	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.1183E-012	5.4263E-012
RCPTR_30	farmer_adult	TOCDFDFS	Vinyl Chloride	1.2679E-018	6.5896E-018
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, m-	1.1881E-013	1.9845E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, o-	1.0612E-013	1.9690E-013
RCPTR_30	farmer_adult	TOCDFDFS	Xylene, p-	1.2218E-013	2.4568E-013
RCPTR_30	farmer_adult	TOCDFDFS	Zinc	9.3013E-007	1.1599E-006
RCPTR_30	farmer_adult	TOCDFLIC	Acenaphthene	9.0724E-011	4.5704E-010
RCPTR_30	farmer_adult	TOCDFLIC	Acetone	2.3069E-015	1.2029E-014
RCPTR_30	farmer_adult	TOCDFLIC	Acetophenone	8.3127E-013	4.3272E-012
RCPTR_30	farmer_adult	TOCDFLIC	Aniline	2.7929E-014	1.4481E-013
RCPTR_30	farmer_adult	TOCDFLIC	Anthracene	1.6069E-009	8.0664E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Antimony	8.7196E-008	1.0083E-007
RCPTR_30	farmer_adult	TOCDFLIC	Arsenic	2.8037E-007	2.8966E-007
RCPTR_30	farmer_adult	TOCDFLIC	Barium	9.2868E-009	1.0348E-008
RCPTR_30	farmer_adult	TOCDFLIC	Benzene	2.1344E-014	1.1044E-013
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)anthracene	7.3341E-007	1.1243E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(a)pyrene	7.8440E-006	8.2352E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	4.2521E-006	5.2390E-006
RCPTR_30	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	1.2200E-005	1.2965E-005
RCPTR_30	farmer_adult	TOCDFLIC	Benzoic acid	4.2540E-012	1.7965E-011
RCPTR_30	farmer_adult	TOCDFLIC	Benzyl alcohol	6.3152E-013	3.2846E-012
RCPTR_30	farmer_adult	TOCDFLIC	Beryllium	4.7848E-008	5.4439E-008
RCPTR_30	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	6.3032E-013	3.2867E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromodichloromethane	5.6446E-015	2.9392E-014
RCPTR_30	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.9433E-013	1.0124E-012
RCPTR_30	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	3.5591E-008	1.7671E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Butylbenzylphthalate	4.6340E-009	5.2673E-009
RCPTR_30	farmer_adult	TOCDFLIC	Cadmium	2.9461E-008	4.1090E-008
RCPTR_30	farmer_adult	TOCDFLIC	Carbon disulfide	1.2894E-015	6.6905E-015
RCPTR_30	farmer_adult	TOCDFLIC	Carbon tetrachloride	2.0429E-015	1.0563E-014
RCPTR_30	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	7.3656E-011	2.7643E-010
RCPTR_30	farmer_adult	TOCDFLIC	Chloroaniline, p-	2.9491E-012	1.5271E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorobenzene	1.2017E-014	6.1817E-014
RCPTR_30	farmer_adult	TOCDFLIC	Chloroethane	3.4973E-017	1.7397E-016
RCPTR_30	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	1.7967E-015	9.3515E-015
RCPTR_30	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	2.3515E-010	1.1935E-009
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenol, 2-	8.1348E-012	4.2394E-011
RCPTR_30	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.1429E-010	1.5394E-009
RCPTR_30	farmer_adult	TOCDFLIC	Chromium	2.3164E-006	2.3745E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.7768E-006	1.8020E-006
RCPTR_30	farmer_adult	TOCDFLIC	Chrysene	2.2026E-006	2.7223E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.7262E-008	1.9698E-008
RCPTR_30	farmer_adult	TOCDFLIC	Di-n-octylphthalate	8.8287E+001	8.8287E+001
RCPTR_30	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.6785E-004	1.7173E-004
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	3.9179E-013	1.9303E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	4.6437E-013	2.3335E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	4.4458E-013	2.2461E-012
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	8.1837E-009	9.8584E-009
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	2.6783E-018	1.3862E-017
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	6.7015E-016	3.4893E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	8.3222E-016	4.3348E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	2.5448E-016	1.3212E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	4.0923E-016	2.1239E-015
RCPTR_30	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	6.2722E-011	1.9428E-010
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	2.3110E-015	1.1953E-014
RCPTR_30	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	7.5808E-016	3.9428E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Diethyl phthalate	1.0801E-008	1.1218E-008
RCPTR_30	farmer_adult	TOCDFLIC	Dimethyl phthalate	2.3251E-011	1.1543E-010
RCPTR_30	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	5.6197E-012	2.8915E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	7.8227E-012	1.5921E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	5.5514E-012	2.6667E-011
RCPTR_30	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	4.1719E-012	2.0524E-011
RCPTR_30	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	1.1805E-013	6.1540E-013
RCPTR_30	farmer_adult	TOCDFLIC	Ethylbenzene	1.0283E-014	5.0486E-014
RCPTR_30	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.4975E-008	1.7104E-008
RCPTR_30	farmer_adult	TOCDFLIC	Fluoranthene	3.4792E-008	1.1601E-007
RCPTR_30	farmer_adult	TOCDFLIC	Fluorene	3.6465E-010	1.7964E-009
RCPTR_30	farmer_adult	TOCDFLIC	GB	1.9808E-015	1.0306E-014
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.6712E-013	1.8193E-013
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9660E-013	2.1073E-013
RCPTR_30	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.7597E-013	5.1717E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.0682E-012	2.2231E-012
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.1965E-012	1.3107E-012
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0355E-012	1.1477E-012
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.5986E-013	7.3986E-013
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.4559E-013	7.2353E-013
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	7.4558E-013	8.3500E-013
RCPTR_30	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.4457E-013	6.1009E-013
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	8.2830E-012	3.7874E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorobenzene	1.6351E-008	7.7047E-008
RCPTR_30	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	2.2698E-011	1.0080E-010
RCPTR_30	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	4.5985E-012	2.3179E-011
RCPTR_30	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2113E-003	1.2185E-003
RCPTR_30	farmer_adult	TOCDFLIC	Isophorone	8.4552E-013	4.4007E-012
RCPTR_30	farmer_adult	TOCDFLIC	Lead	5.4880E-006	6.6036E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Mercuric chloride	1.5824E-005	1.7442E-005
RCPTR_30	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	4.6121E-017	2.4035E-016
RCPTR_30	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	3.7812E-018	1.9687E-017
RCPTR_30	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.3723E-014	7.1549E-014
RCPTR_30	farmer_adult	TOCDFLIC	Methyl mercury	1.3215E-007	1.4060E-007
RCPTR_30	farmer_adult	TOCDFLIC	Methylene chloride	2.9220E-016	1.5219E-015
RCPTR_30	farmer_adult	TOCDFLIC	Naphthalene	3.6324E-012	1.8591E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nickel	8.8419E-007	9.4566E-007
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 2-	1.4498E-011	7.5068E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 3-	3.4332E-012	1.7863E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroaniline, 4-	4.4444E-012	2.3082E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitrobenzene	1.4254E-012	7.4277E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 2-	6.4971E-013	3.3818E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrophenol, 4-	3.0503E-011	5.6476E-011
RCPTR_30	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	8.0910E-013	4.1901E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	7.9798E-013	4.1181E-012
RCPTR_30	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	7.4169E-014	3.7022E-013
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	5.9450E-013	6.6167E-013
RCPTR_30	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.9567E-013	2.1730E-013
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.1241E-012	4.4922E-012
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.0710E-012	1.2288E-012
RCPTR_30	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.4083E-012	2.7531E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorobenzene	6.8967E-011	2.8752E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.8470E-011	1.1395E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pentachlorophenol	4.8102E-008	6.4112E-008
RCPTR_30	farmer_adult	TOCDFLIC	Phenanthrene	1.1386E-012	5.6883E-012
RCPTR_30	farmer_adult	TOCDFLIC	Phenol	1.1346E-012	5.8850E-012
RCPTR_30	farmer_adult	TOCDFLIC	Pronamide	1.1470E-010	5.6333E-010
RCPTR_30	farmer_adult	TOCDFLIC	Pyrene	6.0029E-008	2.3372E-007
RCPTR_30	farmer_adult	TOCDFLIC	Selenium	1.9368E-007	1.9454E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Silver	6.4502E-008	6.8184E-008
RCPTR_30	farmer_adult	TOCDFLIC	Styrene	4.1398E-013	2.1439E-012
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	1.3518E-012	1.6187E-012
RCPTR_30	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.7488E-012	2.2175E-012
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	9.8609E-011	4.5687E-010
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.5680E-011	1.9300E-011
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	2.4522E-015	1.2701E-014
RCPTR_30	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4744E-009	3.4214E-009
RCPTR_30	farmer_adult	TOCDFLIC	Thallium (I)	1.7135E-006	1.7961E-006
RCPTR_30	farmer_adult	TOCDFLIC	Toluene	1.9257E-014	9.8444E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	3.5841E-012	1.7462E-011
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	1.5801E-015	8.2056E-015
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	1.2056E-014	6.2739E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichloroethylene	1.9685E-015	1.0201E-014
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	2.5859E-016	1.3407E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	4.4175E-010	2.0071E-009
RCPTR_30	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	1.1631E-010	4.1244E-010
RCPTR_30	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	4.4673E-014	2.3222E-013
RCPTR_30	farmer_adult	TOCDFLIC	Vinyl Chloride	6.8710E-019	3.5714E-018
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, m-	1.0239E-013	1.7380E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, o-	5.8297E-014	1.1010E-013
RCPTR_30	farmer_adult	TOCDFLIC	Xylene, p-	1.0569E-013	2.1645E-013
RCPTR_30	farmer_adult	TOCDFLIC	Zinc	2.4465E-007	3.0491E-007
RCPTR_30	farmer_adult	TOCDFMPF	Acenaphthene	3.8690E-010	1.9491E-009
RCPTR_30	farmer_adult	TOCDFMPF	Acetone	1.1564E-015	6.0299E-015
RCPTR_30	farmer_adult	TOCDFMPF	Acetophenone	1.9695E-012	1.0252E-011
RCPTR_30	farmer_adult	TOCDFMPF	Aniline	1.1911E-013	6.1755E-013
RCPTR_30	farmer_adult	TOCDFMPF	Anthracene	6.8529E-009	3.4400E-008
RCPTR_30	farmer_adult	TOCDFMPF	Antimony	2.6009E-008	3.0075E-008
RCPTR_30	farmer_adult	TOCDFMPF	Arsenic	6.5939E-008	6.8123E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Barium	8.7245E-009	9.7218E-009
RCPTR_30	farmer_adult	TOCDFMPF	Benzene	1.0385E-015	5.3736E-015
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)anthracene	3.1283E-006	4.7952E-006
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(a)pyrene	3.3466E-005	3.5137E-005
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.8135E-005	2.2344E-005
RCPTR_30	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	5.2049E-005	5.5316E-005
RCPTR_30	farmer_adult	TOCDFMPF	Benzoic acid	1.6910E-011	7.1416E-011
RCPTR_30	farmer_adult	TOCDFMPF	Benzyl alcohol	2.6932E-012	1.4007E-011
RCPTR_30	farmer_adult	TOCDFMPF	Beryllium	1.3695E-008	1.5582E-008
RCPTR_30	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	2.6880E-012	1.4017E-011
RCPTR_30	farmer_adult	TOCDFMPF	Bromodichloromethane	9.1935E-015	4.7871E-014
RCPTR_30	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	3.4673E-013	1.8063E-012
RCPTR_30	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	1.5178E-007	7.5357E-007
RCPTR_30	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.9780E-008	2.2481E-008
RCPTR_30	farmer_adult	TOCDFMPF	Cadmium	1.2917E-008	1.8017E-008

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Carbon disulfide	1.8109E-015	9.3969E-015
RCPTR_30	farmer_adult	TOCDFMPF	Carbon tetrachloride	2.8767E-015	1.4874E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	3.1407E-010	1.1788E-009
RCPTR_30	farmer_adult	TOCDFMPF	Chloroaniline, p-	1.2577E-011	6.5124E-011
RCPTR_30	farmer_adult	TOCDFMPF	Chlorobenzene	1.6922E-014	8.7048E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloroethane	4.9246E-017	2.4498E-016
RCPTR_30	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	2.4337E-015	1.2667E-014
RCPTR_30	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	1.0028E-009	5.0899E-009
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenol, 2-	3.4691E-011	1.8079E-010
RCPTR_30	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7668E-009	6.5650E-009
RCPTR_30	farmer_adult	TOCDFMPF	Chromium	4.4914E-007	4.6040E-007
RCPTR_30	farmer_adult	TOCDFMPF	Chromium, hexavalent	3.4450E-007	3.4938E-007
RCPTR_30	farmer_adult	TOCDFMPF	Chrysene	9.3939E-006	1.1611E-005
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	7.3606E-008	8.3995E-008
RCPTR_30	farmer_adult	TOCDFMPF	Di-n-octylphthalate	3.7638E+002	3.7638E+002

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	7.1594E-004	7.3253E-004
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	1.6708E-012	8.2319E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.9803E-012	9.9512E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.8959E-012	9.5786E-012
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	4.5669E-008	5.5013E-008
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	3.7716E-018	1.9519E-017
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	9.4368E-016	4.9135E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1719E-015	6.1040E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	3.5834E-016	1.8605E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	5.7626E-016	2.9907E-015
RCPTR_30	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	2.6744E-010	8.2847E-010
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	3.2542E-015	1.6831E-014
RCPTR_30	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.0675E-015	5.5521E-015
RCPTR_30	farmer_adult	TOCDFMPF	Diethyl phthalate	4.6048E-008	4.7826E-008
RCPTR_30	farmer_adult	TOCDFMPF	Dimethyl phthalate	8.4553E-012	4.1975E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	2.3965E-011	1.2331E-010
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	3.3294E-011	6.7769E-011
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	2.3676E-011	1.1372E-010
RCPTR_30	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	1.7792E-011	8.7528E-011
RCPTR_30	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	5.0343E-013	2.6244E-012
RCPTR_30	farmer_adult	TOCDFMPF	Ethylbenzene	1.0860E-014	5.3319E-014
RCPTR_30	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.6595E-008	1.8952E-008
RCPTR_30	farmer_adult	TOCDFMPF	Fluoranthene	1.4838E-007	4.9472E-007
RCPTR_30	farmer_adult	TOCDFMPF	Fluorene	1.5551E-009	7.6607E-009
RCPTR_30	farmer_adult	TOCDFMPF	GB	2.8187E-015	1.4665E-014
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.5247E-013	3.8373E-013
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3207E-011	1.4159E-011
RCPTR_30	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.2114E-012	2.4030E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.7301E-012	5.0850E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.6045E-012	2.8534E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.4606E-012	2.7273E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	9.9178E-011	1.1121E-010
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.4165E-011	2.7083E-011
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.1859E-012	4.6882E-012
RCPTR_30	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	2.9927E-012	3.3530E-012
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	3.5325E-011	1.6152E-010
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorobenzene	6.9728E-008	3.2857E-007
RCPTR_30	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	9.6802E-011	4.2985E-010
RCPTR_30	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.9610E-011	9.8850E-011
RCPTR_30	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.1647E-003	5.1957E-003
RCPTR_30	farmer_adult	TOCDFMPF	Isophorone	3.6058E-012	1.8767E-011
RCPTR_30	farmer_adult	TOCDFMPF	Lead	4.3366E-009	5.2183E-009
RCPTR_30	farmer_adult	TOCDFMPF	Mercuric chloride	1.7926E-007	1.9758E-007
RCPTR_30	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	5.5340E-017	2.8839E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.9813E-018	1.0316E-017
RCPTR_30	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.2955E-014	6.7546E-014
RCPTR_30	farmer_adult	TOCDFMPF	Methyl mercury	1.4986E-009	1.5942E-009
RCPTR_30	farmer_adult	TOCDFMPF	Methylene chloride	3.2422E-016	1.6887E-015
RCPTR_30	farmer_adult	TOCDFMPF	Naphthalene	1.5491E-011	7.9281E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nickel	6.9492E-007	7.4324E-007
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 2-	6.1717E-011	3.1955E-010
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 3-	1.4615E-011	7.6039E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.8919E-011	9.8258E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrobenzene	6.0788E-012	3.1676E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 2-	2.7707E-012	1.4422E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrophenol, 4-	1.2981E-010	2.4037E-010
RCPTR_30	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	3.4504E-012	1.7869E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	3.4030E-012	1.7562E-011
RCPTR_30	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	3.1633E-013	1.5789E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	8.8494E-013	9.8498E-013
RCPTR_30	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2331E-012	1.3696E-012
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.6296E-011	1.7752E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.1938E-011	1.3697E-011
RCPTR_30	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	3.9190E-011	4.4803E-011
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorobenzene	2.9424E-010	1.2263E-009
RCPTR_30	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2125E-010	4.8514E-010
RCPTR_30	farmer_adult	TOCDFMPF	Pentachlorophenol	2.0470E-007	2.7285E-007
RCPTR_30	farmer_adult	TOCDFMPF	Phenanthrene	4.8555E-012	2.4258E-011
RCPTR_30	farmer_adult	TOCDFMPF	Phenol	4.8387E-012	2.5097E-011
RCPTR_30	farmer_adult	TOCDFMPF	Pronamide	4.8914E-010	2.4023E-009
RCPTR_30	farmer_adult	TOCDFMPF	Pyrene	2.5599E-007	9.9671E-007
RCPTR_30	farmer_adult	TOCDFMPF	Selenium	5.6784E-008	5.7034E-008
RCPTR_30	farmer_adult	TOCDFMPF	Silver	2.5869E-007	2.7346E-007
RCPTR_30	farmer_adult	TOCDFMPF	Styrene	4.4281E-013	2.2933E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	3.8378E-012	4.5954E-012
RCPTR_30	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	7.1668E-012	9.0874E-012
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	4.2051E-010	1.9483E-009
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	2.2073E-011	2.7170E-011
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	7.6524E-015	3.9635E-014
RCPTR_30	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.2748E-009	1.4563E-008
RCPTR_30	farmer_adult	TOCDFMPF	Thallium (I)	5.0671E-007	5.3112E-007
RCPTR_30	farmer_adult	TOCDFMPF	Toluene	5.3951E-015	2.7580E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.5284E-011	7.4466E-011
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	2.2251E-015	1.1555E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	1.6977E-014	8.8347E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichloroethylene	2.7720E-015	1.4365E-014
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	3.6414E-016	1.8879E-015
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.8838E-009	8.5593E-009
RCPTR_30	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	4.9595E-010	1.7588E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	6.2907E-014	3.2700E-013
RCPTR_30	farmer_adult	TOCDFMPF	Vinyl Chloride	8.9794E-019	4.6673E-018
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, m-	8.1044E-014	1.3745E-013
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, o-	7.2521E-014	1.3682E-013
RCPTR_30	farmer_adult	TOCDFMPF	Xylene, p-	8.3645E-014	1.7112E-013
RCPTR_30	farmer_adult	TOCDFMPF	Zinc	1.5008E-007	1.8705E-007
RCPTR_30	farmer_adult	TOCDHVAC	GB	1.3227E-014	6.8824E-014
RCPTR_30	farmer_adult	TOCDLIC2	Acenaphthene	1.8722E-010	9.4317E-010
RCPTR_30	farmer_adult	TOCDLIC2	Acetone	2.2829E-015	1.1904E-014
RCPTR_30	farmer_adult	TOCDLIC2	Acetophenone	9.5303E-013	4.9610E-012
RCPTR_30	farmer_adult	TOCDLIC2	Aniline	5.7636E-014	2.9884E-013
RCPTR_30	farmer_adult	TOCDLIC2	Anthracene	3.3161E-009	1.6646E-008
RCPTR_30	farmer_adult	TOCDLIC2	Antimony	1.1601E-007	1.3414E-007
RCPTR_30	farmer_adult	TOCDLIC2	Arsenic	2.8037E-007	2.8966E-007
RCPTR_30	farmer_adult	TOCDLIC2	Barium	8.9491E-008	9.9719E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Benzene	1.5360E-015	7.9476E-015
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)anthracene	1.5135E-006	2.3201E-006
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(a)pyrene	1.6187E-005	1.6994E-005
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	8.7749E-006	1.0811E-005
RCPTR_30	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	2.5177E-005	2.6755E-005
RCPTR_30	farmer_adult	TOCDLIC2	Benzoic acid	8.1836E-012	3.4559E-011
RCPTR_30	farmer_adult	TOCDLIC2	Benzyl alcohol	1.3032E-012	6.7783E-012
RCPTR_30	farmer_adult	TOCDLIC2	Beryllium	4.7848E-008	5.4439E-008
RCPTR_30	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	1.3007E-012	6.7827E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromodichloromethane	1.7283E-014	8.9996E-014
RCPTR_30	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	4.5058E-013	2.3473E-012
RCPTR_30	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	7.3446E-008	3.6466E-007
RCPTR_30	farmer_adult	TOCDLIC2	Butylbenzylphthalate	9.5630E-009	1.0870E-008
RCPTR_30	farmer_adult	TOCDLIC2	Cadmium	3.3476E-009	4.6690E-009
RCPTR_30	farmer_adult	TOCDLIC2	Carbon disulfide	1.9540E-015	1.0139E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Carbon tetrachloride	3.1092E-015	1.6077E-014
RCPTR_30	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	1.5200E-010	5.7046E-010
RCPTR_30	farmer_adult	TOCDLIC2	Chloroaniline, p-	6.0859E-012	3.1514E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorobenzene	1.8290E-014	9.4083E-014
RCPTR_30	farmer_adult	TOCDLIC2	Chloroethane	5.3227E-017	2.6478E-016
RCPTR_30	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	5.5473E-015	2.8873E-014
RCPTR_30	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	4.8525E-010	2.4630E-009
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenol, 2-	1.6787E-011	8.7485E-011
RCPTR_30	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.5494E-010	3.1768E-009
RCPTR_30	farmer_adult	TOCDLIC2	Chromium	2.3164E-006	2.3745E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.7768E-006	1.8020E-006
RCPTR_30	farmer_adult	TOCDLIC2	Chrysene	4.5454E-006	5.6179E-006
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	3.5623E-008	4.0650E-008
RCPTR_30	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.8219E+002	1.8219E+002
RCPTR_30	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	3.4637E-004	3.5438E-004

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	8.0851E-013	3.9835E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	9.5830E-013	4.8154E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	9.1745E-013	4.6351E-012
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.9680E-008	2.3707E-008
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	4.0763E-018	2.1097E-017
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	1.0199E-015	5.3106E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.2666E-015	6.5973E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	3.8730E-016	2.0108E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	6.2284E-016	3.2325E-015
RCPTR_30	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	1.2943E-010	4.0092E-010
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	3.5172E-015	1.8192E-014
RCPTR_30	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.1538E-015	6.0008E-015
RCPTR_30	farmer_adult	TOCDLIC2	Diethyl phthalate	2.2290E-008	2.3150E-008
RCPTR_30	farmer_adult	TOCDLIC2	Dimethyl phthalate	2.8478E-011	1.4138E-010
RCPTR_30	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	1.1597E-011	5.9671E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	1.6185E-011	3.2941E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	1.1456E-011	5.5031E-011
RCPTR_30	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	8.6093E-012	4.2355E-011
RCPTR_30	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	2.4361E-013	1.2700E-012
RCPTR_30	farmer_adult	TOCDLIC2	Ethylbenzene	1.3312E-014	6.5358E-014
RCPTR_30	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.0026E-008	1.1452E-008
RCPTR_30	farmer_adult	TOCDLIC2	Fluoranthene	7.1798E-008	2.3940E-007
RCPTR_30	farmer_adult	TOCDLIC2	Fluorene	7.5251E-010	3.7070E-009
RCPTR_30	farmer_adult	TOCDLIC2	GB	2.0592E-015	1.0714E-014
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.1730E-012	1.2769E-012
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0739E-012	1.1511E-012
RCPTR_30	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.0388E-012	1.1288E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.1048E-012	3.3374E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.2569E-012	2.4723E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.2079E-012	2.4471E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.1233E-012	2.3808E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.2784E-012	1.4327E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1380E-012	1.2745E-012
RCPTR_30	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.3048E-012	1.4618E-012
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	1.7093E-011	7.8158E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorobenzene	3.3741E-008	1.5900E-007
RCPTR_30	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	4.6840E-011	2.0800E-010
RCPTR_30	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	9.4896E-012	4.7834E-011
RCPTR_30	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.4996E-003	2.5146E-003
RCPTR_30	farmer_adult	TOCDLIC2	Isophorone	1.7448E-012	9.0814E-012
RCPTR_30	farmer_adult	TOCDLIC2	Lead	3.9568E-007	4.7611E-007
RCPTR_30	farmer_adult	TOCDLIC2	Mercuric chloride	1.5824E-005	1.7442E-005
RCPTR_30	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	6.0327E-017	3.1438E-016
RCPTR_30	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	2.4069E-018	1.2531E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.3525E-014	7.0522E-014
RCPTR_30	farmer_adult	TOCDLIC2	Methyl mercury	1.3215E-007	1.4060E-007
RCPTR_30	farmer_adult	TOCDLIC2	Methylene chloride	1.0629E-015	5.5360E-015
RCPTR_30	farmer_adult	TOCDLIC2	Naphthalene	7.4959E-012	3.8364E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nickel	3.0735E-007	3.2872E-007
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 2-	2.9997E-011	1.5531E-010
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 3-	7.1032E-012	3.6958E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitroaniline, 4-	9.1952E-012	4.7757E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitrobenzene	2.9416E-012	1.5328E-011
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 2-	1.3408E-012	6.9787E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrophenol, 4-	6.3110E-011	1.1685E-010
RCPTR_30	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	1.6697E-012	8.6467E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	1.6467E-012	8.4983E-012
RCPTR_30	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	1.5306E-013	7.6400E-013
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.9962E-012	2.2217E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.6182E-013	7.3498E-013
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	7.7116E-012	8.4001E-012
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.2663E-012	2.6001E-012
RCPTR_30	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.4091E-012	7.3267E-012
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorobenzene	1.4232E-010	5.9333E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	5.8904E-011	2.3576E-010
RCPTR_30	farmer_adult	TOCDLIC2	Pentachlorophenol	9.9522E-008	1.3264E-007
RCPTR_30	farmer_adult	TOCDLIC2	Phenanthrene	2.3496E-012	1.1738E-011
RCPTR_30	farmer_adult	TOCDLIC2	Phenol	2.4756E-012	1.2840E-011
RCPTR_30	farmer_adult	TOCDLIC2	Pronamide	2.3670E-010	1.1625E-009
RCPTR_30	farmer_adult	TOCDLIC2	Pyrene	1.2388E-007	4.8231E-007
RCPTR_30	farmer_adult	TOCDLIC2	Selenium	1.9368E-007	1.9454E-007
RCPTR_30	farmer_adult	TOCDLIC2	Silver	6.4502E-008	6.8184E-008
RCPTR_30	farmer_adult	TOCDLIC2	Styrene	3.4680E-013	1.7961E-012
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	3.9188E-012	4.6923E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	3.1325E-012	3.9720E-012
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.0349E-010	9.4282E-010
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	2.3864E-011	2.9373E-011
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	3.7321E-015	1.9330E-014
RCPTR_30	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.0504E-009	7.0788E-009
RCPTR_30	farmer_adult	TOCDLIC2	Thallium (I)	1.7135E-006	1.7961E-006
RCPTR_30	farmer_adult	TOCDLIC2	Toluene	2.0271E-014	1.0362E-013
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	7.3962E-012	3.6034E-011
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	2.4049E-015	1.2489E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	1.8349E-014	9.5487E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichloroethylene	2.9960E-015	1.5526E-014
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	3.9357E-016	2.0405E-015
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	9.1161E-010	4.1419E-009
RCPTR_30	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	2.4002E-010	8.5113E-010
RCPTR_30	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	6.7991E-014	3.5343E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_adult	TOCDLIC2	Vinyl Chloride	1.1468E-018	5.9609E-018
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, m-	1.1886E-013	2.0176E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, o-	7.8217E-014	1.4772E-013
RCPTR_30	farmer_adult	TOCDLIC2	Xylene, p-	1.2270E-013	2.5128E-013
RCPTR_30	farmer_adult	TOCDLIC2	Zinc	2.9212E-007	3.6406E-007
RCPTR_30	farmer_child	TOCDFBRA	Antimony	5.5322E-007	5.6490E-007
RCPTR_30	farmer_child	TOCDFBRA	Arsenic	8.3460E-007	8.3727E-007
RCPTR_30	farmer_child	TOCDFBRA	Barium	7.3901E-008	7.4975E-008
RCPTR_30	farmer_child	TOCDFBRA	Beryllium	2.3633E-007	2.6382E-007
RCPTR_30	farmer_child	TOCDFBRA	Cadmium	4.9907E-008	5.3630E-008
RCPTR_30	farmer_child	TOCDFBRA	Chromium	5.6210E-006	6.4553E-006
RCPTR_30	farmer_child	TOCDFBRA	Chromium, hexavalent	4.8681E-006	4.8725E-006
RCPTR_30	farmer_child	TOCDFBRA	Lead	2.5449E-006	3.0126E-006
RCPTR_30	farmer_child	TOCDFBRA	Mercuric chloride	3.4583E-004	6.0208E-004
RCPTR_30	farmer_child	TOCDFBRA	Methyl mercury	4.5219E-006	5.2766E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFBRA	Nickel	2.8044E-006	2.8446E-006
RCPTR_30	farmer_child	TOCDFBRA	Selenium	9.1478E-007	9.1485E-007
RCPTR_30	farmer_child	TOCDFBRA	Silver	3.2281E-007	3.2331E-007
RCPTR_30	farmer_child	TOCDFBRA	Thallium (I)	8.5778E-006	8.6716E-006
RCPTR_30	farmer_child	TOCDFBRA	Zinc	1.6923E-006	1.7646E-006
RCPTR_30	farmer_child	TOCDFDFS	Acenaphthene	7.7692E-010	7.7966E-010
RCPTR_30	farmer_child	TOCDFDFS	Acetone	9.7271E-015	9.7271E-015
RCPTR_30	farmer_child	TOCDFDFS	Acetophenone	4.3052E-012	4.3061E-012
RCPTR_30	farmer_child	TOCDFDFS	Aniline	2.4703E-013	2.4704E-013
RCPTR_30	farmer_child	TOCDFDFS	Anthracene	1.3314E-008	1.3761E-008
RCPTR_30	farmer_child	TOCDFDFS	Antimony	5.5129E-006	5.6273E-006
RCPTR_30	farmer_child	TOCDFDFS	Aroclor 1254	9.7110E-011	9.7649E-011
RCPTR_30	farmer_child	TOCDFDFS	Arsenic	4.7127E-007	4.7274E-007
RCPTR_30	farmer_child	TOCDFDFS	Barium	1.4652E-008	1.4861E-008
RCPTR_30	farmer_child	TOCDFDFS	Benzene	8.0490E-015	8.0490E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)anthracene	1.6863E-006	1.9188E-006
RCPTR_30	farmer_child	TOCDFDFS	Benzo(a)pyrene	1.3913E-005	1.4120E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	8.3605E-006	8.9237E-006
RCPTR_30	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	2.1403E-005	2.2224E-005
RCPTR_30	farmer_child	TOCDFDFS	Benzoic acid	2.8549E-011	2.8552E-011
RCPTR_30	farmer_child	TOCDFDFS	Benzyl alcohol	5.6005E-012	5.6034E-012
RCPTR_30	farmer_child	TOCDFDFS	Beryllium	1.2893E-007	1.4368E-007
RCPTR_30	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	5.6047E-012	5.6070E-012
RCPTR_30	farmer_child	TOCDFDFS	Bromodichloromethane	6.3452E-014	6.3452E-014
RCPTR_30	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	2.5216E-012	2.5218E-012
RCPTR_30	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	2.1792E-007	3.0146E-007
RCPTR_30	farmer_child	TOCDFDFS	Butylbenzylphthalate	9.0881E-009	9.0928E-009
RCPTR_30	farmer_child	TOCDFDFS	Cadmium	1.3660E-007	1.4666E-007
RCPTR_30	farmer_child	TOCDFDFS	Carbon disulfide	4.2065E-015	4.2065E-015
RCPTR_30	farmer_child	TOCDFDFS	Carbon tetrachloride	2.1000E-014	2.1000E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	4.6887E-010	4.7109E-010
RCPTR_30	farmer_child	TOCDFDFS	Chloroaniline, p-	2.6023E-011	2.6051E-011
RCPTR_30	farmer_child	TOCDFDFS	Chlorobenzene	1.2289E-013	1.2289E-013
RCPTR_30	farmer_child	TOCDFDFS	Chloroethane	3.4583E-016	3.4583E-016
RCPTR_30	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.9004E-014	1.9004E-014
RCPTR_30	farmer_child	TOCDFDFS	Chloronaphthalene,2-	2.0195E-009	2.0360E-009
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenol, 2-	7.2156E-011	7.2321E-011
RCPTR_30	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.6165E-009	2.6253E-009
RCPTR_30	farmer_child	TOCDFDFS	Chromium	1.6474E-006	1.8879E-006
RCPTR_30	farmer_child	TOCDFDFS	Chromium, hexavalent	1.4303E-006	1.4316E-006
RCPTR_30	farmer_child	TOCDFDFS	Chrysene	4.2504E-006	4.6355E-006
RCPTR_30	farmer_child	TOCDFDFS	Di-n-butyl phthalate	3.3351E-008	3.3396E-008
RCPTR_30	farmer_child	TOCDFDFS	Di-n-octylphthalate	1.4890E+002	1.4890E+002
RCPTR_30	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	2.9127E-004	2.9429E-004
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	3.2926E-012	3.2927E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	3.9804E-012	3.9805E-012
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	3.8314E-012	3.8315E-012
RCPTR_30	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	3.2427E-008	3.2556E-008
RCPTR_30	farmer_child	TOCDFDFS	Dichlorodifluoromethane	2.7559E-017	2.7559E-017
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane 1,1-	6.9370E-015	6.9370E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6178E-015	8.6178E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	2.6266E-015	2.6266E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2224E-015	4.2224E-015
RCPTR_30	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	3.2983E-010	3.3083E-010
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	2.3762E-014	2.3763E-014
RCPTR_30	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.8386E-015	7.8386E-015
RCPTR_30	farmer_child	TOCDFDFS	Diethyl phthalate	1.8929E-008	1.8931E-008
RCPTR_30	farmer_child	TOCDFDFS	Dimethyl phthalate	1.0905E-010	1.0914E-010
RCPTR_30	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	4.9264E-011	4.9326E-011
RCPTR_30	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	2.6742E-011	2.6746E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	4.5427E-011	4.5501E-011
RCPTR_30	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	3.4964E-011	3.5013E-011
RCPTR_30	farmer_child	TOCDFDFS	Ethyl methanesulfonate	1.0496E-012	1.0498E-012
RCPTR_30	farmer_child	TOCDFDFS	Ethylbenzene	7.5269E-014	7.5270E-014
RCPTR_30	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	9.3336E-010	9.3503E-010
RCPTR_30	farmer_child	TOCDFDFS	Fluoranthene	1.6969E-007	1.9782E-007
RCPTR_30	farmer_child	TOCDFDFS	Fluorene	3.0317E-009	3.0643E-009
RCPTR_30	farmer_child	TOCDFDFS	GB	2.8235E-014	2.8242E-014
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	2.7119E-013	2.9031E-013
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	1.3798E-013	1.4593E-013
RCPTR_30	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	4.7518E-013	5.0787E-013
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	2.6206E-012	2.7778E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	1.4439E-012	1.5527E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	1.2711E-012	1.3789E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	9.9638E-013	1.0901E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	8.8535E-013	9.6850E-013
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	1.1845E-012	1.2950E-012
RCPTR_30	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	8.1609E-013	8.9243E-013
RCPTR_30	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.4608E-011	6.4614E-011
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorobenzene	1.2371E-007	1.3142E-007
RCPTR_30	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	8.5110E-010	8.5127E-010
RCPTR_30	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.9532E-011	3.9539E-011
RCPTR_30	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	2.0608E-003	2.0657E-003
RCPTR_30	farmer_child	TOCDFDFS	Isophorone	7.5044E-012	7.5072E-012
RCPTR_30	farmer_child	TOCDFDFS	Lead	1.5004E-005	1.7720E-005
RCPTR_30	farmer_child	TOCDFDFS	Mercuric chloride	1.1582E-007	2.0421E-007
RCPTR_30	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	7.3436E-016	7.3436E-016
RCPTR_30	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	1.2433E-016	1.2433E-016
RCPTR_30	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5278E-014	6.5278E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Methyl mercury	1.4138E-009	1.6741E-009
RCPTR_30	farmer_child	TOCDFDFS	Methylene chloride	1.8870E-015	1.8870E-015
RCPTR_30	farmer_child	TOCDFDFS	Naphthalene	3.1705E-011	3.1714E-011
RCPTR_30	farmer_child	TOCDFDFS	Nickel	1.6463E-006	1.6695E-006
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 2-	1.2641E-010	1.2655E-010
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 3-	3.0101E-011	3.0114E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitroaniline, 4-	3.8893E-011	3.8914E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrobenzene	1.2664E-011	1.2671E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 2-	5.7676E-012	5.7691E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrophenol, 4-	9.4722E-011	9.4746E-011
RCPTR_30	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.1466E-012	7.1479E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	7.0245E-012	7.0251E-012
RCPTR_30	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	6.3184E-013	6.3187E-013
RCPTR_30	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	7.1167E-013	7.7464E-013
RCPTR_30	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	2.4442E-013	2.6562E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	6.4098E-012	6.8573E-012
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	5.3162E-013	5.9157E-013
RCPTR_30	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	2.1612E-012	2.3989E-012
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorobenzene	4.9119E-010	4.9139E-010
RCPTR_30	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.9250E-010	1.9252E-010
RCPTR_30	farmer_child	TOCDFDFS	Pentachlorophenol	1.0701E-007	1.0723E-007
RCPTR_30	farmer_child	TOCDFDFS	Phenanthrene	9.7031E-012	9.7033E-012
RCPTR_30	farmer_child	TOCDFDFS	Phenol	1.0033E-011	1.0039E-011
RCPTR_30	farmer_child	TOCDFDFS	Pronamide	1.9078E-009	1.9218E-009
RCPTR_30	farmer_child	TOCDFDFS	Pyrene	2.7093E-007	3.9863E-007
RCPTR_30	farmer_child	TOCDFDFS	Selenium	5.1686E-007	5.1690E-007
RCPTR_30	farmer_child	TOCDFDFS	Silver	1.8507E-007	1.8535E-007
RCPTR_30	farmer_child	TOCDFDFS	Styrene	2.0495E-012	2.0495E-012
RCPTR_30	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	2.8791E-012	3.3032E-012
RCPTR_30	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	9.0320E-013	1.0803E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.7811E-010	7.7919E-010
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	3.8033E-011	3.8034E-011
RCPTR_30	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.5250E-014	2.5250E-014
RCPTR_30	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	5.7391E-009	5.7491E-009
RCPTR_30	farmer_child	TOCDFDFS	Thallium (I)	4.6875E-006	4.7379E-006
RCPTR_30	farmer_child	TOCDFDFS	Toluene	3.4029E-014	3.4029E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9782E-011	2.9785E-011
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	1.6313E-014	1.6313E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	1.2473E-013	1.2473E-013
RCPTR_30	farmer_child	TOCDFDFS	Trichloroethylene	2.0280E-014	2.0281E-014
RCPTR_30	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.6654E-015	2.6654E-015
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	3.3665E-009	3.4227E-009
RCPTR_30	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	7.0030E-010	7.0272E-010
RCPTR_30	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	4.6165E-013	4.6166E-013
RCPTR_30	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.4212E-012	5.4263E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFDFS	Vinyl Chloride	6.5896E-018	6.5896E-018
RCPTR_30	farmer_child	TOCDFDFS	Xylene, m-	1.9845E-013	1.9845E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, o-	1.9690E-013	1.9690E-013
RCPTR_30	farmer_child	TOCDFDFS	Xylene, p-	2.4568E-013	2.4568E-013
RCPTR_30	farmer_child	TOCDFDFS	Zinc	1.1131E-006	1.1599E-006
RCPTR_30	farmer_child	TOCDFLIC	Acenaphthene	4.5543E-010	4.5704E-010
RCPTR_30	farmer_child	TOCDFLIC	Acetone	1.2029E-014	1.2029E-014
RCPTR_30	farmer_child	TOCDFLIC	Acetophenone	4.3263E-012	4.3272E-012
RCPTR_30	farmer_child	TOCDFLIC	Aniline	1.4481E-013	1.4481E-013
RCPTR_30	farmer_child	TOCDFLIC	Anthracene	7.8046E-009	8.0664E-009
RCPTR_30	farmer_child	TOCDFLIC	Antimony	9.8783E-008	1.0083E-007
RCPTR_30	farmer_child	TOCDFLIC	Arsenic	2.8875E-007	2.8966E-007
RCPTR_30	farmer_child	TOCDFLIC	Barium	1.0203E-008	1.0348E-008
RCPTR_30	farmer_child	TOCDFLIC	Benzene	1.1044E-013	1.1044E-013
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)anthracene	9.8820E-007	1.1243E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Benzo(a)pyrene	8.1160E-006	8.2352E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	4.9097E-006	5.2390E-006
RCPTR_30	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	1.2499E-005	1.2965E-005
RCPTR_30	farmer_child	TOCDFLIC	Benzoic acid	1.7963E-011	1.7965E-011
RCPTR_30	farmer_child	TOCDFLIC	Benzyl alcohol	3.2830E-012	3.2846E-012
RCPTR_30	farmer_child	TOCDFLIC	Beryllium	4.8864E-008	5.4439E-008
RCPTR_30	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	3.2854E-012	3.2867E-012
RCPTR_30	farmer_child	TOCDFLIC	Bromodichloromethane	2.9392E-014	2.9392E-014
RCPTR_30	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	1.0123E-012	1.0124E-012
RCPTR_30	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	1.2774E-007	1.7671E-007
RCPTR_30	farmer_child	TOCDFLIC	Butylbenzylphthalate	5.2645E-009	5.2673E-009
RCPTR_30	farmer_child	TOCDFLIC	Cadmium	3.8278E-008	4.1090E-008
RCPTR_30	farmer_child	TOCDFLIC	Carbon disulfide	6.6905E-015	6.6905E-015
RCPTR_30	farmer_child	TOCDFLIC	Carbon tetrachloride	1.0563E-014	1.0563E-014
RCPTR_30	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	2.7513E-010	2.7643E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Chloroaniline, p-	1.5254E-011	1.5271E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorobenzene	6.1816E-014	6.1817E-014
RCPTR_30	farmer_child	TOCDFLIC	Chloroethane	1.7397E-016	1.7397E-016
RCPTR_30	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	9.3515E-015	9.3515E-015
RCPTR_30	farmer_child	TOCDFLIC	Chloronaphthalene,2-	1.1838E-009	1.1935E-009
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenol, 2-	4.2297E-011	4.2394E-011
RCPTR_30	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.5342E-009	1.5394E-009
RCPTR_30	farmer_child	TOCDFLIC	Chromium	2.0727E-006	2.3745E-006
RCPTR_30	farmer_child	TOCDFLIC	Chromium, hexavalent	1.8003E-006	1.8020E-006
RCPTR_30	farmer_child	TOCDFLIC	Chrysene	2.4975E-006	2.7223E-006
RCPTR_30	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.9672E-008	1.9698E-008
RCPTR_30	farmer_child	TOCDFLIC	Di-n-octylphthalate	8.8287E+001	8.8287E+001
RCPTR_30	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.7005E-004	1.7173E-004
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.9303E-012	1.9303E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	2.3334E-012	2.3335E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	2.2460E-012	2.2461E-012
RCPTR_30	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	9.8192E-009	9.8584E-009
RCPTR_30	farmer_child	TOCDFLIC	Dichlorodifluoromethane	1.3862E-017	1.3862E-017
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane 1,1-	3.4893E-015	3.4893E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3348E-015	4.3348E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	1.3212E-015	1.3212E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.1239E-015	2.1239E-015
RCPTR_30	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.9369E-010	1.9428E-010
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	1.1953E-014	1.1953E-014
RCPTR_30	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9428E-015	3.9428E-015
RCPTR_30	farmer_child	TOCDFLIC	Diethyl phthalate	1.1217E-008	1.1218E-008
RCPTR_30	farmer_child	TOCDFLIC	Dimethyl phthalate	1.1533E-010	1.1543E-010
RCPTR_30	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	2.8879E-011	2.8915E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	1.5919E-011	1.5921E-011
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	2.6624E-011	2.6667E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	2.0495E-011	2.0524E-011
RCPTR_30	farmer_child	TOCDFLIC	Ethyl methanesulfonate	6.1524E-013	6.1540E-013
RCPTR_30	farmer_child	TOCDFLIC	Ethylbenzene	5.0486E-014	5.0486E-014
RCPTR_30	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.7073E-008	1.7104E-008
RCPTR_30	farmer_child	TOCDFLIC	Fluoranthene	9.9521E-008	1.1601E-007
RCPTR_30	farmer_child	TOCDFLIC	Fluorene	1.7772E-009	1.7964E-009
RCPTR_30	farmer_child	TOCDFLIC	GB	1.0303E-014	1.0306E-014
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.7016E-013	1.8193E-013
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.9953E-013	2.1073E-013
RCPTR_30	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	4.8451E-013	5.1717E-013
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	2.1001E-012	2.2231E-012
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	1.2203E-012	1.3107E-012
RCPTR_30	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.0590E-012	1.1477E-012
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	6.7663E-013	7.3986E-013
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	6.6182E-013	7.2353E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	7.6427E-013	8.3500E-013
RCPTR_30	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	5.5826E-013	6.1009E-013
RCPTR_30	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.7870E-011	3.7874E-011
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorobenzene	7.2524E-008	7.7047E-008
RCPTR_30	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	1.0077E-010	1.0080E-010
RCPTR_30	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.3175E-011	2.3179E-011
RCPTR_30	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	1.2158E-003	1.2185E-003
RCPTR_30	farmer_child	TOCDFLIC	Isophorone	4.3990E-012	4.4007E-012
RCPTR_30	farmer_child	TOCDFLIC	Lead	5.5939E-006	6.6036E-006
RCPTR_30	farmer_child	TOCDFLIC	Mercuric chloride	9.8621E-006	1.7442E-005
RCPTR_30	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	2.4035E-016	2.4035E-016
RCPTR_30	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.9687E-017	1.9687E-017
RCPTR_30	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.1549E-014	7.1549E-014
RCPTR_30	farmer_child	TOCDFLIC	Methyl mercury	1.1827E-007	1.4060E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Methylene chloride	1.5219E-015	1.5219E-015
RCPTR_30	farmer_child	TOCDFLIC	Naphthalene	1.8585E-011	1.8591E-011
RCPTR_30	farmer_child	TOCDFLIC	Nickel	9.3257E-007	9.4566E-007
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 2-	7.4986E-011	7.5068E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 3-	1.7855E-011	1.7863E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroaniline, 4-	2.3070E-011	2.3082E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitrobenzene	7.4236E-012	7.4277E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 2-	3.3809E-012	3.3818E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrophenol, 4-	5.6462E-011	5.6476E-011
RCPTR_30	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.1893E-012	4.1901E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	4.1178E-012	4.1181E-012
RCPTR_30	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	3.7020E-013	3.7022E-013
RCPTR_30	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	6.0833E-013	6.6167E-013
RCPTR_30	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	2.0010E-013	2.1730E-013
RCPTR_30	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	4.2036E-012	4.4922E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	1.1049E-012	1.2288E-012
RCPTR_30	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	2.4816E-012	2.7531E-012
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorobenzene	2.8740E-010	2.8752E-010
RCPTR_30	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.1395E-010	1.1395E-010
RCPTR_30	farmer_child	TOCDFLIC	Pentachlorophenol	6.3982E-008	6.4112E-008
RCPTR_30	farmer_child	TOCDFLIC	Phenanthrene	5.6881E-012	5.6883E-012
RCPTR_30	farmer_child	TOCDFLIC	Phenol	5.8813E-012	5.8850E-012
RCPTR_30	farmer_child	TOCDFLIC	Pronamide	5.5924E-010	5.6333E-010
RCPTR_30	farmer_child	TOCDFLIC	Pyrene	1.5887E-007	2.3372E-007
RCPTR_30	farmer_child	TOCDFLIC	Selenium	1.9452E-007	1.9454E-007
RCPTR_30	farmer_child	TOCDFLIC	Silver	6.8081E-008	6.8184E-008
RCPTR_30	farmer_child	TOCDFLIC	Styrene	2.1439E-012	2.1439E-012
RCPTR_30	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	1.4114E-012	1.6187E-012
RCPTR_30	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.8546E-012	2.2175E-012
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.5624E-010	4.5687E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.9299E-011	1.9300E-011
RCPTR_30	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2701E-014	1.2701E-014
RCPTR_30	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	3.4155E-009	3.4214E-009
RCPTR_30	farmer_child	TOCDFLIC	Thallium (I)	1.7771E-006	1.7961E-006
RCPTR_30	farmer_child	TOCDFLIC	Toluene	9.8444E-014	9.8444E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.7459E-011	1.7462E-011
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	8.2056E-015	8.2056E-015
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	6.2739E-014	6.2739E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichloroethylene	1.0201E-014	1.0201E-014
RCPTR_30	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3407E-015	1.3407E-015
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.9742E-009	2.0071E-009
RCPTR_30	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	4.1102E-010	4.1244E-010
RCPTR_30	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	2.3221E-013	2.3222E-013
RCPTR_30	farmer_child	TOCDFLIC	Vinyl Chloride	3.5714E-018	3.5714E-018
RCPTR_30	farmer_child	TOCDFLIC	Xylene, m-	1.7380E-013	1.7380E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFLIC	Xylene, o-	1.1010E-013	1.1010E-013
RCPTR_30	farmer_child	TOCDFLIC	Xylene, p-	2.1645E-013	2.1645E-013
RCPTR_30	farmer_child	TOCDFLIC	Zinc	2.9262E-007	3.0491E-007
RCPTR_30	farmer_child	TOCDFMPF	Acenaphthene	1.9422E-009	1.9491E-009
RCPTR_30	farmer_child	TOCDFMPF	Acetone	6.0299E-015	6.0299E-015
RCPTR_30	farmer_child	TOCDFMPF	Acetophenone	1.0250E-011	1.0252E-011
RCPTR_30	farmer_child	TOCDFMPF	Aniline	6.1754E-013	6.1755E-013
RCPTR_30	farmer_child	TOCDFMPF	Anthracene	3.3283E-008	3.4400E-008
RCPTR_30	farmer_child	TOCDFMPF	Antimony	2.9466E-008	3.0075E-008
RCPTR_30	farmer_child	TOCDFMPF	Arsenic	6.7911E-008	6.8123E-008
RCPTR_30	farmer_child	TOCDFMPF	Barium	9.5853E-009	9.7218E-009
RCPTR_30	farmer_child	TOCDFMPF	Benzene	5.3736E-015	5.3736E-015
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)anthracene	4.2149E-006	4.7952E-006
RCPTR_30	farmer_child	TOCDFMPF	Benzo(a)pyrene	3.4627E-005	3.5137E-005
RCPTR_30	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	2.0940E-005	2.2344E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	5.3324E-005	5.5316E-005
RCPTR_30	farmer_child	TOCDFMPF	Benzoic acid	7.1408E-011	7.1416E-011
RCPTR_30	farmer_child	TOCDFMPF	Benzyl alcohol	1.4000E-011	1.4007E-011
RCPTR_30	farmer_child	TOCDFMPF	Beryllium	1.3986E-008	1.5582E-008
RCPTR_30	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	1.4011E-011	1.4017E-011
RCPTR_30	farmer_child	TOCDFMPF	Bromodichloromethane	4.7871E-014	4.7871E-014
RCPTR_30	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	1.8061E-012	1.8063E-012
RCPTR_30	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	5.4474E-007	7.5357E-007
RCPTR_30	farmer_child	TOCDFMPF	Butylbenzylphthalate	2.2469E-008	2.2481E-008
RCPTR_30	farmer_child	TOCDFMPF	Cadmium	1.6784E-008	1.8017E-008
RCPTR_30	farmer_child	TOCDFMPF	Carbon disulfide	9.3969E-015	9.3969E-015
RCPTR_30	farmer_child	TOCDFMPF	Carbon tetrachloride	1.4874E-014	1.4874E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1733E-009	1.1788E-009
RCPTR_30	farmer_child	TOCDFMPF	Chloroaniline, p-	6.5053E-011	6.5124E-011
RCPTR_30	farmer_child	TOCDFMPF	Chlorobenzene	8.7047E-014	8.7048E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Chloroethane	2.4498E-016	2.4498E-016
RCPTR_30	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	1.2667E-014	1.2667E-014
RCPTR_30	farmer_child	TOCDFMPF	Chloronaphthalene,2-	5.0486E-009	5.0899E-009
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenol, 2-	1.8038E-010	1.8079E-010
RCPTR_30	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.5428E-009	6.5650E-009
RCPTR_30	farmer_child	TOCDFMPF	Chromium	4.0188E-007	4.6040E-007
RCPTR_30	farmer_child	TOCDFMPF	Chromium, hexavalent	3.4907E-007	3.4938E-007
RCPTR_30	farmer_child	TOCDFMPF	Chrysene	1.0651E-005	1.1611E-005
RCPTR_30	farmer_child	TOCDFMPF	Di-n-butyl phthalate	8.3883E-008	8.3995E-008
RCPTR_30	farmer_child	TOCDFMPF	Di-n-octylphthalate	3.7638E+002	3.7638E+002
RCPTR_30	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	7.2536E-004	7.3253E-004
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	8.2317E-012	8.2319E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	9.9509E-012	9.9512E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	9.5783E-012	9.5786E-012
RCPTR_30	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	5.4794E-008	5.5013E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.9519E-017	1.9519E-017
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane 1,1-	4.9135E-015	4.9135E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.1040E-015	6.1040E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	1.8605E-015	1.8605E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9907E-015	2.9907E-015
RCPTR_30	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	8.2598E-010	8.2847E-010
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	1.6831E-014	1.6831E-014
RCPTR_30	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.5521E-015	5.5521E-015
RCPTR_30	farmer_child	TOCDFMPF	Diethyl phthalate	4.7821E-008	4.7826E-008
RCPTR_30	farmer_child	TOCDFMPF	Dimethyl phthalate	4.1938E-011	4.1975E-011
RCPTR_30	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	1.2316E-010	1.2331E-010
RCPTR_30	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	6.7760E-011	6.7769E-011
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	1.1354E-010	1.1372E-010
RCPTR_30	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	8.7404E-011	8.7528E-011
RCPTR_30	farmer_child	TOCDFMPF	Ethyl methanesulfonate	2.6237E-012	2.6244E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Ethylbenzene	5.3319E-014	5.3319E-014
RCPTR_30	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.8918E-008	1.8952E-008
RCPTR_30	farmer_child	TOCDFMPF	Fluoranthene	4.2442E-007	4.9472E-007
RCPTR_30	farmer_child	TOCDFMPF	Fluorene	7.5791E-009	7.6607E-009
RCPTR_30	farmer_child	TOCDFMPF	GB	1.4661E-014	1.4665E-014
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	3.5888E-013	3.8373E-013
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	1.3404E-011	1.4159E-011
RCPTR_30	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	2.2511E-012	2.4030E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	4.8032E-012	5.0850E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	2.6565E-012	2.8534E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	2.5162E-012	2.7273E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.0170E-010	1.1121E-010
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	2.4773E-011	2.7083E-011
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	4.2909E-012	4.6882E-012
RCPTR_30	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	3.0680E-012	3.3530E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.6150E-010	1.6152E-010
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorobenzene	3.0928E-007	3.2857E-007
RCPTR_30	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	4.2977E-010	4.2985E-010
RCPTR_30	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.8833E-011	9.8850E-011
RCPTR_30	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	5.1839E-003	5.1957E-003
RCPTR_30	farmer_child	TOCDFMPF	Isophorone	1.8760E-011	1.8767E-011
RCPTR_30	farmer_child	TOCDFMPF	Lead	4.4203E-009	5.2183E-009
RCPTR_30	farmer_child	TOCDFMPF	Mercuric chloride	1.1174E-007	1.9758E-007
RCPTR_30	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	2.8839E-016	2.8839E-016
RCPTR_30	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	1.0316E-017	1.0316E-017
RCPTR_30	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.7546E-014	6.7546E-014
RCPTR_30	farmer_child	TOCDFMPF	Methyl mercury	1.3414E-009	1.5942E-009
RCPTR_30	farmer_child	TOCDFMPF	Methylene chloride	1.6887E-015	1.6887E-015
RCPTR_30	farmer_child	TOCDFMPF	Naphthalene	7.9258E-011	7.9281E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Nickel	7.3295E-007	7.4324E-007
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 2-	3.1920E-010	3.1955E-010
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 3-	7.6007E-011	7.6039E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitroaniline, 4-	9.8206E-011	9.8258E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrobenzene	3.1658E-011	3.1676E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 2-	1.4418E-011	1.4422E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrophenol, 4-	2.4031E-010	2.4037E-010
RCPTR_30	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7866E-011	1.7869E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	1.7560E-011	1.7562E-011
RCPTR_30	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	1.5788E-012	1.5789E-012
RCPTR_30	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	9.0554E-013	9.8498E-013
RCPTR_30	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	1.2611E-012	1.3696E-012
RCPTR_30	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	1.6611E-011	1.7752E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	1.2316E-011	1.3697E-011
RCPTR_30	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	4.0383E-011	4.4803E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorobenzene	1.2258E-009	1.2263E-009
RCPTR_30	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.8510E-010	4.8514E-010
RCPTR_30	farmer_child	TOCDFMPF	Pentachlorophenol	2.7230E-007	2.7285E-007
RCPTR_30	farmer_child	TOCDFMPF	Phenanthrene	2.4257E-011	2.4258E-011
RCPTR_30	farmer_child	TOCDFMPF	Phenol	2.5081E-011	2.5097E-011
RCPTR_30	farmer_child	TOCDFMPF	Pronamide	2.3849E-009	2.4023E-009
RCPTR_30	farmer_child	TOCDFMPF	Pyrene	6.7752E-007	9.9671E-007
RCPTR_30	farmer_child	TOCDFMPF	Selenium	5.7030E-008	5.7034E-008
RCPTR_30	farmer_child	TOCDFMPF	Silver	2.7304E-007	2.7346E-007
RCPTR_30	farmer_child	TOCDFMPF	Styrene	2.2932E-012	2.2933E-012
RCPTR_30	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	4.0068E-012	4.5954E-012
RCPTR_30	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	7.6001E-012	9.0874E-012
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.9456E-009	1.9483E-009
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	2.7170E-011	2.7170E-011
RCPTR_30	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9635E-014	3.9635E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.4538E-008	1.4563E-008
RCPTR_30	farmer_child	TOCDFMPF	Thallium (I)	5.2550E-007	5.3112E-007
RCPTR_30	farmer_child	TOCDFMPF	Toluene	2.7580E-014	2.7580E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.4456E-011	7.4466E-011
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	1.1555E-014	1.1555E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	8.8346E-014	8.8347E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichloroethylene	1.4365E-014	1.4365E-014
RCPTR_30	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.8879E-015	1.8879E-015
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	8.4190E-009	8.5593E-009
RCPTR_30	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	1.7528E-009	1.7588E-009
RCPTR_30	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	3.2699E-013	3.2700E-013
RCPTR_30	farmer_child	TOCDFMPF	Vinyl Chloride	4.6673E-018	4.6673E-018
RCPTR_30	farmer_child	TOCDFMPF	Xylene, m-	1.3745E-013	1.3745E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, o-	1.3682E-013	1.3682E-013
RCPTR_30	farmer_child	TOCDFMPF	Xylene, p-	1.7112E-013	1.7112E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDFMPF	Zinc	1.7951E-007	1.8705E-007
RCPTR_30	farmer_child	TOCDHVAC	GB	6.8807E-014	6.8824E-014
RCPTR_30	farmer_child	TOCDLIC2	Acenaphthene	9.3985E-010	9.4317E-010
RCPTR_30	farmer_child	TOCDLIC2	Acetone	1.1904E-014	1.1904E-014
RCPTR_30	farmer_child	TOCDLIC2	Acetophenone	4.9599E-012	4.9610E-012
RCPTR_30	farmer_child	TOCDLIC2	Aniline	2.9883E-013	2.9884E-013
RCPTR_30	farmer_child	TOCDLIC2	Anthracene	1.6106E-008	1.6646E-008
RCPTR_30	farmer_child	TOCDLIC2	Antimony	1.3142E-007	1.3414E-007
RCPTR_30	farmer_child	TOCDLIC2	Arsenic	2.8875E-007	2.8966E-007
RCPTR_30	farmer_child	TOCDLIC2	Barium	9.8319E-008	9.9719E-008
RCPTR_30	farmer_child	TOCDLIC2	Benzene	7.9476E-015	7.9476E-015
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)anthracene	2.0393E-006	2.3201E-006
RCPTR_30	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.6748E-005	1.6994E-005
RCPTR_30	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	1.0132E-005	1.0811E-005
RCPTR_30	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	2.5792E-005	2.6755E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Benzoic acid	3.4555E-011	3.4559E-011
RCPTR_30	farmer_child	TOCDLIC2	Benzyl alcohol	6.7749E-012	6.7783E-012
RCPTR_30	farmer_child	TOCDLIC2	Beryllium	4.8864E-008	5.4439E-008
RCPTR_30	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	6.7798E-012	6.7827E-012
RCPTR_30	farmer_child	TOCDLIC2	Bromodichloromethane	8.9995E-014	8.9996E-014
RCPTR_30	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	2.3471E-012	2.3473E-012
RCPTR_30	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	2.6360E-007	3.6466E-007
RCPTR_30	farmer_child	TOCDLIC2	Butylbenzylphthalate	1.0864E-008	1.0870E-008
RCPTR_30	farmer_child	TOCDLIC2	Cadmium	4.3495E-009	4.6690E-009
RCPTR_30	farmer_child	TOCDLIC2	Carbon disulfide	1.0139E-014	1.0139E-014
RCPTR_30	farmer_child	TOCDLIC2	Carbon tetrachloride	1.6077E-014	1.6077E-014
RCPTR_30	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	5.6777E-010	5.7046E-010
RCPTR_30	farmer_child	TOCDLIC2	Chloroaniline, p-	3.1479E-011	3.1514E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorobenzene	9.4082E-014	9.4083E-014
RCPTR_30	farmer_child	TOCDLIC2	Chloroethane	2.6478E-016	2.6478E-016

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	2.8873E-014	2.8873E-014
RCPTR_30	farmer_child	TOCDLIC2	Chloronaphthalene,2-	2.4430E-009	2.4630E-009
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenol, 2-	8.7285E-011	8.7485E-011
RCPTR_30	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.1661E-009	3.1768E-009
RCPTR_30	farmer_child	TOCDLIC2	Chromium	2.0727E-006	2.3745E-006
RCPTR_30	farmer_child	TOCDLIC2	Chromium, hexavalent	1.8003E-006	1.8020E-006
RCPTR_30	farmer_child	TOCDLIC2	Chrysene	5.1539E-006	5.6179E-006
RCPTR_30	farmer_child	TOCDLIC2	Di-n-butyl phthalate	4.0596E-008	4.0650E-008
RCPTR_30	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.8219E+002	1.8219E+002
RCPTR_30	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	3.5092E-004	3.5438E-004
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	3.9833E-012	3.9835E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	4.8153E-012	4.8154E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	4.6350E-012	4.6351E-012
RCPTR_30	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	2.3613E-008	2.3707E-008
RCPTR_30	farmer_child	TOCDLIC2	Dichlorodifluoromethane	2.1097E-017	2.1097E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane 1,1-	5.3106E-015	5.3106E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5973E-015	6.5973E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	2.0108E-015	2.0108E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.2325E-015	3.2325E-015
RCPTR_30	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	3.9971E-010	4.0092E-010
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	1.8192E-014	1.8192E-014
RCPTR_30	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.0008E-015	6.0008E-015
RCPTR_30	farmer_child	TOCDLIC2	Diethyl phthalate	2.3148E-008	2.3150E-008
RCPTR_30	farmer_child	TOCDLIC2	Dimethyl phthalate	1.4125E-010	1.4138E-010
RCPTR_30	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	5.9595E-011	5.9671E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	3.2937E-011	3.2941E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	5.4942E-011	5.5031E-011
RCPTR_30	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	4.2295E-011	4.2355E-011
RCPTR_30	farmer_child	TOCDLIC2	Ethyl methanesulfonate	1.2696E-012	1.2700E-012
RCPTR_30	farmer_child	TOCDLIC2	Ethylbenzene	6.5358E-014	6.5358E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	1.1431E-008	1.1452E-008
RCPTR_30	farmer_child	TOCDLIC2	Fluoranthene	2.0537E-007	2.3940E-007
RCPTR_30	farmer_child	TOCDLIC2	Fluorene	3.6676E-009	3.7070E-009
RCPTR_30	farmer_child	TOCDLIC2	GB	1.0711E-014	1.0714E-014
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	1.1943E-012	1.2769E-012
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	1.0899E-012	1.1511E-012
RCPTR_30	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	1.0575E-012	1.1288E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	3.1527E-012	3.3374E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	2.3018E-012	2.4723E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	2.2578E-012	2.4471E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	2.1773E-012	2.3808E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	1.3105E-012	1.4327E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	1.1665E-012	1.2745E-012
RCPTR_30	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	1.3376E-012	1.4618E-012
RCPTR_30	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.8150E-011	7.8158E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorobenzene	1.4966E-007	1.5900E-007
RCPTR_30	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	2.0796E-010	2.0800E-010
RCPTR_30	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.7826E-011	4.7834E-011
RCPTR_30	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_30	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	2.5089E-003	2.5146E-003
RCPTR_30	farmer_child	TOCDLIC2	Isophorone	9.0780E-012	9.0814E-012
RCPTR_30	farmer_child	TOCDLIC2	Lead	4.0331E-007	4.7611E-007
RCPTR_30	farmer_child	TOCDLIC2	Mercuric chloride	9.8621E-006	1.7442E-005
RCPTR_30	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	3.1438E-016	3.1438E-016
RCPTR_30	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	1.2531E-017	1.2531E-017
RCPTR_30	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.0521E-014	7.0522E-014
RCPTR_30	farmer_child	TOCDLIC2	Methyl mercury	1.1827E-007	1.4060E-007
RCPTR_30	farmer_child	TOCDLIC2	Methylene chloride	5.5360E-015	5.5360E-015
RCPTR_30	farmer_child	TOCDLIC2	Naphthalene	3.8353E-011	3.8364E-011
RCPTR_30	farmer_child	TOCDLIC2	Nickel	3.2417E-007	3.2872E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 2-	1.5514E-010	1.5531E-010
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 3-	3.6942E-011	3.6958E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitroaniline, 4-	4.7731E-011	4.7757E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitrobenzene	1.5320E-011	1.5328E-011
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 2-	6.9769E-012	6.9787E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrophenol, 4-	1.1682E-010	1.1685E-010
RCPTR_30	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6452E-012	8.6467E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	8.4976E-012	8.4983E-012
RCPTR_30	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	7.6396E-013	7.6400E-013
RCPTR_30	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	2.0426E-012	2.2217E-012
RCPTR_30	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	6.7681E-013	7.3498E-013
RCPTR_30	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	7.8604E-012	8.4001E-012
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	2.3381E-012	2.6001E-012
RCPTR_30	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	6.6040E-012	7.3267E-012
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorobenzene	5.9308E-010	5.9333E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3575E-010	2.3576E-010
RCPTR_30	farmer_child	TOCDLIC2	Pentachlorophenol	1.3238E-007	1.3264E-007
RCPTR_30	farmer_child	TOCDLIC2	Phenanthrene	1.1738E-011	1.1738E-011
RCPTR_30	farmer_child	TOCDLIC2	Phenol	1.2832E-011	1.2840E-011
RCPTR_30	farmer_child	TOCDLIC2	Pronamide	1.1541E-009	1.1625E-009
RCPTR_30	farmer_child	TOCDLIC2	Pyrene	3.2785E-007	4.8231E-007
RCPTR_30	farmer_child	TOCDLIC2	Selenium	1.9452E-007	1.9454E-007
RCPTR_30	farmer_child	TOCDLIC2	Silver	6.8081E-008	6.8184E-008
RCPTR_30	farmer_child	TOCDLIC2	Styrene	1.7960E-012	1.7961E-012
RCPTR_30	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	4.0914E-012	4.6923E-012
RCPTR_30	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	3.3219E-012	3.9720E-012
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.4151E-010	9.4282E-010
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	2.9373E-011	2.9373E-011
RCPTR_30	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9330E-014	1.9330E-014
RCPTR_30	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	7.0665E-009	7.0788E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_30	farmer_child	TOCDLIC2	Thallium (I)	1.7771E-006	1.7961E-006
RCPTR_30	farmer_child	TOCDLIC2	Toluene	1.0362E-013	1.0362E-013
RCPTR_30	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.6030E-011	3.6034E-011
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	1.2489E-014	1.2489E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	9.5486E-014	9.5487E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichloroethylene	1.5526E-014	1.5526E-014
RCPTR_30	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.0405E-015	2.0405E-015
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	4.0740E-009	4.1419E-009
RCPTR_30	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	8.4820E-010	8.5113E-010
RCPTR_30	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	3.5341E-013	3.5343E-013
RCPTR_30	farmer_child	TOCDLIC2	Vinyl Chloride	5.9609E-018	5.9609E-018
RCPTR_30	farmer_child	TOCDLIC2	Xylene, m-	2.0176E-013	2.0176E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, o-	1.4772E-013	1.4772E-013
RCPTR_30	farmer_child	TOCDLIC2	Xylene, p-	2.5127E-013	2.5128E-013
RCPTR_30	farmer_child	TOCDLIC2	Zinc	3.4939E-007	3.6406E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFBRA	Antimony	3.1421E-006	3.6013E-006
RCPTR_31	farmer_adult	TOCDFBRA	Arsenic	5.2381E-006	5.3999E-006
RCPTR_31	farmer_adult	TOCDFBRA	Barium	4.3346E-007	4.7973E-007
RCPTR_31	farmer_adult	TOCDFBRA	Beryllium	1.4817E-006	1.6735E-006
RCPTR_31	farmer_adult	TOCDFBRA	Cadmium	2.4534E-007	3.3621E-007
RCPTR_31	farmer_adult	TOCDFBRA	Chromium	3.9881E-005	4.0829E-005
RCPTR_31	farmer_adult	TOCDFBRA	Chromium, hexavalent	3.1079E-005	3.1489E-005
RCPTR_31	farmer_adult	TOCDFBRA	Lead	1.5876E-005	1.8925E-005
RCPTR_31	farmer_adult	TOCDFBRA	Mercuric chloride	3.5791E-003	3.9399E-003
RCPTR_31	farmer_adult	TOCDFBRA	Methyl mercury	3.1570E-005	3.3454E-005
RCPTR_31	farmer_adult	TOCDFBRA	Nickel	1.7164E-005	1.8278E-005
RCPTR_31	farmer_adult	TOCDFBRA	Selenium	5.8944E-006	5.9187E-006
RCPTR_31	farmer_adult	TOCDFBRA	Silver	1.9749E-006	2.0801E-006
RCPTR_31	farmer_adult	TOCDFBRA	Thallium (I)	5.3438E-005	5.5840E-005
RCPTR_31	farmer_adult	TOCDFBRA	Zinc	9.0777E-006	1.1171E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Acenaphthene	6.4973E-010	3.2619E-009
RCPTR_31	farmer_adult	TOCDFDFS	Acetone	7.7974E-015	4.0659E-014
RCPTR_31	farmer_adult	TOCDFDFS	Acetophenone	3.4587E-012	1.8001E-011
RCPTR_31	farmer_adult	TOCDFDFS	Aniline	1.9932E-013	1.0328E-012
RCPTR_31	farmer_adult	TOCDFDFS	Anthracene	1.1508E-008	5.7569E-008
RCPTR_31	farmer_adult	TOCDFDFS	Antimony	1.9747E-005	2.2637E-005
RCPTR_31	farmer_adult	TOCDFDFS	Aroclor 1254	2.5661E-010	4.1598E-010
RCPTR_31	farmer_adult	TOCDFDFS	Arsenic	1.8611E-006	1.9187E-006
RCPTR_31	farmer_adult	TOCDFDFS	Barium	5.4158E-008	5.9950E-008
RCPTR_31	farmer_adult	TOCDFDFS	Benzene	6.5095E-015	3.3652E-014
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)anthracene	5.6384E-006	8.4113E-006
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.0127E-005	6.2737E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.3112E-005	4.0093E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	9.3706E-005	9.8655E-005
RCPTR_31	farmer_adult	TOCDFDFS	Benzoic acid	2.9094E-011	1.2023E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Benzyl alcohol	4.5050E-012	2.3424E-011
RCPTR_31	farmer_adult	TOCDFDFS	Beryllium	5.0969E-007	5.7576E-007
RCPTR_31	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	4.4948E-012	2.3437E-011
RCPTR_31	farmer_adult	TOCDFDFS	Bromodichloromethane	5.0947E-014	2.6524E-013
RCPTR_31	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.0237E-012	1.0542E-011
RCPTR_31	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.5376E-007	1.2600E-006
RCPTR_31	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.4511E-008	3.9020E-008
RCPTR_31	farmer_adult	TOCDFDFS	Cadmium	4.2480E-007	5.8239E-007
RCPTR_31	farmer_adult	TOCDFDFS	Carbon disulfide	3.3910E-015	1.7586E-014
RCPTR_31	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.6997E-014	8.7800E-014
RCPTR_31	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	5.4788E-010	1.9938E-009
RCPTR_31	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.1052E-011	1.0892E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorobenzene	1.0005E-013	5.1389E-013
RCPTR_31	farmer_adult	TOCDFDFS	Chloroethane	2.9270E-016	1.4478E-015
RCPTR_31	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.5266E-014	7.9441E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.6829E-009	8.5170E-009
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenol, 2-	5.8014E-011	3.0231E-010
RCPTR_31	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.0591E-009	1.1082E-008
RCPTR_31	farmer_adult	TOCDFDFS	Chromium	7.3730E-006	7.5484E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.7436E-006	5.8195E-006
RCPTR_31	farmer_adult	TOCDFDFS	Chrysene	1.7175E-005	2.0839E-005
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.3645E-007	1.5382E-007
RCPTR_31	farmer_adult	TOCDFDFS	Di-n-octylphthalate	7.0818E+002	7.0818E+002
RCPTR_31	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.3090E-003	1.3355E-003
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.8151E-012	1.3786E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.3282E-012	1.6656E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.1840E-012	1.6030E-011
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2153E-007	1.4444E-007
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.2269E-017	1.1520E-016
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	5.5703E-015	2.8998E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	6.9170E-015	3.6023E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.1161E-015	1.0981E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.4032E-015	1.7652E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.7516E-010	1.4133E-009
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.9227E-014	9.9352E-014
RCPTR_31	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	6.3015E-015	3.2767E-014
RCPTR_31	farmer_adult	TOCDFDFS	Diethyl phthalate	8.6533E-008	8.9505E-008
RCPTR_31	farmer_adult	TOCDFDFS	Dimethyl phthalate	9.2373E-011	4.5669E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.0156E-011	2.0627E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.0080E-011	1.1715E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.9825E-011	1.9039E-010
RCPTR_31	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.9944E-011	1.4655E-010
RCPTR_31	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	8.4185E-013	4.3884E-012
RCPTR_31	farmer_adult	TOCDFDFS	Ethylbenzene	6.4600E-014	3.1517E-013
RCPTR_31	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.5022E-009	3.9807E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Fluoranthene	2.5923E-007	8.3818E-007
RCPTR_31	farmer_adult	TOCDFDFS	Fluorene	2.6189E-009	1.2828E-008
RCPTR_31	farmer_adult	TOCDFDFS	GB	2.2699E-014	1.1806E-013
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0715E-012	1.1530E-012
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7077E-013	6.0530E-013
RCPTR_31	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.8925E-012	2.0328E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.0903E-011	1.1597E-011
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.7046E-012	6.1758E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.8432E-012	5.3049E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.7935E-012	4.2062E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.3810E-012	3.7471E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.5494E-012	5.0384E-012
RCPTR_31	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.1260E-012	3.4632E-012
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.9820E-011	2.7083E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.1804E-007	5.5085E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	8.1292E-010	3.5696E-009
RCPTR_31	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.2960E-011	1.6546E-010
RCPTR_31	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.6293E-003	9.6788E-003
RCPTR_31	farmer_adult	TOCDFDFS	Isophorone	6.0312E-012	3.1382E-011
RCPTR_31	farmer_adult	TOCDFDFS	Lead	5.9111E-005	7.0478E-005
RCPTR_31	farmer_adult	TOCDFDFS	Mercuric chloride	7.6371E-007	8.4187E-007
RCPTR_31	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.8910E-016	3.0697E-015
RCPTR_31	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	9.9833E-017	5.1971E-016
RCPTR_31	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.2334E-014	2.7286E-013
RCPTR_31	farmer_adult	TOCDFDFS	Methyl mercury	6.3482E-009	6.7562E-009
RCPTR_31	farmer_adult	TOCDFDFS	Methylene chloride	1.5147E-015	7.8881E-015
RCPTR_31	farmer_adult	TOCDFDFS	Naphthalene	2.5967E-011	1.3263E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nickel	6.3443E-006	6.7568E-006
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.0226E-010	5.2908E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.4199E-011	1.2588E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.1320E-011	1.6266E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitrobenzene	1.0165E-011	5.2967E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 2-	4.6341E-012	2.4116E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.3630E-010	4.1932E-010
RCPTR_31	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	5.7758E-012	2.9885E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	5.6994E-012	2.9375E-011
RCPTR_31	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	5.3061E-013	2.6417E-012
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.6422E-012	2.9075E-012
RCPTR_31	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.0705E-013	9.9623E-013
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.7653E-011	2.9809E-011
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.2405E-012	2.5398E-012
RCPTR_31	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	8.8834E-012	1.0039E-011
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.9094E-010	2.0494E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.0041E-010	8.0278E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Pentachlorophenol	3.7792E-007	4.9073E-007
RCPTR_31	farmer_adult	TOCDFDFS	Phenanthrene	8.1637E-012	4.0607E-011
RCPTR_31	farmer_adult	TOCDFDFS	Phenol	8.0977E-012	4.1972E-011
RCPTR_31	farmer_adult	TOCDFDFS	Pronamide	1.6496E-009	8.0477E-009
RCPTR_31	farmer_adult	TOCDFDFS	Pyrene	4.3673E-007	1.6750E-006
RCPTR_31	farmer_adult	TOCDFDFS	Selenium	2.0943E-006	2.1029E-006
RCPTR_31	farmer_adult	TOCDFDFS	Silver	7.1281E-007	7.5085E-007
RCPTR_31	farmer_adult	TOCDFDFS	Styrene	1.6558E-012	8.5687E-012
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2045E-011	1.4230E-011
RCPTR_31	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.7667E-012	4.7007E-012
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	7.1454E-010	3.2693E-009
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4568E-010	1.7576E-010
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.0390E-014	1.0556E-013
RCPTR_31	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.1272E-008	2.4992E-008
RCPTR_31	farmer_adult	TOCDFDFS	Thallium (I)	1.8379E-005	1.9206E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFDFS	Toluene	2.7902E-014	1.4232E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.5782E-011	1.2474E-010
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.3139E-014	6.8197E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.0022E-013	5.2140E-013
RCPTR_31	farmer_adult	TOCDFDFS	Trichloroethylene	1.6373E-014	8.4787E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.1507E-015	1.1143E-014
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.2125E-009	1.4375E-008
RCPTR_31	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	8.7021E-010	2.9819E-009
RCPTR_31	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.7140E-013	1.9299E-012
RCPTR_31	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	4.6389E-012	2.2644E-011
RCPTR_31	farmer_adult	TOCDFDFS	Vinyl Chloride	5.2993E-018	2.7544E-017
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, m-	4.5217E-013	7.8504E-013
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, o-	4.0568E-013	7.8516E-013
RCPTR_31	farmer_adult	TOCDFDFS	Xylene, p-	4.6926E-013	9.8549E-013
RCPTR_31	farmer_adult	TOCDFDFS	Zinc	3.7701E-006	4.6408E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Acenaphthene	3.6102E-010	1.8125E-009
RCPTR_31	farmer_adult	TOCDFLIC	Acetone	9.1409E-015	4.7665E-014
RCPTR_31	farmer_adult	TOCDFLIC	Acetophenone	3.2946E-012	1.7147E-011
RCPTR_31	farmer_adult	TOCDFLIC	Aniline	1.1076E-013	5.7389E-013
RCPTR_31	farmer_adult	TOCDFLIC	Anthracene	6.3938E-009	3.1989E-008
RCPTR_31	farmer_adult	TOCDFLIC	Antimony	3.4582E-007	3.9644E-007
RCPTR_31	farmer_adult	TOCDFLIC	Arsenic	1.1141E-006	1.1486E-006
RCPTR_31	farmer_adult	TOCDFLIC	Barium	3.6856E-008	4.0798E-008
RCPTR_31	farmer_adult	TOCDFLIC	Benzene	8.4664E-014	4.3769E-013
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.1278E-006	4.6680E-006
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.3313E-005	3.4756E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.8375E-005	2.2252E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	5.1932E-005	5.4660E-005
RCPTR_31	farmer_adult	TOCDFLIC	Benzoic acid	1.7344E-011	7.1670E-011
RCPTR_31	farmer_adult	TOCDFLIC	Benzyl alcohol	2.5033E-012	1.3016E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Beryllium	1.8879E-007	2.1326E-007
RCPTR_31	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.4976E-012	1.3023E-011
RCPTR_31	farmer_adult	TOCDFLIC	Bromodichloromethane	2.2371E-014	1.1647E-013
RCPTR_31	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	7.7013E-013	4.0116E-012
RCPTR_31	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.4100E-007	7.0015E-007
RCPTR_31	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.9080E-008	2.1585E-008
RCPTR_31	farmer_adult	TOCDFLIC	Cadmium	1.1640E-007	1.5958E-007
RCPTR_31	farmer_adult	TOCDFLIC	Carbon disulfide	5.1125E-015	2.6514E-014
RCPTR_31	farmer_adult	TOCDFLIC	Carbon tetrachloride	8.1044E-015	4.1864E-014
RCPTR_31	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.0449E-010	1.1080E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.1698E-011	6.0522E-011
RCPTR_31	farmer_adult	TOCDFLIC	Chlorobenzene	4.7705E-014	2.4503E-013
RCPTR_31	farmer_adult	TOCDFLIC	Chloroethane	1.3957E-016	6.9035E-016
RCPTR_31	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	7.1211E-015	3.7056E-014
RCPTR_31	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	9.3511E-010	4.7326E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.2237E-011	1.6798E-010
RCPTR_31	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.6990E-009	6.1572E-009
RCPTR_31	farmer_adult	TOCDFLIC	Chromium	9.0664E-006	9.2821E-006
RCPTR_31	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.0627E-006	7.1560E-006
RCPTR_31	farmer_adult	TOCDFLIC	Chrysene	9.5322E-006	1.1566E-005
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	7.5792E-008	8.5441E-008
RCPTR_31	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.9368E+002	3.9368E+002
RCPTR_31	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	7.2462E-004	7.3904E-004
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.5642E-012	7.6605E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.8494E-012	9.2554E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.7692E-012	8.9075E-012
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.4878E-008	4.1465E-008
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.0618E-017	5.4930E-017
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.6560E-015	1.3827E-014
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2981E-015	1.7177E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.0090E-015	5.2358E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.6227E-015	8.4168E-015
RCPTR_31	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.6409E-010	7.8537E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	9.1678E-015	4.7372E-014
RCPTR_31	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.0046E-015	1.5624E-014
RCPTR_31	farmer_adult	TOCDFLIC	Diethyl phthalate	4.8104E-008	4.9755E-008
RCPTR_31	farmer_adult	TOCDFLIC	Dimethyl phthalate	9.2595E-011	4.5783E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.2313E-011	1.1462E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.3785E-011	6.5875E-011
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.2120E-011	1.0579E-010
RCPTR_31	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.6637E-011	8.1431E-011
RCPTR_31	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	4.6779E-013	2.4385E-012
RCPTR_31	farmer_adult	TOCDFLIC	Ethylbenzene	4.1068E-014	2.0037E-013
RCPTR_31	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.1224E-008	6.9635E-008
RCPTR_31	farmer_adult	TOCDFLIC	Fluoranthene	1.4396E-007	4.6566E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Fluorene	1.4551E-009	7.1281E-009
RCPTR_31	farmer_adult	TOCDFLIC	GB	7.8516E-015	4.0837E-014
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.5049E-013	6.9976E-013
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.9278E-013	8.4045E-013
RCPTR_31	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8647E-012	2.0022E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.3821E-012	8.9128E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.6633E-012	5.0470E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.9241E-012	4.2972E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.5040E-012	2.7762E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.4555E-012	2.7212E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.8493E-012	3.1552E-012
RCPTR_31	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.0766E-012	2.3003E-012
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.3227E-011	1.5048E-010
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorobenzene	6.5583E-008	3.0608E-007
RCPTR_31	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	9.1208E-011	4.0066E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.8315E-011	9.1940E-011
RCPTR_31	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3459E-003	5.3728E-003
RCPTR_31	farmer_adult	TOCDFLIC	Isophorone	3.3513E-012	1.7438E-011
RCPTR_31	farmer_adult	TOCDFLIC	Lead	2.1543E-005	2.5686E-005
RCPTR_31	farmer_adult	TOCDFLIC	Mercuric chloride	6.2102E-005	6.8466E-005
RCPTR_31	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.8277E-016	9.5237E-016
RCPTR_31	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.4985E-017	7.8009E-017
RCPTR_31	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	5.4376E-014	2.8351E-013
RCPTR_31	farmer_adult	TOCDFLIC	Methyl mercury	5.1334E-007	5.4656E-007
RCPTR_31	farmer_adult	TOCDFLIC	Methylene chloride	1.1580E-015	6.0305E-015
RCPTR_31	farmer_adult	TOCDFLIC	Naphthalene	1.4429E-011	7.3699E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nickel	3.5115E-006	3.7398E-006
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 2-	5.7500E-011	2.9750E-010
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.3607E-011	7.0783E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.7610E-011	9.1462E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrobenzene	5.6486E-012	2.9432E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.5750E-012	1.3401E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.3292E-010	2.3583E-010
RCPTR_31	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.2094E-012	1.6606E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.1670E-012	1.6323E-011
RCPTR_31	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.9460E-013	1.4677E-012
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2052E-012	2.4261E-012
RCPTR_31	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.2515E-013	7.9631E-013
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7264E-011	1.8607E-011
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.4396E-012	5.0327E-012
RCPTR_31	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	9.7725E-012	1.1044E-011
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.7216E-010	1.1381E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.1240E-010	4.5111E-010
RCPTR_31	farmer_adult	TOCDFLIC	Pentachlorophenol	2.1259E-007	2.7602E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Phenanthrene	4.5361E-012	2.2564E-011
RCPTR_31	farmer_adult	TOCDFLIC	Phenol	4.4996E-012	2.3322E-011
RCPTR_31	farmer_adult	TOCDFLIC	Pronamide	4.5830E-010	2.2359E-009
RCPTR_31	farmer_adult	TOCDFLIC	Pyrene	2.4264E-007	9.3072E-007
RCPTR_31	farmer_adult	TOCDFLIC	Selenium	7.6998E-007	7.7315E-007
RCPTR_31	farmer_adult	TOCDFLIC	Silver	2.5622E-007	2.6989E-007
RCPTR_31	farmer_adult	TOCDFLIC	Styrene	1.6419E-012	8.4967E-012
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.6212E-012	6.6418E-012
RCPTR_31	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	7.3401E-012	9.1621E-012
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.9704E-010	1.8166E-009
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.9491E-011	8.3833E-011
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	9.7220E-015	5.0331E-014
RCPTR_31	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	6.3397E-009	1.4055E-008
RCPTR_31	farmer_adult	TOCDFLIC	Thallium (I)	6.8075E-006	7.1141E-006
RCPTR_31	farmer_adult	TOCDFLIC	Toluene	7.6513E-014	3.9028E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.4325E-011	6.9313E-011
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	6.2647E-015	3.2517E-014
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	4.7785E-014	2.4861E-013
RCPTR_31	farmer_adult	TOCDFLIC	Trichloroethylene	7.8068E-015	4.0428E-014
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.0255E-015	5.3132E-015
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.7852E-009	7.9878E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.8363E-010	1.6570E-009
RCPTR_31	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.7709E-013	9.2021E-013
RCPTR_31	farmer_adult	TOCDFLIC	Vinyl Chloride	2.7226E-018	1.4151E-017
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, m-	3.7980E-013	6.6279E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, o-	2.1694E-013	4.2219E-013
RCPTR_31	farmer_adult	TOCDFLIC	Xylene, p-	3.9465E-013	8.3352E-013
RCPTR_31	farmer_adult	TOCDFLIC	Zinc	9.6891E-007	1.1927E-006
RCPTR_31	farmer_adult	TOCDFMPF	Acenaphthene	1.5438E-009	7.7508E-009
RCPTR_31	farmer_adult	TOCDFMPF	Acetone	4.5946E-015	2.3959E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Acetophenone	7.8271E-012	4.0736E-011
RCPTR_31	farmer_adult	TOCDFMPF	Aniline	4.7362E-013	2.4541E-012
RCPTR_31	farmer_adult	TOCDFMPF	Anthracene	2.7342E-008	1.3679E-007
RCPTR_31	farmer_adult	TOCDFMPF	Antimony	1.0328E-007	1.1839E-007
RCPTR_31	farmer_adult	TOCDFMPF	Arsenic	2.6234E-007	2.7046E-007
RCPTR_31	farmer_adult	TOCDFMPF	Barium	3.4667E-008	3.8374E-008
RCPTR_31	farmer_adult	TOCDFMPF	Benzene	4.1308E-015	2.1355E-014
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.3375E-005	1.9962E-005
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.4246E-004	1.4863E-004
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	7.8578E-005	9.5155E-005
RCPTR_31	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.2208E-004	2.3374E-004
RCPTR_31	farmer_adult	TOCDFMPF	Benzoic acid	6.9138E-011	2.8570E-010
RCPTR_31	farmer_adult	TOCDFMPF	Benzyl alcohol	1.0705E-011	5.5659E-011
RCPTR_31	farmer_adult	TOCDFMPF	Beryllium	5.4102E-008	6.1115E-008
RCPTR_31	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.0680E-011	5.5692E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Bromodichloromethane	3.6536E-014	1.9021E-013
RCPTR_31	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.3778E-012	7.1770E-012
RCPTR_31	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.0296E-007	2.9940E-006
RCPTR_31	farmer_adult	TOCDFMPF	Butylbenzylphthalate	8.1590E-008	9.2303E-008
RCPTR_31	farmer_adult	TOCDFMPF	Cadmium	5.1098E-008	7.0054E-008
RCPTR_31	farmer_adult	TOCDFMPF	Carbon disulfide	7.2004E-015	3.7342E-014
RCPTR_31	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.1444E-014	5.9114E-014
RCPTR_31	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.3021E-009	4.7380E-009
RCPTR_31	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.0022E-011	2.5881E-010
RCPTR_31	farmer_adult	TOCDFMPF	Chlorobenzene	6.7361E-014	3.4599E-013
RCPTR_31	farmer_adult	TOCDFMPF	Chloroethane	1.9707E-016	9.7478E-016
RCPTR_31	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	9.6723E-015	5.0332E-014
RCPTR_31	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.9988E-009	2.0238E-008
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.3785E-010	7.1834E-010
RCPTR_31	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	7.2656E-009	2.6330E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Chromium	1.7600E-006	1.8019E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3710E-006	1.3892E-006
RCPTR_31	farmer_adult	TOCDFMPF	Chrysene	4.0763E-005	4.9462E-005
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.2411E-007	3.6538E-007
RCPTR_31	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.6836E+003	1.6836E+003
RCPTR_31	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.0990E-003	3.1607E-003
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	6.6891E-012	3.2758E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.9084E-012	3.9579E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	7.5656E-012	3.8091E-011
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.9510E-007	2.3196E-007
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.4992E-017	7.7563E-017
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.7503E-015	1.9524E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6570E-015	2.4254E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.4247E-015	7.3930E-015
RCPTR_31	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.2913E-015	1.1885E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.1293E-009	3.3585E-009
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.2945E-014	6.6891E-014
RCPTR_31	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.2426E-015	2.2061E-014
RCPTR_31	farmer_adult	TOCDFMPF	Diethyl phthalate	2.0571E-007	2.1277E-007
RCPTR_31	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.3764E-011	1.6694E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	9.5418E-011	4.9015E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.4421E-010	2.8119E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	9.4592E-011	4.5237E-010
RCPTR_31	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	7.1144E-011	3.4822E-010
RCPTR_31	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.0004E-012	1.0428E-011
RCPTR_31	farmer_adult	TOCDFMPF	Ethylbenzene	4.3491E-014	2.1219E-013
RCPTR_31	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.7965E-008	7.7302E-008
RCPTR_31	farmer_adult	TOCDFMPF	Fluoranthene	6.1564E-007	1.9913E-006
RCPTR_31	farmer_adult	TOCDFMPF	Fluorene	6.2225E-009	3.0482E-008
RCPTR_31	farmer_adult	TOCDFMPF	GB	1.1204E-014	5.8272E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3732E-012	1.4773E-012
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.3339E-011	5.6546E-011
RCPTR_31	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.6725E-012	9.3121E-012
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9201E-011	2.0417E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0161E-011	1.0997E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.3296E-012	1.0216E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.7659E-010	4.1752E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.1971E-011	1.0192E-010
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6009E-011	1.7727E-011
RCPTR_31	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1420E-011	1.2650E-011
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.4209E-010	6.4348E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.8045E-007	1.3089E-006
RCPTR_31	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.9003E-010	1.7133E-009
RCPTR_31	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	7.8321E-011	3.9316E-010
RCPTR_31	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2862E-002	2.2977E-002
RCPTR_31	farmer_adult	TOCDFMPF	Isophorone	1.4331E-011	7.4570E-011
RCPTR_31	farmer_adult	TOCDFMPF	Lead	1.7043E-008	2.0321E-008
RCPTR_31	farmer_adult	TOCDFMPF	Mercuric chloride	7.0517E-007	7.7743E-007
RCPTR_31	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.1990E-016	1.1459E-015
RCPTR_31	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	7.8737E-018	4.0989E-017
RCPTR_31	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.1474E-014	2.6838E-013
RCPTR_31	farmer_adult	TOCDFMPF	Methyl mercury	5.8288E-009	6.2061E-009
RCPTR_31	farmer_adult	TOCDFMPF	Methylene chloride	1.2885E-015	6.7097E-015
RCPTR_31	farmer_adult	TOCDFMPF	Naphthalene	6.1702E-011	3.1516E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nickel	2.7632E-006	2.9428E-006
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.4544E-010	1.2699E-009
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.8083E-011	3.0214E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitroaniline, 4-	7.5170E-011	3.9040E-010
RCPTR_31	farmer_adult	TOCDFMPF	Nitrobenzene	2.4155E-011	1.2586E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.1011E-011	5.7304E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrophenol, 4-	5.6737E-010	1.0067E-009
RCPTR_31	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.3724E-011	7.1012E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.3543E-011	6.9801E-011
RCPTR_31	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.2598E-012	6.2761E-012
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.2834E-012	3.6124E-012
RCPTR_31	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.5712E-012	5.0198E-012
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.8364E-011	7.3681E-011
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.9586E-011	5.6211E-011
RCPTR_31	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.5930E-010	1.8002E-010
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.1638E-009	4.8670E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.7976E-010	1.9256E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pentachlorophenol	9.0747E-007	1.1782E-006
RCPTR_31	farmer_adult	TOCDFMPF	Phenanthrene	1.9398E-011	9.6488E-011
RCPTR_31	farmer_adult	TOCDFMPF	Phenol	1.9242E-011	9.9733E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Pronamide	1.9598E-009	9.5614E-009
RCPTR_31	farmer_adult	TOCDFMPF	Pyrene	1.0376E-006	3.9800E-006
RCPTR_31	farmer_adult	TOCDFMPF	Selenium	2.2602E-007	2.2695E-007
RCPTR_31	farmer_adult	TOCDFMPF	Silver	1.0288E-006	1.0837E-006
RCPTR_31	farmer_adult	TOCDFMPF	Styrene	1.7610E-012	9.1134E-012
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.5993E-011	1.8896E-011
RCPTR_31	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.0152E-011	3.7636E-011
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.6979E-009	7.7684E-009
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	9.8125E-011	1.1838E-010
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.0422E-014	1.5750E-013
RCPTR_31	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.7062E-008	5.9993E-008
RCPTR_31	farmer_adult	TOCDFMPF	Thallium (I)	2.0155E-006	2.1062E-006
RCPTR_31	farmer_adult	TOCDFMPF	Toluene	2.1495E-014	1.0964E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	6.1259E-011	2.9640E-010
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	8.8459E-015	4.5915E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	6.7473E-014	3.5105E-013
RCPTR_31	farmer_adult	TOCDFMPF	Trichloroethylene	1.1023E-014	5.7085E-014
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.4480E-015	7.5023E-015
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	7.6341E-009	3.4158E-008
RCPTR_31	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.0681E-009	7.0858E-009
RCPTR_31	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.5006E-013	1.2994E-012
RCPTR_31	farmer_adult	TOCDFMPF	Vinyl Chloride	3.5678E-018	1.8545E-017
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, m-	3.0077E-013	5.2488E-013
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, o-	2.7002E-013	5.2551E-013
RCPTR_31	farmer_adult	TOCDFMPF	Xylene, p-	3.1253E-013	6.6010E-013
RCPTR_31	farmer_adult	TOCDFMPF	Zinc	5.9510E-007	7.3253E-007
RCPTR_31	farmer_adult	TOCDHVAC	GB	5.8564E-014	3.0461E-013
RCPTR_31	farmer_adult	TOCDLIC2	Acenaphthene	7.4501E-010	3.7404E-009
RCPTR_31	farmer_adult	TOCDLIC2	Acetone	9.0459E-015	4.7169E-014
RCPTR_31	farmer_adult	TOCDLIC2	Acetophenone	3.7772E-012	1.9658E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Aniline	2.2856E-013	1.1843E-012
RCPTR_31	farmer_adult	TOCDLIC2	Anthracene	1.3195E-008	6.6013E-008
RCPTR_31	farmer_adult	TOCDLIC2	Antimony	4.6010E-007	5.2744E-007
RCPTR_31	farmer_adult	TOCDLIC2	Arsenic	1.1141E-006	1.1486E-006
RCPTR_31	farmer_adult	TOCDLIC2	Barium	3.5516E-007	3.9314E-007
RCPTR_31	farmer_adult	TOCDLIC2	Benzene	6.0928E-015	3.1498E-014
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)anthracene	6.4546E-006	9.6330E-006
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.8746E-005	7.1723E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.7919E-005	4.5919E-005
RCPTR_31	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.0717E-004	1.1280E-004
RCPTR_31	farmer_adult	TOCDLIC2	Benzoic acid	3.3364E-011	1.3787E-010
RCPTR_31	farmer_adult	TOCDLIC2	Benzyl alcohol	5.1659E-012	2.6860E-011
RCPTR_31	farmer_adult	TOCDLIC2	Beryllium	1.8879E-007	2.1326E-007
RCPTR_31	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.1542E-012	2.6876E-011
RCPTR_31	farmer_adult	TOCDLIC2	Bromodichloromethane	6.8498E-014	3.5661E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.7856E-012	9.3011E-012
RCPTR_31	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.9098E-007	1.4449E-006
RCPTR_31	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.9374E-008	4.4544E-008
RCPTR_31	farmer_adult	TOCDLIC2	Cadmium	1.3226E-008	1.8133E-008
RCPTR_31	farmer_adult	TOCDLIC2	Carbon disulfide	7.7479E-015	4.0181E-014
RCPTR_31	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.2335E-014	6.3716E-014
RCPTR_31	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	6.2835E-010	2.2864E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.4140E-011	1.2490E-010
RCPTR_31	farmer_adult	TOCDLIC2	Chlorobenzene	7.2606E-014	3.7293E-013
RCPTR_31	farmer_adult	TOCDLIC2	Chloroethane	2.1242E-016	1.0507E-015
RCPTR_31	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.1987E-014	1.1441E-013
RCPTR_31	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.9297E-009	9.7664E-009
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenol, 2-	6.6525E-011	3.4666E-010
RCPTR_31	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.5062E-009	1.2706E-008
RCPTR_31	farmer_adult	TOCDLIC2	Chromium	9.0664E-006	9.2821E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.0627E-006	7.1560E-006
RCPTR_31	farmer_adult	TOCDLIC2	Chrysene	1.9671E-005	2.3869E-005
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.5641E-007	1.7632E-007
RCPTR_31	farmer_adult	TOCDLIC2	Di-n-octylphthalate	8.1242E+002	8.1242E+002
RCPTR_31	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.4954E-003	1.5251E-003
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.2280E-012	1.5808E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	3.8164E-012	1.9100E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.6510E-012	1.8382E-011
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.3872E-008	9.9715E-008
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.6160E-017	8.3602E-017
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.0423E-015	2.1044E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.0196E-015	2.6142E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.5356E-015	7.9687E-015
RCPTR_31	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.4697E-015	1.2810E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	5.4498E-010	1.6207E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.3953E-014	7.2099E-014
RCPTR_31	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.5729E-015	2.3779E-014
RCPTR_31	farmer_adult	TOCDLIC2	Diethyl phthalate	9.9268E-008	1.0268E-007
RCPTR_31	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.1341E-010	5.6075E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.6047E-011	2.3654E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.9899E-011	1.3629E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.5648E-011	2.1830E-010
RCPTR_31	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.4333E-011	1.6804E-010
RCPTR_31	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	9.6535E-013	5.0322E-012
RCPTR_31	farmer_adult	TOCDLIC2	Ethylbenzene	5.3165E-014	2.5939E-013
RCPTR_31	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.0992E-008	4.6623E-008
RCPTR_31	farmer_adult	TOCDLIC2	Fluoranthene	2.9709E-007	9.6096E-007
RCPTR_31	farmer_adult	TOCDLIC2	Fluorene	3.0029E-009	1.4710E-008
RCPTR_31	farmer_adult	TOCDLIC2	GB	8.1626E-015	4.2455E-014
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.5657E-012	4.9115E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.3303E-012	4.5907E-012
RCPTR_31	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.0698E-012	4.3699E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2583E-011	1.3380E-011
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.7962E-012	9.5199E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.3667E-012	9.1621E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.0575E-012	8.9333E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.8624E-012	5.3884E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.3490E-012	4.8159E-012
RCPTR_31	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.9755E-012	5.5117E-012
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.8569E-011	3.1053E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.3534E-007	6.3165E-007
RCPTR_31	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.8822E-010	8.2682E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.7796E-011	1.8973E-010
RCPTR_31	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1032E-002	1.1088E-002

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Isophorone	6.9159E-012	3.5986E-011
RCPTR_31	farmer_adult	TOCDLIC2	Lead	1.5532E-006	1.8519E-006
RCPTR_31	farmer_adult	TOCDLIC2	Mercuric chloride	6.2102E-005	6.8466E-005
RCPTR_31	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.3906E-016	1.2457E-015
RCPTR_31	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	9.5386E-018	4.9656E-017
RCPTR_31	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	5.3595E-014	2.7944E-013
RCPTR_31	farmer_adult	TOCDLIC2	Methyl mercury	5.1334E-007	5.4656E-007
RCPTR_31	farmer_adult	TOCDLIC2	Methylene chloride	4.2124E-015	2.1936E-014
RCPTR_31	farmer_adult	TOCDLIC2	Naphthalene	2.9776E-011	1.5209E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nickel	1.2206E-006	1.3000E-006
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.1897E-010	6.1552E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.8153E-011	1.4645E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.6435E-011	1.8923E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitrobenzene	1.1657E-011	6.0737E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 2-	5.3139E-012	2.7654E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.7500E-010	4.8793E-010
RCPTR_31	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	6.6231E-012	3.4269E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	6.5356E-012	3.3684E-011
RCPTR_31	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	6.0795E-013	3.0287E-012
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.4044E-012	8.1463E-012
RCPTR_31	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.4527E-012	2.6934E-012
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.2282E-011	3.4793E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.3941E-012	1.0649E-011
RCPTR_31	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6007E-011	2.9391E-011
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.6164E-010	2.3487E-009
RCPTR_31	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.3254E-010	9.3333E-010
RCPTR_31	farmer_adult	TOCDLIC2	Pentachlorophenol	4.3984E-007	5.7109E-007
RCPTR_31	farmer_adult	TOCDLIC2	Phenanthrene	9.3609E-012	4.6563E-011
RCPTR_31	farmer_adult	TOCDLIC2	Phenol	9.8174E-012	5.0885E-011
RCPTR_31	farmer_adult	TOCDLIC2	Pronamide	9.4576E-010	4.6141E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Pyrene	5.0072E-007	1.9207E-006
RCPTR_31	farmer_adult	TOCDLIC2	Selenium	7.6998E-007	7.7315E-007
RCPTR_31	farmer_adult	TOCDLIC2	Silver	2.5622E-007	2.6989E-007
RCPTR_31	farmer_adult	TOCDLIC2	Styrene	1.3755E-012	7.1180E-012
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6295E-011	1.9254E-011
RCPTR_31	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3148E-011	1.6411E-011
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	8.1935E-010	3.7488E-009
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.0576E-010	1.2759E-010
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.4797E-014	7.6602E-014
RCPTR_31	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.3117E-008	2.9079E-008
RCPTR_31	farmer_adult	TOCDLIC2	Thallium (I)	6.8075E-006	7.1141E-006
RCPTR_31	farmer_adult	TOCDLIC2	Toluene	8.0540E-014	4.1082E-013
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.9562E-011	1.4304E-010
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	9.5347E-015	4.9490E-014
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	7.2727E-014	3.7838E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_adult	TOCDLIC2	Trichloroethylene	1.1882E-014	6.1530E-014
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.5607E-015	8.0865E-015
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.6840E-009	1.6484E-008
RCPTR_31	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	9.9803E-010	3.4195E-009
RCPTR_31	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.6953E-013	1.4005E-012
RCPTR_31	farmer_adult	TOCDLIC2	Vinyl Chloride	4.5442E-018	2.3620E-017
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, m-	4.4090E-013	7.6941E-013
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, o-	2.9106E-013	5.6645E-013
RCPTR_31	farmer_adult	TOCDLIC2	Xylene, p-	4.5814E-013	9.6761E-013
RCPTR_31	farmer_adult	TOCDLIC2	Zinc	1.1569E-006	1.4241E-006
RCPTR_31	farmer_child	TOCDFBRA	Antimony	3.5324E-006	3.6013E-006
RCPTR_31	farmer_child	TOCDFBRA	Arsenic	5.3842E-006	5.3999E-006
RCPTR_31	farmer_child	TOCDFBRA	Barium	4.7340E-007	4.7973E-007
RCPTR_31	farmer_child	TOCDFBRA	Beryllium	1.5113E-006	1.6735E-006
RCPTR_31	farmer_child	TOCDFBRA	Cadmium	3.1424E-007	3.3621E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFBRA	Chromium	3.5905E-005	4.0829E-005
RCPTR_31	farmer_child	TOCDFBRA	Chromium, hexavalent	3.1463E-005	3.1489E-005
RCPTR_31	farmer_child	TOCDFBRA	Lead	1.6165E-005	1.8925E-005
RCPTR_31	farmer_child	TOCDFBRA	Mercuric chloride	2.2493E-003	3.9399E-003
RCPTR_31	farmer_child	TOCDFBRA	Methyl mercury	2.8475E-005	3.3454E-005
RCPTR_31	farmer_child	TOCDFBRA	Nickel	1.8041E-005	1.8278E-005
RCPTR_31	farmer_child	TOCDFBRA	Selenium	5.9183E-006	5.9187E-006
RCPTR_31	farmer_child	TOCDFBRA	Silver	2.0771E-006	2.0801E-006
RCPTR_31	farmer_child	TOCDFBRA	Thallium (I)	5.5286E-005	5.5840E-005
RCPTR_31	farmer_child	TOCDFBRA	Zinc	1.0744E-005	1.1171E-005
RCPTR_31	farmer_child	TOCDFDFS	Acenaphthene	3.2504E-009	3.2619E-009
RCPTR_31	farmer_child	TOCDFDFS	Acetone	4.0659E-014	4.0659E-014
RCPTR_31	farmer_child	TOCDFDFS	Acetophenone	1.7997E-011	1.8001E-011
RCPTR_31	farmer_child	TOCDFDFS	Aniline	1.0328E-012	1.0328E-012
RCPTR_31	farmer_child	TOCDFDFS	Anthracene	5.5702E-008	5.7569E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Antimony	2.2204E-005	2.2637E-005
RCPTR_31	farmer_child	TOCDFDFS	Aroclor 1254	4.1373E-010	4.1598E-010
RCPTR_31	farmer_child	TOCDFDFS	Arsenic	1.9131E-006	1.9187E-006
RCPTR_31	farmer_child	TOCDFDFS	Barium	5.9157E-008	5.9950E-008
RCPTR_31	farmer_child	TOCDFDFS	Benzene	3.3652E-014	3.3652E-014
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)anthracene	7.4460E-006	8.4113E-006
RCPTR_31	farmer_child	TOCDFDFS	Benzo(a)pyrene	6.1942E-005	6.2737E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.7764E-005	4.0093E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	9.5637E-005	9.8655E-005
RCPTR_31	farmer_child	TOCDFDFS	Benzoic acid	1.2022E-010	1.2023E-010
RCPTR_31	farmer_child	TOCDFDFS	Benzyl alcohol	2.3412E-011	2.3424E-011
RCPTR_31	farmer_child	TOCDFDFS	Beryllium	5.1988E-007	5.7576E-007
RCPTR_31	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.3428E-011	2.3437E-011
RCPTR_31	farmer_child	TOCDFDFS	Bromodichloromethane	2.6524E-013	2.6524E-013
RCPTR_31	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.0541E-011	1.0542E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	9.1082E-007	1.2600E-006
RCPTR_31	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.9000E-008	3.9020E-008
RCPTR_31	farmer_child	TOCDFDFS	Cadmium	5.4429E-007	5.8239E-007
RCPTR_31	farmer_child	TOCDFDFS	Carbon disulfide	1.7586E-014	1.7586E-014
RCPTR_31	farmer_child	TOCDFDFS	Carbon tetrachloride	8.7800E-014	8.7800E-014
RCPTR_31	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.9846E-009	1.9938E-009
RCPTR_31	farmer_child	TOCDFDFS	Chloroaniline, p-	1.0880E-010	1.0892E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorobenzene	5.1389E-013	5.1389E-013
RCPTR_31	farmer_child	TOCDFDFS	Chloroethane	1.4478E-015	1.4478E-015
RCPTR_31	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	7.9441E-014	7.9441E-014
RCPTR_31	farmer_child	TOCDFDFS	Chloronaphthalene,2-	8.4479E-009	8.5170E-009
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.0162E-010	3.0231E-010
RCPTR_31	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.1045E-008	1.1082E-008
RCPTR_31	farmer_child	TOCDFDFS	Chromium	6.6370E-006	7.5484E-006
RCPTR_31	farmer_child	TOCDFDFS	Chromium, hexavalent	5.8146E-006	5.8195E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Chrysene	1.9253E-005	2.0839E-005
RCPTR_31	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.5363E-007	1.5382E-007
RCPTR_31	farmer_child	TOCDFDFS	Di-n-octylphthalate	7.0818E+002	7.0818E+002
RCPTR_31	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.3241E-003	1.3355E-003
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.3786E-011	1.3786E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.6656E-011	1.6656E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.6030E-011	1.6030E-011
RCPTR_31	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.4390E-007	1.4444E-007
RCPTR_31	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.1520E-016	1.1520E-016
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.8998E-014	2.8998E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.6023E-014	3.6023E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.0981E-014	1.0981E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.7652E-014	1.7652E-014
RCPTR_31	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.4091E-009	1.4133E-009
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	9.9351E-014	9.9352E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.2767E-014	3.2767E-014
RCPTR_31	farmer_child	TOCDFDFS	Diethyl phthalate	8.9497E-008	8.9505E-008
RCPTR_31	farmer_child	TOCDFDFS	Dimethyl phthalate	4.5629E-010	4.5669E-010
RCPTR_31	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.0601E-010	2.0627E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.1713E-010	1.1715E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.9008E-010	1.9039E-010
RCPTR_31	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.4634E-010	1.4655E-010
RCPTR_31	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.3873E-012	4.3884E-012
RCPTR_31	farmer_child	TOCDFDFS	Ethylbenzene	3.1517E-013	3.1517E-013
RCPTR_31	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.9737E-009	3.9807E-009
RCPTR_31	farmer_child	TOCDFDFS	Fluoranthene	7.2065E-007	8.3818E-007
RCPTR_31	farmer_child	TOCDFDFS	Fluorene	1.2692E-008	1.2828E-008
RCPTR_31	farmer_child	TOCDFDFS	GB	1.1803E-013	1.1806E-013
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.0882E-012	1.1530E-012
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.7793E-013	6.0530E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.9216E-012	2.0328E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.1046E-011	1.1597E-011
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.8029E-012	6.1758E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.9396E-012	5.3049E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.8800E-012	4.2062E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.4573E-012	3.7471E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.6516E-012	5.0384E-012
RCPTR_31	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.1965E-012	3.4632E-012
RCPTR_31	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.7080E-010	2.7083E-010
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorobenzene	5.1860E-007	5.5085E-007
RCPTR_31	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.5689E-009	3.5696E-009
RCPTR_31	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.6543E-010	1.6546E-010
RCPTR_31	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	9.6601E-003	9.6788E-003
RCPTR_31	farmer_child	TOCDFDFS	Isophorone	3.1371E-011	3.1382E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Lead	6.0189E-005	7.0478E-005
RCPTR_31	farmer_child	TOCDFDFS	Mercuric chloride	4.7563E-007	8.4187E-007
RCPTR_31	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.0697E-015	3.0697E-015
RCPTR_31	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.1971E-016	5.1971E-016
RCPTR_31	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.7286E-013	2.7286E-013
RCPTR_31	farmer_child	TOCDFDFS	Methyl mercury	5.6776E-009	6.7562E-009
RCPTR_31	farmer_child	TOCDFDFS	Methylene chloride	7.8881E-015	7.8881E-015
RCPTR_31	farmer_child	TOCDFDFS	Naphthalene	1.3259E-010	1.3263E-010
RCPTR_31	farmer_child	TOCDFDFS	Nickel	6.6689E-006	6.7568E-006
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.2850E-010	5.2908E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.2583E-010	1.2588E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.6257E-010	1.6266E-010
RCPTR_31	farmer_child	TOCDFDFS	Nitrobenzene	5.2937E-011	5.2967E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.4110E-011	2.4116E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.1922E-010	4.1932E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.9880E-011	2.9885E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.9372E-011	2.9375E-011
RCPTR_31	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.6416E-012	2.6417E-012
RCPTR_31	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.6968E-012	2.9075E-012
RCPTR_31	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	9.2532E-013	9.9623E-013
RCPTR_31	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.8118E-011	2.9809E-011
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.3048E-012	2.5398E-012
RCPTR_31	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	9.1289E-012	1.0039E-011
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorobenzene	2.0485E-009	2.0494E-009
RCPTR_31	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	8.0273E-010	8.0278E-010
RCPTR_31	farmer_child	TOCDFDFS	Pentachlorophenol	4.8982E-007	4.9073E-007
RCPTR_31	farmer_child	TOCDFDFS	Phenanthrene	4.0606E-011	4.0607E-011
RCPTR_31	farmer_child	TOCDFDFS	Phenol	4.1946E-011	4.1972E-011
RCPTR_31	farmer_child	TOCDFDFS	Pronamide	7.9895E-009	8.0477E-009
RCPTR_31	farmer_child	TOCDFDFS	Pyrene	1.1414E-006	1.6750E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Selenium	2.1027E-006	2.1029E-006
RCPTR_31	farmer_child	TOCDFDFS	Silver	7.4978E-007	7.5085E-007
RCPTR_31	farmer_child	TOCDFDFS	Styrene	8.5685E-012	8.5687E-012
RCPTR_31	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.2532E-011	1.4230E-011
RCPTR_31	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.9774E-012	4.7007E-012
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.2647E-009	3.2693E-009
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.7576E-010	1.7576E-010
RCPTR_31	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.0556E-013	1.0556E-013
RCPTR_31	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.4950E-008	2.4992E-008
RCPTR_31	farmer_child	TOCDFDFS	Thallium (I)	1.9016E-005	1.9206E-005
RCPTR_31	farmer_child	TOCDFDFS	Toluene	1.4232E-013	1.4232E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.2472E-010	1.2474E-010
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	6.8197E-014	6.8197E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.2140E-013	5.2140E-013
RCPTR_31	farmer_child	TOCDFDFS	Trichloroethylene	8.4787E-014	8.4787E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.1143E-014	1.1143E-014
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.4140E-008	1.4375E-008
RCPTR_31	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.9718E-009	2.9819E-009
RCPTR_31	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.9299E-012	1.9299E-012
RCPTR_31	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.2623E-011	2.2644E-011
RCPTR_31	farmer_child	TOCDFDFS	Vinyl Chloride	2.7544E-017	2.7544E-017
RCPTR_31	farmer_child	TOCDFDFS	Xylene, m-	7.8504E-013	7.8504E-013
RCPTR_31	farmer_child	TOCDFDFS	Xylene, o-	7.8515E-013	7.8516E-013
RCPTR_31	farmer_child	TOCDFDFS	Xylene, p-	9.8549E-013	9.8549E-013
RCPTR_31	farmer_child	TOCDFDFS	Zinc	4.4633E-006	4.6408E-006
RCPTR_31	farmer_child	TOCDFLIC	Acenaphthene	1.8061E-009	1.8125E-009
RCPTR_31	farmer_child	TOCDFLIC	Acetone	4.7665E-014	4.7665E-014
RCPTR_31	farmer_child	TOCDFLIC	Acetophenone	1.7143E-011	1.7147E-011
RCPTR_31	farmer_child	TOCDFLIC	Aniline	5.7387E-013	5.7389E-013
RCPTR_31	farmer_child	TOCDFLIC	Anthracene	3.0951E-008	3.1989E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Antimony	3.8885E-007	3.9644E-007
RCPTR_31	farmer_child	TOCDFLIC	Arsenic	1.1452E-006	1.1486E-006
RCPTR_31	farmer_child	TOCDFLIC	Barium	4.0258E-008	4.0798E-008
RCPTR_31	farmer_child	TOCDFLIC	Benzene	4.3769E-013	4.3769E-013
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.1318E-006	4.6680E-006
RCPTR_31	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.4316E-005	3.4756E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.0958E-005	2.2252E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	5.2996E-005	5.4660E-005
RCPTR_31	farmer_child	TOCDFLIC	Benzoic acid	7.1662E-011	7.1670E-011
RCPTR_31	farmer_child	TOCDFLIC	Benzyl alcohol	1.3009E-011	1.3016E-011
RCPTR_31	farmer_child	TOCDFLIC	Beryllium	1.9256E-007	2.1326E-007
RCPTR_31	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.3018E-011	1.3023E-011
RCPTR_31	farmer_child	TOCDFLIC	Bromodichloromethane	1.1647E-013	1.1647E-013
RCPTR_31	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.0112E-012	4.0116E-012
RCPTR_31	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.0611E-007	7.0015E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.1574E-008	2.1585E-008
RCPTR_31	farmer_child	TOCDFLIC	Cadmium	1.4914E-007	1.5958E-007
RCPTR_31	farmer_child	TOCDFLIC	Carbon disulfide	2.6514E-014	2.6514E-014
RCPTR_31	farmer_child	TOCDFLIC	Carbon tetrachloride	4.1864E-014	4.1864E-014
RCPTR_31	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.1028E-009	1.1080E-009
RCPTR_31	farmer_child	TOCDFLIC	Chloroaniline, p-	6.0456E-011	6.0522E-011
RCPTR_31	farmer_child	TOCDFLIC	Chlorobenzene	2.4503E-013	2.4503E-013
RCPTR_31	farmer_child	TOCDFLIC	Chloroethane	6.9035E-016	6.9035E-016
RCPTR_31	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.7056E-014	3.7056E-014
RCPTR_31	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.6942E-009	4.7326E-009
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.6760E-010	1.6798E-010
RCPTR_31	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	6.1366E-009	6.1572E-009
RCPTR_31	farmer_child	TOCDFLIC	Chromium	8.1613E-006	9.2821E-006
RCPTR_31	farmer_child	TOCDFLIC	Chromium, hexavalent	7.1500E-006	7.1560E-006
RCPTR_31	farmer_child	TOCDFLIC	Chrysene	1.0686E-005	1.1566E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Di-n-butyl phthalate	8.5336E-008	8.5441E-008
RCPTR_31	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.9368E+002	3.9368E+002
RCPTR_31	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	7.3281E-004	7.3904E-004
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	7.6602E-012	7.6605E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	9.2552E-012	9.2554E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	8.9073E-012	8.9075E-012
RCPTR_31	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.1311E-008	4.1465E-008
RCPTR_31	farmer_child	TOCDFLIC	Dichlorodifluoromethane	5.4930E-017	5.4930E-017
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.3827E-014	1.3827E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7177E-014	1.7177E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	5.2358E-015	5.2358E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	8.4168E-015	8.4168E-015
RCPTR_31	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	7.8305E-010	7.8537E-010
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.7372E-014	4.7372E-014
RCPTR_31	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.5624E-014	1.5624E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Diethyl phthalate	4.9751E-008	4.9755E-008
RCPTR_31	farmer_child	TOCDFLIC	Dimethyl phthalate	4.5743E-010	4.5783E-010
RCPTR_31	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.1448E-010	1.1462E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	6.5866E-011	6.5875E-011
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.0561E-010	1.0579E-010
RCPTR_31	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	8.1316E-011	8.1431E-011
RCPTR_31	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.4379E-012	2.4385E-012
RCPTR_31	farmer_child	TOCDFLIC	Ethylbenzene	2.0037E-013	2.0037E-013
RCPTR_31	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.9512E-008	6.9635E-008
RCPTR_31	farmer_child	TOCDFLIC	Fluoranthene	4.0036E-007	4.6566E-007
RCPTR_31	farmer_child	TOCDFLIC	Fluorene	7.0523E-009	7.1281E-009
RCPTR_31	farmer_child	TOCDFLIC	GB	4.0827E-014	4.0837E-014
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	6.6059E-013	6.9976E-013
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	8.0266E-013	8.4045E-013
RCPTR_31	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.8932E-012	2.0022E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	8.4914E-012	8.9128E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.7434E-012	5.0470E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.0020E-012	4.2972E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.5610E-012	2.7762E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.5109E-012	2.7212E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.9133E-012	3.1552E-012
RCPTR_31	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.1233E-012	2.3003E-012
RCPTR_31	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.5046E-010	1.5048E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorobenzene	2.8816E-007	3.0608E-007
RCPTR_31	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.0058E-010	4.0066E-010
RCPTR_31	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	9.1924E-011	9.1940E-011
RCPTR_31	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	5.3626E-003	5.3728E-003
RCPTR_31	farmer_child	TOCDFLIC	Isophorone	1.7432E-011	1.7438E-011
RCPTR_31	farmer_child	TOCDFLIC	Lead	2.1936E-005	2.5686E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Mercuric chloride	3.8645E-005	6.8466E-005
RCPTR_31	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	9.5237E-016	9.5237E-016
RCPTR_31	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	7.8009E-017	7.8009E-017
RCPTR_31	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.8351E-013	2.8351E-013
RCPTR_31	farmer_child	TOCDFLIC	Methyl mercury	4.5873E-007	5.4656E-007
RCPTR_31	farmer_child	TOCDFLIC	Methylene chloride	6.0305E-015	6.0305E-015
RCPTR_31	farmer_child	TOCDFLIC	Naphthalene	7.3678E-011	7.3699E-011
RCPTR_31	farmer_child	TOCDFLIC	Nickel	3.6912E-006	3.7398E-006
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.9717E-010	2.9750E-010
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 3-	7.0753E-011	7.0783E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitroaniline, 4-	9.1413E-011	9.1462E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrobenzene	2.9416E-011	2.9432E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.3397E-011	1.3401E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.3578E-010	2.3583E-010
RCPTR_31	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.6603E-011	1.6606E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.6321E-011	1.6323E-011
RCPTR_31	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.4676E-012	1.4677E-012
RCPTR_31	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.2507E-012	2.4261E-012
RCPTR_31	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	7.3973E-013	7.9631E-013
RCPTR_31	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.7554E-011	1.8607E-011
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.5671E-012	5.0327E-012
RCPTR_31	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.0043E-011	1.1044E-011
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorobenzene	1.1377E-009	1.1381E-009
RCPTR_31	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.5108E-010	4.5111E-010
RCPTR_31	farmer_child	TOCDFLIC	Pentachlorophenol	2.7551E-007	2.7602E-007
RCPTR_31	farmer_child	TOCDFLIC	Phenanthrene	2.2563E-011	2.2564E-011
RCPTR_31	farmer_child	TOCDFLIC	Phenol	2.3308E-011	2.3322E-011
RCPTR_31	farmer_child	TOCDFLIC	Pronamide	2.2197E-009	2.2359E-009
RCPTR_31	farmer_child	TOCDFLIC	Pyrene	6.3420E-007	9.3072E-007
RCPTR_31	farmer_child	TOCDFLIC	Selenium	7.7310E-007	7.7315E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Silver	2.6951E-007	2.6989E-007
RCPTR_31	farmer_child	TOCDFLIC	Styrene	8.4965E-012	8.4967E-012
RCPTR_31	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.8489E-012	6.6418E-012
RCPTR_31	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	7.7512E-012	9.1621E-012
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.8141E-009	1.8166E-009
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.3832E-011	8.3833E-011
RCPTR_31	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.0331E-014	5.0331E-014
RCPTR_31	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.4031E-008	1.4055E-008
RCPTR_31	farmer_child	TOCDFLIC	Thallium (I)	7.0434E-006	7.1141E-006
RCPTR_31	farmer_child	TOCDFLIC	Toluene	3.9028E-013	3.9028E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.9304E-011	6.9313E-011
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.2517E-014	3.2517E-014
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.4861E-013	2.4861E-013
RCPTR_31	farmer_child	TOCDFLIC	Trichloroethylene	4.0428E-014	4.0428E-014
RCPTR_31	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	5.3132E-015	5.3132E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	7.8574E-009	7.9878E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.6514E-009	1.6570E-009
RCPTR_31	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	9.2018E-013	9.2021E-013
RCPTR_31	farmer_child	TOCDFLIC	Vinyl Chloride	1.4151E-017	1.4151E-017
RCPTR_31	farmer_child	TOCDFLIC	Xylene, m-	6.6279E-013	6.6279E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, o-	4.2219E-013	4.2219E-013
RCPTR_31	farmer_child	TOCDFLIC	Xylene, p-	8.3352E-013	8.3352E-013
RCPTR_31	farmer_child	TOCDFLIC	Zinc	1.1471E-006	1.1927E-006
RCPTR_31	farmer_child	TOCDFMPF	Acenaphthene	7.7235E-009	7.7508E-009
RCPTR_31	farmer_child	TOCDFMPF	Acetone	2.3959E-014	2.3959E-014
RCPTR_31	farmer_child	TOCDFMPF	Acetophenone	4.0727E-011	4.0736E-011
RCPTR_31	farmer_child	TOCDFMPF	Aniline	2.4540E-012	2.4541E-012
RCPTR_31	farmer_child	TOCDFMPF	Anthracene	1.3235E-007	1.3679E-007
RCPTR_31	farmer_child	TOCDFMPF	Antimony	1.1613E-007	1.1839E-007
RCPTR_31	farmer_child	TOCDFMPF	Arsenic	2.6967E-007	2.7046E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Barium	3.7867E-008	3.8374E-008
RCPTR_31	farmer_child	TOCDFMPF	Benzene	2.1355E-014	2.1355E-014
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.7669E-005	1.9962E-005
RCPTR_31	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.4675E-004	1.4863E-004
RCPTR_31	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	8.9624E-005	9.5155E-005
RCPTR_31	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.2663E-004	2.3374E-004
RCPTR_31	farmer_child	TOCDFMPF	Benzoic acid	2.8567E-010	2.8570E-010
RCPTR_31	farmer_child	TOCDFMPF	Benzyl alcohol	5.5631E-011	5.5659E-011
RCPTR_31	farmer_child	TOCDFMPF	Beryllium	5.5183E-008	6.1115E-008
RCPTR_31	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	5.5669E-011	5.5692E-011
RCPTR_31	farmer_child	TOCDFMPF	Bromodichloromethane	1.9021E-013	1.9021E-013
RCPTR_31	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	7.1764E-012	7.1770E-012
RCPTR_31	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.1643E-006	2.9940E-006
RCPTR_31	farmer_child	TOCDFMPF	Butylbenzylphthalate	9.2256E-008	9.2303E-008
RCPTR_31	farmer_child	TOCDFMPF	Cadmium	6.5471E-008	7.0054E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Carbon disulfide	3.7342E-014	3.7342E-014
RCPTR_31	farmer_child	TOCDFMPF	Carbon tetrachloride	5.9113E-014	5.9114E-014
RCPTR_31	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	4.7160E-009	4.7380E-009
RCPTR_31	farmer_child	TOCDFMPF	Chloroaniline, p-	2.5852E-010	2.5881E-010
RCPTR_31	farmer_child	TOCDFMPF	Chlorobenzene	3.4599E-013	3.4599E-013
RCPTR_31	farmer_child	TOCDFMPF	Chloroethane	9.7478E-016	9.7478E-016
RCPTR_31	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.0332E-014	5.0332E-014
RCPTR_31	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.0074E-008	2.0238E-008
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenol, 2-	7.1670E-010	7.1834E-010
RCPTR_31	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.6242E-008	2.6330E-008
RCPTR_31	farmer_child	TOCDFMPF	Chromium	1.5843E-006	1.8019E-006
RCPTR_31	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3880E-006	1.3892E-006
RCPTR_31	farmer_child	TOCDFMPF	Chrysene	4.5698E-005	4.9462E-005
RCPTR_31	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.6493E-007	3.6538E-007
RCPTR_31	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.6836E+003	1.6836E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.1340E-003	3.1607E-003
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.2757E-011	3.2758E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.9577E-011	3.9579E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	3.8090E-011	3.8091E-011
RCPTR_31	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.3110E-007	2.3196E-007
RCPTR_31	farmer_child	TOCDFMPF	Dichlorodifluoromethane	7.7563E-017	7.7563E-017
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.9524E-014	1.9524E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.4254E-014	2.4254E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	7.3930E-015	7.3930E-015
RCPTR_31	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.1885E-014	1.1885E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.3486E-009	3.3585E-009
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	6.6891E-014	6.6891E-014
RCPTR_31	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.2061E-014	2.2061E-014
RCPTR_31	farmer_child	TOCDFMPF	Diethyl phthalate	2.1275E-007	2.1277E-007
RCPTR_31	farmer_child	TOCDFMPF	Dimethyl phthalate	1.6680E-010	1.6694E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	4.8953E-010	4.9015E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.8115E-010	2.8119E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.5163E-010	4.5237E-010
RCPTR_31	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.4773E-010	3.4822E-010
RCPTR_31	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.0425E-011	1.0428E-011
RCPTR_31	farmer_child	TOCDFMPF	Ethylbenzene	2.1219E-013	2.1219E-013
RCPTR_31	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.7166E-008	7.7302E-008
RCPTR_31	farmer_child	TOCDFMPF	Fluoranthene	1.7120E-006	1.9913E-006
RCPTR_31	farmer_child	TOCDFMPF	Fluorene	3.0157E-008	3.0482E-008
RCPTR_31	farmer_child	TOCDFMPF	GB	5.8257E-014	5.8272E-014
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.3946E-012	1.4773E-012
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	5.4004E-011	5.6546E-011
RCPTR_31	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	8.8050E-012	9.3121E-012
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.9452E-011	2.0417E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.0336E-011	1.0997E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	9.5147E-012	1.0216E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.8517E-010	4.1752E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	9.4044E-011	1.0192E-010
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.6368E-011	1.7727E-011
RCPTR_31	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.1677E-011	1.2650E-011
RCPTR_31	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	6.4342E-010	6.4348E-010
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorobenzene	1.2323E-006	1.3089E-006
RCPTR_31	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.7130E-009	1.7133E-009
RCPTR_31	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.9309E-010	3.9316E-010
RCPTR_31	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.2933E-002	2.2977E-002
RCPTR_31	farmer_child	TOCDFMPF	Isophorone	7.4542E-011	7.4570E-011
RCPTR_31	farmer_child	TOCDFMPF	Lead	1.7354E-008	2.0321E-008
RCPTR_31	farmer_child	TOCDFMPF	Mercuric chloride	4.3881E-007	7.7743E-007
RCPTR_31	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.1459E-015	1.1459E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.0989E-017	4.0989E-017
RCPTR_31	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.6838E-013	2.6838E-013
RCPTR_31	farmer_child	TOCDFMPF	Methyl mercury	5.2088E-009	6.2061E-009
RCPTR_31	farmer_child	TOCDFMPF	Methylene chloride	6.7097E-015	6.7097E-015
RCPTR_31	farmer_child	TOCDFMPF	Naphthalene	3.1507E-010	3.1516E-010
RCPTR_31	farmer_child	TOCDFMPF	Nickel	2.9046E-006	2.9428E-006
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.2685E-009	1.2699E-009
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.0201E-010	3.0214E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.9020E-010	3.9040E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitrobenzene	1.2579E-010	1.2586E-010
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 2-	5.7289E-011	5.7304E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.0064E-009	1.0067E-009
RCPTR_31	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	7.1000E-011	7.1012E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	6.9794E-011	6.9801E-011
RCPTR_31	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	6.2758E-012	6.2761E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.3511E-012	3.6124E-012
RCPTR_31	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.6631E-012	5.0198E-012
RCPTR_31	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.9513E-011	7.3681E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.1011E-011	5.6211E-011
RCPTR_31	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.6370E-010	1.8002E-010
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorobenzene	4.8649E-009	4.8670E-009
RCPTR_31	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.9254E-009	1.9256E-009
RCPTR_31	farmer_child	TOCDFMPF	Pentachlorophenol	1.1761E-006	1.1782E-006
RCPTR_31	farmer_child	TOCDFMPF	Phenanthrene	9.6486E-011	9.6488E-011
RCPTR_31	farmer_child	TOCDFMPF	Phenol	9.9671E-011	9.9733E-011
RCPTR_31	farmer_child	TOCDFMPF	Pronamide	9.4922E-009	9.5614E-009
RCPTR_31	farmer_child	TOCDFMPF	Pyrene	2.7120E-006	3.9800E-006
RCPTR_31	farmer_child	TOCDFMPF	Selenium	2.2693E-007	2.2695E-007
RCPTR_31	farmer_child	TOCDFMPF	Silver	1.0822E-006	1.0837E-006
RCPTR_31	farmer_child	TOCDFMPF	Styrene	9.1132E-012	9.1134E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.6640E-011	1.8896E-011
RCPTR_31	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.1840E-011	3.7636E-011
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	7.7576E-009	7.7684E-009
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1838E-010	1.1838E-010
RCPTR_31	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.5750E-013	1.5750E-013
RCPTR_31	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.9892E-008	5.9993E-008
RCPTR_31	farmer_child	TOCDFMPF	Thallium (I)	2.0853E-006	2.1062E-006
RCPTR_31	farmer_child	TOCDFMPF	Toluene	1.0964E-013	1.0964E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.9636E-010	2.9640E-010
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.5915E-014	4.5915E-014
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.5104E-013	3.5105E-013
RCPTR_31	farmer_child	TOCDFMPF	Trichloroethylene	5.7085E-014	5.7085E-014
RCPTR_31	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	7.5023E-015	7.5023E-015
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.3600E-008	3.4158E-008
RCPTR_31	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	7.0618E-009	7.0858E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.2993E-012	1.2994E-012
RCPTR_31	farmer_child	TOCDFMPF	Vinyl Chloride	1.8545E-017	1.8545E-017
RCPTR_31	farmer_child	TOCDFMPF	Xylene, m-	5.2488E-013	5.2488E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, o-	5.2551E-013	5.2551E-013
RCPTR_31	farmer_child	TOCDFMPF	Xylene, p-	6.6010E-013	6.6010E-013
RCPTR_31	farmer_child	TOCDFMPF	Zinc	7.0451E-007	7.3253E-007
RCPTR_31	farmer_child	TOCDHVAC	GB	3.0453E-013	3.0461E-013
RCPTR_31	farmer_child	TOCDLIC2	Acenaphthene	3.7272E-009	3.7404E-009
RCPTR_31	farmer_child	TOCDLIC2	Acetone	4.7169E-014	4.7169E-014
RCPTR_31	farmer_child	TOCDLIC2	Acetophenone	1.9654E-011	1.9658E-011
RCPTR_31	farmer_child	TOCDLIC2	Aniline	1.1843E-012	1.1843E-012
RCPTR_31	farmer_child	TOCDLIC2	Anthracene	6.3872E-008	6.6013E-008
RCPTR_31	farmer_child	TOCDLIC2	Antimony	5.1734E-007	5.2744E-007
RCPTR_31	farmer_child	TOCDLIC2	Arsenic	1.1452E-006	1.1486E-006
RCPTR_31	farmer_child	TOCDLIC2	Barium	3.8794E-007	3.9314E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Benzene	3.1498E-014	3.1498E-014
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)anthracene	8.5265E-006	9.6330E-006
RCPTR_31	farmer_child	TOCDLIC2	Benzo(a)pyrene	7.0816E-005	7.1723E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	4.3250E-005	4.5919E-005
RCPTR_31	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.0936E-004	1.1280E-004
RCPTR_31	farmer_child	TOCDLIC2	Benzoic acid	1.3786E-010	1.3787E-010
RCPTR_31	farmer_child	TOCDLIC2	Benzyl alcohol	2.6847E-011	2.6860E-011
RCPTR_31	farmer_child	TOCDLIC2	Beryllium	1.9256E-007	2.1326E-007
RCPTR_31	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.6864E-011	2.6876E-011
RCPTR_31	farmer_child	TOCDLIC2	Bromodichloromethane	3.5661E-013	3.5661E-013
RCPTR_31	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	9.3003E-012	9.3011E-012
RCPTR_31	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.0444E-006	1.4449E-006
RCPTR_31	farmer_child	TOCDLIC2	Butylbenzylphthalate	4.4521E-008	4.4544E-008
RCPTR_31	farmer_child	TOCDLIC2	Cadmium	1.6947E-008	1.8133E-008
RCPTR_31	farmer_child	TOCDLIC2	Carbon disulfide	4.0181E-014	4.0181E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Carbon tetrachloride	6.3716E-014	6.3716E-014
RCPTR_31	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.2758E-009	2.2864E-009
RCPTR_31	farmer_child	TOCDLIC2	Chloroaniline, p-	1.2476E-010	1.2490E-010
RCPTR_31	farmer_child	TOCDLIC2	Chlorobenzene	3.7292E-013	3.7293E-013
RCPTR_31	farmer_child	TOCDLIC2	Chloroethane	1.0507E-015	1.0507E-015
RCPTR_31	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.1441E-013	1.1441E-013
RCPTR_31	farmer_child	TOCDLIC2	Chloronaphthalene,2-	9.6872E-009	9.7664E-009
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.4587E-010	3.4666E-010
RCPTR_31	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.2664E-008	1.2706E-008
RCPTR_31	farmer_child	TOCDLIC2	Chromium	8.1613E-006	9.2821E-006
RCPTR_31	farmer_child	TOCDLIC2	Chromium, hexavalent	7.1500E-006	7.1560E-006
RCPTR_31	farmer_child	TOCDLIC2	Chrysene	2.2052E-005	2.3869E-005
RCPTR_31	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.7610E-007	1.7632E-007
RCPTR_31	farmer_child	TOCDLIC2	Di-n-octylphthalate	8.1242E+002	8.1242E+002
RCPTR_31	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.5122E-003	1.5251E-003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.5808E-011	1.5808E-011
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.9099E-011	1.9100E-011
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.8381E-011	1.8382E-011
RCPTR_31	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.9344E-008	9.9715E-008
RCPTR_31	farmer_child	TOCDLIC2	Dichlorodifluoromethane	8.3602E-017	8.3602E-017
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.1044E-014	2.1044E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.6142E-014	2.6142E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.9687E-015	7.9687E-015
RCPTR_31	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.2810E-014	1.2810E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.6159E-009	1.6207E-009
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	7.2099E-014	7.2099E-014
RCPTR_31	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.3779E-014	2.3779E-014
RCPTR_31	farmer_child	TOCDLIC2	Diethyl phthalate	1.0267E-007	1.0268E-007
RCPTR_31	farmer_child	TOCDLIC2	Dimethyl phthalate	5.6026E-010	5.6075E-010
RCPTR_31	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.3624E-010	2.3654E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.3628E-010	1.3629E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.1795E-010	2.1830E-010
RCPTR_31	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.6781E-010	1.6804E-010
RCPTR_31	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.0309E-012	5.0322E-012
RCPTR_31	farmer_child	TOCDLIC2	Ethylbenzene	2.5939E-013	2.5939E-013
RCPTR_31	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.6541E-008	4.6623E-008
RCPTR_31	farmer_child	TOCDLIC2	Fluoranthene	8.2619E-007	9.6096E-007
RCPTR_31	farmer_child	TOCDLIC2	Fluorene	1.4553E-008	1.4710E-008
RCPTR_31	farmer_child	TOCDLIC2	GB	4.2444E-014	4.2455E-014
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.6366E-012	4.9115E-012
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	4.3843E-012	4.5907E-012
RCPTR_31	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.1319E-012	4.3699E-012
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.2748E-011	1.3380E-011
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.9473E-012	9.5199E-012
RCPTR_31	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	8.5328E-012	9.1621E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	8.2411E-012	8.9333E-012
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.9720E-012	5.3884E-012
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.4466E-012	4.8159E-012
RCPTR_31	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.0876E-012	5.5117E-012
RCPTR_31	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.1050E-010	3.1053E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorobenzene	5.9466E-007	6.3165E-007
RCPTR_31	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	8.2665E-010	8.2682E-010
RCPTR_31	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.8970E-010	1.8973E-010
RCPTR_31	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_31	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.1067E-002	1.1088E-002
RCPTR_31	farmer_child	TOCDLIC2	Isophorone	3.5973E-011	3.5986E-011
RCPTR_31	farmer_child	TOCDLIC2	Lead	1.5816E-006	1.8519E-006
RCPTR_31	farmer_child	TOCDLIC2	Mercuric chloride	3.8645E-005	6.8466E-005
RCPTR_31	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.2457E-015	1.2457E-015
RCPTR_31	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	4.9656E-017	4.9656E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.7944E-013	2.7944E-013
RCPTR_31	farmer_child	TOCDLIC2	Methyl mercury	4.5873E-007	5.4656E-007
RCPTR_31	farmer_child	TOCDLIC2	Methylene chloride	2.1936E-014	2.1936E-014
RCPTR_31	farmer_child	TOCDLIC2	Naphthalene	1.5205E-010	1.5209E-010
RCPTR_31	farmer_child	TOCDLIC2	Nickel	1.2831E-006	1.3000E-006
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 2-	6.1484E-010	6.1552E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.4639E-010	1.4645E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.8913E-010	1.8923E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitrobenzene	6.0703E-011	6.0737E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.7647E-011	2.7654E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrophenol, 4-	4.8781E-010	4.8793E-010
RCPTR_31	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.4263E-011	3.4269E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.3681E-011	3.3684E-011
RCPTR_31	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.0286E-012	3.0287E-012
RCPTR_31	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	7.5571E-012	8.1463E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.5020E-012	2.6934E-012
RCPTR_31	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.2825E-011	3.4793E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	9.6640E-012	1.0649E-011
RCPTR_31	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.6726E-011	2.9391E-011
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorobenzene	2.3477E-009	2.3487E-009
RCPTR_31	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	9.3327E-010	9.3333E-010
RCPTR_31	farmer_child	TOCDLIC2	Pentachlorophenol	5.7002E-007	5.7109E-007
RCPTR_31	farmer_child	TOCDLIC2	Phenanthrene	4.6562E-011	4.6563E-011
RCPTR_31	farmer_child	TOCDLIC2	Phenol	5.0854E-011	5.0885E-011
RCPTR_31	farmer_child	TOCDLIC2	Pronamide	4.5807E-009	4.6141E-009
RCPTR_31	farmer_child	TOCDLIC2	Pyrene	1.3088E-006	1.9207E-006
RCPTR_31	farmer_child	TOCDLIC2	Selenium	7.7310E-007	7.7315E-007
RCPTR_31	farmer_child	TOCDLIC2	Silver	2.6951E-007	2.6989E-007
RCPTR_31	farmer_child	TOCDLIC2	Styrene	7.1178E-012	7.1180E-012
RCPTR_31	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.6955E-011	1.9254E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.3884E-011	1.6411E-011
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.7437E-009	3.7488E-009
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2759E-010	1.2759E-010
RCPTR_31	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	7.6602E-014	7.6602E-014
RCPTR_31	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.9030E-008	2.9079E-008
RCPTR_31	farmer_child	TOCDLIC2	Thallium (I)	7.0434E-006	7.1141E-006
RCPTR_31	farmer_child	TOCDLIC2	Toluene	4.1082E-013	4.1082E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.4302E-010	1.4304E-010
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.9490E-014	4.9490E-014
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	3.7837E-013	3.7838E-013
RCPTR_31	farmer_child	TOCDLIC2	Trichloroethylene	6.1530E-014	6.1530E-014
RCPTR_31	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	8.0865E-015	8.0865E-015
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.6215E-008	1.6484E-008
RCPTR_31	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.4079E-009	3.4195E-009
RCPTR_31	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.4005E-012	1.4005E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_31	farmer_child	TOCDLIC2	Vinyl Chloride	2.3620E-017	2.3620E-017
RCPTR_31	farmer_child	TOCDLIC2	Xylene, m-	7.6941E-013	7.6941E-013
RCPTR_31	farmer_child	TOCDLIC2	Xylene, o-	5.6645E-013	5.6645E-013
RCPTR_31	farmer_child	TOCDLIC2	Xylene, p-	9.6761E-013	9.6761E-013
RCPTR_31	farmer_child	TOCDLIC2	Zinc	1.3696E-006	1.4241E-006
RCPTR_32	farmer_adult	TOCDFBRA	Antimony	4.9802E-006	5.7003E-006
RCPTR_32	farmer_adult	TOCDFBRA	Arsenic	8.3048E-006	8.5586E-006
RCPTR_32	farmer_adult	TOCDFBRA	Barium	6.8709E-007	7.5966E-007
RCPTR_32	farmer_adult	TOCDFBRA	Beryllium	2.3466E-006	2.6474E-006
RCPTR_32	farmer_adult	TOCDFBRA	Cadmium	3.8863E-007	5.3114E-007
RCPTR_32	farmer_adult	TOCDFBRA	Chromium	6.3080E-005	6.4566E-005
RCPTR_32	farmer_adult	TOCDFBRA	Chromium, hexavalent	4.9276E-005	4.9919E-005
RCPTR_32	farmer_adult	TOCDFBRA	Lead	2.5123E-005	2.9904E-005
RCPTR_32	farmer_adult	TOCDFBRA	Mercuric chloride	5.1635E-003	5.6782E-003
RCPTR_32	farmer_adult	TOCDFBRA	Methyl mercury	4.7452E-005	5.0139E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFBRA	Nickel	2.7211E-005	2.8958E-005
RCPTR_32	farmer_adult	TOCDFBRA	Selenium	9.3460E-006	9.3840E-006
RCPTR_32	farmer_adult	TOCDFBRA	Silver	3.1309E-006	3.2959E-006
RCPTR_32	farmer_adult	TOCDFBRA	Thallium (I)	8.4720E-005	8.8487E-005
RCPTR_32	farmer_adult	TOCDFBRA	Zinc	1.4385E-005	1.7667E-005
RCPTR_32	farmer_adult	TOCDFDFS	Acenaphthene	8.1824E-010	4.1023E-009
RCPTR_32	farmer_adult	TOCDFDFS	Acetone	9.8031E-015	5.1118E-014
RCPTR_32	farmer_adult	TOCDFDFS	Acetophenone	4.3486E-012	2.2631E-011
RCPTR_32	farmer_adult	TOCDFDFS	Aniline	2.5064E-013	1.2985E-012
RCPTR_32	farmer_adult	TOCDFDFS	Anthracene	1.4504E-008	7.2414E-008
RCPTR_32	farmer_adult	TOCDFDFS	Antimony	3.2618E-005	3.7329E-005
RCPTR_32	farmer_adult	TOCDFDFS	Aroclor 1254	3.5153E-010	5.5198E-010
RCPTR_32	farmer_adult	TOCDFDFS	Arsenic	3.0754E-006	3.1693E-006
RCPTR_32	farmer_adult	TOCDFDFS	Barium	8.9472E-008	9.8910E-008
RCPTR_32	farmer_adult	TOCDFDFS	Benzene	8.1860E-015	4.2311E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)anthracene	7.4133E-006	1.0924E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(a)pyrene	8.0888E-005	8.4485E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.3318E-005	5.2194E-005
RCPTR_32	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.2544E-004	1.3255E-004
RCPTR_32	farmer_adult	TOCDFDFS	Benzoic acid	3.6692E-011	1.5127E-010
RCPTR_32	farmer_adult	TOCDFDFS	Benzyl alcohol	5.6643E-012	2.9449E-011
RCPTR_32	farmer_adult	TOCDFDFS	Beryllium	8.4106E-007	9.4874E-007
RCPTR_32	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.6510E-012	2.9466E-011
RCPTR_32	farmer_adult	TOCDFDFS	Bromodichloromethane	6.4056E-014	3.3347E-013
RCPTR_32	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.5444E-012	1.3253E-011
RCPTR_32	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.1919E-007	1.5843E-006
RCPTR_32	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.8065E-008	5.3745E-008
RCPTR_32	farmer_adult	TOCDFDFS	Cadmium	7.0117E-007	9.5799E-007
RCPTR_32	farmer_adult	TOCDFDFS	Carbon disulfide	4.2639E-015	2.2110E-014
RCPTR_32	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.1375E-014	1.1039E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.9140E-010	2.5093E-009
RCPTR_32	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.6471E-011	1.3694E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorobenzene	1.2585E-013	6.4614E-013
RCPTR_32	farmer_adult	TOCDFDFS	Chloroethane	3.6821E-016	1.8204E-015
RCPTR_32	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9194E-014	9.9876E-014
RCPTR_32	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.1179E-009	1.0710E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.2937E-011	3.8007E-010
RCPTR_32	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.9043E-009	1.3991E-008
RCPTR_32	farmer_adult	TOCDFDFS	Chromium	1.2147E-005	1.2433E-005
RCPTR_32	farmer_adult	TOCDFDFS	Chromium, hexavalent	9.4916E-006	9.6153E-006
RCPTR_32	farmer_adult	TOCDFDFS	Chrysene	2.2401E-005	2.7081E-005
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.7566E-007	1.9750E-007
RCPTR_32	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.9873E+002	8.9874E+002
RCPTR_32	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.7611E-003	1.8042E-003
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.5460E-012	1.7339E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.1893E-012	2.0946E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.0072E-012	2.0158E-011
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6193E-007	1.9101E-007
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.8024E-017	1.4486E-016
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.0034E-015	3.6457E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.6967E-015	4.5290E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.6607E-015	1.3806E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.2791E-015	2.2193E-014
RCPTR_32	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.0064E-010	1.7801E-009
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.4178E-014	1.2491E-013
RCPTR_32	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.9241E-015	4.1197E-014
RCPTR_32	farmer_adult	TOCDFDFS	Diethyl phthalate	1.0984E-007	1.1358E-007
RCPTR_32	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1655E-010	5.7458E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.0493E-011	2.5934E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.6488E-011	1.4824E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.0531E-011	2.3984E-010
RCPTR_32	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.7784E-011	1.8439E-010
RCPTR_32	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0584E-012	5.5172E-012
RCPTR_32	farmer_adult	TOCDFDFS	Ethylbenzene	8.1394E-014	3.9641E-013
RCPTR_32	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.9185E-009	5.5224E-009
RCPTR_32	farmer_adult	TOCDFDFS	Fluoranthene	3.3183E-007	1.0600E-006
RCPTR_32	farmer_adult	TOCDFDFS	Fluorene	3.3010E-009	1.6136E-008
RCPTR_32	farmer_adult	TOCDFDFS	GB	2.8538E-014	1.4843E-013
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5893E-012	1.7169E-012
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.1301E-013	8.6619E-013
RCPTR_32	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.7864E-012	3.0051E-012
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5431E-011	1.6479E-011
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.4431E-012	9.1722E-012
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.4013E-012	8.1242E-012
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.7799E-012	6.4086E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.1374E-012	5.6940E-012
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.8749E-012	7.6147E-012
RCPTR_32	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.7360E-012	5.2473E-012
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.5949E-011	3.4123E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.4908E-007	6.9323E-007
RCPTR_32	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.0351E-009	4.5009E-009
RCPTR_32	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.1457E-011	2.0804E-010
RCPTR_32	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2452E-002	1.2533E-002
RCPTR_32	farmer_adult	TOCDFDFS	Isophorone	7.5827E-012	3.9455E-011
RCPTR_32	farmer_adult	TOCDFDFS	Lead	9.7443E-005	1.1597E-004
RCPTR_32	farmer_adult	TOCDFDFS	Mercuric chloride	9.9511E-007	1.0943E-006
RCPTR_32	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.4066E-016	3.8593E-015
RCPTR_32	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2553E-016	6.5340E-016
RCPTR_32	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.5796E-014	3.4305E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Methyl mercury	9.1532E-009	9.6709E-009
RCPTR_32	farmer_adult	TOCDFDFS	Methylene chloride	1.9045E-015	9.9172E-015
RCPTR_32	farmer_adult	TOCDFDFS	Naphthalene	3.2670E-011	1.6677E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nickel	1.0483E-005	1.1155E-005
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.2861E-010	6.6521E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.0429E-011	1.5827E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.9409E-011	2.0453E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitrobenzene	1.2781E-011	6.6591E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.8266E-012	3.0320E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.9948E-010	5.2958E-010
RCPTR_32	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.2621E-012	3.7572E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.1664E-012	3.6932E-011
RCPTR_32	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.7851E-013	3.3326E-012
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.1381E-012	4.5590E-012
RCPTR_32	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4224E-012	1.5638E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.7581E-011	4.0596E-011
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0628E-012	3.4654E-012
RCPTR_32	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2466E-011	1.4059E-011
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.4593E-010	2.6052E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6521E-010	1.0225E-009
RCPTR_32	farmer_adult	TOCDFDFS	Pentachlorophenol	4.7934E-007	6.2118E-007
RCPTR_32	farmer_adult	TOCDFDFS	Phenanthrene	1.0283E-011	5.1071E-011
RCPTR_32	farmer_adult	TOCDFDFS	Phenol	1.0181E-011	5.2768E-011
RCPTR_32	farmer_adult	TOCDFDFS	Pronamide	2.0771E-009	1.0121E-008
RCPTR_32	farmer_adult	TOCDFDFS	Pyrene	5.5273E-007	2.1100E-006
RCPTR_32	farmer_adult	TOCDFDFS	Selenium	3.4610E-006	3.4751E-006
RCPTR_32	farmer_adult	TOCDFDFS	Silver	1.1778E-006	1.2398E-006
RCPTR_32	farmer_adult	TOCDFDFS	Styrene	2.0823E-012	1.0773E-011
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.6322E-011	1.9197E-011
RCPTR_32	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	5.0099E-012	6.2135E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.0089E-010	4.1127E-009
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8480E-010	2.2262E-010
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.5653E-014	1.3273E-013
RCPTR_32	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4281E-008	3.1530E-008
RCPTR_32	farmer_adult	TOCDFDFS	Thallium (I)	3.0369E-005	3.1718E-005
RCPTR_32	farmer_adult	TOCDFDFS	Toluene	3.5102E-014	1.7895E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.2501E-011	1.5691E-010
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.6521E-014	8.5741E-014
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.2600E-013	6.5552E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichloroethylene	2.0589E-014	1.0660E-013
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.7044E-015	1.4010E-014
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.0459E-009	1.8079E-008
RCPTR_32	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.0988E-009	3.7536E-009
RCPTR_32	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.6700E-013	2.4264E-012
RCPTR_32	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.9495E-012	2.8589E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFDFS	Vinyl Chloride	6.6669E-018	3.4633E-017
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, m-	6.9958E-013	1.1181E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, o-	6.2133E-013	1.0984E-012
RCPTR_32	farmer_adult	TOCDFDFS	Xylene, p-	7.1199E-013	1.3610E-012
RCPTR_32	farmer_adult	TOCDFDFS	Zinc	6.2259E-006	7.6448E-006
RCPTR_32	farmer_adult	TOCDFLIC	Acenaphthene	4.8464E-010	2.4302E-009
RCPTR_32	farmer_adult	TOCDFLIC	Acetone	1.2253E-014	6.3891E-014
RCPTR_32	farmer_adult	TOCDFLIC	Acetophenone	4.4165E-012	2.2984E-011
RCPTR_32	farmer_adult	TOCDFLIC	Aniline	1.4848E-013	7.6927E-013
RCPTR_32	farmer_adult	TOCDFLIC	Anthracene	8.5889E-009	4.2897E-008
RCPTR_32	farmer_adult	TOCDFLIC	Antimony	5.8316E-007	6.6733E-007
RCPTR_32	farmer_adult	TOCDFLIC	Arsenic	1.8795E-006	1.9368E-006
RCPTR_32	farmer_adult	TOCDFLIC	Barium	6.2159E-008	6.8713E-008
RCPTR_32	farmer_adult	TOCDFLIC	Benzene	1.1351E-013	5.8672E-013
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.3568E-006	6.4327E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.7268E-005	4.9347E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.5502E-005	3.0744E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	7.3394E-005	7.7458E-005
RCPTR_32	farmer_adult	TOCDFLIC	Benzoic acid	2.3329E-011	9.6149E-011
RCPTR_32	farmer_adult	TOCDFLIC	Benzyl alcohol	3.3557E-012	1.7447E-011
RCPTR_32	farmer_adult	TOCDFLIC	Beryllium	3.1802E-007	3.5871E-007
RCPTR_32	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.3479E-012	1.7457E-011
RCPTR_32	farmer_adult	TOCDFLIC	Bromodichloromethane	2.9988E-014	1.5611E-013
RCPTR_32	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.0323E-012	5.3772E-012
RCPTR_32	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8908E-007	9.3857E-007
RCPTR_32	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.7826E-008	3.1189E-008
RCPTR_32	farmer_adult	TOCDFLIC	Cadmium	1.9613E-007	2.6794E-007
RCPTR_32	farmer_adult	TOCDFLIC	Carbon disulfide	6.8540E-015	3.5541E-014
RCPTR_32	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0866E-014	5.6119E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	4.0996E-010	1.4870E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.5683E-011	8.1127E-011
RCPTR_32	farmer_adult	TOCDFLIC	Chlorobenzene	6.3976E-014	3.2847E-013
RCPTR_32	farmer_adult	TOCDFLIC	Chloroethane	1.8721E-016	9.2548E-016
RCPTR_32	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.5456E-015	4.9671E-014
RCPTR_32	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.2546E-009	6.3448E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.3211E-011	2.2517E-010
RCPTR_32	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.3078E-009	8.2836E-009
RCPTR_32	farmer_adult	TOCDFLIC	Chromium	1.5247E-005	1.5606E-005
RCPTR_32	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.1915E-005	1.2070E-005
RCPTR_32	farmer_adult	TOCDFLIC	Chrysene	1.3198E-005	1.5959E-005
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0389E-007	1.1683E-007
RCPTR_32	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.3374E+002	5.3374E+002
RCPTR_32	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	1.0290E-003	1.0530E-003
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.1005E-012	1.0272E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.4817E-012	1.2409E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.3738E-012	1.1942E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.9110E-008	5.8005E-008
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.4243E-017	7.3641E-017
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.5603E-015	1.8534E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4211E-015	2.3024E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.3526E-015	7.0183E-015
RCPTR_32	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.1753E-015	1.1282E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.5626E-010	1.0550E-009
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.2291E-014	6.3501E-014
RCPTR_32	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	4.0282E-015	2.0943E-014
RCPTR_32	farmer_adult	TOCDFLIC	Diethyl phthalate	6.5226E-008	6.7440E-008
RCPTR_32	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2450E-010	6.1407E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.9916E-011	1.5365E-010
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.5874E-011	8.8888E-011
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.9875E-011	1.4203E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.2371E-011	1.0922E-010
RCPTR_32	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.2704E-013	3.2686E-012
RCPTR_32	farmer_adult	TOCDFLIC	Ethylbenzene	5.5159E-014	2.6869E-013
RCPTR_32	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.9886E-008	1.0119E-007
RCPTR_32	farmer_adult	TOCDFLIC	Fluoranthene	1.9607E-007	6.2742E-007
RCPTR_32	farmer_adult	TOCDFLIC	Fluorene	1.9550E-009	9.5591E-009
RCPTR_32	farmer_adult	TOCDFLIC	GB	1.0525E-014	5.4739E-014
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	9.9803E-013	1.0767E-012
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1771E-012	1.2523E-012
RCPTR_32	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.8436E-012	3.0627E-012
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2382E-011	1.3205E-011
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.1418E-012	7.7491E-012
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.1689E-012	6.7653E-012
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.9267E-012	4.3519E-012
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.8421E-012	4.2564E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.4382E-012	4.9135E-012
RCPTR_32	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.2413E-012	3.5896E-012
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.4909E-011	2.0207E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.8265E-008	4.1064E-007
RCPTR_32	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.2357E-010	5.3837E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.4563E-011	1.2325E-010
RCPTR_32	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3560E-003	7.4008E-003
RCPTR_32	farmer_adult	TOCDFLIC	Isophorone	4.4923E-012	2.3375E-011
RCPTR_32	farmer_adult	TOCDFLIC	Lead	3.6251E-005	4.3140E-005
RCPTR_32	farmer_adult	TOCDFLIC	Mercuric chloride	8.5644E-005	9.4236E-005
RCPTR_32	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.4499E-016	1.2766E-015
RCPTR_32	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	2.0089E-017	1.0457E-016
RCPTR_32	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.2886E-014	3.8002E-013
RCPTR_32	farmer_adult	TOCDFLIC	Methyl mercury	7.6908E-007	8.1393E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Methylene chloride	1.5523E-015	8.0834E-015
RCPTR_32	farmer_adult	TOCDFLIC	Naphthalene	1.9354E-011	9.8800E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nickel	5.9231E-006	6.3026E-006
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.7098E-011	3.9880E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.8242E-011	9.4881E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.3621E-011	1.2261E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitrobenzene	7.5718E-012	3.9451E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.4519E-012	1.7963E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.7988E-010	3.1783E-010
RCPTR_32	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.3025E-012	2.2260E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.2458E-012	2.1880E-011
RCPTR_32	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	4.0033E-013	1.9727E-012
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.5376E-012	3.8947E-012
RCPTR_32	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1645E-012	1.2795E-012
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.4690E-011	2.6646E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.3776E-012	7.2158E-012
RCPTR_32	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4335E-011	1.6167E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.7837E-010	1.5391E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.5699E-010	6.1101E-010
RCPTR_32	farmer_adult	TOCDFLIC	Pentachlorophenol	2.8801E-007	3.7304E-007
RCPTR_32	farmer_adult	TOCDFLIC	Phenanthrene	6.0904E-012	3.0255E-011
RCPTR_32	farmer_adult	TOCDFLIC	Phenol	6.0320E-012	3.1262E-011
RCPTR_32	farmer_adult	TOCDFLIC	Pronamide	6.1526E-010	2.9980E-009
RCPTR_32	farmer_adult	TOCDFLIC	Pyrene	3.2719E-007	1.2497E-006
RCPTR_32	farmer_adult	TOCDFLIC	Selenium	1.2990E-006	1.3043E-006
RCPTR_32	farmer_adult	TOCDFLIC	Silver	4.3219E-007	4.5493E-007
RCPTR_32	farmer_adult	TOCDFLIC	Styrene	2.2013E-012	1.1390E-011
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	8.0184E-012	9.4359E-012
RCPTR_32	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0315E-011	1.2805E-011
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.3371E-010	2.4365E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.4163E-011	1.1339E-010
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.3039E-014	6.7472E-014
RCPTR_32	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.5739E-009	1.8915E-008
RCPTR_32	farmer_adult	TOCDFLIC	Thallium (I)	1.1483E-005	1.1993E-005
RCPTR_32	farmer_adult	TOCDFLIC	Toluene	1.0262E-013	5.2320E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.9249E-011	9.2955E-011
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	8.3986E-015	4.3588E-014
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.4056E-014	3.3325E-013
RCPTR_32	farmer_adult	TOCDFLIC	Trichloroethylene	1.0467E-014	5.4192E-014
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3748E-015	7.1221E-015
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.3979E-009	1.0712E-008
RCPTR_32	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.5156E-010	2.2244E-009
RCPTR_32	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.3740E-013	1.2335E-012
RCPTR_32	farmer_adult	TOCDFLIC	Vinyl Chloride	3.6514E-018	1.8971E-017
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, m-	6.0298E-013	9.8229E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, o-	3.4149E-013	6.1662E-013
RCPTR_32	farmer_adult	TOCDFLIC	Xylene, p-	6.1637E-013	1.2046E-012
RCPTR_32	farmer_adult	TOCDFLIC	Zinc	1.6334E-006	2.0055E-006
RCPTR_32	farmer_adult	TOCDFMPF	Acenaphthene	2.0626E-009	1.0343E-008
RCPTR_32	farmer_adult	TOCDFMPF	Acetone	6.1293E-015	3.1961E-014
RCPTR_32	farmer_adult	TOCDFMPF	Acetophenone	1.0442E-011	5.4342E-011
RCPTR_32	farmer_adult	TOCDFMPF	Aniline	6.3192E-013	3.2739E-012
RCPTR_32	farmer_adult	TOCDFMPF	Anthracene	3.6554E-008	1.8256E-007
RCPTR_32	farmer_adult	TOCDFMPF	Antimony	1.7389E-007	1.9899E-007
RCPTR_32	farmer_adult	TOCDFMPF	Arsenic	4.4189E-007	4.5537E-007
RCPTR_32	farmer_adult	TOCDFMPF	Barium	5.8378E-008	6.4534E-008
RCPTR_32	farmer_adult	TOCDFMPF	Benzene	5.5118E-015	2.8489E-014
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.8550E-005	2.7386E-005
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(a)pyrene	2.0132E-004	2.1018E-004
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.0857E-004	1.3088E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	3.1258E-004	3.2991E-004
RCPTR_32	farmer_adult	TOCDFMPF	Benzoic acid	9.2550E-011	3.8145E-010
RCPTR_32	farmer_adult	TOCDFMPF	Benzyl alcohol	1.4281E-011	7.4251E-011
RCPTR_32	farmer_adult	TOCDFMPF	Beryllium	9.0998E-008	1.0264E-007
RCPTR_32	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.4248E-011	7.4293E-011
RCPTR_32	farmer_adult	TOCDFMPF	Bromodichloromethane	4.8742E-014	2.5375E-013
RCPTR_32	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8381E-012	9.5743E-012
RCPTR_32	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	8.0467E-007	3.9944E-006
RCPTR_32	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.1858E-007	1.3289E-007
RCPTR_32	farmer_adult	TOCDFMPF	Cadmium	8.5969E-008	1.1744E-007
RCPTR_32	farmer_adult	TOCDFMPF	Carbon disulfide	9.6068E-015	4.9815E-014
RCPTR_32	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.5270E-014	7.8862E-014
RCPTR_32	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7446E-009	6.3281E-009
RCPTR_32	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.6742E-011	3.4526E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chlorobenzene	8.9903E-014	4.6159E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Chloroethane	2.6308E-016	1.3006E-015
RCPTR_32	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.2904E-014	6.7144E-014
RCPTR_32	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.3394E-009	2.7002E-008
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.8390E-010	9.5827E-010
RCPTR_32	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.8228E-009	3.5255E-008
RCPTR_32	farmer_adult	TOCDFMPF	Chromium	2.9554E-006	3.0249E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chromium, hexavalent	2.3095E-006	2.3396E-006
RCPTR_32	farmer_adult	TOCDFMPF	Chrysene	5.6187E-005	6.7938E-005
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.4217E-007	4.9724E-007
RCPTR_32	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.2712E+003	2.2712E+003
RCPTR_32	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.3828E-003	4.4851E-003
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.9393E-012	4.3715E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0562E-011	5.2810E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	1.0103E-011	5.0824E-011
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.7358E-007	3.2311E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	2.0016E-017	1.0349E-016
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	5.0032E-015	2.6045E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.2128E-015	3.2355E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.9008E-015	9.8626E-015
RCPTR_32	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	3.0569E-015	1.5855E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.5161E-009	4.4898E-009
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.7273E-014	8.9236E-014
RCPTR_32	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.6607E-015	2.9431E-014
RCPTR_32	farmer_adult	TOCDFMPF	Diethyl phthalate	2.7756E-007	2.8698E-007
RCPTR_32	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.5182E-011	2.2285E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2732E-010	6.5388E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.9487E-010	3.7760E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2716E-010	6.0445E-010
RCPTR_32	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.5209E-011	4.6484E-010
RCPTR_32	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.6686E-012	1.3911E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Ethylbenzene	5.8136E-014	2.8318E-013
RCPTR_32	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.9451E-008	1.1194E-007
RCPTR_32	farmer_adult	TOCDFMPF	Fluoranthene	8.3455E-007	2.6703E-006
RCPTR_32	farmer_adult	TOCDFMPF	Fluorene	8.3203E-009	4.0682E-008
RCPTR_32	farmer_adult	TOCDFMPF	GB	1.4946E-014	7.7735E-014
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1017E-012	2.2677E-012
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.8954E-011	8.4002E-011
RCPTR_32	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3191E-011	1.4209E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8273E-011	3.0156E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5523E-011	1.6844E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.4637E-011	1.6053E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.8934E-010	6.5318E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.4360E-010	1.5909E-010
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.4881E-011	2.7547E-011
RCPTR_32	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.7787E-011	1.9699E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.9114E-010	8.6000E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.7565E-007	1.7476E-006
RCPTR_32	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.2598E-010	2.2913E-009
RCPTR_32	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0454E-010	5.2453E-010
RCPTR_32	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.1312E-002	3.1503E-002
RCPTR_32	farmer_adult	TOCDFMPF	Isophorone	1.9118E-011	9.9477E-011
RCPTR_32	farmer_adult	TOCDFMPF	Lead	2.8636E-008	3.4078E-008
RCPTR_32	farmer_adult	TOCDFMPF	Mercuric chloride	9.6835E-007	1.0655E-006
RCPTR_32	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.9336E-016	1.5286E-015
RCPTR_32	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.0505E-017	5.4680E-017
RCPTR_32	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.8667E-014	3.5802E-013
RCPTR_32	farmer_adult	TOCDFMPF	Methyl mercury	8.7078E-009	9.2147E-009
RCPTR_32	farmer_adult	TOCDFMPF	Methylene chloride	1.7189E-015	8.9509E-015
RCPTR_32	farmer_adult	TOCDFMPF	Naphthalene	8.2366E-011	4.2048E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Nickel	4.6538E-006	4.9521E-006
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.2752E-010	1.6941E-009
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.7493E-011	4.0306E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitroaniline, 4-	1.0035E-010	5.2087E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitrobenzene	3.2224E-011	1.6790E-010
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4691E-011	7.6445E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrophenol, 4-	7.6408E-010	1.3501E-009
RCPTR_32	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.8310E-011	9.4732E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.8069E-011	9.3117E-011
RCPTR_32	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.7041E-012	8.3959E-012
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.2586E-012	5.7896E-012
RCPTR_32	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.3288E-012	8.0529E-012
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.7395E-011	1.0512E-010
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.0967E-011	8.0294E-011
RCPTR_32	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.3289E-010	2.6266E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.6113E-009	6.5513E-009
RCPTR_32	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.6741E-010	2.5961E-009
RCPTR_32	farmer_adult	TOCDFMPF	Pentachlorophenol	1.2234E-006	1.5846E-006
RCPTR_32	farmer_adult	TOCDFMPF	Phenanthrene	2.5920E-011	1.2876E-010
RCPTR_32	farmer_adult	TOCDFMPF	Phenol	2.5671E-011	1.3305E-010
RCPTR_32	farmer_adult	TOCDFMPF	Pronamide	2.6185E-009	1.2759E-008
RCPTR_32	farmer_adult	TOCDFMPF	Pyrene	1.3925E-006	5.3186E-006
RCPTR_32	farmer_adult	TOCDFMPF	Selenium	3.8074E-007	3.8229E-007
RCPTR_32	farmer_adult	TOCDFMPF	Silver	1.7328E-006	1.8240E-006
RCPTR_32	farmer_adult	TOCDFMPF	Styrene	2.3498E-012	1.2158E-011
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2725E-011	2.6741E-011
RCPTR_32	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.2198E-011	5.2379E-011
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2714E-009	1.0369E-008
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3231E-010	1.5932E-010
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	4.0607E-014	2.1013E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.6420E-008	8.0350E-008
RCPTR_32	farmer_adult	TOCDFMPF	Thallium (I)	3.3947E-006	3.5454E-006
RCPTR_32	farmer_adult	TOCDFMPF	Toluene	2.8693E-014	1.4628E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.1921E-011	3.9560E-010
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1802E-014	6.1253E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	9.0015E-014	4.6830E-013
RCPTR_32	farmer_adult	TOCDFMPF	Trichloroethylene	1.4708E-014	7.6155E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.9320E-015	1.0008E-014
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	1.0205E-008	4.5588E-008
RCPTR_32	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.7728E-009	9.4664E-009
RCPTR_32	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.3362E-013	1.7334E-012
RCPTR_32	farmer_adult	TOCDFMPF	Vinyl Chloride	4.7620E-018	2.4741E-017
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, m-	4.7664E-013	7.7561E-013
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, o-	4.2423E-013	7.6505E-013
RCPTR_32	farmer_adult	TOCDFMPF	Xylene, p-	4.8710E-013	9.5076E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDFMPF	Zinc	1.0017E-006	1.2299E-006
RCPTR_32	farmer_adult	TOCDHVAC	GB	8.7621E-014	4.5572E-013
RCPTR_32	farmer_adult	TOCDLIC2	Acenaphthene	1.0001E-009	5.0151E-009
RCPTR_32	farmer_adult	TOCDLIC2	Acetone	1.2125E-014	6.3227E-014
RCPTR_32	farmer_adult	TOCDLIC2	Acetophenone	5.0633E-012	2.6351E-011
RCPTR_32	farmer_adult	TOCDLIC2	Aniline	3.0642E-013	1.5875E-012
RCPTR_32	farmer_adult	TOCDLIC2	Anthracene	1.7724E-008	8.8524E-008
RCPTR_32	farmer_adult	TOCDLIC2	Antimony	7.7586E-007	8.8784E-007
RCPTR_32	farmer_adult	TOCDLIC2	Arsenic	1.8795E-006	1.9368E-006
RCPTR_32	farmer_adult	TOCDLIC2	Barium	5.9898E-007	6.6214E-007
RCPTR_32	farmer_adult	TOCDLIC2	Benzene	8.1689E-015	4.2223E-014
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)anthracene	8.9908E-006	1.3275E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(a)pyrene	9.7544E-005	1.0183E-004
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	5.2627E-005	6.3444E-005
RCPTR_32	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.5146E-004	1.5985E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Benzoic acid	4.4878E-011	1.8496E-010
RCPTR_32	farmer_adult	TOCDLIC2	Benzyl alcohol	6.9250E-012	3.6004E-011
RCPTR_32	farmer_adult	TOCDLIC2	Beryllium	3.1802E-007	3.5871E-007
RCPTR_32	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.9088E-012	3.6024E-011
RCPTR_32	farmer_adult	TOCDLIC2	Bromodichloromethane	9.1820E-014	4.7801E-013
RCPTR_32	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.3936E-012	1.2467E-011
RCPTR_32	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.9018E-007	1.9369E-006
RCPTR_32	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.7423E-008	6.4364E-008
RCPTR_32	farmer_adult	TOCDLIC2	Cadmium	2.2286E-008	3.0445E-008
RCPTR_32	farmer_adult	TOCDLIC2	Carbon disulfide	1.0387E-014	5.3860E-014
RCPTR_32	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6538E-014	8.5411E-014
RCPTR_32	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	8.4601E-010	3.0685E-009
RCPTR_32	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.2363E-011	1.6742E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chlorobenzene	9.7369E-014	4.9992E-013
RCPTR_32	farmer_adult	TOCDLIC2	Chloroethane	2.8493E-016	1.4086E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.9473E-014	1.5336E-013
RCPTR_32	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.5890E-009	1.3093E-008
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.9172E-011	4.6467E-010
RCPTR_32	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.7624E-009	1.7094E-008
RCPTR_32	farmer_adult	TOCDLIC2	Chromium	1.5247E-005	1.5606E-005
RCPTR_32	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.1915E-005	1.2070E-005
RCPTR_32	farmer_adult	TOCDLIC2	Chrysene	2.7236E-005	3.2933E-005
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.1438E-007	2.4109E-007
RCPTR_32	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.1014E+003	1.1014E+003
RCPTR_32	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.1235E-003	2.1729E-003
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.3346E-012	2.1198E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	5.1214E-012	2.5608E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.8988E-012	2.4644E-011
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1810E-007	1.3949E-007
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.1678E-017	1.1208E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.4187E-015	2.8208E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.7287E-015	3.5042E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.0586E-015	1.0682E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.3108E-015	1.7171E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.3519E-010	2.1771E-009
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.8707E-014	9.6647E-014
RCPTR_32	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	6.1307E-015	3.1875E-014
RCPTR_32	farmer_adult	TOCDLIC2	Diethyl phthalate	1.3460E-007	1.3917E-007
RCPTR_32	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.5249E-010	7.5212E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.1735E-011	3.1707E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	9.4911E-011	1.8391E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	6.1652E-011	2.9309E-010
RCPTR_32	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.6165E-011	2.2540E-010
RCPTR_32	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.2940E-012	6.7452E-012
RCPTR_32	farmer_adult	TOCDLIC2	Ethylbenzene	7.1408E-014	3.4784E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.0182E-008	6.7752E-008
RCPTR_32	farmer_adult	TOCDLIC2	Fluoranthene	4.0461E-007	1.2948E-006
RCPTR_32	farmer_adult	TOCDLIC2	Fluorene	4.0344E-009	1.9727E-008
RCPTR_32	farmer_adult	TOCDLIC2	GB	1.0942E-014	5.6907E-014
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.0051E-012	7.5575E-012
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.4297E-012	6.8402E-012
RCPTR_32	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.2064E-012	6.6845E-012
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8588E-011	1.9824E-011
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3471E-011	1.4617E-011
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3153E-011	1.4424E-011
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2636E-011	1.4004E-011
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	7.6080E-012	8.4285E-012
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.7740E-012	7.4996E-012
RCPTR_32	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.7662E-012	8.6008E-012
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	9.2675E-011	4.1700E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.8215E-007	8.4741E-007
RCPTR_32	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.5501E-010	1.1110E-009
RCPTR_32	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	5.0690E-011	2.5435E-010
RCPTR_32	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.5180E-002	1.5273E-002
RCPTR_32	farmer_adult	TOCDLIC2	Isophorone	9.2705E-012	4.8236E-011
RCPTR_32	farmer_adult	TOCDLIC2	Lead	2.6137E-006	3.1103E-006
RCPTR_32	farmer_adult	TOCDLIC2	Mercuric chloride	8.5644E-005	9.4236E-005
RCPTR_32	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.2045E-016	1.6698E-015
RCPTR_32	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2787E-017	6.6561E-017
RCPTR_32	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	7.1839E-014	3.7456E-013
RCPTR_32	farmer_adult	TOCDLIC2	Methyl mercury	7.6908E-007	8.1393E-007
RCPTR_32	farmer_adult	TOCDLIC2	Methylene chloride	5.6466E-015	2.9404E-014
RCPTR_32	farmer_adult	TOCDLIC2	Naphthalene	3.9939E-011	2.0389E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nickel	2.0589E-006	2.1908E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.5951E-010	8.2510E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.7742E-011	1.9631E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.8871E-011	2.5368E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitrobenzene	1.5625E-011	8.1413E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 2-	7.1234E-012	3.7068E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.7217E-010	6.5758E-010
RCPTR_32	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.8787E-012	4.5936E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.7618E-012	4.5152E-011
RCPTR_32	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	8.2613E-013	4.0710E-012
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.1878E-011	1.3077E-011
RCPTR_32	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.9388E-012	4.3278E-012
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.6167E-011	4.9826E-011
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3495E-011	1.5269E-011
RCPTR_32	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.8148E-011	4.3024E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.8081E-010	3.1762E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.2482E-010	1.2642E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pentachlorophenol	5.9589E-007	7.7181E-007
RCPTR_32	farmer_adult	TOCDLIC2	Phenanthrene	1.2568E-011	6.2435E-011
RCPTR_32	farmer_adult	TOCDLIC2	Phenol	1.3161E-011	6.8208E-011
RCPTR_32	farmer_adult	TOCDLIC2	Pronamide	1.2697E-009	6.1868E-009
RCPTR_32	farmer_adult	TOCDLIC2	Pyrene	6.7521E-007	2.5789E-006
RCPTR_32	farmer_adult	TOCDLIC2	Selenium	1.2990E-006	1.3043E-006
RCPTR_32	farmer_adult	TOCDLIC2	Silver	4.3219E-007	4.5493E-007
RCPTR_32	farmer_adult	TOCDLIC2	Styrene	1.8441E-012	9.5415E-012
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.3244E-011	2.7353E-011
RCPTR_32	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8477E-011	2.2936E-011
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.1014E-009	5.0281E-009
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4331E-010	1.7257E-010
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9845E-014	1.0269E-013
RCPTR_32	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7739E-008	3.9135E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_adult	TOCDLIC2	Thallium (I)	1.1483E-005	1.1993E-005
RCPTR_32	farmer_adult	TOCDLIC2	Toluene	1.0802E-013	5.5074E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.9723E-011	1.9183E-010
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2782E-014	6.6339E-014
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	9.7490E-014	5.0719E-013
RCPTR_32	farmer_adult	TOCDLIC2	Trichloroethylene	1.5930E-014	8.2479E-014
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.0924E-015	1.0840E-014
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.9484E-009	2.2106E-008
RCPTR_32	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3446E-009	4.5903E-009
RCPTR_32	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.6132E-013	1.8773E-012
RCPTR_32	farmer_adult	TOCDLIC2	Vinyl Chloride	6.0943E-018	3.1663E-017
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, m-	6.9998E-013	1.1403E-012
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, o-	4.5817E-013	8.2731E-013
RCPTR_32	farmer_adult	TOCDLIC2	Xylene, p-	7.1553E-013	1.3984E-012
RCPTR_32	farmer_adult	TOCDLIC2	Zinc	1.9503E-006	2.3946E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFBRA	Antimony	5.5923E-006	5.7003E-006
RCPTR_32	farmer_child	TOCDFBRA	Arsenic	8.5339E-006	8.5586E-006
RCPTR_32	farmer_child	TOCDFBRA	Barium	7.4973E-007	7.5966E-007
RCPTR_32	farmer_child	TOCDFBRA	Beryllium	2.3930E-006	2.6474E-006
RCPTR_32	farmer_child	TOCDFBRA	Cadmium	4.9668E-007	5.3114E-007
RCPTR_32	farmer_child	TOCDFBRA	Chromium	5.6845E-005	6.4566E-005
RCPTR_32	farmer_child	TOCDFBRA	Chromium, hexavalent	4.9878E-005	4.9919E-005
RCPTR_32	farmer_child	TOCDFBRA	Lead	2.5576E-005	2.9904E-005
RCPTR_32	farmer_child	TOCDFBRA	Mercuric chloride	3.2663E-003	5.6782E-003
RCPTR_32	farmer_child	TOCDFBRA	Methyl mercury	4.3036E-005	5.0139E-005
RCPTR_32	farmer_child	TOCDFBRA	Nickel	2.8586E-005	2.8958E-005
RCPTR_32	farmer_child	TOCDFBRA	Selenium	9.3833E-006	9.3840E-006
RCPTR_32	farmer_child	TOCDFBRA	Silver	3.2912E-006	3.2959E-006
RCPTR_32	farmer_child	TOCDFBRA	Thallium (I)	8.7619E-005	8.8487E-005
RCPTR_32	farmer_child	TOCDFBRA	Zinc	1.6998E-005	1.7667E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Acenaphthene	4.0879E-009	4.1023E-009
RCPTR_32	farmer_child	TOCDFDFS	Acetone	5.1118E-014	5.1118E-014
RCPTR_32	farmer_child	TOCDFDFS	Acetophenone	2.2626E-011	2.2631E-011
RCPTR_32	farmer_child	TOCDFDFS	Aniline	1.2985E-012	1.2985E-012
RCPTR_32	farmer_child	TOCDFDFS	Anthracene	7.0066E-008	7.2414E-008
RCPTR_32	farmer_child	TOCDFDFS	Antimony	3.6622E-005	3.7329E-005
RCPTR_32	farmer_child	TOCDFDFS	Aroclor 1254	5.4915E-010	5.5198E-010
RCPTR_32	farmer_child	TOCDFDFS	Arsenic	3.1602E-006	3.1693E-006
RCPTR_32	farmer_child	TOCDFDFS	Barium	9.7618E-008	9.8910E-008
RCPTR_32	farmer_child	TOCDFDFS	Benzene	4.2311E-014	4.2311E-014
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.7021E-006	1.0924E-005
RCPTR_32	farmer_child	TOCDFDFS	Benzo(a)pyrene	8.3389E-005	8.4485E-005
RCPTR_32	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.9232E-005	5.2194E-005
RCPTR_32	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.2821E-004	1.3255E-004
RCPTR_32	farmer_child	TOCDFDFS	Benzoic acid	1.5126E-010	1.5127E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Benzyl alcohol	2.9435E-011	2.9449E-011
RCPTR_32	farmer_child	TOCDFDFS	Beryllium	8.5767E-007	9.4874E-007
RCPTR_32	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.9454E-011	2.9466E-011
RCPTR_32	farmer_child	TOCDFDFS	Bromodichloromethane	3.3347E-013	3.3347E-013
RCPTR_32	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3252E-011	1.3253E-011
RCPTR_32	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1453E-006	1.5843E-006
RCPTR_32	farmer_child	TOCDFDFS	Butylbenzylphthalate	5.3720E-008	5.3745E-008
RCPTR_32	farmer_child	TOCDFDFS	Cadmium	8.9590E-007	9.5799E-007
RCPTR_32	farmer_child	TOCDFDFS	Carbon disulfide	2.2110E-014	2.2110E-014
RCPTR_32	farmer_child	TOCDFDFS	Carbon tetrachloride	1.1039E-013	1.1039E-013
RCPTR_32	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.4977E-009	2.5093E-009
RCPTR_32	farmer_child	TOCDFDFS	Chloroaniline, p-	1.3679E-010	1.3694E-010
RCPTR_32	farmer_child	TOCDFDFS	Chlorobenzene	6.4613E-013	6.4614E-013
RCPTR_32	farmer_child	TOCDFDFS	Chloroethane	1.8204E-015	1.8204E-015
RCPTR_32	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.9876E-014	9.9876E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0623E-008	1.0710E-008
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.7920E-010	3.8007E-010
RCPTR_32	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.3945E-008	1.3991E-008
RCPTR_32	farmer_child	TOCDFDFS	Chromium	1.0948E-005	1.2433E-005
RCPTR_32	farmer_child	TOCDFDFS	Chromium, hexavalent	9.6074E-006	9.6153E-006
RCPTR_32	farmer_child	TOCDFDFS	Chrysene	2.5056E-005	2.7081E-005
RCPTR_32	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.9727E-007	1.9750E-007
RCPTR_32	farmer_child	TOCDFDFS	Di-n-octylphthalate	8.9874E+002	8.9874E+002
RCPTR_32	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.7855E-003	1.8042E-003
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7338E-011	1.7339E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.0945E-011	2.0946E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0157E-011	2.0158E-011
RCPTR_32	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.9033E-007	1.9101E-007
RCPTR_32	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.4486E-016	1.4486E-016
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.6457E-014	3.6457E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.5290E-014	4.5290E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.3806E-014	1.3806E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2193E-014	2.2193E-014
RCPTR_32	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.7748E-009	1.7801E-009
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.2491E-013	1.2491E-013
RCPTR_32	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.1197E-014	4.1197E-014
RCPTR_32	farmer_child	TOCDFDFS	Diethyl phthalate	1.1357E-007	1.1358E-007
RCPTR_32	farmer_child	TOCDFDFS	Dimethyl phthalate	5.7408E-010	5.7458E-010
RCPTR_32	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.5901E-010	2.5934E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.4822E-010	1.4824E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.3945E-010	2.3984E-010
RCPTR_32	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8413E-010	1.8439E-010
RCPTR_32	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.5157E-012	5.5172E-012
RCPTR_32	farmer_child	TOCDFDFS	Ethylbenzene	3.9641E-013	3.9641E-013
RCPTR_32	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.5136E-009	5.5224E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Fluoranthene	9.1219E-007	1.0600E-006
RCPTR_32	farmer_child	TOCDFDFS	Fluorene	1.5965E-008	1.6136E-008
RCPTR_32	farmer_child	TOCDFDFS	GB	1.4839E-013	1.4843E-013
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.6155E-012	1.7169E-012
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	8.2403E-013	8.6619E-013
RCPTR_32	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.8317E-012	3.0051E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.5646E-011	1.6479E-011
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	8.5953E-012	9.1722E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	7.5522E-012	8.1242E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.9117E-012	6.4086E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	5.2534E-012	5.6940E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	7.0295E-012	7.6147E-012
RCPTR_32	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.8428E-012	5.2473E-012
RCPTR_32	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.4120E-010	3.4123E-010
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorobenzene	6.5267E-007	6.9323E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.5000E-009	4.5009E-009
RCPTR_32	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.0800E-010	2.0804E-010
RCPTR_32	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2503E-002	1.2533E-002
RCPTR_32	farmer_child	TOCDFDFS	Isophorone	3.9440E-011	3.9455E-011
RCPTR_32	farmer_child	TOCDFDFS	Lead	9.9200E-005	1.1597E-004
RCPTR_32	farmer_child	TOCDFDFS	Mercuric chloride	6.2957E-007	1.0943E-006
RCPTR_32	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.8593E-015	3.8593E-015
RCPTR_32	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.5340E-016	6.5340E-016
RCPTR_32	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.4305E-013	3.4305E-013
RCPTR_32	farmer_child	TOCDFDFS	Methyl mercury	8.3023E-009	9.6709E-009
RCPTR_32	farmer_child	TOCDFDFS	Methylene chloride	9.9172E-015	9.9172E-015
RCPTR_32	farmer_child	TOCDFDFS	Naphthalene	1.6672E-010	1.6677E-010
RCPTR_32	farmer_child	TOCDFDFS	Nickel	1.1012E-005	1.1155E-005
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.6448E-010	6.6521E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.5820E-010	1.5827E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.0442E-010	2.0453E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitrobenzene	6.6555E-011	6.6591E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.0312E-011	3.0320E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.2946E-010	5.2958E-010
RCPTR_32	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.7566E-011	3.7572E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.6928E-011	3.6932E-011
RCPTR_32	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.3325E-012	3.3326E-012
RCPTR_32	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	4.2248E-012	4.5590E-012
RCPTR_32	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.4513E-012	1.5638E-012
RCPTR_32	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.8233E-011	4.0596E-011
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.1493E-012	3.4654E-012
RCPTR_32	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2804E-011	1.4059E-011
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorobenzene	2.6042E-009	2.6052E-009
RCPTR_32	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0225E-009	1.0225E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Pentachlorophenol	6.2003E-007	6.2118E-007
RCPTR_32	farmer_child	TOCDFDFS	Phenanthrene	5.1070E-011	5.1071E-011
RCPTR_32	farmer_child	TOCDFDFS	Phenol	5.2736E-011	5.2768E-011
RCPTR_32	farmer_child	TOCDFDFS	Pronamide	1.0048E-008	1.0121E-008
RCPTR_32	farmer_child	TOCDFDFS	Pyrene	1.4389E-006	2.1100E-006
RCPTR_32	farmer_child	TOCDFDFS	Selenium	3.4748E-006	3.4751E-006
RCPTR_32	farmer_child	TOCDFDFS	Silver	1.2381E-006	1.2398E-006
RCPTR_32	farmer_child	TOCDFDFS	Styrene	1.0773E-011	1.0773E-011
RCPTR_32	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.6964E-011	1.9197E-011
RCPTR_32	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	5.2814E-012	6.2135E-012
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.1070E-009	4.1127E-009
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.2262E-010	2.2262E-010
RCPTR_32	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3273E-013	1.3273E-013
RCPTR_32	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.1477E-008	3.1530E-008
RCPTR_32	farmer_child	TOCDFDFS	Thallium (I)	3.1407E-005	3.1718E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFDFS	Toluene	1.7895E-013	1.7895E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.5689E-010	1.5691E-010
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.5741E-014	8.5741E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.5552E-013	6.5552E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichloroethylene	1.0660E-013	1.0660E-013
RCPTR_32	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.4010E-014	1.4010E-014
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.7784E-008	1.8079E-008
RCPTR_32	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.7409E-009	3.7536E-009
RCPTR_32	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.4263E-012	2.4264E-012
RCPTR_32	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.8562E-011	2.8589E-011
RCPTR_32	farmer_child	TOCDFDFS	Vinyl Chloride	3.4633E-017	3.4633E-017
RCPTR_32	farmer_child	TOCDFDFS	Xylene, m-	1.1181E-012	1.1181E-012
RCPTR_32	farmer_child	TOCDFDFS	Xylene, o-	1.0984E-012	1.0984E-012
RCPTR_32	farmer_child	TOCDFDFS	Xylene, p-	1.3610E-012	1.3610E-012
RCPTR_32	farmer_child	TOCDFDFS	Zinc	7.3554E-006	7.6448E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Acenaphthene	2.4217E-009	2.4302E-009
RCPTR_32	farmer_child	TOCDFLIC	Acetone	6.3891E-014	6.3891E-014
RCPTR_32	farmer_child	TOCDFLIC	Acetophenone	2.2979E-011	2.2984E-011
RCPTR_32	farmer_child	TOCDFLIC	Aniline	7.6925E-013	7.6927E-013
RCPTR_32	farmer_child	TOCDFLIC	Anthracene	4.1506E-008	4.2897E-008
RCPTR_32	farmer_child	TOCDFLIC	Antimony	6.5471E-007	6.6733E-007
RCPTR_32	farmer_child	TOCDFLIC	Arsenic	1.9312E-006	1.9368E-006
RCPTR_32	farmer_child	TOCDFLIC	Barium	6.7816E-008	6.8713E-008
RCPTR_32	farmer_child	TOCDFLIC	Benzene	5.8672E-013	5.8672E-013
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.7101E-006	6.4327E-006
RCPTR_32	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.8713E-005	4.9347E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.8995E-005	3.0744E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	7.4980E-005	7.7458E-005
RCPTR_32	farmer_child	TOCDFLIC	Benzoic acid	9.6139E-011	9.6149E-011
RCPTR_32	farmer_child	TOCDFLIC	Benzyl alcohol	1.7438E-011	1.7447E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Beryllium	3.2429E-007	3.5871E-007
RCPTR_32	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.7450E-011	1.7457E-011
RCPTR_32	farmer_child	TOCDFLIC	Bromodichloromethane	1.5611E-013	1.5611E-013
RCPTR_32	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.3767E-012	5.3772E-012
RCPTR_32	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.7848E-007	9.3857E-007
RCPTR_32	farmer_child	TOCDFLIC	Butylbenzylphthalate	3.1175E-008	3.1189E-008
RCPTR_32	farmer_child	TOCDFLIC	Cadmium	2.5058E-007	2.6794E-007
RCPTR_32	farmer_child	TOCDFLIC	Carbon disulfide	3.5540E-014	3.5541E-014
RCPTR_32	farmer_child	TOCDFLIC	Carbon tetrachloride	5.6119E-014	5.6119E-014
RCPTR_32	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4801E-009	1.4870E-009
RCPTR_32	farmer_child	TOCDFLIC	Chloroaniline, p-	8.1038E-011	8.1127E-011
RCPTR_32	farmer_child	TOCDFLIC	Chlorobenzene	3.2847E-013	3.2847E-013
RCPTR_32	farmer_child	TOCDFLIC	Chloroethane	9.2548E-016	9.2548E-016
RCPTR_32	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.9671E-014	4.9671E-014
RCPTR_32	farmer_child	TOCDFLIC	Chloronaphthalene,2-	6.2934E-009	6.3448E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.2465E-010	2.2517E-010
RCPTR_32	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.2560E-009	8.2836E-009
RCPTR_32	farmer_child	TOCDFLIC	Chromium	1.3742E-005	1.5606E-005
RCPTR_32	farmer_child	TOCDFLIC	Chromium, hexavalent	1.2060E-005	1.2070E-005
RCPTR_32	farmer_child	TOCDFLIC	Chrysene	1.4764E-005	1.5959E-005
RCPTR_32	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.1669E-007	1.1683E-007
RCPTR_32	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.3374E+002	5.3374E+002
RCPTR_32	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	1.0426E-003	1.0530E-003
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.0272E-011	1.0272E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.2409E-011	1.2409E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.1942E-011	1.1942E-011
RCPTR_32	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.7797E-008	5.8005E-008
RCPTR_32	farmer_child	TOCDFLIC	Dichlorodifluoromethane	7.3641E-017	7.3641E-017
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8534E-014	1.8534E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3024E-014	2.3024E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	7.0183E-015	7.0183E-015
RCPTR_32	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.1282E-014	1.1282E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.0519E-009	1.0550E-009
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	6.3501E-014	6.3501E-014
RCPTR_32	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0943E-014	2.0943E-014
RCPTR_32	farmer_child	TOCDFLIC	Diethyl phthalate	6.7434E-008	6.7440E-008
RCPTR_32	farmer_child	TOCDFLIC	Dimethyl phthalate	6.1353E-010	6.1407E-010
RCPTR_32	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.5345E-010	1.5365E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.8878E-011	8.8888E-011
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.4180E-010	1.4203E-010
RCPTR_32	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.0907E-010	1.0922E-010
RCPTR_32	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.2677E-012	3.2686E-012
RCPTR_32	farmer_child	TOCDFLIC	Ethylbenzene	2.6869E-013	2.6869E-013
RCPTR_32	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	1.0103E-007	1.0119E-007
RCPTR_32	farmer_child	TOCDFLIC	Fluoranthene	5.3985E-007	6.2742E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Fluorene	9.4575E-009	9.5591E-009
RCPTR_32	farmer_child	TOCDFLIC	GB	5.4726E-014	5.4739E-014
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	1.0142E-012	1.0767E-012
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.1927E-012	1.2523E-012
RCPTR_32	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.8890E-012	3.0627E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.2551E-011	1.3205E-011
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	7.2686E-012	7.7491E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	6.2934E-012	6.7653E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	4.0158E-012	4.3519E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.9284E-012	4.2564E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.5375E-012	4.9135E-012
RCPTR_32	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	3.3141E-012	3.5896E-012
RCPTR_32	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.0205E-010	2.0207E-010
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorobenzene	3.8661E-007	4.1064E-007
RCPTR_32	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.3826E-010	5.3837E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2323E-010	1.2325E-010
RCPTR_32	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.3839E-003	7.4008E-003
RCPTR_32	farmer_child	TOCDFLIC	Isophorone	2.3366E-011	2.3375E-011
RCPTR_32	farmer_child	TOCDFLIC	Lead	3.6905E-005	4.3140E-005
RCPTR_32	farmer_child	TOCDFLIC	Mercuric chloride	5.3976E-005	9.4236E-005
RCPTR_32	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.2766E-015	1.2766E-015
RCPTR_32	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0457E-016	1.0457E-016
RCPTR_32	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.8002E-013	3.8002E-013
RCPTR_32	farmer_child	TOCDFLIC	Methyl mercury	6.9536E-007	8.1393E-007
RCPTR_32	farmer_child	TOCDFLIC	Methylene chloride	8.0834E-015	8.0834E-015
RCPTR_32	farmer_child	TOCDFLIC	Naphthalene	9.8772E-011	9.8800E-011
RCPTR_32	farmer_child	TOCDFLIC	Nickel	6.2218E-006	6.3026E-006
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.9836E-010	3.9880E-010
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 3-	9.4841E-011	9.4881E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.2255E-010	1.2261E-010
RCPTR_32	farmer_child	TOCDFLIC	Nitrobenzene	3.9429E-011	3.9451E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.7958E-011	1.7963E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.1775E-010	3.1783E-010
RCPTR_32	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.2256E-011	2.2260E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.1878E-011	2.1880E-011
RCPTR_32	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.9726E-012	1.9727E-012
RCPTR_32	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.6111E-012	3.8947E-012
RCPTR_32	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.1881E-012	1.2795E-012
RCPTR_32	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.5112E-011	2.6646E-011
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.5579E-012	7.2158E-012
RCPTR_32	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.4724E-011	1.6167E-011
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorobenzene	1.5385E-009	1.5391E-009
RCPTR_32	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.1097E-010	6.1101E-010
RCPTR_32	farmer_child	TOCDFLIC	Pentachlorophenol	3.7235E-007	3.7304E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Phenanthrene	3.0254E-011	3.0255E-011
RCPTR_32	farmer_child	TOCDFLIC	Phenol	3.1243E-011	3.1262E-011
RCPTR_32	farmer_child	TOCDFLIC	Pronamide	2.9763E-009	2.9980E-009
RCPTR_32	farmer_child	TOCDFLIC	Pyrene	8.5217E-007	1.2497E-006
RCPTR_32	farmer_child	TOCDFLIC	Selenium	1.3042E-006	1.3043E-006
RCPTR_32	farmer_child	TOCDFLIC	Silver	4.5429E-007	4.5493E-007
RCPTR_32	farmer_child	TOCDFLIC	Styrene	1.1389E-011	1.1390E-011
RCPTR_32	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	8.3346E-012	9.4359E-012
RCPTR_32	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0877E-011	1.2805E-011
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.4332E-009	2.4365E-009
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.1339E-010	1.1339E-010
RCPTR_32	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.7472E-014	6.7472E-014
RCPTR_32	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.8883E-008	1.8915E-008
RCPTR_32	farmer_child	TOCDFLIC	Thallium (I)	1.1876E-005	1.1993E-005
RCPTR_32	farmer_child	TOCDFLIC	Toluene	5.2320E-013	5.2320E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.2944E-011	9.2955E-011
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.3588E-014	4.3588E-014
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.3324E-013	3.3325E-013
RCPTR_32	farmer_child	TOCDFLIC	Trichloroethylene	5.4192E-014	5.4192E-014
RCPTR_32	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	7.1221E-015	7.1221E-015
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0537E-008	1.0712E-008
RCPTR_32	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.2169E-009	2.2244E-009
RCPTR_32	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.2335E-012	1.2335E-012
RCPTR_32	farmer_child	TOCDFLIC	Vinyl Chloride	1.8971E-017	1.8971E-017
RCPTR_32	farmer_child	TOCDFLIC	Xylene, m-	9.8229E-013	9.8229E-013
RCPTR_32	farmer_child	TOCDFLIC	Xylene, o-	6.1662E-013	6.1662E-013
RCPTR_32	farmer_child	TOCDFLIC	Xylene, p-	1.2046E-012	1.2046E-012
RCPTR_32	farmer_child	TOCDFLIC	Zinc	1.9296E-006	2.0055E-006
RCPTR_32	farmer_child	TOCDFMPF	Acenaphthene	1.0306E-008	1.0343E-008
RCPTR_32	farmer_child	TOCDFMPF	Acetone	3.1961E-014	3.1961E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Acetophenone	5.4331E-011	5.4342E-011
RCPTR_32	farmer_child	TOCDFMPF	Aniline	3.2738E-012	3.2739E-012
RCPTR_32	farmer_child	TOCDFMPF	Anthracene	1.7664E-007	1.8256E-007
RCPTR_32	farmer_child	TOCDFMPF	Antimony	1.9523E-007	1.9899E-007
RCPTR_32	farmer_child	TOCDFMPF	Arsenic	4.5406E-007	4.5537E-007
RCPTR_32	farmer_child	TOCDFMPF	Barium	6.3691E-008	6.4534E-008
RCPTR_32	farmer_child	TOCDFMPF	Benzene	2.8489E-014	2.8489E-014
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.4310E-005	2.7386E-005
RCPTR_32	farmer_child	TOCDFMPF	Benzo(a)pyrene	2.0748E-004	2.1018E-004
RCPTR_32	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.2344E-004	1.3088E-004
RCPTR_32	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.1934E-004	3.2991E-004
RCPTR_32	farmer_child	TOCDFMPF	Benzoic acid	3.8141E-010	3.8145E-010
RCPTR_32	farmer_child	TOCDFMPF	Benzyl alcohol	7.4214E-011	7.4251E-011
RCPTR_32	farmer_child	TOCDFMPF	Beryllium	9.2794E-008	1.0264E-007
RCPTR_32	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.4262E-011	7.4293E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Bromodichloromethane	2.5375E-013	2.5375E-013
RCPTR_32	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.5734E-012	9.5743E-012
RCPTR_32	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8875E-006	3.9944E-006
RCPTR_32	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.3283E-007	1.3289E-007
RCPTR_32	farmer_child	TOCDFMPF	Cadmium	1.0983E-007	1.1744E-007
RCPTR_32	farmer_child	TOCDFMPF	Carbon disulfide	4.9815E-014	4.9815E-014
RCPTR_32	farmer_child	TOCDFMPF	Carbon tetrachloride	7.8862E-014	7.8862E-014
RCPTR_32	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.2988E-009	6.3281E-009
RCPTR_32	farmer_child	TOCDFMPF	Chloroaniline, p-	3.4488E-010	3.4526E-010
RCPTR_32	farmer_child	TOCDFMPF	Chlorobenzene	4.6159E-013	4.6159E-013
RCPTR_32	farmer_child	TOCDFMPF	Chloroethane	1.3006E-015	1.3006E-015
RCPTR_32	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.7144E-014	6.7144E-014
RCPTR_32	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.6783E-008	2.7002E-008
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.5609E-010	9.5827E-010
RCPTR_32	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.5137E-008	3.5255E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Chromium	2.6637E-006	3.0249E-006
RCPTR_32	farmer_child	TOCDFMPF	Chromium, hexavalent	2.3377E-006	2.3396E-006
RCPTR_32	farmer_child	TOCDFMPF	Chrysene	6.2853E-005	6.7938E-005
RCPTR_32	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.9665E-007	4.9724E-007
RCPTR_32	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.2712E+003	2.2712E+003
RCPTR_32	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.4409E-003	4.4851E-003
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.3714E-011	4.3715E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.2809E-011	5.2810E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	5.0822E-011	5.0824E-011
RCPTR_32	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.2195E-007	3.2311E-007
RCPTR_32	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.0349E-016	1.0349E-016
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.6045E-014	2.6045E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.2355E-014	3.2355E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.8626E-015	9.8626E-015
RCPTR_32	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5855E-014	1.5855E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.4766E-009	4.4898E-009
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.9236E-014	8.9236E-014
RCPTR_32	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.9431E-014	2.9431E-014
RCPTR_32	farmer_child	TOCDFMPF	Diethyl phthalate	2.8695E-007	2.8698E-007
RCPTR_32	farmer_child	TOCDFMPF	Dimethyl phthalate	2.2265E-010	2.2285E-010
RCPTR_32	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.5306E-010	6.5388E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.7756E-010	3.7760E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	6.0347E-010	6.0445E-010
RCPTR_32	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.6418E-010	4.6484E-010
RCPTR_32	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3907E-011	1.3911E-011
RCPTR_32	farmer_child	TOCDFMPF	Ethylbenzene	2.8318E-013	2.8318E-013
RCPTR_32	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.1176E-007	1.1194E-007
RCPTR_32	farmer_child	TOCDFMPF	Fluoranthene	2.2977E-006	2.6703E-006
RCPTR_32	farmer_child	TOCDFMPF	Fluorene	4.0250E-008	4.0682E-008
RCPTR_32	farmer_child	TOCDFMPF	GB	7.7716E-014	7.7735E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	2.1358E-012	2.2677E-012
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	8.0000E-011	8.4002E-011
RCPTR_32	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.3402E-011	1.4209E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.8660E-011	3.0156E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.5799E-011	1.6844E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.4932E-011	1.6053E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	6.0272E-010	6.5318E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.4683E-010	1.5909E-010
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.5438E-011	2.7547E-011
RCPTR_32	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.8186E-011	1.9699E-011
RCPTR_32	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.5992E-010	8.6000E-010
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorobenzene	1.6454E-006	1.7476E-006
RCPTR_32	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.2908E-009	2.2913E-009
RCPTR_32	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.2444E-010	5.2453E-010
RCPTR_32	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.1430E-002	3.1503E-002
RCPTR_32	farmer_child	TOCDFMPF	Isophorone	9.9440E-011	9.9477E-011
RCPTR_32	farmer_child	TOCDFMPF	Lead	2.9153E-008	3.4078E-008
RCPTR_32	farmer_child	TOCDFMPF	Mercuric chloride	6.1042E-007	1.0655E-006
RCPTR_32	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.5286E-015	1.5286E-015
RCPTR_32	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.4680E-017	5.4680E-017
RCPTR_32	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.5802E-013	3.5802E-013
RCPTR_32	farmer_child	TOCDFMPF	Methyl mercury	7.8746E-009	9.2147E-009
RCPTR_32	farmer_child	TOCDFMPF	Methylene chloride	8.9509E-015	8.9509E-015
RCPTR_32	farmer_child	TOCDFMPF	Naphthalene	4.2036E-010	4.2048E-010
RCPTR_32	farmer_child	TOCDFMPF	Nickel	4.8886E-006	4.9521E-006
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6923E-009	1.6941E-009
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 3-	4.0289E-010	4.0306E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.2059E-010	5.2087E-010
RCPTR_32	farmer_child	TOCDFMPF	Nitrobenzene	1.6780E-010	1.6790E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.6425E-011	7.6445E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3498E-009	1.3501E-009
RCPTR_32	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.4716E-011	9.4732E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.3109E-011	9.3117E-011
RCPTR_32	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	8.3956E-012	8.3959E-012
RCPTR_32	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	5.3679E-012	5.7896E-012
RCPTR_32	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	7.4772E-012	8.0529E-012
RCPTR_32	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.9063E-011	1.0512E-010
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	7.2973E-011	8.0294E-011
RCPTR_32	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.3921E-010	2.6266E-010
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorobenzene	6.5486E-009	6.5513E-009
RCPTR_32	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.5959E-009	2.5961E-009
RCPTR_32	farmer_child	TOCDFMPF	Pentachlorophenol	1.5817E-006	1.5846E-006
RCPTR_32	farmer_child	TOCDFMPF	Phenanthrene	1.2876E-010	1.2876E-010
RCPTR_32	farmer_child	TOCDFMPF	Phenol	1.3296E-010	1.3305E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Pronamide	1.2667E-008	1.2759E-008
RCPTR_32	farmer_child	TOCDFMPF	Pyrene	3.6268E-006	5.3186E-006
RCPTR_32	farmer_child	TOCDFMPF	Selenium	3.8226E-007	3.8229E-007
RCPTR_32	farmer_child	TOCDFMPF	Silver	1.8214E-006	1.8240E-006
RCPTR_32	farmer_child	TOCDFMPF	Styrene	1.2158E-011	1.2158E-011
RCPTR_32	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.3621E-011	2.6741E-011
RCPTR_32	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.4495E-011	5.2379E-011
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0355E-008	1.0369E-008
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.5932E-010	1.5932E-010
RCPTR_32	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.1013E-013	2.1013E-013
RCPTR_32	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	8.0216E-008	8.0350E-008
RCPTR_32	farmer_child	TOCDFMPF	Thallium (I)	3.5107E-006	3.5454E-006
RCPTR_32	farmer_child	TOCDFMPF	Toluene	1.4628E-013	1.4628E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.9555E-010	3.9560E-010
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.1252E-014	6.1253E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.6830E-013	4.6830E-013
RCPTR_32	farmer_child	TOCDFMPF	Trichloroethylene	7.6155E-014	7.6155E-014
RCPTR_32	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.0008E-014	1.0008E-014
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.4844E-008	4.5588E-008
RCPTR_32	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	9.4344E-009	9.4664E-009
RCPTR_32	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.7333E-012	1.7334E-012
RCPTR_32	farmer_child	TOCDFMPF	Vinyl Chloride	2.4741E-017	2.4741E-017
RCPTR_32	farmer_child	TOCDFMPF	Xylene, m-	7.7560E-013	7.7561E-013
RCPTR_32	farmer_child	TOCDFMPF	Xylene, o-	7.6505E-013	7.6505E-013
RCPTR_32	farmer_child	TOCDFMPF	Xylene, p-	9.5076E-013	9.5076E-013
RCPTR_32	farmer_child	TOCDFMPF	Zinc	1.1834E-006	1.2299E-006
RCPTR_32	farmer_child	TOCDHVAC	GB	4.5560E-013	4.5572E-013
RCPTR_32	farmer_child	TOCDLIC2	Acenaphthene	4.9975E-009	5.0151E-009
RCPTR_32	farmer_child	TOCDLIC2	Acetone	6.3227E-014	6.3227E-014
RCPTR_32	farmer_child	TOCDLIC2	Acetophenone	2.6345E-011	2.6351E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Aniline	1.5875E-012	1.5875E-012
RCPTR_32	farmer_child	TOCDLIC2	Anthracene	8.5653E-008	8.8524E-008
RCPTR_32	farmer_child	TOCDLIC2	Antimony	8.7104E-007	8.8784E-007
RCPTR_32	farmer_child	TOCDLIC2	Arsenic	1.9312E-006	1.9368E-006
RCPTR_32	farmer_child	TOCDLIC2	Barium	6.5350E-007	6.6214E-007
RCPTR_32	farmer_child	TOCDLIC2	Benzene	4.2223E-014	4.2223E-014
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1783E-005	1.3275E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(a)pyrene	1.0053E-004	1.0183E-004
RCPTR_32	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.9835E-005	6.3444E-005
RCPTR_32	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.5473E-004	1.5985E-004
RCPTR_32	farmer_child	TOCDLIC2	Benzoic acid	1.8494E-010	1.8496E-010
RCPTR_32	farmer_child	TOCDLIC2	Benzyl alcohol	3.5986E-011	3.6004E-011
RCPTR_32	farmer_child	TOCDLIC2	Beryllium	3.2429E-007	3.5871E-007
RCPTR_32	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.6010E-011	3.6024E-011
RCPTR_32	farmer_child	TOCDLIC2	Bromodichloromethane	4.7801E-013	4.7801E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2466E-011	1.2467E-011
RCPTR_32	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.4001E-006	1.9369E-006
RCPTR_32	farmer_child	TOCDLIC2	Butylbenzylphthalate	6.4333E-008	6.4364E-008
RCPTR_32	farmer_child	TOCDLIC2	Cadmium	2.8473E-008	3.0445E-008
RCPTR_32	farmer_child	TOCDLIC2	Carbon disulfide	5.3860E-014	5.3860E-014
RCPTR_32	farmer_child	TOCDLIC2	Carbon tetrachloride	8.5411E-014	8.5411E-014
RCPTR_32	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	3.0543E-009	3.0685E-009
RCPTR_32	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6723E-010	1.6742E-010
RCPTR_32	farmer_child	TOCDLIC2	Chlorobenzene	4.9992E-013	4.9992E-013
RCPTR_32	farmer_child	TOCDLIC2	Chloroethane	1.4086E-015	1.4086E-015
RCPTR_32	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.5336E-013	1.5336E-013
RCPTR_32	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2987E-008	1.3093E-008
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.6360E-010	4.6467E-010
RCPTR_32	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.7037E-008	1.7094E-008
RCPTR_32	farmer_child	TOCDLIC2	Chromium	1.3742E-005	1.5606E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Chromium, hexavalent	1.2060E-005	1.2070E-005
RCPTR_32	farmer_child	TOCDLIC2	Chrysene	3.0468E-005	3.2933E-005
RCPTR_32	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.4080E-007	2.4109E-007
RCPTR_32	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.1014E+003	1.1014E+003
RCPTR_32	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.1516E-003	2.1729E-003
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.1197E-011	2.1198E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.5607E-011	2.5608E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.4643E-011	2.4644E-011
RCPTR_32	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3899E-007	1.3949E-007
RCPTR_32	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.1208E-016	1.1208E-016
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.8208E-014	2.8208E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.5041E-014	3.5042E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0682E-014	1.0682E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.7171E-014	1.7171E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.1707E-009	2.1771E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	9.6647E-014	9.6647E-014
RCPTR_32	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.1875E-014	3.1875E-014
RCPTR_32	farmer_child	TOCDLIC2	Diethyl phthalate	1.3916E-007	1.3917E-007
RCPTR_32	farmer_child	TOCDLIC2	Dimethyl phthalate	7.5146E-010	7.5212E-010
RCPTR_32	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.1667E-010	3.1707E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.8388E-010	1.8391E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.9261E-010	2.9309E-010
RCPTR_32	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.2508E-010	2.2540E-010
RCPTR_32	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.7434E-012	6.7452E-012
RCPTR_32	farmer_child	TOCDLIC2	Ethylbenzene	3.4783E-013	3.4784E-013
RCPTR_32	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.7642E-008	6.7752E-008
RCPTR_32	farmer_child	TOCDLIC2	Fluoranthene	1.1141E-006	1.2948E-006
RCPTR_32	farmer_child	TOCDLIC2	Fluorene	1.9517E-008	1.9727E-008
RCPTR_32	farmer_child	TOCDLIC2	GB	5.6893E-014	5.6907E-014
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	7.1184E-012	7.5575E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.5148E-012	6.8402E-012
RCPTR_32	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	6.3055E-012	6.6845E-012
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.8842E-011	1.9824E-011
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.3710E-011	1.4617E-011
RCPTR_32	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.3418E-011	1.4424E-011
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.2922E-011	1.4004E-011
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	7.7790E-012	8.4285E-012
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.9257E-012	7.4996E-012
RCPTR_32	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.9406E-012	8.6008E-012
RCPTR_32	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.1696E-010	4.1700E-010
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorobenzene	7.9783E-007	8.4741E-007
RCPTR_32	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.1108E-009	1.1110E-009
RCPTR_32	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.5430E-010	2.5435E-010
RCPTR_32	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_32	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.5238E-002	1.5273E-002

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Isophorone	4.8218E-011	4.8236E-011
RCPTR_32	farmer_child	TOCDLIC2	Lead	2.6608E-006	3.1103E-006
RCPTR_32	farmer_child	TOCDLIC2	Mercuric chloride	5.3976E-005	9.4236E-005
RCPTR_32	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.6698E-015	1.6698E-015
RCPTR_32	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.6561E-017	6.6561E-017
RCPTR_32	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.7456E-013	3.7456E-013
RCPTR_32	farmer_child	TOCDLIC2	Methyl mercury	6.9536E-007	8.1393E-007
RCPTR_32	farmer_child	TOCDLIC2	Methylene chloride	2.9404E-014	2.9404E-014
RCPTR_32	farmer_child	TOCDLIC2	Naphthalene	2.0383E-010	2.0389E-010
RCPTR_32	farmer_child	TOCDLIC2	Nickel	2.1627E-006	2.1908E-006
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 2-	8.2420E-010	8.2510E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.9622E-010	1.9631E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.5355E-010	2.5368E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitrobenzene	8.1368E-011	8.1413E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.7058E-011	3.7068E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.5742E-010	6.5758E-010
RCPTR_32	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.5927E-011	4.5936E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.5148E-011	4.5152E-011
RCPTR_32	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	4.0708E-012	4.0710E-012
RCPTR_32	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.2125E-011	1.3077E-011
RCPTR_32	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	4.0185E-012	4.3278E-012
RCPTR_32	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.6958E-011	4.9826E-011
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3876E-011	1.5269E-011
RCPTR_32	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.9184E-011	4.3024E-011
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorobenzene	3.1749E-009	3.1762E-009
RCPTR_32	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.2641E-009	1.2642E-009
RCPTR_32	farmer_child	TOCDLIC2	Pentachlorophenol	7.7039E-007	7.7181E-007
RCPTR_32	farmer_child	TOCDLIC2	Phenanthrene	6.2434E-011	6.2435E-011
RCPTR_32	farmer_child	TOCDLIC2	Phenol	6.8166E-011	6.8208E-011
RCPTR_32	farmer_child	TOCDLIC2	Pronamide	6.1421E-009	6.1868E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Pyrene	1.7586E-006	2.5789E-006
RCPTR_32	farmer_child	TOCDLIC2	Selenium	1.3042E-006	1.3043E-006
RCPTR_32	farmer_child	TOCDLIC2	Silver	4.5429E-007	4.5493E-007
RCPTR_32	farmer_child	TOCDLIC2	Styrene	9.5413E-012	9.5415E-012
RCPTR_32	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.4161E-011	2.7353E-011
RCPTR_32	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.9483E-011	2.2936E-011
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.0212E-009	5.0281E-009
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.7257E-010	1.7257E-010
RCPTR_32	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.0269E-013	1.0269E-013
RCPTR_32	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.9069E-008	3.9135E-008
RCPTR_32	farmer_child	TOCDLIC2	Thallium (I)	1.1876E-005	1.1993E-005
RCPTR_32	farmer_child	TOCDLIC2	Toluene	5.5074E-013	5.5074E-013
RCPTR_32	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.9180E-010	1.9183E-010
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.6339E-014	6.6339E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	5.0718E-013	5.0719E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_32	farmer_child	TOCDLIC2	Trichloroethylene	8.2479E-014	8.2479E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0840E-014	1.0840E-014
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.1745E-008	2.2106E-008
RCPTR_32	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.5748E-009	4.5903E-009
RCPTR_32	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.8773E-012	1.8773E-012
RCPTR_32	farmer_child	TOCDLIC2	Vinyl Chloride	3.1663E-017	3.1663E-017
RCPTR_32	farmer_child	TOCDLIC2	Xylene, m-	1.1403E-012	1.1403E-012
RCPTR_32	farmer_child	TOCDLIC2	Xylene, o-	8.2730E-013	8.2731E-013
RCPTR_32	farmer_child	TOCDLIC2	Xylene, p-	1.3984E-012	1.3984E-012
RCPTR_32	farmer_child	TOCDLIC2	Zinc	2.3040E-006	2.3946E-006
RCPTR_33	farmer_adult	TOCDFBRA	Antimony	2.9481E-006	3.3761E-006
RCPTR_33	farmer_adult	TOCDFBRA	Arsenic	4.9156E-006	5.0665E-006
RCPTR_33	farmer_adult	TOCDFBRA	Barium	4.0672E-007	4.4985E-007
RCPTR_33	farmer_adult	TOCDFBRA	Beryllium	1.3895E-006	1.5683E-006
RCPTR_33	farmer_adult	TOCDFBRA	Cadmium	2.3010E-007	3.1480E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFBRA	Chromium	3.7370E-005	3.8253E-005
RCPTR_33	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.9166E-005	2.9549E-005
RCPTR_33	farmer_adult	TOCDFBRA	Lead	1.4881E-005	1.7722E-005
RCPTR_33	farmer_adult	TOCDFBRA	Mercuric chloride	3.1255E-003	3.4376E-003
RCPTR_33	farmer_adult	TOCDFBRA	Methyl mercury	2.8559E-005	3.0188E-005
RCPTR_33	farmer_adult	TOCDFBRA	Nickel	1.6107E-005	1.7145E-005
RCPTR_33	farmer_adult	TOCDFBRA	Selenium	5.5318E-006	5.5544E-006
RCPTR_33	farmer_adult	TOCDFBRA	Silver	1.8532E-006	1.9513E-006
RCPTR_33	farmer_adult	TOCDFBRA	Thallium (I)	5.0147E-005	5.2386E-005
RCPTR_33	farmer_adult	TOCDFBRA	Zinc	8.5160E-006	1.0467E-005
RCPTR_33	farmer_adult	TOCDFDFS	Acenaphthene	8.3706E-010	4.1995E-009
RCPTR_33	farmer_adult	TOCDFDFS	Acetone	1.0037E-014	5.2337E-014
RCPTR_33	farmer_adult	TOCDFDFS	Acetophenone	4.4522E-012	2.3171E-011
RCPTR_33	farmer_adult	TOCDFDFS	Aniline	2.5659E-013	1.3294E-012
RCPTR_33	farmer_adult	TOCDFDFS	Anthracene	1.4830E-008	7.4121E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Antimony	2.8591E-005	3.2737E-005
RCPTR_33	farmer_adult	TOCDFDFS	Aroclor 1254	3.4270E-010	5.4788E-010
RCPTR_33	farmer_adult	TOCDFDFS	Arsenic	2.6954E-006	2.7780E-006
RCPTR_33	farmer_adult	TOCDFDFS	Barium	7.8422E-008	8.6728E-008
RCPTR_33	farmer_adult	TOCDFDFS	Benzene	8.3804E-015	4.3319E-014
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)anthracene	7.4128E-006	1.0992E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(a)pyrene	7.9789E-005	8.3268E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	4.3465E-005	5.2489E-005
RCPTR_33	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.2410E-004	1.3081E-004
RCPTR_33	farmer_adult	TOCDFDFS	Benzoic acid	3.7541E-011	1.5486E-010
RCPTR_33	farmer_adult	TOCDFDFS	Benzyl alcohol	5.7992E-012	3.0152E-011
RCPTR_33	farmer_adult	TOCDFDFS	Beryllium	7.3744E-007	8.3221E-007
RCPTR_33	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.7858E-012	3.0169E-011
RCPTR_33	farmer_adult	TOCDFDFS	Bromodichloromethane	6.5582E-014	3.4142E-013
RCPTR_33	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.6050E-012	1.3569E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	3.2670E-007	1.6220E-006
RCPTR_33	farmer_adult	TOCDFDFS	Butylbenzylphthalate	4.6414E-008	5.2222E-008
RCPTR_33	farmer_adult	TOCDFDFS	Cadmium	6.1474E-007	8.4077E-007
RCPTR_33	farmer_adult	TOCDFDFS	Carbon disulfide	4.3653E-015	2.2637E-014
RCPTR_33	farmer_adult	TOCDFDFS	Carbon tetrachloride	2.1882E-014	1.1302E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	7.0754E-010	2.5688E-009
RCPTR_33	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.7101E-011	1.4020E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorobenzene	1.2882E-013	6.6152E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloroethane	3.7697E-016	1.8638E-015
RCPTR_33	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.9651E-014	1.0226E-013
RCPTR_33	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	2.1674E-009	1.0964E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenol, 2-	7.4677E-011	3.8914E-010
RCPTR_33	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.9673E-009	1.4295E-008
RCPTR_33	farmer_adult	TOCDFDFS	Chromium	1.0656E-005	1.0907E-005
RCPTR_33	farmer_adult	TOCDFDFS	Chromium, hexavalent	8.3186E-006	8.4275E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Chrysene	2.2518E-005	2.7262E-005
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.7805E-007	2.0041E-007
RCPTR_33	farmer_adult	TOCDFDFS	Di-n-octylphthalate	9.1931E+002	9.1931E+002
RCPTR_33	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.7377E-003	1.7756E-003
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.6276E-012	1.7750E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	4.2871E-012	2.1443E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	4.1010E-012	2.0637E-011
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6065E-007	1.9025E-007
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.8676E-017	1.4830E-016
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	7.1703E-015	3.7327E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	8.9039E-015	4.6370E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.7240E-015	1.4135E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	4.3810E-015	2.2722E-014
RCPTR_33	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	6.1449E-010	1.8221E-009
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.4753E-014	1.2789E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	8.1121E-015	4.2179E-014
RCPTR_33	farmer_adult	TOCDFDFS	Diethyl phthalate	1.1234E-007	1.1616E-007
RCPTR_33	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.1910E-010	5.8805E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	5.1697E-011	2.6553E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	7.7997E-011	1.5146E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	5.1465E-011	2.4528E-010
RCPTR_33	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.8612E-011	1.8871E-010
RCPTR_33	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	1.0836E-012	5.6488E-012
RCPTR_33	farmer_adult	TOCDFDFS	Ethylbenzene	8.3254E-014	4.0579E-013
RCPTR_33	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.7256E-009	5.3424E-009
RCPTR_33	farmer_adult	TOCDFDFS	Fluoranthene	3.3671E-007	1.0821E-006
RCPTR_33	farmer_adult	TOCDFDFS	Fluorene	3.3756E-009	1.6517E-008
RCPTR_33	farmer_adult	TOCDFDFS	GB	2.9219E-014	1.5197E-013
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.4777E-012	1.5921E-012
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.7444E-013	8.2258E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.6021E-012	2.7986E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4755E-011	1.5715E-011
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.8600E-012	8.5183E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.7614E-012	7.4096E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.2891E-012	5.8619E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.7087E-012	5.2164E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.3216E-012	6.9983E-012
RCPTR_33	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.3483E-012	4.8154E-012
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	7.7345E-011	3.4896E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.5230E-007	7.0943E-007
RCPTR_33	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	1.0524E-009	4.6008E-009
RCPTR_33	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	4.2444E-011	2.1300E-010
RCPTR_33	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2589E-002	1.2660E-002
RCPTR_33	farmer_adult	TOCDFDFS	Isophorone	7.7636E-012	4.0396E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Lead	8.5464E-005	1.0177E-004
RCPTR_33	farmer_adult	TOCDFDFS	Mercuric chloride	9.9702E-007	1.0980E-006
RCPTR_33	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	7.5831E-016	3.9514E-015
RCPTR_33	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.2851E-016	6.6898E-016
RCPTR_33	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	6.7366E-014	3.5123E-013
RCPTR_33	farmer_adult	TOCDFDFS	Methyl mercury	8.6461E-009	9.1731E-009
RCPTR_33	farmer_adult	TOCDFDFS	Methylene chloride	1.9499E-015	1.0154E-014
RCPTR_33	farmer_adult	TOCDFDFS	Naphthalene	3.3439E-011	1.7074E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nickel	9.1876E-006	9.7791E-006
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.3165E-010	6.8106E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 3-	3.1152E-011	1.6204E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitroaniline, 4-	4.0329E-011	2.0939E-010
RCPTR_33	farmer_adult	TOCDFDFS	Nitrobenzene	1.3085E-011	6.8180E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.9654E-012	3.1043E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrophenol, 4-	3.0632E-010	5.4191E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	7.4353E-012	3.8469E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	7.3373E-012	3.7813E-011
RCPTR_33	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.8776E-013	3.4052E-012
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.7267E-012	4.1012E-012
RCPTR_33	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.2800E-012	1.4059E-012
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.6831E-011	3.9722E-011
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.9904E-012	3.3856E-012
RCPTR_33	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.1979E-011	1.3520E-011
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorobenzene	6.4362E-010	2.6497E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.6338E-010	1.0388E-009
RCPTR_33	farmer_adult	TOCDFDFS	Pentachlorophenol	4.9032E-007	6.3553E-007
RCPTR_33	farmer_adult	TOCDFDFS	Phenanthrene	1.0519E-011	5.2280E-011
RCPTR_33	farmer_adult	TOCDFDFS	Phenol	1.0424E-011	5.4027E-011
RCPTR_33	farmer_adult	TOCDFDFS	Pronamide	2.1254E-009	1.0361E-008
RCPTR_33	farmer_adult	TOCDFDFS	Pyrene	5.6414E-007	2.1583E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Selenium	3.0332E-006	3.0456E-006
RCPTR_33	farmer_adult	TOCDFDFS	Silver	1.0323E-006	1.0869E-006
RCPTR_33	farmer_adult	TOCDFDFS	Styrene	2.1317E-012	1.1030E-011
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.6019E-011	1.8880E-011
RCPTR_33	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.9726E-012	6.1860E-012
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	9.2143E-010	4.2099E-009
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.8904E-010	2.2775E-010
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.6254E-014	1.3588E-013
RCPTR_33	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.4602E-008	3.2263E-008
RCPTR_33	farmer_adult	TOCDFDFS	Thallium (I)	2.6617E-005	2.7804E-005
RCPTR_33	farmer_adult	TOCDFDFS	Toluene	3.5929E-014	1.8321E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	3.3235E-011	1.6061E-010
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.6914E-014	8.7785E-014
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.2901E-013	6.7116E-013
RCPTR_33	farmer_adult	TOCDFDFS	Trichloroethylene	2.1078E-014	1.0914E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.7687E-015	1.4344E-014
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	4.1415E-009	1.8510E-008
RCPTR_33	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	1.1243E-009	3.8424E-009
RCPTR_33	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.7811E-013	2.4842E-012
RCPTR_33	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	6.0182E-012	2.9196E-011
RCPTR_33	farmer_adult	TOCDFDFS	Vinyl Chloride	6.8232E-018	3.5457E-017
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, m-	6.3424E-013	1.0627E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, o-	5.6650E-013	1.0550E-012
RCPTR_33	farmer_adult	TOCDFDFS	Xylene, p-	6.5261E-013	1.3171E-012
RCPTR_33	farmer_adult	TOCDFDFS	Zinc	5.4576E-006	6.7064E-006
RCPTR_33	farmer_adult	TOCDFLIC	Acenaphthene	4.7158E-010	2.3660E-009
RCPTR_33	farmer_adult	TOCDFLIC	Acetone	1.1930E-014	6.2211E-014
RCPTR_33	farmer_adult	TOCDFLIC	Acetophenone	4.3002E-012	2.2380E-011
RCPTR_33	farmer_adult	TOCDFLIC	Aniline	1.4457E-013	7.4903E-013
RCPTR_33	farmer_adult	TOCDFLIC	Anthracene	8.3543E-009	4.1760E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Antimony	5.0238E-007	5.7522E-007
RCPTR_33	farmer_adult	TOCDFLIC	Arsenic	1.6189E-006	1.6685E-006
RCPTR_33	farmer_adult	TOCDFLIC	Barium	5.3546E-008	5.9217E-008
RCPTR_33	farmer_adult	TOCDFLIC	Benzene	1.1052E-013	5.7128E-013
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)anthracene	4.1639E-006	6.1787E-006
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(a)pyrene	4.4721E-005	4.6663E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.4431E-005	2.9509E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.9593E-005	7.3319E-005
RCPTR_33	farmer_adult	TOCDFLIC	Benzoic acid	2.2693E-011	9.3598E-011
RCPTR_33	farmer_adult	TOCDFLIC	Benzyl alcohol	3.2674E-012	1.6988E-011
RCPTR_33	farmer_adult	TOCDFLIC	Beryllium	2.7406E-007	3.0927E-007
RCPTR_33	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	3.2598E-012	1.6998E-011
RCPTR_33	farmer_adult	TOCDFLIC	Bromodichloromethane	2.9198E-014	1.5201E-013
RCPTR_33	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	1.0052E-012	5.2358E-012
RCPTR_33	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.8406E-007	9.1384E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.5919E-008	2.9190E-008
RCPTR_33	farmer_adult	TOCDFLIC	Cadmium	1.6901E-007	2.3114E-007
RCPTR_33	farmer_adult	TOCDFLIC	Carbon disulfide	6.6733E-015	3.4606E-014
RCPTR_33	farmer_adult	TOCDFLIC	Carbon tetrachloride	1.0579E-014	5.4642E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.9876E-010	1.4474E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.5269E-011	7.8993E-011
RCPTR_33	farmer_adult	TOCDFLIC	Chlorobenzene	6.2281E-014	3.1982E-013
RCPTR_33	farmer_adult	TOCDFLIC	Chloroethane	1.8226E-016	9.0112E-016
RCPTR_33	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	9.2945E-015	4.8365E-014
RCPTR_33	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.2211E-009	6.1775E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenol, 2-	4.2074E-011	2.1925E-010
RCPTR_33	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	2.2333E-009	8.0520E-009
RCPTR_33	farmer_adult	TOCDFLIC	Chromium	1.3146E-005	1.3457E-005
RCPTR_33	farmer_adult	TOCDFLIC	Chromium, hexavalent	1.0263E-005	1.0397E-005
RCPTR_33	farmer_adult	TOCDFLIC	Chrysene	1.2661E-005	1.5329E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	1.0025E-007	1.1285E-007
RCPTR_33	farmer_adult	TOCDFLIC	Di-n-octylphthalate	5.1841E+002	5.1841E+002
RCPTR_33	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	9.7304E-004	9.9377E-004
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	2.0438E-012	1.0000E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.4154E-012	1.2082E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.3105E-012	1.1627E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.6661E-008	5.5286E-008
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.3863E-017	7.1698E-017
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.4666E-015	1.8046E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	4.3047E-015	2.2418E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.3170E-015	6.8337E-015
RCPTR_33	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	2.1180E-015	1.0985E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.4636E-010	1.0267E-009
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.1967E-014	6.1831E-014
RCPTR_33	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.9219E-015	2.0392E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Diethyl phthalate	6.3345E-008	6.5501E-008
RCPTR_33	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.2104E-010	5.9773E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.9128E-011	1.4960E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	4.4475E-011	8.6358E-011
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.8975E-011	1.3817E-010
RCPTR_33	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	2.1750E-011	1.0632E-010
RCPTR_33	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	6.1055E-013	3.1826E-012
RCPTR_33	farmer_adult	TOCDFLIC	Ethylbenzene	5.3663E-014	2.6158E-013
RCPTR_33	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.3410E-008	9.4401E-008
RCPTR_33	farmer_adult	TOCDFLIC	Fluoranthene	1.8952E-007	6.0945E-007
RCPTR_33	farmer_adult	TOCDFLIC	Fluorene	1.9016E-009	9.3058E-009
RCPTR_33	farmer_adult	TOCDFLIC	GB	1.0248E-014	5.3300E-014
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	9.0362E-013	9.7306E-013
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0854E-012	1.1522E-012
RCPTR_33	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.5833E-012	2.7768E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1449E-011	1.2188E-011
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.4726E-012	7.0111E-012
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.5111E-012	6.0371E-012
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.5126E-012	3.8923E-012
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.4411E-012	3.8114E-012
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.9848E-012	4.4105E-012
RCPTR_33	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.9069E-012	3.2185E-012
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	4.3547E-011	1.9658E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorobenzene	8.5788E-008	3.9968E-007
RCPTR_33	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.1967E-010	5.2356E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.3914E-011	1.2001E-010
RCPTR_33	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.0833E-003	7.1221E-003
RCPTR_33	farmer_adult	TOCDFLIC	Isophorone	4.3741E-012	2.2760E-011
RCPTR_33	farmer_adult	TOCDFLIC	Lead	3.1251E-005	3.7212E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Mercuric chloride	8.2077E-005	9.0408E-005
RCPTR_33	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.3855E-016	1.2430E-015
RCPTR_33	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.9559E-017	1.0182E-016
RCPTR_33	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	7.0970E-014	3.7003E-013
RCPTR_33	farmer_adult	TOCDFLIC	Methyl mercury	7.0495E-007	7.4844E-007
RCPTR_33	farmer_adult	TOCDFLIC	Methylene chloride	1.5115E-015	7.8708E-015
RCPTR_33	farmer_adult	TOCDFLIC	Naphthalene	1.8839E-011	9.6197E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nickel	5.1022E-006	5.4306E-006
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 2-	7.5060E-011	3.8830E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.7761E-011	9.2385E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.2991E-011	1.1938E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitrobenzene	7.3725E-012	3.8414E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 2-	3.3610E-012	1.7490E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.7476E-010	3.0908E-010
RCPTR_33	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	4.1892E-012	2.1674E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	4.1340E-012	2.1304E-011
RCPTR_33	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.8691E-013	1.9179E-012
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1258E-012	3.4389E-012
RCPTR_33	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0284E-012	1.1292E-012
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.3250E-011	2.5066E-011
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.9897E-012	6.7813E-012
RCPTR_33	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.3305E-011	1.5016E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.6109E-010	1.4913E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.4945E-010	5.9152E-010
RCPTR_33	farmer_adult	TOCDFLIC	Pentachlorophenol	2.7977E-007	3.6257E-007
RCPTR_33	farmer_adult	TOCDFLIC	Phenanthrene	5.9259E-012	2.9455E-011
RCPTR_33	farmer_adult	TOCDFLIC	Phenol	5.8732E-012	3.0440E-011
RCPTR_33	farmer_adult	TOCDFLIC	Pronamide	5.9874E-010	2.9188E-009
RCPTR_33	farmer_adult	TOCDFLIC	Pyrene	3.1775E-007	1.2159E-006
RCPTR_33	farmer_adult	TOCDFLIC	Selenium	1.1189E-006	1.1235E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Silver	3.7229E-007	3.9196E-007
RCPTR_33	farmer_adult	TOCDFLIC	Styrene	2.1432E-012	1.1090E-011
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	7.5598E-012	8.9119E-012
RCPTR_33	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	9.8066E-012	1.2204E-011
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	5.1915E-010	2.3719E-009
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.1467E-011	1.1019E-010
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.2692E-014	6.5694E-014
RCPTR_33	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	8.3297E-009	1.8399E-008
RCPTR_33	farmer_adult	TOCDFLIC	Thallium (I)	9.8917E-006	1.0333E-005
RCPTR_33	farmer_adult	TOCDFLIC	Toluene	9.9899E-014	5.0942E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.8723E-011	9.0491E-011
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	8.1772E-015	4.2441E-014
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	6.2370E-014	3.2448E-013
RCPTR_33	farmer_adult	TOCDFLIC	Trichloroethylene	1.0190E-014	5.2766E-014
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.3386E-015	6.9347E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.3337E-009	1.0429E-008
RCPTR_33	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	6.3367E-010	2.1651E-009
RCPTR_33	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.3115E-013	1.2010E-012
RCPTR_33	farmer_adult	TOCDFLIC	Vinyl Chloride	3.5543E-018	1.8471E-017
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, m-	5.3561E-013	9.0495E-013
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, o-	3.0469E-013	5.7258E-013
RCPTR_33	farmer_adult	TOCDFLIC	Xylene, p-	5.5221E-013	1.1250E-012
RCPTR_33	farmer_adult	TOCDFLIC	Zinc	1.4073E-006	1.7292E-006
RCPTR_33	farmer_adult	TOCDFMPF	Acenaphthene	2.0202E-009	1.0136E-008
RCPTR_33	farmer_adult	TOCDFMPF	Acetone	6.0077E-015	3.1327E-014
RCPTR_33	farmer_adult	TOCDFMPF	Acetophenone	1.0235E-011	5.3264E-011
RCPTR_33	farmer_adult	TOCDFMPF	Aniline	6.1934E-013	3.2089E-012
RCPTR_33	farmer_adult	TOCDFMPF	Anthracene	3.5790E-008	1.7890E-007
RCPTR_33	farmer_adult	TOCDFMPF	Antimony	1.5009E-007	1.7184E-007
RCPTR_33	farmer_adult	TOCDFMPF	Arsenic	3.8134E-007	3.9303E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Barium	5.0383E-008	5.5719E-008
RCPTR_33	farmer_adult	TOCDFMPF	Benzene	5.4019E-015	2.7923E-014
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.7835E-005	2.6467E-005
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.9153E-004	1.9984E-004
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	1.0465E-004	1.2640E-004
RCPTR_33	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.9806E-004	3.1401E-004
RCPTR_33	farmer_adult	TOCDFMPF	Benzoic acid	9.0628E-011	3.7379E-010
RCPTR_33	farmer_adult	TOCDFMPF	Benzyl alcohol	1.3998E-011	7.2777E-011
RCPTR_33	farmer_adult	TOCDFMPF	Beryllium	7.8565E-008	8.8660E-008
RCPTR_33	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.3965E-011	7.2819E-011
RCPTR_33	farmer_adult	TOCDFMPF	Bromodichloromethane	4.7773E-014	2.4871E-013
RCPTR_33	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.8016E-012	9.3843E-012
RCPTR_33	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	7.8852E-007	3.9149E-006
RCPTR_33	farmer_adult	TOCDFMPF	Butylbenzylphthalate	1.1098E-007	1.2500E-007
RCPTR_33	farmer_adult	TOCDFMPF	Cadmium	7.4217E-008	1.0150E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Carbon disulfide	9.4156E-015	4.8826E-014
RCPTR_33	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.4965E-014	7.7295E-014
RCPTR_33	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.7083E-009	6.2009E-009
RCPTR_33	farmer_adult	TOCDFMPF	Chloroaniline, p-	6.5414E-011	3.3841E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chlorobenzene	8.8101E-014	4.5241E-013
RCPTR_33	farmer_adult	TOCDFMPF	Chloroethane	2.5782E-016	1.2747E-015
RCPTR_33	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.2647E-014	6.5812E-014
RCPTR_33	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	5.2314E-009	2.6465E-008
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.8025E-010	9.3926E-010
RCPTR_33	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	9.5672E-009	3.4495E-008
RCPTR_33	farmer_adult	TOCDFMPF	Chromium	2.5529E-006	2.6132E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.9930E-006	2.0191E-006
RCPTR_33	farmer_adult	TOCDFMPF	Chrysene	5.4233E-005	6.5664E-005
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	4.2946E-007	4.8342E-007
RCPTR_33	farmer_adult	TOCDFMPF	Di-n-octylphthalate	2.2209E+003	2.2209E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	4.1677E-003	4.2564E-003
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	8.7554E-012	4.2842E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	1.0347E-011	5.1757E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	9.8982E-012	4.9811E-011
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6143E-007	3.0976E-007
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.9610E-017	1.0142E-016
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.9038E-015	2.5528E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	6.0894E-015	3.1713E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.8630E-015	9.6668E-015
RCPTR_33	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.9962E-015	1.5540E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.4838E-009	4.3985E-009
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.6929E-014	8.7464E-014
RCPTR_33	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	5.5478E-015	2.8846E-014
RCPTR_33	farmer_adult	TOCDFMPF	Diethyl phthalate	2.7138E-007	2.8061E-007
RCPTR_33	farmer_adult	TOCDFMPF	Dimethyl phthalate	4.4215E-011	2.1835E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.2478E-010	6.4091E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.9019E-010	3.6929E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.2412E-010	5.9193E-010
RCPTR_33	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	9.3174E-011	4.5546E-010
RCPTR_33	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.6156E-012	1.3635E-011
RCPTR_33	farmer_adult	TOCDFMPF	Ethylbenzene	5.6933E-014	2.7752E-013
RCPTR_33	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.2714E-008	1.0494E-007
RCPTR_33	farmer_adult	TOCDFMPF	Fluoranthene	8.1186E-007	2.6108E-006
RCPTR_33	farmer_adult	TOCDFMPF	Fluorene	8.1465E-009	3.9866E-008
RCPTR_33	farmer_adult	TOCDFMPF	GB	1.4650E-014	7.6193E-014
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9096E-012	2.0562E-012
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.3115E-011	7.7611E-011
RCPTR_33	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2027E-011	1.2928E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.6261E-011	2.7953E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.4118E-011	1.5292E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3114E-011	1.4365E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.2874E-010	5.8589E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.2900E-010	1.4288E-010
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2409E-011	2.4803E-011
RCPTR_33	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6000E-011	1.7715E-011
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.8655E-010	8.4214E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.6751E-007	1.7122E-006
RCPTR_33	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	5.1266E-010	2.2429E-009
RCPTR_33	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	1.0245E-010	5.1411E-010
RCPTR_33	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.0344E-002	3.0510E-002
RCPTR_33	farmer_adult	TOCDFMPF	Isophorone	1.8739E-011	9.7504E-011
RCPTR_33	farmer_adult	TOCDFMPF	Lead	2.4732E-008	2.9450E-008
RCPTR_33	farmer_adult	TOCDFMPF	Mercuric chloride	9.3351E-007	1.0283E-006
RCPTR_33	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.8753E-016	1.4982E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	1.0296E-017	5.3595E-017
RCPTR_33	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	6.7305E-014	3.5092E-013
RCPTR_33	farmer_adult	TOCDFMPF	Methyl mercury	8.0137E-009	8.5084E-009
RCPTR_33	farmer_adult	TOCDFMPF	Methylene chloride	1.6847E-015	8.7732E-015
RCPTR_33	farmer_adult	TOCDFMPF	Naphthalene	8.0709E-011	4.1211E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nickel	4.0163E-006	4.2749E-006
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 2-	3.2098E-010	1.6605E-009
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 3-	7.5950E-011	3.9506E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitroaniline, 4-	9.8317E-011	5.1050E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitrobenzene	3.1584E-011	1.6457E-010
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.4399E-011	7.4928E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrophenol, 4-	7.4735E-010	1.3217E-009
RCPTR_33	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.7947E-011	9.2852E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.7710E-011	9.1269E-011
RCPTR_33	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.6574E-012	8.2164E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.6575E-012	5.1239E-012
RCPTR_33	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.4875E-012	7.1234E-012
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.2204E-011	9.9404E-011
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.6995E-011	7.5850E-011
RCPTR_33	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.1716E-010	2.4509E-010
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.5466E-009	6.3886E-009
RCPTR_33	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	6.3891E-010	2.5293E-009
RCPTR_33	farmer_adult	TOCDFMPF	Pentachlorophenol	1.1964E-006	1.5505E-006
RCPTR_33	farmer_adult	TOCDFMPF	Phenanthrene	2.5387E-011	1.2619E-010
RCPTR_33	farmer_adult	TOCDFMPF	Phenol	2.5161E-011	1.3041E-010
RCPTR_33	farmer_adult	TOCDFMPF	Pronamide	2.5650E-009	1.2504E-008
RCPTR_33	farmer_adult	TOCDFMPF	Pyrene	1.3612E-006	5.2089E-006
RCPTR_33	farmer_adult	TOCDFMPF	Selenium	3.2856E-007	3.2990E-007
RCPTR_33	farmer_adult	TOCDFMPF	Silver	1.4954E-006	1.5745E-006
RCPTR_33	farmer_adult	TOCDFMPF	Styrene	2.3030E-012	1.1916E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	2.1540E-011	2.5392E-011
RCPTR_33	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	4.0347E-011	5.0210E-011
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	2.2240E-009	1.0161E-008
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.2939E-010	1.5587E-010
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.9789E-014	2.0594E-013
RCPTR_33	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.5620E-008	7.8679E-008
RCPTR_33	farmer_adult	TOCDFMPF	Thallium (I)	2.9296E-006	3.0603E-006
RCPTR_33	farmer_adult	TOCDFMPF	Toluene	2.8116E-014	1.4337E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	8.0209E-011	3.8767E-010
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.1567E-014	6.0036E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	8.8227E-014	4.5901E-013
RCPTR_33	farmer_adult	TOCDFMPF	Trichloroethylene	1.4415E-014	7.4643E-014
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.8935E-015	9.8098E-015
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	9.9977E-009	4.4679E-008
RCPTR_33	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.7147E-009	9.2755E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	3.2698E-013	1.6990E-012
RCPTR_33	farmer_adult	TOCDFMPF	Vinyl Chloride	4.6661E-018	2.4249E-017
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, m-	4.2449E-013	7.1752E-013
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, o-	3.7956E-013	7.1362E-013
RCPTR_33	farmer_adult	TOCDFMPF	Xylene, p-	4.3769E-013	8.9215E-013
RCPTR_33	farmer_adult	TOCDFMPF	Zinc	8.6464E-007	1.0625E-006
RCPTR_33	farmer_adult	TOCDHVAC	GB	8.5710E-014	4.4579E-013
RCPTR_33	farmer_adult	TOCDLIC2	Acenaphthene	9.7316E-010	4.8826E-009
RCPTR_33	farmer_adult	TOCDLIC2	Acetone	1.1806E-014	6.1564E-014
RCPTR_33	farmer_adult	TOCDLIC2	Acetophenone	4.9300E-012	2.5657E-011
RCPTR_33	farmer_adult	TOCDLIC2	Aniline	2.9834E-013	1.5457E-012
RCPTR_33	farmer_adult	TOCDLIC2	Anthracene	1.7240E-008	8.6177E-008
RCPTR_33	farmer_adult	TOCDLIC2	Antimony	6.6839E-007	7.6529E-007
RCPTR_33	farmer_adult	TOCDLIC2	Arsenic	1.6189E-006	1.6685E-006
RCPTR_33	farmer_adult	TOCDLIC2	Barium	5.1599E-007	5.7064E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Benzene	7.9533E-015	4.1112E-014
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)anthracene	8.5928E-006	1.2751E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(a)pyrene	9.2288E-005	9.6295E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	5.0417E-005	6.0896E-005
RCPTR_33	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.4362E-004	1.5130E-004
RCPTR_33	farmer_adult	TOCDLIC2	Benzoic acid	4.3656E-011	1.8006E-010
RCPTR_33	farmer_adult	TOCDLIC2	Benzyl alcohol	6.7427E-012	3.5057E-011
RCPTR_33	farmer_adult	TOCDLIC2	Beryllium	2.7406E-007	3.0927E-007
RCPTR_33	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	6.7271E-012	3.5077E-011
RCPTR_33	farmer_adult	TOCDLIC2	Bromodichloromethane	8.9404E-014	4.6544E-013
RCPTR_33	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.3306E-012	1.2140E-011
RCPTR_33	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.7984E-007	1.8858E-006
RCPTR_33	farmer_adult	TOCDLIC2	Butylbenzylphthalate	5.3486E-008	6.0238E-008
RCPTR_33	farmer_adult	TOCDLIC2	Cadmium	1.9204E-008	2.6264E-008
RCPTR_33	farmer_adult	TOCDLIC2	Carbon disulfide	1.0113E-014	5.2443E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.6101E-014	8.3163E-014
RCPTR_33	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	8.2290E-010	2.9870E-009
RCPTR_33	farmer_adult	TOCDLIC2	Chloroaniline, p-	3.1510E-011	1.6301E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chlorobenzene	9.4789E-014	4.8676E-013
RCPTR_33	farmer_adult	TOCDLIC2	Chloroethane	2.7739E-016	1.3715E-015
RCPTR_33	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.8697E-014	1.4933E-013
RCPTR_33	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.5200E-009	1.2748E-008
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenol, 2-	8.6826E-011	4.5245E-010
RCPTR_33	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.6088E-009	1.6616E-008
RCPTR_33	farmer_adult	TOCDLIC2	Chromium	1.3146E-005	1.3457E-005
RCPTR_33	farmer_adult	TOCDLIC2	Chromium, hexavalent	1.0263E-005	1.0397E-005
RCPTR_33	farmer_adult	TOCDLIC2	Chrysene	2.6127E-005	3.1634E-005
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	2.0688E-007	2.3288E-007
RCPTR_33	farmer_adult	TOCDLIC2	Di-n-octylphthalate	1.0698E+003	1.0698E+003
RCPTR_33	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	2.0080E-003	2.0508E-003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	4.2176E-012	2.0637E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.9844E-012	2.4932E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.7680E-012	2.3994E-011
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1221E-007	1.3295E-007
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	2.1099E-017	1.0912E-016
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	5.2761E-015	2.7466E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	6.5516E-015	3.4120E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	2.0044E-015	1.0401E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	3.2236E-015	1.6719E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	7.1477E-010	2.1188E-009
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.8214E-014	9.4104E-014
RCPTR_33	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.9690E-015	3.1036E-014
RCPTR_33	farmer_adult	TOCDLIC2	Diethyl phthalate	1.3072E-007	1.3517E-007
RCPTR_33	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.4825E-010	7.3211E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	6.0109E-011	3.0873E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	9.2018E-011	1.7867E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.9793E-011	2.8514E-010
RCPTR_33	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	4.4883E-011	2.1940E-010
RCPTR_33	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.2600E-012	6.5678E-012
RCPTR_33	farmer_adult	TOCDLIC2	Ethylbenzene	6.9471E-014	3.3863E-013
RCPTR_33	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.5846E-008	6.3205E-008
RCPTR_33	farmer_adult	TOCDLIC2	Fluoranthene	3.9110E-007	1.2577E-006
RCPTR_33	farmer_adult	TOCDLIC2	Fluorene	3.9242E-009	1.9204E-008
RCPTR_33	farmer_adult	TOCDLIC2	GB	1.0654E-014	5.5411E-014
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.3424E-012	6.8298E-012
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.9285E-012	6.2933E-012
RCPTR_33	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.6381E-012	6.0606E-012
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.7188E-011	1.8297E-011
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2209E-011	1.3225E-011
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1750E-011	1.2872E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1303E-011	1.2525E-011
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.8141E-012	7.5474E-012
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.0821E-012	6.7319E-012
RCPTR_33	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	6.9649E-012	7.7117E-012
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	8.9865E-011	4.0566E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.7704E-007	8.2480E-007
RCPTR_33	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.4696E-010	1.0804E-009
RCPTR_33	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.9351E-011	2.4765E-010
RCPTR_33	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4617E-002	1.4697E-002
RCPTR_33	farmer_adult	TOCDLIC2	Isophorone	9.0267E-012	4.6968E-011
RCPTR_33	farmer_adult	TOCDLIC2	Lead	2.2531E-006	2.6829E-006
RCPTR_33	farmer_adult	TOCDLIC2	Mercuric chloride	8.2077E-005	9.0408E-005
RCPTR_33	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	3.1202E-016	1.6258E-015
RCPTR_33	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.2450E-017	6.4810E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.9950E-014	3.6471E-013
RCPTR_33	farmer_adult	TOCDLIC2	Methyl mercury	7.0495E-007	7.4844E-007
RCPTR_33	farmer_adult	TOCDLIC2	Methylene chloride	5.4981E-015	2.8631E-014
RCPTR_33	farmer_adult	TOCDLIC2	Naphthalene	3.8878E-011	1.9852E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nickel	1.7736E-006	1.8877E-006
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.5530E-010	8.0338E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.6747E-011	1.9114E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.7569E-011	2.4699E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitrobenzene	1.5214E-011	7.9272E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.9358E-012	3.6093E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.6158E-010	6.3948E-010
RCPTR_33	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	8.6450E-012	4.4727E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	8.5311E-012	4.3965E-011
RCPTR_33	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.9844E-013	3.9579E-012
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0496E-011	1.1547E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.4784E-012	3.8194E-012
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.3476E-011	4.6872E-011
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.2674E-011	1.4349E-011
RCPTR_33	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.5408E-011	3.9963E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorobenzene	7.4517E-010	3.0776E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	3.0920E-010	1.2238E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pentachlorophenol	5.7884E-007	7.5014E-007
RCPTR_33	farmer_adult	TOCDLIC2	Phenanthrene	1.2229E-011	6.0784E-011
RCPTR_33	farmer_adult	TOCDLIC2	Phenol	1.2814E-011	6.6414E-011
RCPTR_33	farmer_adult	TOCDLIC2	Pronamide	1.2356E-009	6.0234E-009
RCPTR_33	farmer_adult	TOCDLIC2	Pyrene	6.5572E-007	2.5092E-006
RCPTR_33	farmer_adult	TOCDLIC2	Selenium	1.1189E-006	1.1235E-006
RCPTR_33	farmer_adult	TOCDLIC2	Silver	3.7229E-007	3.9196E-007
RCPTR_33	farmer_adult	TOCDLIC2	Styrene	1.7955E-012	9.2904E-012
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	2.1915E-011	2.5834E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.7566E-011	2.1860E-011
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	1.0713E-009	4.8948E-009
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.3921E-010	1.6770E-010
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.9317E-014	9.9984E-014
RCPTR_33	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.7234E-008	3.8067E-008
RCPTR_33	farmer_adult	TOCDLIC2	Thallium (I)	9.8917E-006	1.0333E-005
RCPTR_33	farmer_adult	TOCDLIC2	Toluene	1.0516E-013	5.3623E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.8637E-011	1.8674E-010
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.2445E-014	6.4594E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	9.4924E-014	4.9385E-013
RCPTR_33	farmer_adult	TOCDLIC2	Trichloroethylene	1.5509E-014	8.0309E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	2.0372E-015	1.0554E-014
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.8159E-009	2.1522E-008
RCPTR_33	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.3077E-009	4.4680E-009
RCPTR_33	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.5180E-013	1.8279E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_adult	TOCDLIC2	Vinyl Chloride	5.9323E-018	3.0829E-017
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, m-	6.2177E-013	1.0505E-012
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, o-	4.0879E-013	7.6822E-013
RCPTR_33	farmer_adult	TOCDLIC2	Xylene, p-	6.4105E-013	1.3060E-012
RCPTR_33	farmer_adult	TOCDLIC2	Zinc	1.6803E-006	2.0647E-006
RCPTR_33	farmer_child	TOCDFBRA	Antimony	3.3119E-006	3.3761E-006
RCPTR_33	farmer_child	TOCDFBRA	Arsenic	5.0518E-006	5.0665E-006
RCPTR_33	farmer_child	TOCDFBRA	Barium	4.4395E-007	4.4985E-007
RCPTR_33	farmer_child	TOCDFBRA	Beryllium	1.4171E-006	1.5683E-006
RCPTR_33	farmer_child	TOCDFBRA	Cadmium	2.9432E-007	3.1480E-007
RCPTR_33	farmer_child	TOCDFBRA	Chromium	3.3665E-005	3.8253E-005
RCPTR_33	farmer_child	TOCDFBRA	Chromium, hexavalent	2.9524E-005	2.9549E-005
RCPTR_33	farmer_child	TOCDFBRA	Lead	1.5150E-005	1.7722E-005
RCPTR_33	farmer_child	TOCDFBRA	Mercuric chloride	1.9753E-003	3.4376E-003
RCPTR_33	farmer_child	TOCDFBRA	Methyl mercury	2.5881E-005	3.0188E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFBRA	Nickel	1.6924E-005	1.7145E-005
RCPTR_33	farmer_child	TOCDFBRA	Selenium	5.5540E-006	5.5544E-006
RCPTR_33	farmer_child	TOCDFBRA	Silver	1.9485E-006	1.9513E-006
RCPTR_33	farmer_child	TOCDFBRA	Thallium (I)	5.1869E-005	5.2386E-005
RCPTR_33	farmer_child	TOCDFBRA	Zinc	1.0069E-005	1.0467E-005
RCPTR_33	farmer_child	TOCDFDFS	Acenaphthene	4.1847E-009	4.1995E-009
RCPTR_33	farmer_child	TOCDFDFS	Acetone	5.2337E-014	5.2337E-014
RCPTR_33	farmer_child	TOCDFDFS	Acetophenone	2.3166E-011	2.3171E-011
RCPTR_33	farmer_child	TOCDFDFS	Aniline	1.3294E-012	1.3294E-012
RCPTR_33	farmer_child	TOCDFDFS	Anthracene	7.1718E-008	7.4121E-008
RCPTR_33	farmer_child	TOCDFDFS	Antimony	3.2115E-005	3.2737E-005
RCPTR_33	farmer_child	TOCDFDFS	Aroclor 1254	5.4498E-010	5.4788E-010
RCPTR_33	farmer_child	TOCDFDFS	Arsenic	2.7700E-006	2.7780E-006
RCPTR_33	farmer_child	TOCDFDFS	Barium	8.5592E-008	8.6728E-008
RCPTR_33	farmer_child	TOCDFDFS	Benzene	4.3319E-014	4.3319E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)anthracene	9.7457E-006	1.0992E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(a)pyrene	8.2208E-005	8.3268E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.9478E-005	5.2489E-005
RCPTR_33	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.2672E-004	1.3081E-004
RCPTR_33	farmer_child	TOCDFDFS	Benzoic acid	1.5484E-010	1.5486E-010
RCPTR_33	farmer_child	TOCDFDFS	Benzyl alcohol	3.0137E-011	3.0152E-011
RCPTR_33	farmer_child	TOCDFDFS	Beryllium	7.5206E-007	8.3221E-007
RCPTR_33	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	3.0156E-011	3.0169E-011
RCPTR_33	farmer_child	TOCDFDFS	Bromodichloromethane	3.4142E-013	3.4142E-013
RCPTR_33	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.3568E-011	1.3569E-011
RCPTR_33	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.1725E-006	1.6220E-006
RCPTR_33	farmer_child	TOCDFDFS	Butylbenzylphthalate	5.2197E-008	5.2222E-008
RCPTR_33	farmer_child	TOCDFDFS	Cadmium	7.8612E-007	8.4077E-007
RCPTR_33	farmer_child	TOCDFDFS	Carbon disulfide	2.2637E-014	2.2637E-014
RCPTR_33	farmer_child	TOCDFDFS	Carbon tetrachloride	1.1302E-013	1.1302E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.5569E-009	2.5688E-009
RCPTR_33	farmer_child	TOCDFDFS	Chloroaniline, p-	1.4005E-010	1.4020E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorobenzene	6.6152E-013	6.6152E-013
RCPTR_33	farmer_child	TOCDFDFS	Chloroethane	1.8638E-015	1.8638E-015
RCPTR_33	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	1.0226E-013	1.0226E-013
RCPTR_33	farmer_child	TOCDFDFS	Chloronaphthalene,2-	1.0875E-008	1.0964E-008
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.8825E-010	3.8914E-010
RCPTR_33	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.4247E-008	1.4295E-008
RCPTR_33	farmer_child	TOCDFDFS	Chromium	9.6001E-006	1.0907E-005
RCPTR_33	farmer_child	TOCDFDFS	Chromium, hexavalent	8.4205E-006	8.4275E-006
RCPTR_33	farmer_child	TOCDFDFS	Chrysene	2.5209E-005	2.7262E-005
RCPTR_33	farmer_child	TOCDFDFS	Di-n-butyl phthalate	2.0017E-007	2.0041E-007
RCPTR_33	farmer_child	TOCDFDFS	Di-n-octylphthalate	9.1931E+002	9.1931E+002
RCPTR_33	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.7592E-003	1.7756E-003
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.7749E-011	1.7750E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	2.1443E-011	2.1443E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	2.0636E-011	2.0637E-011
RCPTR_33	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.8955E-007	1.9025E-007
RCPTR_33	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.4830E-016	1.4830E-016
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.7327E-014	3.7327E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.6370E-014	4.6370E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.4135E-014	1.4135E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2722E-014	2.2722E-014
RCPTR_33	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.8167E-009	1.8221E-009
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.2789E-013	1.2789E-013
RCPTR_33	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.2179E-014	4.2179E-014
RCPTR_33	farmer_child	TOCDFDFS	Diethyl phthalate	1.1615E-007	1.1616E-007
RCPTR_33	farmer_child	TOCDFDFS	Dimethyl phthalate	5.8754E-010	5.8805E-010
RCPTR_33	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.6519E-010	2.6553E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.5144E-010	1.5146E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.4488E-010	2.4528E-010
RCPTR_33	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.8844E-010	1.8871E-010
RCPTR_33	farmer_child	TOCDFDFS	Ethyl methanesulfonate	5.6473E-012	5.6488E-012
RCPTR_33	farmer_child	TOCDFDFS	Ethylbenzene	4.0579E-013	4.0579E-013
RCPTR_33	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	5.3334E-009	5.3424E-009
RCPTR_33	farmer_child	TOCDFDFS	Fluoranthene	9.3076E-007	1.0821E-006
RCPTR_33	farmer_child	TOCDFDFS	Fluorene	1.6341E-008	1.6517E-008
RCPTR_33	farmer_child	TOCDFDFS	GB	1.5193E-013	1.5197E-013
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.5011E-012	1.5921E-012
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	7.8441E-013	8.2258E-013
RCPTR_33	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.6428E-012	2.7986E-012
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.4953E-011	1.5715E-011
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	7.9974E-012	8.5183E-012
RCPTR_33	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	6.8967E-012	7.4096E-012
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	5.4092E-012	5.8619E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.8145E-012	5.2164E-012
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	6.4630E-012	6.9983E-012
RCPTR_33	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	4.4459E-012	4.8154E-012
RCPTR_33	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.4892E-010	3.4896E-010
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorobenzene	6.6790E-007	7.0943E-007
RCPTR_33	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.5999E-009	4.6008E-009
RCPTR_33	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.1296E-010	2.1300E-010
RCPTR_33	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.2633E-002	1.2660E-002
RCPTR_33	farmer_child	TOCDFDFS	Isophorone	4.0381E-011	4.0396E-011
RCPTR_33	farmer_child	TOCDFDFS	Lead	8.7011E-005	1.0177E-004
RCPTR_33	farmer_child	TOCDFDFS	Mercuric chloride	6.2493E-007	1.0980E-006
RCPTR_33	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.9514E-015	3.9514E-015
RCPTR_33	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	6.6898E-016	6.6898E-016
RCPTR_33	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.5123E-013	3.5123E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Methyl mercury	7.7799E-009	9.1731E-009
RCPTR_33	farmer_child	TOCDFDFS	Methylene chloride	1.0154E-014	1.0154E-014
RCPTR_33	farmer_child	TOCDFDFS	Naphthalene	1.7069E-010	1.7074E-010
RCPTR_33	farmer_child	TOCDFDFS	Nickel	9.6531E-006	9.7791E-006
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 2-	6.8031E-010	6.8106E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.6197E-010	1.6204E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroaniline, 4-	2.0928E-010	2.0939E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitrobenzene	6.8142E-011	6.8180E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 2-	3.1035E-011	3.1043E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrophenol, 4-	5.4178E-010	5.4191E-010
RCPTR_33	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.8462E-011	3.8469E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.7809E-011	3.7813E-011
RCPTR_33	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	3.4050E-012	3.4052E-012
RCPTR_33	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.8038E-012	4.1012E-012
RCPTR_33	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.3058E-012	1.4059E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.7456E-011	3.9722E-011
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	3.0753E-012	3.3856E-012
RCPTR_33	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.2306E-011	1.3520E-011
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorobenzene	2.6486E-009	2.6497E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.0387E-009	1.0388E-009
RCPTR_33	farmer_child	TOCDFDFS	Pentachlorophenol	6.3436E-007	6.3553E-007
RCPTR_33	farmer_child	TOCDFDFS	Phenanthrene	5.2279E-011	5.2280E-011
RCPTR_33	farmer_child	TOCDFDFS	Phenol	5.3994E-011	5.4027E-011
RCPTR_33	farmer_child	TOCDFDFS	Pronamide	1.0286E-008	1.0361E-008
RCPTR_33	farmer_child	TOCDFDFS	Pyrene	1.4713E-006	2.1583E-006
RCPTR_33	farmer_child	TOCDFDFS	Selenium	3.0454E-006	3.0456E-006
RCPTR_33	farmer_child	TOCDFDFS	Silver	1.0853E-006	1.0869E-006
RCPTR_33	farmer_child	TOCDFDFS	Styrene	1.1030E-011	1.1030E-011
RCPTR_33	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.6658E-011	1.8880E-011
RCPTR_33	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	5.2464E-012	6.1860E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.2041E-009	4.2099E-009
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	2.2775E-010	2.2775E-010
RCPTR_33	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3588E-013	1.3588E-013
RCPTR_33	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	3.2209E-008	3.2263E-008
RCPTR_33	farmer_child	TOCDFDFS	Thallium (I)	2.7530E-005	2.7804E-005
RCPTR_33	farmer_child	TOCDFDFS	Toluene	1.8321E-013	1.8321E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.6059E-010	1.6061E-010
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	8.7785E-014	8.7785E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	6.7115E-013	6.7116E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichloroethylene	1.0914E-013	1.0914E-013
RCPTR_33	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.4344E-014	1.4344E-014
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.8208E-008	1.8510E-008
RCPTR_33	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.8294E-009	3.8424E-009
RCPTR_33	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.4842E-012	2.4842E-012
RCPTR_33	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.9169E-011	2.9196E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFDFS	Vinyl Chloride	3.5457E-017	3.5457E-017
RCPTR_33	farmer_child	TOCDFDFS	Xylene, m-	1.0627E-012	1.0627E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, o-	1.0550E-012	1.0550E-012
RCPTR_33	farmer_child	TOCDFDFS	Xylene, p-	1.3171E-012	1.3171E-012
RCPTR_33	farmer_child	TOCDFDFS	Zinc	6.4518E-006	6.7064E-006
RCPTR_33	farmer_child	TOCDFLIC	Acenaphthene	2.3577E-009	2.3660E-009
RCPTR_33	farmer_child	TOCDFLIC	Acetone	6.2211E-014	6.2211E-014
RCPTR_33	farmer_child	TOCDFLIC	Acetophenone	2.2375E-011	2.2380E-011
RCPTR_33	farmer_child	TOCDFLIC	Aniline	7.4901E-013	7.4903E-013
RCPTR_33	farmer_child	TOCDFLIC	Anthracene	4.0406E-008	4.1760E-008
RCPTR_33	farmer_child	TOCDFLIC	Antimony	5.6429E-007	5.7522E-007
RCPTR_33	farmer_child	TOCDFLIC	Arsenic	1.6637E-006	1.6685E-006
RCPTR_33	farmer_child	TOCDFLIC	Barium	5.8441E-008	5.9217E-008
RCPTR_33	farmer_child	TOCDFLIC	Benzene	5.7128E-013	5.7128E-013
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)anthracene	5.4773E-006	6.1787E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.6071E-005	4.6663E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.7815E-005	2.9509E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	7.1047E-005	7.3319E-005
RCPTR_33	farmer_child	TOCDFLIC	Benzoic acid	9.3588E-011	9.3598E-011
RCPTR_33	farmer_child	TOCDFLIC	Benzyl alcohol	1.6980E-011	1.6988E-011
RCPTR_33	farmer_child	TOCDFLIC	Beryllium	2.7949E-007	3.0927E-007
RCPTR_33	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.6991E-011	1.6998E-011
RCPTR_33	farmer_child	TOCDFLIC	Bromodichloromethane	1.5201E-013	1.5201E-013
RCPTR_33	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	5.2353E-012	5.2358E-012
RCPTR_33	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	6.6059E-007	9.1384E-007
RCPTR_33	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.9176E-008	2.9190E-008
RCPTR_33	farmer_child	TOCDFLIC	Cadmium	2.1612E-007	2.3114E-007
RCPTR_33	farmer_child	TOCDFLIC	Carbon disulfide	3.4605E-014	3.4606E-014
RCPTR_33	farmer_child	TOCDFLIC	Carbon tetrachloride	5.4642E-014	5.4642E-014
RCPTR_33	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.4407E-009	1.4474E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Chloroaniline, p-	7.8906E-011	7.8993E-011
RCPTR_33	farmer_child	TOCDFLIC	Chlorobenzene	3.1982E-013	3.1982E-013
RCPTR_33	farmer_child	TOCDFLIC	Chloroethane	9.0112E-016	9.0112E-016
RCPTR_33	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.8365E-014	4.8365E-014
RCPTR_33	farmer_child	TOCDFLIC	Chloronaphthalene,2-	6.1274E-009	6.1775E-009
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenol, 2-	2.1875E-010	2.1925E-010
RCPTR_33	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	8.0251E-009	8.0520E-009
RCPTR_33	farmer_child	TOCDFLIC	Chromium	1.1844E-005	1.3457E-005
RCPTR_33	farmer_child	TOCDFLIC	Chromium, hexavalent	1.0389E-005	1.0397E-005
RCPTR_33	farmer_child	TOCDFLIC	Chrysene	1.4175E-005	1.5329E-005
RCPTR_33	farmer_child	TOCDFLIC	Di-n-butyl phthalate	1.1271E-007	1.1285E-007
RCPTR_33	farmer_child	TOCDFLIC	Di-n-octylphthalate	5.1841E+002	5.1841E+002
RCPTR_33	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	9.8481E-004	9.9377E-004
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	1.0000E-011	1.0000E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.2081E-011	1.2082E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.1627E-011	1.1627E-011
RCPTR_33	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	5.5084E-008	5.5286E-008
RCPTR_33	farmer_child	TOCDFLIC	Dichlorodifluoromethane	7.1698E-017	7.1698E-017
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.8046E-014	1.8046E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.2418E-014	2.2418E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.8337E-015	6.8337E-015
RCPTR_33	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0985E-014	1.0985E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	1.0237E-009	1.0267E-009
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	6.1830E-014	6.1831E-014
RCPTR_33	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.0392E-014	2.0392E-014
RCPTR_33	farmer_child	TOCDFLIC	Diethyl phthalate	6.5495E-008	6.5501E-008
RCPTR_33	farmer_child	TOCDFLIC	Dimethyl phthalate	5.9721E-010	5.9773E-010
RCPTR_33	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.4941E-010	1.4960E-010
RCPTR_33	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	8.6348E-011	8.6358E-011
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.3795E-010	1.3817E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	1.0617E-010	1.0632E-010
RCPTR_33	farmer_child	TOCDFLIC	Ethyl methanesulfonate	3.1818E-012	3.1826E-012
RCPTR_33	farmer_child	TOCDFLIC	Ethylbenzene	2.6158E-013	2.6158E-013
RCPTR_33	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	9.4240E-008	9.4401E-008
RCPTR_33	farmer_child	TOCDFLIC	Fluoranthene	5.2420E-007	6.0945E-007
RCPTR_33	farmer_child	TOCDFLIC	Fluorene	9.2068E-009	9.3058E-009
RCPTR_33	farmer_child	TOCDFLIC	GB	5.3286E-014	5.3300E-014
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	9.1786E-013	9.7306E-013
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	1.0992E-012	1.1522E-012
RCPTR_33	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.6234E-012	2.7768E-012
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	1.1601E-011	1.2188E-011
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	6.5850E-012	7.0111E-012
RCPTR_33	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	5.6209E-012	6.0371E-012
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.5922E-012	3.8923E-012
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	3.5182E-012	3.8114E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	4.0738E-012	4.4105E-012
RCPTR_33	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.9720E-012	3.2185E-012
RCPTR_33	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.9656E-010	1.9658E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorobenzene	3.7629E-007	3.9968E-007
RCPTR_33	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	5.2346E-010	5.2356E-010
RCPTR_33	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.1999E-010	1.2001E-010
RCPTR_33	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	7.1074E-003	7.1221E-003
RCPTR_33	farmer_child	TOCDFLIC	Isophorone	2.2751E-011	2.2760E-011
RCPTR_33	farmer_child	TOCDFLIC	Lead	3.1816E-005	3.7212E-005
RCPTR_33	farmer_child	TOCDFLIC	Mercuric chloride	5.1370E-005	9.0408E-005
RCPTR_33	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.2430E-015	1.2430E-015
RCPTR_33	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	1.0182E-016	1.0182E-016
RCPTR_33	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.7002E-013	3.7003E-013
RCPTR_33	farmer_child	TOCDFLIC	Methyl mercury	6.3347E-007	7.4844E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Methylene chloride	7.8708E-015	7.8708E-015
RCPTR_33	farmer_child	TOCDFLIC	Naphthalene	9.6170E-011	9.6197E-011
RCPTR_33	farmer_child	TOCDFLIC	Nickel	5.3607E-006	5.4306E-006
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.8788E-010	3.8830E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 3-	9.2346E-011	9.2385E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.1932E-010	1.1938E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitrobenzene	3.8392E-011	3.8414E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.7485E-011	1.7490E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrophenol, 4-	3.0901E-010	3.0908E-010
RCPTR_33	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1670E-011	2.1674E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	2.1303E-011	2.1304E-011
RCPTR_33	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.9179E-012	1.9179E-012
RCPTR_33	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	3.1903E-012	3.4389E-012
RCPTR_33	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	1.0491E-012	1.1292E-012
RCPTR_33	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.3643E-011	2.5066E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	6.1599E-012	6.7813E-012
RCPTR_33	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.3669E-011	1.5016E-011
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorobenzene	1.4907E-009	1.4913E-009
RCPTR_33	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.9149E-010	5.9152E-010
RCPTR_33	farmer_child	TOCDFLIC	Pentachlorophenol	3.6190E-007	3.6257E-007
RCPTR_33	farmer_child	TOCDFLIC	Phenanthrene	2.9454E-011	2.9455E-011
RCPTR_33	farmer_child	TOCDFLIC	Phenol	3.0421E-011	3.0440E-011
RCPTR_33	farmer_child	TOCDFLIC	Pronamide	2.8977E-009	2.9188E-009
RCPTR_33	farmer_child	TOCDFLIC	Pyrene	8.2886E-007	1.2159E-006
RCPTR_33	farmer_child	TOCDFLIC	Selenium	1.1234E-006	1.1235E-006
RCPTR_33	farmer_child	TOCDFLIC	Silver	3.9141E-007	3.9196E-007
RCPTR_33	farmer_child	TOCDFLIC	Styrene	1.1090E-011	1.1090E-011
RCPTR_33	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	7.8614E-012	8.9119E-012
RCPTR_33	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	1.0347E-011	1.2204E-011
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.3686E-009	2.3719E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	1.1019E-010	1.1019E-010
RCPTR_33	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.5694E-014	6.5694E-014
RCPTR_33	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.8368E-008	1.8399E-008
RCPTR_33	farmer_child	TOCDFLIC	Thallium (I)	1.0231E-005	1.0333E-005
RCPTR_33	farmer_child	TOCDFLIC	Toluene	5.0942E-013	5.0942E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.0480E-011	9.0491E-011
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	4.2441E-014	4.2441E-014
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	3.2448E-013	3.2448E-013
RCPTR_33	farmer_child	TOCDFLIC	Trichloroethylene	5.2766E-014	5.2766E-014
RCPTR_33	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.9347E-015	6.9347E-015
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	1.0259E-008	1.0429E-008
RCPTR_33	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	2.1578E-009	2.1651E-009
RCPTR_33	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.2010E-012	1.2010E-012
RCPTR_33	farmer_child	TOCDFLIC	Vinyl Chloride	1.8471E-017	1.8471E-017
RCPTR_33	farmer_child	TOCDFLIC	Xylene, m-	9.0494E-013	9.0495E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFLIC	Xylene, o-	5.7257E-013	5.7258E-013
RCPTR_33	farmer_child	TOCDFLIC	Xylene, p-	1.1250E-012	1.1250E-012
RCPTR_33	farmer_child	TOCDFLIC	Zinc	1.6636E-006	1.7292E-006
RCPTR_33	farmer_child	TOCDFMPF	Acenaphthene	1.0100E-008	1.0136E-008
RCPTR_33	farmer_child	TOCDFMPF	Acetone	3.1327E-014	3.1327E-014
RCPTR_33	farmer_child	TOCDFMPF	Acetophenone	5.3252E-011	5.3264E-011
RCPTR_33	farmer_child	TOCDFMPF	Aniline	3.2088E-012	3.2089E-012
RCPTR_33	farmer_child	TOCDFMPF	Anthracene	1.7310E-007	1.7890E-007
RCPTR_33	farmer_child	TOCDFMPF	Antimony	1.6858E-007	1.7184E-007
RCPTR_33	farmer_child	TOCDFMPF	Arsenic	3.9189E-007	3.9303E-007
RCPTR_33	farmer_child	TOCDFMPF	Barium	5.4989E-008	5.5719E-008
RCPTR_33	farmer_child	TOCDFMPF	Benzene	2.7923E-014	2.7923E-014
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.3462E-005	2.6467E-005
RCPTR_33	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.9731E-004	1.9984E-004
RCPTR_33	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.1914E-004	1.2640E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	3.0428E-004	3.1401E-004
RCPTR_33	farmer_child	TOCDFMPF	Benzoic acid	3.7375E-010	3.7379E-010
RCPTR_33	farmer_child	TOCDFMPF	Benzyl alcohol	7.2741E-011	7.2777E-011
RCPTR_33	farmer_child	TOCDFMPF	Beryllium	8.0122E-008	8.8660E-008
RCPTR_33	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	7.2789E-011	7.2819E-011
RCPTR_33	farmer_child	TOCDFMPF	Bromodichloromethane	2.4871E-013	2.4871E-013
RCPTR_33	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	9.3834E-012	9.3843E-012
RCPTR_33	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.8300E-006	3.9149E-006
RCPTR_33	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.2494E-007	1.2500E-007
RCPTR_33	farmer_child	TOCDFMPF	Cadmium	9.4905E-008	1.0150E-007
RCPTR_33	farmer_child	TOCDFMPF	Carbon disulfide	4.8826E-014	4.8826E-014
RCPTR_33	farmer_child	TOCDFMPF	Carbon tetrachloride	7.7295E-014	7.7295E-014
RCPTR_33	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	6.1721E-009	6.2009E-009
RCPTR_33	farmer_child	TOCDFMPF	Chloroaniline, p-	3.3804E-010	3.3841E-010
RCPTR_33	farmer_child	TOCDFMPF	Chlorobenzene	4.5241E-013	4.5241E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Chloroethane	1.2747E-015	1.2747E-015
RCPTR_33	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	6.5811E-014	6.5812E-014
RCPTR_33	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.6250E-008	2.6465E-008
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenol, 2-	9.3712E-010	9.3926E-010
RCPTR_33	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.4379E-008	3.4495E-008
RCPTR_33	farmer_child	TOCDFMPF	Chromium	2.3000E-006	2.6132E-006
RCPTR_33	farmer_child	TOCDFMPF	Chromium, hexavalent	2.0175E-006	2.0191E-006
RCPTR_33	farmer_child	TOCDFMPF	Chrysene	6.0718E-005	6.5664E-005
RCPTR_33	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.8284E-007	4.8342E-007
RCPTR_33	farmer_child	TOCDFMPF	Di-n-octylphthalate	2.2209E+003	2.2209E+003
RCPTR_33	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	4.2181E-003	4.2564E-003
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	4.2840E-011	4.2842E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	5.1756E-011	5.1757E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.9810E-011	4.9811E-011
RCPTR_33	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	3.0863E-007	3.0976E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Dichlorodifluoromethane	1.0142E-016	1.0142E-016
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.5528E-014	2.5528E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.1713E-014	3.1713E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	9.6668E-015	9.6668E-015
RCPTR_33	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5540E-014	1.5540E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	4.3856E-009	4.3985E-009
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	8.7464E-014	8.7464E-014
RCPTR_33	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.8846E-014	2.8846E-014
RCPTR_33	farmer_child	TOCDFMPF	Diethyl phthalate	2.8059E-007	2.8061E-007
RCPTR_33	farmer_child	TOCDFMPF	Dimethyl phthalate	2.1816E-010	2.1835E-010
RCPTR_33	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	6.4009E-010	6.4091E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.6924E-010	3.6929E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.9097E-010	5.9193E-010
RCPTR_33	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.5482E-010	4.5546E-010
RCPTR_33	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.3631E-011	1.3635E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Ethylbenzene	2.7751E-013	2.7752E-013
RCPTR_33	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	1.0476E-007	1.0494E-007
RCPTR_33	farmer_child	TOCDFMPF	Fluoranthene	2.2456E-006	2.6108E-006
RCPTR_33	farmer_child	TOCDFMPF	Fluorene	3.9442E-008	3.9866E-008
RCPTR_33	farmer_child	TOCDFMPF	GB	7.6174E-014	7.6193E-014
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.9396E-012	2.0562E-012
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	7.4046E-011	7.7611E-011
RCPTR_33	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.2214E-011	1.2928E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.6609E-011	2.7953E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.4363E-011	1.5292E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.3375E-011	1.4365E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	5.4072E-010	5.8589E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.3189E-010	1.4288E-010
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	2.2909E-011	2.4803E-011
RCPTR_33	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.6359E-011	1.7715E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	8.4205E-010	8.4214E-010
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorobenzene	1.6120E-006	1.7122E-006
RCPTR_33	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	2.2425E-009	2.2429E-009
RCPTR_33	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.1402E-010	5.1411E-010
RCPTR_33	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	3.0447E-002	3.0510E-002
RCPTR_33	farmer_child	TOCDFMPF	Isophorone	9.7467E-011	9.7504E-011
RCPTR_33	farmer_child	TOCDFMPF	Lead	2.5180E-008	2.9450E-008
RCPTR_33	farmer_child	TOCDFMPF	Mercuric chloride	5.8421E-007	1.0283E-006
RCPTR_33	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.4982E-015	1.4982E-015
RCPTR_33	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	5.3595E-017	5.3595E-017
RCPTR_33	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.5092E-013	3.5092E-013
RCPTR_33	farmer_child	TOCDFMPF	Methyl mercury	7.2006E-009	8.5084E-009
RCPTR_33	farmer_child	TOCDFMPF	Methylene chloride	8.7732E-015	8.7732E-015
RCPTR_33	farmer_child	TOCDFMPF	Naphthalene	4.1199E-010	4.1211E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Nickel	4.2198E-006	4.2749E-006
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.6587E-009	1.6605E-009
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.9490E-010	3.9506E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitroaniline, 4-	5.1023E-010	5.1050E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitrobenzene	1.6447E-010	1.6457E-010
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 2-	7.4908E-011	7.4928E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.3214E-009	1.3217E-009
RCPTR_33	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.2836E-011	9.2852E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	9.1261E-011	9.1269E-011
RCPTR_33	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	8.2161E-012	8.2164E-012
RCPTR_33	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	4.7536E-012	5.1239E-012
RCPTR_33	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	6.6177E-012	7.1234E-012
RCPTR_33	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	9.3760E-011	9.9404E-011
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	6.8899E-011	7.5850E-011
RCPTR_33	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	2.2310E-010	2.4509E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorobenzene	6.3859E-009	6.3886E-009
RCPTR_33	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.5292E-009	2.5293E-009
RCPTR_33	farmer_child	TOCDFMPF	Pentachlorophenol	1.5476E-006	1.5505E-006
RCPTR_33	farmer_child	TOCDFMPF	Phenanthrene	1.2618E-010	1.2619E-010
RCPTR_33	farmer_child	TOCDFMPF	Phenol	1.3032E-010	1.3041E-010
RCPTR_33	farmer_child	TOCDFMPF	Pronamide	1.2414E-008	1.2504E-008
RCPTR_33	farmer_child	TOCDFMPF	Pyrene	3.5508E-006	5.2089E-006
RCPTR_33	farmer_child	TOCDFMPF	Selenium	3.2988E-007	3.2990E-007
RCPTR_33	farmer_child	TOCDFMPF	Silver	1.5722E-006	1.5745E-006
RCPTR_33	farmer_child	TOCDFMPF	Styrene	1.1916E-011	1.1916E-011
RCPTR_33	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	2.2399E-011	2.5392E-011
RCPTR_33	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	4.2572E-011	5.0210E-011
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.0147E-008	1.0161E-008
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.5587E-010	1.5587E-010
RCPTR_33	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0594E-013	2.0594E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	7.8547E-008	7.8679E-008
RCPTR_33	farmer_child	TOCDFMPF	Thallium (I)	3.0302E-006	3.0603E-006
RCPTR_33	farmer_child	TOCDFMPF	Toluene	1.4337E-013	1.4337E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.8762E-010	3.8767E-010
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	6.0036E-014	6.0036E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.5900E-013	4.5901E-013
RCPTR_33	farmer_child	TOCDFMPF	Trichloroethylene	7.4642E-014	7.4643E-014
RCPTR_33	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.8098E-015	9.8098E-015
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	4.3949E-008	4.4679E-008
RCPTR_33	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	9.2441E-009	9.2755E-009
RCPTR_33	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.6989E-012	1.6990E-012
RCPTR_33	farmer_child	TOCDFMPF	Vinyl Chloride	2.4249E-017	2.4249E-017
RCPTR_33	farmer_child	TOCDFMPF	Xylene, m-	7.1752E-013	7.1752E-013
RCPTR_33	farmer_child	TOCDFMPF	Xylene, o-	7.1362E-013	7.1362E-013
RCPTR_33	farmer_child	TOCDFMPF	Xylene, p-	8.9215E-013	8.9215E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDFMPF	Zinc	1.0221E-006	1.0625E-006
RCPTR_33	farmer_child	TOCDHVAC	GB	4.4567E-013	4.4579E-013
RCPTR_33	farmer_child	TOCDLIC2	Acenaphthene	4.8654E-009	4.8826E-009
RCPTR_33	farmer_child	TOCDLIC2	Acetone	6.1564E-014	6.1564E-014
RCPTR_33	farmer_child	TOCDLIC2	Acetophenone	2.5652E-011	2.5657E-011
RCPTR_33	farmer_child	TOCDLIC2	Aniline	1.5457E-012	1.5457E-012
RCPTR_33	farmer_child	TOCDLIC2	Anthracene	8.3382E-008	8.6177E-008
RCPTR_33	farmer_child	TOCDLIC2	Antimony	7.5075E-007	7.6529E-007
RCPTR_33	farmer_child	TOCDLIC2	Arsenic	1.6637E-006	1.6685E-006
RCPTR_33	farmer_child	TOCDLIC2	Barium	5.6316E-007	5.7064E-007
RCPTR_33	farmer_child	TOCDLIC2	Benzene	4.1112E-014	4.1112E-014
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)anthracene	1.1303E-005	1.2751E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(a)pyrene	9.5074E-005	9.6295E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.7400E-005	6.0896E-005
RCPTR_33	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.4661E-004	1.5130E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Benzoic acid	1.8004E-010	1.8006E-010
RCPTR_33	farmer_child	TOCDLIC2	Benzyl alcohol	3.5040E-011	3.5057E-011
RCPTR_33	farmer_child	TOCDLIC2	Beryllium	2.7949E-007	3.0927E-007
RCPTR_33	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.5063E-011	3.5077E-011
RCPTR_33	farmer_child	TOCDLIC2	Bromodichloromethane	4.6544E-013	4.6544E-013
RCPTR_33	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.2139E-011	1.2140E-011
RCPTR_33	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.3632E-006	1.8858E-006
RCPTR_33	farmer_child	TOCDLIC2	Butylbenzylphthalate	6.0208E-008	6.0238E-008
RCPTR_33	farmer_child	TOCDLIC2	Cadmium	2.4557E-008	2.6264E-008
RCPTR_33	farmer_child	TOCDLIC2	Carbon disulfide	5.2443E-014	5.2443E-014
RCPTR_33	farmer_child	TOCDLIC2	Carbon tetrachloride	8.3163E-014	8.3163E-014
RCPTR_33	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.9731E-009	2.9870E-009
RCPTR_33	farmer_child	TOCDLIC2	Chloroaniline, p-	1.6283E-010	1.6301E-010
RCPTR_33	farmer_child	TOCDLIC2	Chlorobenzene	4.8675E-013	4.8676E-013
RCPTR_33	farmer_child	TOCDLIC2	Chloroethane	1.3715E-015	1.3715E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.4933E-013	1.4933E-013
RCPTR_33	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.2645E-008	1.2748E-008
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.5141E-010	4.5245E-010
RCPTR_33	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.6561E-008	1.6616E-008
RCPTR_33	farmer_child	TOCDLIC2	Chromium	1.1844E-005	1.3457E-005
RCPTR_33	farmer_child	TOCDLIC2	Chromium, hexavalent	1.0389E-005	1.0397E-005
RCPTR_33	farmer_child	TOCDLIC2	Chrysene	2.9252E-005	3.1634E-005
RCPTR_33	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.3259E-007	2.3288E-007
RCPTR_33	farmer_child	TOCDLIC2	Di-n-octylphthalate	1.0698E+003	1.0698E+003
RCPTR_33	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	2.0323E-003	2.0508E-003
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	2.0636E-011	2.0637E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.4931E-011	2.4932E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.3994E-011	2.3994E-011
RCPTR_33	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.3246E-007	1.3295E-007
RCPTR_33	farmer_child	TOCDLIC2	Dichlorodifluoromethane	1.0912E-016	1.0912E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.7466E-014	2.7466E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.4120E-014	3.4120E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	1.0401E-014	1.0401E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.6719E-014	1.6719E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	2.1125E-009	2.1188E-009
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	9.4104E-014	9.4104E-014
RCPTR_33	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.1036E-014	3.1036E-014
RCPTR_33	farmer_child	TOCDLIC2	Diethyl phthalate	1.3516E-007	1.3517E-007
RCPTR_33	farmer_child	TOCDLIC2	Dimethyl phthalate	7.3147E-010	7.3211E-010
RCPTR_33	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	3.0834E-010	3.0873E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.7865E-010	1.7867E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.8468E-010	2.8514E-010
RCPTR_33	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	2.1909E-010	2.1940E-010
RCPTR_33	farmer_child	TOCDLIC2	Ethyl methanesulfonate	6.5661E-012	6.5678E-012
RCPTR_33	farmer_child	TOCDLIC2	Ethylbenzene	3.3863E-013	3.3863E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	6.3098E-008	6.3205E-008
RCPTR_33	farmer_child	TOCDLIC2	Fluoranthene	1.0818E-006	1.2577E-006
RCPTR_33	farmer_child	TOCDLIC2	Fluorene	1.9000E-008	1.9204E-008
RCPTR_33	farmer_child	TOCDLIC2	GB	5.5397E-014	5.5411E-014
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	6.4424E-012	6.8298E-012
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	6.0041E-012	6.2933E-012
RCPTR_33	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	5.7257E-012	6.0606E-012
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.7417E-011	1.8297E-011
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.2421E-011	1.3225E-011
RCPTR_33	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.1985E-011	1.2872E-011
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	1.1559E-011	1.2525E-011
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	6.9668E-012	7.5474E-012
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	6.2179E-012	6.7319E-012
RCPTR_33	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	7.1210E-012	7.7117E-012
RCPTR_33	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.0562E-010	4.0566E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorobenzene	7.7652E-007	8.2480E-007
RCPTR_33	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	1.0802E-009	1.0804E-009
RCPTR_33	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4761E-010	2.4765E-010
RCPTR_33	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_33	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.4667E-002	1.4697E-002
RCPTR_33	farmer_child	TOCDLIC2	Isophorone	4.6950E-011	4.6968E-011
RCPTR_33	farmer_child	TOCDLIC2	Lead	2.2939E-006	2.6829E-006
RCPTR_33	farmer_child	TOCDLIC2	Mercuric chloride	5.1370E-005	9.0408E-005
RCPTR_33	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.6258E-015	1.6258E-015
RCPTR_33	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	6.4810E-017	6.4810E-017
RCPTR_33	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.6471E-013	3.6471E-013
RCPTR_33	farmer_child	TOCDLIC2	Methyl mercury	6.3347E-007	7.4844E-007
RCPTR_33	farmer_child	TOCDLIC2	Methylene chloride	2.8631E-014	2.8631E-014
RCPTR_33	farmer_child	TOCDLIC2	Naphthalene	1.9846E-010	1.9852E-010
RCPTR_33	farmer_child	TOCDLIC2	Nickel	1.8634E-006	1.8877E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 2-	8.0250E-010	8.0338E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.9106E-010	1.9114E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.4686E-010	2.4699E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitrobenzene	7.9228E-011	7.9272E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.6084E-011	3.6093E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrophenol, 4-	6.3933E-010	6.3948E-010
RCPTR_33	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.4720E-011	4.4727E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	4.3961E-011	4.3965E-011
RCPTR_33	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.9578E-012	3.9579E-012
RCPTR_33	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	1.0712E-011	1.1547E-011
RCPTR_33	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	3.5483E-012	3.8194E-012
RCPTR_33	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	4.4210E-011	4.6872E-011
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.3034E-011	1.4349E-011
RCPTR_33	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.6376E-011	3.9963E-011
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorobenzene	3.0763E-009	3.0776E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.2238E-009	1.2238E-009
RCPTR_33	farmer_child	TOCDLIC2	Pentachlorophenol	7.4875E-007	7.5014E-007
RCPTR_33	farmer_child	TOCDLIC2	Phenanthrene	6.0783E-011	6.0784E-011
RCPTR_33	farmer_child	TOCDLIC2	Phenol	6.6373E-011	6.6414E-011
RCPTR_33	farmer_child	TOCDLIC2	Pronamide	5.9798E-009	6.0234E-009
RCPTR_33	farmer_child	TOCDLIC2	Pyrene	1.7105E-006	2.5092E-006
RCPTR_33	farmer_child	TOCDLIC2	Selenium	1.1234E-006	1.1235E-006
RCPTR_33	farmer_child	TOCDLIC2	Silver	3.9141E-007	3.9196E-007
RCPTR_33	farmer_child	TOCDLIC2	Styrene	9.2902E-012	9.2904E-012
RCPTR_33	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	2.2789E-011	2.5834E-011
RCPTR_33	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.8535E-011	2.1860E-011
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.8880E-009	4.8948E-009
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.6770E-010	1.6770E-010
RCPTR_33	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.9984E-014	9.9984E-014
RCPTR_33	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.8003E-008	3.8067E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_33	farmer_child	TOCDLIC2	Thallium (I)	1.0231E-005	1.0333E-005
RCPTR_33	farmer_child	TOCDLIC2	Toluene	5.3623E-013	5.3623E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.8672E-010	1.8674E-010
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	6.4594E-014	6.4594E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.9385E-013	4.9385E-013
RCPTR_33	farmer_child	TOCDLIC2	Trichloroethylene	8.0309E-014	8.0309E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0554E-014	1.0554E-014
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	2.1171E-008	2.1522E-008
RCPTR_33	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	4.4529E-009	4.4680E-009
RCPTR_33	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.8279E-012	1.8279E-012
RCPTR_33	farmer_child	TOCDLIC2	Vinyl Chloride	3.0829E-017	3.0829E-017
RCPTR_33	farmer_child	TOCDLIC2	Xylene, m-	1.0505E-012	1.0505E-012
RCPTR_33	farmer_child	TOCDLIC2	Xylene, o-	7.6822E-013	7.6822E-013
RCPTR_33	farmer_child	TOCDLIC2	Xylene, p-	1.3060E-012	1.3060E-012
RCPTR_33	farmer_child	TOCDLIC2	Zinc	1.9863E-006	2.0647E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFBRA	Antimony	1.8262E-006	2.0947E-006
RCPTR_34	farmer_adult	TOCDFBRA	Arsenic	3.0439E-006	3.1385E-006
RCPTR_34	farmer_adult	TOCDFBRA	Barium	2.5191E-007	2.7897E-007
RCPTR_34	farmer_adult	TOCDFBRA	Beryllium	8.6157E-007	9.7371E-007
RCPTR_34	farmer_adult	TOCDFBRA	Cadmium	1.4264E-007	1.9577E-007
RCPTR_34	farmer_adult	TOCDFBRA	Chromium	2.3206E-005	2.3760E-005
RCPTR_34	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.8060E-005	1.8299E-005
RCPTR_34	farmer_adult	TOCDFBRA	Lead	9.2357E-006	1.1018E-005
RCPTR_34	farmer_adult	TOCDFBRA	Mercuric chloride	1.7426E-003	1.9162E-003
RCPTR_34	farmer_adult	TOCDFBRA	Methyl mercury	1.6045E-005	1.6952E-005
RCPTR_34	farmer_adult	TOCDFBRA	Nickel	9.9749E-006	1.0626E-005
RCPTR_34	farmer_adult	TOCDFBRA	Selenium	3.4252E-006	3.4393E-006
RCPTR_34	farmer_adult	TOCDFBRA	Silver	1.1476E-006	1.2092E-006
RCPTR_34	farmer_adult	TOCDFBRA	Thallium (I)	3.1054E-005	3.2458E-005
RCPTR_34	farmer_adult	TOCDFBRA	Zinc	5.2766E-006	6.5004E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Acenaphthene	5.5698E-010	2.7968E-009
RCPTR_34	farmer_adult	TOCDFDFS	Acetone	6.6860E-015	3.4864E-014
RCPTR_34	farmer_adult	TOCDFDFS	Acetophenone	2.9656E-012	1.5435E-011
RCPTR_34	farmer_adult	TOCDFDFS	Aniline	1.7090E-013	8.8556E-013
RCPTR_34	farmer_adult	TOCDFDFS	Anthracene	9.8660E-009	4.9362E-008
RCPTR_34	farmer_adult	TOCDFDFS	Antimony	1.9292E-005	2.2111E-005
RCPTR_34	farmer_adult	TOCDFDFS	Aroclor 1254	2.2161E-010	3.5828E-010
RCPTR_34	farmer_adult	TOCDFDFS	Arsenic	1.8183E-006	1.8745E-006
RCPTR_34	farmer_adult	TOCDFDFS	Barium	5.2912E-008	5.8560E-008
RCPTR_34	farmer_adult	TOCDFDFS	Benzene	5.5812E-015	2.8855E-014
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)anthracene	4.8255E-006	7.2068E-006
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(a)pyrene	5.1635E-005	5.3920E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.8283E-005	3.4283E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	8.0402E-005	8.4779E-005
RCPTR_34	farmer_adult	TOCDFDFS	Benzoic acid	2.4881E-011	1.0303E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Benzyl alcohol	3.8628E-012	2.0085E-011
RCPTR_34	farmer_adult	TOCDFDFS	Beryllium	4.9789E-007	5.6233E-007
RCPTR_34	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	3.8541E-012	2.0097E-011
RCPTR_34	farmer_adult	TOCDFDFS	Bromodichloromethane	4.3685E-014	2.2743E-013
RCPTR_34	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.7353E-012	9.0389E-012
RCPTR_34	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.1760E-007	1.0804E-006
RCPTR_34	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.9867E-008	3.3735E-008
RCPTR_34	farmer_adult	TOCDFDFS	Cadmium	4.1498E-007	5.6867E-007
RCPTR_34	farmer_adult	TOCDFDFS	Carbon disulfide	2.9075E-015	1.5079E-014
RCPTR_34	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.4573E-014	7.5284E-014
RCPTR_34	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	4.6792E-010	1.7078E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.8049E-011	9.3391E-011
RCPTR_34	farmer_adult	TOCDFDFS	Chlorobenzene	8.5779E-014	4.4063E-013
RCPTR_34	farmer_adult	TOCDFDFS	Chloroethane	2.5080E-016	1.2413E-015
RCPTR_34	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.3090E-014	6.8118E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.4426E-009	7.3026E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenol, 2-	4.9744E-011	2.5922E-010
RCPTR_34	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	2.6185E-009	9.4980E-009
RCPTR_34	farmer_adult	TOCDFDFS	Chromium	7.2008E-006	7.3719E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chromium, hexavalent	5.6117E-006	5.6857E-006
RCPTR_34	farmer_adult	TOCDFDFS	Chrysene	1.4662E-005	1.7815E-005
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.1612E-007	1.3102E-007
RCPTR_34	farmer_adult	TOCDFDFS	Di-n-octylphthalate	6.0068E+002	6.0068E+002
RCPTR_34	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.1447E-003	1.1705E-003
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	2.4125E-012	1.1820E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.8527E-012	1.4281E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.7292E-012	1.3745E-011
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.0419E-007	1.2388E-007
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.9096E-017	9.8784E-017
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	4.7762E-015	2.4865E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	5.9310E-015	3.0889E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.8144E-015	9.4155E-015
RCPTR_34	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.9179E-015	1.5136E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	4.0513E-010	1.2095E-009
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.6485E-014	8.5189E-014
RCPTR_34	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	5.4033E-015	2.8097E-014
RCPTR_34	farmer_adult	TOCDFDFS	Diethyl phthalate	7.3409E-008	7.5958E-008
RCPTR_34	farmer_adult	TOCDFDFS	Dimethyl phthalate	7.9200E-011	3.9158E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	3.4425E-011	1.7687E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	5.1141E-011	1.0008E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	3.4167E-011	1.6327E-010
RCPTR_34	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	2.5670E-011	1.2566E-010
RCPTR_34	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	7.2185E-013	3.7629E-012
RCPTR_34	farmer_adult	TOCDFDFS	Ethylbenzene	5.5360E-014	2.7021E-013
RCPTR_34	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.0366E-009	3.4473E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Fluoranthene	2.2177E-007	7.1824E-007
RCPTR_34	farmer_adult	TOCDFDFS	Fluorene	2.2446E-009	1.0999E-008
RCPTR_34	farmer_adult	TOCDFDFS	GB	1.9463E-014	1.0123E-013
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.4110E-013	1.0148E-012
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	4.9662E-013	5.2769E-013
RCPTR_34	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6593E-012	1.7859E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.4730E-012	1.0094E-011
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.0083E-012	5.4328E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.2847E-012	4.7019E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.3540E-012	3.7243E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	2.9874E-012	3.3157E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.0145E-012	4.4525E-012
RCPTR_34	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.7601E-012	3.0624E-012
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	5.1289E-011	2.3222E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.0114E-007	4.7226E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	6.9712E-010	3.0609E-009
RCPTR_34	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.8248E-011	1.4186E-010
RCPTR_34	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2475E-003	8.2958E-003
RCPTR_34	farmer_adult	TOCDFDFS	Isophorone	5.1713E-012	2.6909E-011
RCPTR_34	farmer_adult	TOCDFDFS	Lead	5.7735E-005	6.8821E-005
RCPTR_34	farmer_adult	TOCDFDFS	Mercuric chloride	6.5855E-007	7.2570E-007
RCPTR_34	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	5.0513E-016	2.6321E-015
RCPTR_34	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	8.5603E-017	4.4563E-016
RCPTR_34	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	4.4875E-014	2.3397E-013
RCPTR_34	farmer_adult	TOCDFDFS	Methyl mercury	5.5541E-009	5.9046E-009
RCPTR_34	farmer_adult	TOCDFDFS	Methylene chloride	1.2988E-015	6.7638E-015
RCPTR_34	farmer_adult	TOCDFDFS	Naphthalene	2.2262E-011	1.1372E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nickel	6.1985E-006	6.6007E-006
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 2-	8.7679E-011	4.5366E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.0750E-011	1.0794E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.6858E-011	1.3947E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitrobenzene	8.7165E-012	4.5417E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 2-	3.9735E-012	2.0679E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.0085E-010	3.5779E-010
RCPTR_34	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	4.9520E-012	2.5625E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	4.8863E-012	2.5187E-011
RCPTR_34	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	4.5573E-013	2.2659E-012
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.3514E-012	2.5920E-012
RCPTR_34	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.0745E-013	8.8831E-013
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.3815E-011	2.5709E-011
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.9330E-012	2.1936E-012
RCPTR_34	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.7085E-012	8.7203E-012
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorobenzene	4.2357E-010	1.7599E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.7303E-010	6.8954E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Pentachlorophenol	3.2081E-007	4.1754E-007
RCPTR_34	farmer_adult	TOCDFDFS	Phenanthrene	6.9976E-012	3.4816E-011
RCPTR_34	farmer_adult	TOCDFDFS	Phenol	6.9429E-012	3.5989E-011
RCPTR_34	farmer_adult	TOCDFDFS	Pronamide	1.4134E-009	6.8996E-009
RCPTR_34	farmer_adult	TOCDFDFS	Pyrene	3.7400E-007	1.4359E-006
RCPTR_34	farmer_adult	TOCDFDFS	Selenium	2.0462E-006	2.0546E-006
RCPTR_34	farmer_adult	TOCDFDFS	Silver	6.9643E-007	7.3353E-007
RCPTR_34	farmer_adult	TOCDFDFS	Styrene	1.4197E-012	7.3472E-012
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0376E-011	1.2269E-011
RCPTR_34	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	3.2338E-012	4.0391E-012
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	6.1186E-010	2.8024E-009
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.2363E-010	1.4943E-010
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.7484E-014	9.0512E-014
RCPTR_34	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	9.5929E-009	2.1358E-008
RCPTR_34	farmer_adult	TOCDFDFS	Thallium (I)	1.7956E-005	1.8764E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFDFS	Toluene	2.3920E-014	1.2203E-013
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.2094E-011	1.0695E-010
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.1266E-014	5.8476E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	8.5930E-014	4.4708E-013
RCPTR_34	farmer_adult	TOCDFDFS	Trichloroethylene	1.4038E-014	7.2701E-014
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.8440E-015	9.5547E-015
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.7494E-009	1.2321E-008
RCPTR_34	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	7.4280E-010	2.5535E-009
RCPTR_34	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	3.1846E-013	1.6548E-012
RCPTR_34	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	3.9897E-012	1.9429E-011
RCPTR_34	farmer_adult	TOCDFDFS	Vinyl Chloride	4.5443E-018	2.3618E-017
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, m-	4.0158E-013	6.8700E-013
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, o-	3.5964E-013	6.8502E-013
RCPTR_34	farmer_adult	TOCDFDFS	Xylene, p-	4.1528E-013	8.5794E-013
RCPTR_34	farmer_adult	TOCDFDFS	Zinc	3.6832E-006	4.5323E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Acenaphthene	3.2076E-010	1.6107E-009
RCPTR_34	farmer_adult	TOCDFLIC	Acetone	8.1235E-015	4.2360E-014
RCPTR_34	farmer_adult	TOCDFLIC	Acetophenone	2.9279E-012	1.5238E-011
RCPTR_34	farmer_adult	TOCDFLIC	Aniline	9.8422E-014	5.1000E-013
RCPTR_34	farmer_adult	TOCDFLIC	Anthracene	5.6812E-009	2.8427E-008
RCPTR_34	farmer_adult	TOCDFLIC	Antimony	3.4580E-007	3.9630E-007
RCPTR_34	farmer_adult	TOCDFLIC	Arsenic	1.1141E-006	1.1485E-006
RCPTR_34	farmer_adult	TOCDFLIC	Barium	3.6855E-008	4.0787E-008
RCPTR_34	farmer_adult	TOCDFLIC	Benzene	7.5235E-014	3.8897E-013
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)anthracene	2.7726E-006	4.1429E-006
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.9595E-005	3.0896E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.6265E-005	1.9716E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	4.6110E-005	4.8588E-005
RCPTR_34	farmer_adult	TOCDFLIC	Benzoic acid	1.5380E-011	6.3659E-011
RCPTR_34	farmer_adult	TOCDFLIC	Benzyl alcohol	2.2246E-012	1.1567E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Beryllium	1.8874E-007	2.1316E-007
RCPTR_34	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.2196E-012	1.1574E-011
RCPTR_34	farmer_adult	TOCDFLIC	Bromodichloromethane	1.9880E-014	1.0350E-013
RCPTR_34	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	6.8441E-013	3.5650E-012
RCPTR_34	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.2531E-007	6.2222E-007
RCPTR_34	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.7041E-008	1.9268E-008
RCPTR_34	farmer_adult	TOCDFLIC	Cadmium	1.1638E-007	1.5945E-007
RCPTR_34	farmer_adult	TOCDFLIC	Carbon disulfide	4.5433E-015	2.3562E-014
RCPTR_34	farmer_adult	TOCDFLIC	Carbon tetrachloride	7.2017E-015	3.7204E-014
RCPTR_34	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.6972E-010	9.8377E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.0395E-011	5.3785E-011
RCPTR_34	farmer_adult	TOCDFLIC	Chlorobenzene	4.2391E-014	2.1775E-013
RCPTR_34	farmer_adult	TOCDFLIC	Chloroethane	1.2396E-016	6.1344E-016
RCPTR_34	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	6.3283E-015	3.2931E-014
RCPTR_34	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	8.3084E-010	4.2056E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.8648E-011	1.4929E-010
RCPTR_34	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.5073E-009	5.4693E-009
RCPTR_34	farmer_adult	TOCDFLIC	Chromium	9.0616E-006	9.2767E-006
RCPTR_34	farmer_adult	TOCDFLIC	Chromium, hexavalent	7.0628E-006	7.1559E-006
RCPTR_34	farmer_adult	TOCDFLIC	Chrysene	8.4347E-006	1.0247E-005
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	6.6921E-008	7.5497E-008
RCPTR_34	farmer_adult	TOCDFLIC	Di-n-octylphthalate	3.4681E+002	3.4681E+002
RCPTR_34	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	6.5557E-004	6.6995E-004
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.3894E-012	6.8071E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.6430E-012	8.2247E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.5718E-012	7.9156E-012
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.0952E-008	3.6815E-008
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	9.4361E-018	4.8816E-017
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	2.3603E-015	1.2288E-014
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.9310E-015	1.5265E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	8.9663E-016	4.6530E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.4420E-015	7.4798E-015
RCPTR_34	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	2.3362E-010	6.9688E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	8.1467E-015	4.2099E-014
RCPTR_34	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	2.6702E-015	1.3885E-014
RCPTR_34	farmer_adult	TOCDFLIC	Diethyl phthalate	4.2381E-008	4.3849E-008
RCPTR_34	farmer_adult	TOCDFLIC	Dimethyl phthalate	8.2276E-011	4.0686E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.9827E-011	1.0186E-010
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.9843E-011	5.8361E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.9663E-011	9.4016E-011
RCPTR_34	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.4781E-011	7.2363E-011
RCPTR_34	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	4.1572E-013	2.1671E-012
RCPTR_34	farmer_adult	TOCDFLIC	Ethylbenzene	3.6478E-014	1.7805E-013
RCPTR_34	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	5.4752E-008	6.2231E-008
RCPTR_34	farmer_adult	TOCDFLIC	Fluoranthene	1.2766E-007	4.1357E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Fluorene	1.2926E-009	6.3342E-009
RCPTR_34	farmer_adult	TOCDFLIC	GB	6.9775E-015	3.6292E-014
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.8701E-013	6.3247E-013
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.1073E-013	7.5458E-013
RCPTR_34	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.6806E-012	1.8074E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.5072E-012	7.9937E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.2070E-012	4.5602E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.5591E-012	3.9034E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.2702E-012	2.5200E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.2252E-012	2.4690E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.5797E-012	2.8602E-012
RCPTR_34	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.8809E-012	2.0861E-012
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.9520E-011	1.3372E-010
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorobenzene	5.8243E-008	2.7198E-007
RCPTR_34	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	8.1039E-011	3.5605E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.6270E-011	8.1700E-011
RCPTR_34	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7494E-003	4.7763E-003
RCPTR_34	farmer_adult	TOCDFLIC	Isophorone	2.9782E-012	1.5497E-011
RCPTR_34	farmer_adult	TOCDFLIC	Lead	2.1534E-005	2.5667E-005
RCPTR_34	farmer_adult	TOCDFLIC	Mercuric chloride	5.5393E-005	6.1057E-005
RCPTR_34	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.6242E-016	8.4636E-016
RCPTR_34	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.3317E-017	6.9326E-017
RCPTR_34	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	4.8323E-014	2.5195E-013
RCPTR_34	farmer_adult	TOCDFLIC	Methyl mercury	4.6210E-007	4.9167E-007
RCPTR_34	farmer_adult	TOCDFLIC	Methylene chloride	1.0291E-015	5.3592E-015
RCPTR_34	farmer_adult	TOCDFLIC	Naphthalene	1.2821E-011	6.5494E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nickel	3.5115E-006	3.7392E-006
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 2-	5.1097E-011	2.6438E-010
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.2093E-011	6.2904E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.5651E-011	8.1282E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrobenzene	5.0199E-012	2.6156E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.2884E-012	1.1909E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.1729E-010	2.0875E-010
RCPTR_34	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.8520E-012	1.4757E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.8141E-012	1.4506E-011
RCPTR_34	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	2.6204E-013	1.3045E-012
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.0085E-012	2.2129E-012
RCPTR_34	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.6060E-013	7.2642E-013
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5368E-011	1.6582E-011
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	3.9572E-012	4.4900E-012
RCPTR_34	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.7453E-012	9.8920E-012
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorobenzene	2.4280E-010	1.0124E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.0032E-010	4.0133E-010
RCPTR_34	farmer_adult	TOCDFLIC	Pentachlorophenol	1.8740E-007	2.4377E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Phenanthrene	4.0299E-012	2.0051E-011
RCPTR_34	farmer_adult	TOCDFLIC	Phenol	3.9985E-012	2.0726E-011
RCPTR_34	farmer_adult	TOCDFLIC	Pronamide	4.0705E-010	1.9868E-009
RCPTR_34	farmer_adult	TOCDFLIC	Pyrene	2.1538E-007	8.2690E-007
RCPTR_34	farmer_adult	TOCDFLIC	Selenium	7.7000E-007	7.7317E-007
RCPTR_34	farmer_adult	TOCDFLIC	Silver	2.5621E-007	2.6986E-007
RCPTR_34	farmer_adult	TOCDFLIC	Styrene	1.4590E-012	7.5508E-012
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	5.0055E-012	5.9190E-012
RCPTR_34	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	6.5212E-012	8.1466E-012
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	3.5245E-010	1.6140E-009
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	6.1244E-011	7.3990E-011
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	8.6399E-015	4.4729E-014
RCPTR_34	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	5.5999E-009	1.2456E-008
RCPTR_34	farmer_adult	TOCDFLIC	Thallium (I)	6.8075E-006	7.1133E-006
RCPTR_34	farmer_adult	TOCDFLIC	Toluene	6.7984E-014	3.4683E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.2724E-011	6.1591E-011
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	5.5672E-015	2.8898E-014
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	4.2465E-014	2.2094E-013
RCPTR_34	farmer_adult	TOCDFLIC	Trichloroethylene	6.9375E-015	3.5928E-014
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	9.1128E-016	4.7217E-015
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.5841E-009	7.0963E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	4.2822E-010	1.4710E-009
RCPTR_34	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.5738E-013	8.1778E-013
RCPTR_34	farmer_adult	TOCDFLIC	Vinyl Chloride	2.4197E-018	1.2576E-017
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, m-	3.4544E-013	5.9693E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, o-	1.9707E-013	3.7948E-013
RCPTR_34	farmer_adult	TOCDFLIC	Xylene, p-	3.5809E-013	7.4811E-013
RCPTR_34	farmer_adult	TOCDFLIC	Zinc	9.6881E-007	1.1920E-006
RCPTR_34	farmer_adult	TOCDFMPF	Acenaphthene	1.3682E-009	6.8703E-009
RCPTR_34	farmer_adult	TOCDFMPF	Acetone	4.0729E-015	2.1238E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Acetophenone	6.9382E-012	3.6110E-011
RCPTR_34	farmer_adult	TOCDFMPF	Aniline	4.1981E-013	2.1754E-012
RCPTR_34	farmer_adult	TOCDFMPF	Anthracene	2.4233E-008	1.2126E-007
RCPTR_34	farmer_adult	TOCDFMPF	Antimony	1.0311E-007	1.1816E-007
RCPTR_34	farmer_adult	TOCDFMPF	Arsenic	2.6192E-007	2.7001E-007
RCPTR_34	farmer_adult	TOCDFMPF	Barium	3.4610E-008	3.8302E-008
RCPTR_34	farmer_adult	TOCDFMPF	Benzene	3.6614E-015	1.8930E-014
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.1826E-005	1.7671E-005
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.2624E-004	1.3179E-004
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	6.9375E-005	8.4096E-005
RCPTR_34	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.9669E-004	2.0726E-004
RCPTR_34	farmer_adult	TOCDFMPF	Benzoic acid	6.1153E-011	2.5312E-010
RCPTR_34	farmer_adult	TOCDFMPF	Benzyl alcohol	9.4890E-012	4.9339E-011
RCPTR_34	farmer_adult	TOCDFMPF	Beryllium	5.4002E-008	6.0987E-008
RCPTR_34	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	9.4676E-012	4.9368E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Bromodichloromethane	3.2387E-014	1.6861E-013
RCPTR_34	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.2214E-012	6.3621E-012
RCPTR_34	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	5.3452E-007	2.6541E-006
RCPTR_34	farmer_adult	TOCDFMPF	Butylbenzylphthalate	7.2704E-008	8.2203E-008
RCPTR_34	farmer_adult	TOCDFMPF	Cadmium	5.1006E-008	6.9885E-008
RCPTR_34	farmer_adult	TOCDFMPF	Carbon disulfide	6.3825E-015	3.3101E-014
RCPTR_34	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.0143E-014	5.2400E-014
RCPTR_34	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.1504E-009	4.1961E-009
RCPTR_34	farmer_adult	TOCDFMPF	Chloroaniline, p-	4.4339E-011	2.2942E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chlorobenzene	5.9705E-014	3.0669E-013
RCPTR_34	farmer_adult	TOCDFMPF	Chloroethane	1.7459E-016	8.6399E-016
RCPTR_34	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	8.5738E-015	4.4617E-014
RCPTR_34	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	3.5439E-009	1.7939E-008
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.2220E-010	6.3677E-010
RCPTR_34	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	6.4293E-009	2.3329E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Chromium	1.7562E-006	1.7979E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.3689E-006	1.3869E-006
RCPTR_34	farmer_adult	TOCDFMPF	Chrysene	3.5976E-005	4.3706E-005
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.8542E-007	3.2200E-007
RCPTR_34	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.4790E+003	1.4790E+003
RCPTR_34	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	2.7968E-003	2.8582E-003
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	5.9265E-012	2.9035E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	7.0079E-012	3.5082E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	6.7046E-012	3.3764E-011
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.7271E-007	2.0543E-007
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.3290E-017	6.8756E-017
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	3.3244E-015	1.7307E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	4.1282E-015	2.1499E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.2629E-015	6.5535E-015
RCPTR_34	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.0310E-015	1.0535E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	9.9640E-010	2.9724E-009
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.1474E-014	5.9294E-014
RCPTR_34	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	3.7608E-015	1.9556E-014
RCPTR_34	farmer_adult	TOCDFMPF	Diethyl phthalate	1.8074E-007	1.8700E-007
RCPTR_34	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.9925E-011	1.4798E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	8.4569E-011	4.3448E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.2705E-010	2.4847E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	8.3871E-011	4.0102E-010
RCPTR_34	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	6.3049E-011	3.0866E-010
RCPTR_34	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.7732E-012	9.2436E-012
RCPTR_34	farmer_adult	TOCDFMPF	Ethylbenzene	3.8533E-014	1.8808E-013
RCPTR_34	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.0642E-008	6.8924E-008
RCPTR_34	farmer_adult	TOCDFMPF	Fluoranthene	5.4450E-007	1.7640E-006
RCPTR_34	farmer_adult	TOCDFMPF	Fluorene	5.5137E-009	2.7018E-008
RCPTR_34	farmer_adult	TOCDFMPF	GB	9.9311E-015	5.1655E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2368E-012	1.3326E-012
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.7714E-011	5.0659E-011
RCPTR_34	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.8007E-012	8.3894E-012
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7159E-011	1.8271E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.1484E-012	9.9168E-012
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.4461E-012	9.2633E-012
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4079E-010	3.7830E-010
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.3189E-011	9.2303E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.4466E-011	1.6039E-011
RCPTR_34	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0324E-011	1.1451E-011
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.2592E-010	5.7037E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorobenzene	2.4843E-007	1.1601E-006
RCPTR_34	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	3.4567E-010	1.5187E-009
RCPTR_34	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	6.9399E-011	3.4849E-010
RCPTR_34	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.0257E-002	2.0372E-002
RCPTR_34	farmer_adult	TOCDFMPF	Isophorone	1.2703E-011	6.6102E-011
RCPTR_34	farmer_adult	TOCDFMPF	Lead	1.7009E-008	2.0273E-008
RCPTR_34	farmer_adult	TOCDFMPF	Mercuric chloride	6.2747E-007	6.9162E-007
RCPTR_34	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.9493E-016	1.0157E-015
RCPTR_34	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	6.9796E-018	3.6334E-017
RCPTR_34	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	4.5629E-014	2.3790E-013
RCPTR_34	farmer_adult	TOCDFMPF	Methyl mercury	5.2361E-009	5.5710E-009
RCPTR_34	farmer_adult	TOCDFMPF	Methylene chloride	1.1421E-015	5.9478E-015
RCPTR_34	farmer_adult	TOCDFMPF	Naphthalene	5.4687E-011	2.7936E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nickel	2.7587E-006	2.9376E-006
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.1756E-010	1.1257E-009
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 3-	5.1487E-011	2.6783E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitroaniline, 4-	6.6639E-011	3.4608E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitrobenzene	2.1412E-011	1.1157E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 2-	9.7609E-012	5.0797E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrophenol, 4-	4.9930E-010	8.8871E-010
RCPTR_34	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.2165E-011	6.2947E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.2004E-011	6.1873E-011
RCPTR_34	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.1178E-012	5.5645E-012
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	2.9853E-012	3.2892E-012
RCPTR_34	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.1571E-012	4.5714E-012
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.0711E-011	6.5508E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.4093E-011	5.0031E-011
RCPTR_34	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4223E-010	1.6088E-010
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.0358E-009	4.3184E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	4.2718E-010	1.7088E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pentachlorophenol	7.9775E-007	1.0378E-006
RCPTR_34	farmer_adult	TOCDFMPF	Phenanthrene	1.7189E-011	8.5526E-011
RCPTR_34	farmer_adult	TOCDFMPF	Phenol	1.7056E-011	8.8406E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Pronamide	1.7362E-009	8.4746E-009
RCPTR_34	farmer_adult	TOCDFMPF	Pyrene	9.1868E-007	3.5271E-006
RCPTR_34	farmer_adult	TOCDFMPF	Selenium	2.2566E-007	2.2659E-007
RCPTR_34	farmer_adult	TOCDFMPF	Silver	1.0272E-006	1.0818E-006
RCPTR_34	farmer_adult	TOCDFMPF	Styrene	1.5610E-012	8.0784E-012
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4207E-011	1.6799E-011
RCPTR_34	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	2.6721E-011	3.3382E-011
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.5033E-009	6.8845E-009
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	8.6244E-011	1.0420E-010
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.6968E-014	1.3961E-013
RCPTR_34	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	2.3840E-008	5.3032E-008
RCPTR_34	farmer_adult	TOCDFMPF	Thallium (I)	2.0122E-006	2.1026E-006
RCPTR_34	farmer_adult	TOCDFMPF	Toluene	1.9051E-014	9.7189E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	5.4274E-011	2.6271E-010
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	7.8411E-015	4.0701E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	5.9810E-014	3.1118E-013
RCPTR_34	farmer_adult	TOCDFMPF	Trichloroethylene	9.7711E-015	5.0602E-014
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.2835E-015	6.6503E-015
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	6.7567E-009	3.0269E-008
RCPTR_34	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.8264E-009	6.2743E-009
RCPTR_34	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.2166E-013	1.1518E-012
RCPTR_34	farmer_adult	TOCDFMPF	Vinyl Chloride	3.1628E-018	1.6439E-017
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, m-	2.7308E-013	4.7174E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, o-	2.4485E-013	4.7133E-013
RCPTR_34	farmer_adult	TOCDFMPF	Xylene, p-	2.8306E-013	5.9116E-013
RCPTR_34	farmer_adult	TOCDFMPF	Zinc	5.9408E-007	7.3095E-007
RCPTR_34	farmer_adult	TOCDHVAC	GB	3.9688E-014	2.0645E-013
RCPTR_34	farmer_adult	TOCDLIC2	Acenaphthene	6.6193E-010	3.3239E-009
RCPTR_34	farmer_adult	TOCDLIC2	Acetone	8.0390E-015	4.1919E-014
RCPTR_34	farmer_adult	TOCDLIC2	Acetophenone	3.3567E-012	1.7470E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Aniline	2.0311E-013	1.0525E-012
RCPTR_34	farmer_adult	TOCDLIC2	Anthracene	1.1724E-008	5.8663E-008
RCPTR_34	farmer_adult	TOCDLIC2	Antimony	4.6007E-007	5.2725E-007
RCPTR_34	farmer_adult	TOCDLIC2	Arsenic	1.1141E-006	1.1485E-006
RCPTR_34	farmer_adult	TOCDLIC2	Barium	3.5515E-007	3.9303E-007
RCPTR_34	farmer_adult	TOCDLIC2	Benzene	5.4142E-015	2.7992E-014
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)anthracene	5.7217E-006	8.5494E-006
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(a)pyrene	6.1072E-005	6.3758E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	3.3565E-005	4.0687E-005
RCPTR_34	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	9.5154E-005	1.0027E-004
RCPTR_34	farmer_adult	TOCDLIC2	Benzoic acid	2.9587E-011	1.2246E-010
RCPTR_34	farmer_adult	TOCDLIC2	Benzyl alcohol	4.5908E-012	2.3870E-011
RCPTR_34	farmer_adult	TOCDLIC2	Beryllium	1.8874E-007	2.1316E-007
RCPTR_34	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	4.5805E-012	2.3884E-011
RCPTR_34	farmer_adult	TOCDLIC2	Bromodichloromethane	6.0873E-014	3.1692E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.5869E-012	8.2658E-012
RCPTR_34	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	2.5860E-007	1.2840E-006
RCPTR_34	farmer_adult	TOCDLIC2	Butylbenzylphthalate	3.5167E-008	3.9763E-008
RCPTR_34	farmer_adult	TOCDLIC2	Cadmium	1.3224E-008	1.8119E-008
RCPTR_34	farmer_adult	TOCDLIC2	Carbon disulfide	6.8851E-015	3.5708E-014
RCPTR_34	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.0961E-014	5.6623E-014
RCPTR_34	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	5.5661E-010	2.0301E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.1451E-011	1.1099E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chlorobenzene	6.4517E-014	3.3141E-013
RCPTR_34	farmer_adult	TOCDLIC2	Chloroethane	1.8867E-016	9.3363E-016
RCPTR_34	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.9539E-014	1.0168E-013
RCPTR_34	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.7145E-009	8.6789E-009
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenol, 2-	5.9119E-011	3.0807E-010
RCPTR_34	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	3.1106E-009	1.1287E-008
RCPTR_34	farmer_adult	TOCDLIC2	Chromium	9.0616E-006	9.2767E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Chromium, hexavalent	7.0628E-006	7.1559E-006
RCPTR_34	farmer_adult	TOCDLIC2	Chrysene	1.7406E-005	2.1146E-005
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.3810E-007	1.5580E-007
RCPTR_34	farmer_adult	TOCDLIC2	Di-n-octylphthalate	7.1569E+002	7.1569E+002
RCPTR_34	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.3529E-003	1.3825E-003
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.8673E-012	1.4047E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	3.3905E-012	1.6973E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	3.2437E-012	1.6335E-011
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	7.4432E-008	8.8531E-008
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.4361E-017	7.4297E-017
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	3.5923E-015	1.8701E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4609E-015	2.3232E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.3646E-015	7.0816E-015
RCPTR_34	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.1947E-015	1.1384E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	4.8210E-010	1.4381E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.2399E-014	6.4073E-014
RCPTR_34	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	4.0639E-015	2.1132E-014
RCPTR_34	farmer_adult	TOCDLIC2	Diethyl phthalate	8.7459E-008	9.0488E-008
RCPTR_34	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.0077E-010	4.9832E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	4.0915E-011	2.1020E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	6.1744E-011	1.2075E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	4.0577E-011	1.9401E-010
RCPTR_34	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.0503E-011	1.4933E-010
RCPTR_34	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	8.5790E-013	4.4721E-012
RCPTR_34	farmer_adult	TOCDLIC2	Ethylbenzene	4.7224E-014	2.3049E-013
RCPTR_34	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	3.6659E-008	4.1666E-008
RCPTR_34	farmer_adult	TOCDLIC2	Fluoranthene	2.6344E-007	8.5345E-007
RCPTR_34	farmer_adult	TOCDLIC2	Fluorene	2.6676E-009	1.3071E-008
RCPTR_34	farmer_adult	TOCDLIC2	GB	7.2538E-015	3.7729E-014
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.1202E-012	4.4392E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.8821E-012	4.1216E-012
RCPTR_34	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.6681E-012	3.9449E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1270E-011	1.2000E-011
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	7.9354E-012	8.6017E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.5885E-012	8.3225E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.3052E-012	8.1091E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.4064E-012	4.8891E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	3.9375E-012	4.3656E-012
RCPTR_34	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.5067E-012	4.9984E-012
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	6.0919E-011	2.7595E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.2019E-007	5.6126E-007
RCPTR_34	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.6723E-010	7.3475E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	3.3575E-011	1.6860E-010
RCPTR_34	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.8011E-003	9.8565E-003

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Isophorone	6.1460E-012	3.1980E-011
RCPTR_34	farmer_adult	TOCDLIC2	Lead	1.5526E-006	1.8505E-006
RCPTR_34	farmer_adult	TOCDLIC2	Mercuric chloride	5.5393E-005	6.1057E-005
RCPTR_34	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.1245E-016	1.1070E-015
RCPTR_34	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	8.4769E-018	4.4129E-017
RCPTR_34	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	4.7629E-014	2.4833E-013
RCPTR_34	farmer_adult	TOCDLIC2	Methyl mercury	4.6210E-007	4.9167E-007
RCPTR_34	farmer_adult	TOCDLIC2	Methylene chloride	3.7435E-015	1.9495E-014
RCPTR_34	farmer_adult	TOCDLIC2	Naphthalene	2.6458E-011	1.3516E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nickel	1.2206E-006	1.2998E-006
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.0572E-010	5.4700E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 3-	2.5019E-011	1.3015E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroaniline, 4-	3.2382E-011	1.6817E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitrobenzene	1.0359E-011	5.3976E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 2-	4.7224E-012	2.4576E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Nitrophenol, 4-	2.4266E-010	4.3189E-010
RCPTR_34	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	5.8854E-012	3.0454E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	5.8074E-012	2.9934E-011
RCPTR_34	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	5.4076E-013	2.6921E-012
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.7439E-012	7.4302E-012
RCPTR_34	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.2344E-012	2.4570E-012
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.8738E-011	3.1008E-011
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.3734E-012	9.5008E-012
RCPTR_34	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3273E-011	2.6325E-011
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorobenzene	5.0106E-010	2.0892E-009
RCPTR_34	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.0755E-010	8.3033E-010
RCPTR_34	farmer_adult	TOCDLIC2	Pentachlorophenol	3.8772E-007	5.0436E-007
RCPTR_34	farmer_adult	TOCDLIC2	Phenanthrene	8.3163E-012	4.1378E-011
RCPTR_34	farmer_adult	TOCDLIC2	Phenol	8.7241E-012	4.5221E-011
RCPTR_34	farmer_adult	TOCDLIC2	Pronamide	8.4000E-010	4.1001E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Pyrene	4.4447E-007	1.7064E-006
RCPTR_34	farmer_adult	TOCDLIC2	Selenium	7.7000E-007	7.7317E-007
RCPTR_34	farmer_adult	TOCDLIC2	Silver	2.5621E-007	2.6986E-007
RCPTR_34	farmer_adult	TOCDLIC2	Styrene	1.2223E-012	6.3256E-012
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.4510E-011	1.7159E-011
RCPTR_34	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.1681E-011	1.4592E-011
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	7.2733E-010	3.3307E-009
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	9.3211E-011	1.1261E-010
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.3150E-014	6.8076E-014
RCPTR_34	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.1586E-008	2.5771E-008
RCPTR_34	farmer_adult	TOCDLIC2	Thallium (I)	6.8075E-006	7.1133E-006
RCPTR_34	farmer_adult	TOCDLIC2	Toluene	7.1562E-014	3.6508E-013
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	2.6258E-011	1.2710E-010
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	8.4731E-015	4.3981E-014
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	6.4631E-014	3.3626E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_adult	TOCDLIC2	Trichloroethylene	1.0559E-014	5.4681E-014
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.3869E-015	7.1863E-015
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	3.2690E-009	1.4644E-008
RCPTR_34	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	8.8369E-010	3.0356E-009
RCPTR_34	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	2.3952E-013	1.2446E-012
RCPTR_34	farmer_adult	TOCDLIC2	Vinyl Chloride	4.0386E-018	2.0991E-017
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, m-	4.0101E-013	6.9295E-013
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, o-	2.6441E-013	5.0914E-013
RCPTR_34	farmer_adult	TOCDLIC2	Xylene, p-	4.1570E-013	8.6846E-013
RCPTR_34	farmer_adult	TOCDLIC2	Zinc	1.1568E-006	1.4233E-006
RCPTR_34	farmer_child	TOCDFBRA	Antimony	2.0544E-006	2.0947E-006
RCPTR_34	farmer_child	TOCDFBRA	Arsenic	3.1293E-006	3.1385E-006
RCPTR_34	farmer_child	TOCDFBRA	Barium	2.7527E-007	2.7897E-007
RCPTR_34	farmer_child	TOCDFBRA	Beryllium	8.7886E-007	9.7371E-007
RCPTR_34	farmer_child	TOCDFBRA	Cadmium	1.8293E-007	1.9577E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFBRA	Chromium	2.0882E-005	2.3760E-005
RCPTR_34	farmer_child	TOCDFBRA	Chromium, hexavalent	1.8284E-005	1.8299E-005
RCPTR_34	farmer_child	TOCDFBRA	Lead	9.4048E-006	1.1018E-005
RCPTR_34	farmer_child	TOCDFBRA	Mercuric chloride	1.1027E-003	1.9162E-003
RCPTR_34	farmer_child	TOCDFBRA	Methyl mercury	1.4556E-005	1.6952E-005
RCPTR_34	farmer_child	TOCDFBRA	Nickel	1.0487E-005	1.0626E-005
RCPTR_34	farmer_child	TOCDFBRA	Selenium	3.4391E-006	3.4393E-006
RCPTR_34	farmer_child	TOCDFBRA	Silver	1.2074E-006	1.2092E-006
RCPTR_34	farmer_child	TOCDFBRA	Thallium (I)	3.2134E-005	3.2458E-005
RCPTR_34	farmer_child	TOCDFBRA	Zinc	6.2509E-006	6.5004E-006
RCPTR_34	farmer_child	TOCDFDFS	Acenaphthene	2.7870E-009	2.7968E-009
RCPTR_34	farmer_child	TOCDFDFS	Acetone	3.4864E-014	3.4864E-014
RCPTR_34	farmer_child	TOCDFDFS	Acetophenone	1.5431E-011	1.5435E-011
RCPTR_34	farmer_child	TOCDFDFS	Aniline	8.8554E-013	8.8556E-013
RCPTR_34	farmer_child	TOCDFDFS	Anthracene	4.7761E-008	4.9362E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Antimony	2.1688E-005	2.2111E-005
RCPTR_34	farmer_child	TOCDFDFS	Aroclor 1254	3.5635E-010	3.5828E-010
RCPTR_34	farmer_child	TOCDFDFS	Arsenic	1.8691E-006	1.8745E-006
RCPTR_34	farmer_child	TOCDFDFS	Barium	5.7787E-008	5.8560E-008
RCPTR_34	farmer_child	TOCDFDFS	Benzene	2.8855E-014	2.8855E-014
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)anthracene	6.3778E-006	7.2068E-006
RCPTR_34	farmer_child	TOCDFDFS	Benzo(a)pyrene	5.3224E-005	5.3920E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	3.2281E-005	3.4283E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	8.2110E-005	8.4779E-005
RCPTR_34	farmer_child	TOCDFDFS	Benzoic acid	1.0302E-010	1.0303E-010
RCPTR_34	farmer_child	TOCDFDFS	Benzyl alcohol	2.0075E-011	2.0085E-011
RCPTR_34	farmer_child	TOCDFDFS	Beryllium	5.0782E-007	5.6233E-007
RCPTR_34	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.0088E-011	2.0097E-011
RCPTR_34	farmer_child	TOCDFDFS	Bromodichloromethane	2.2743E-013	2.2743E-013
RCPTR_34	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	9.0381E-012	9.0389E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	7.8101E-007	1.0804E-006
RCPTR_34	farmer_child	TOCDFDFS	Butylbenzylphthalate	3.3718E-008	3.3735E-008
RCPTR_34	farmer_child	TOCDFDFS	Cadmium	5.3151E-007	5.6867E-007
RCPTR_34	farmer_child	TOCDFDFS	Carbon disulfide	1.5079E-014	1.5079E-014
RCPTR_34	farmer_child	TOCDFDFS	Carbon tetrachloride	7.5284E-014	7.5284E-014
RCPTR_34	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.6998E-009	1.7078E-009
RCPTR_34	farmer_child	TOCDFDFS	Chloroaniline, p-	9.3289E-011	9.3391E-011
RCPTR_34	farmer_child	TOCDFDFS	Chlorobenzene	4.4063E-013	4.4063E-013
RCPTR_34	farmer_child	TOCDFDFS	Chloroethane	1.2413E-015	1.2413E-015
RCPTR_34	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	6.8118E-014	6.8118E-014
RCPTR_34	farmer_child	TOCDFDFS	Chloronaphthalene,2-	7.2434E-009	7.3026E-009
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenol, 2-	2.5863E-010	2.5922E-010
RCPTR_34	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	9.4662E-009	9.4980E-009
RCPTR_34	farmer_child	TOCDFDFS	Chromium	6.4830E-006	7.3719E-006
RCPTR_34	farmer_child	TOCDFDFS	Chromium, hexavalent	5.6810E-006	5.6857E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Chrysene	1.6450E-005	1.7815E-005
RCPTR_34	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.3086E-007	1.3102E-007
RCPTR_34	farmer_child	TOCDFDFS	Di-n-octylphthalate	6.0068E+002	6.0068E+002
RCPTR_34	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.1593E-003	1.1705E-003
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.1819E-011	1.1820E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.4281E-011	1.4281E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.3744E-011	1.3745E-011
RCPTR_34	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.2342E-007	1.2388E-007
RCPTR_34	farmer_child	TOCDFDFS	Dichlorodifluoromethane	9.8784E-017	9.8784E-017
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane 1,1-	2.4865E-014	2.4865E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0889E-014	3.0889E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	9.4155E-015	9.4155E-015
RCPTR_34	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.5136E-014	1.5136E-014
RCPTR_34	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.2060E-009	1.2095E-009
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	8.5189E-014	8.5189E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.8097E-014	2.8097E-014
RCPTR_34	farmer_child	TOCDFDFS	Diethyl phthalate	7.5951E-008	7.5958E-008
RCPTR_34	farmer_child	TOCDFDFS	Dimethyl phthalate	3.9124E-010	3.9158E-010
RCPTR_34	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.7664E-010	1.7687E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.0006E-010	1.0008E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.6301E-010	1.6327E-010
RCPTR_34	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.2548E-010	1.2566E-010
RCPTR_34	farmer_child	TOCDFDFS	Ethyl methanesulfonate	3.7619E-012	3.7629E-012
RCPTR_34	farmer_child	TOCDFDFS	Ethylbenzene	2.7021E-013	2.7021E-013
RCPTR_34	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	3.4413E-009	3.4473E-009
RCPTR_34	farmer_child	TOCDFDFS	Fluoranthene	6.1746E-007	7.1824E-007
RCPTR_34	farmer_child	TOCDFDFS	Fluorene	1.0882E-008	1.0999E-008
RCPTR_34	farmer_child	TOCDFDFS	GB	1.0121E-013	1.0123E-013
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	9.5621E-013	1.0148E-012
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	5.0306E-013	5.2769E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.6856E-012	1.7859E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	9.6010E-012	1.0094E-011
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	5.0969E-012	5.4328E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	4.3717E-012	4.7019E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	3.4317E-012	3.7243E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.0558E-012	3.3157E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	4.1061E-012	4.4525E-012
RCPTR_34	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	2.8233E-012	3.0624E-012
RCPTR_34	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	2.3220E-010	2.3222E-010
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorobenzene	4.4460E-007	4.7226E-007
RCPTR_34	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	3.0602E-009	3.0609E-009
RCPTR_34	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.4184E-010	1.4186E-010
RCPTR_34	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	8.2775E-003	8.2958E-003
RCPTR_34	farmer_child	TOCDFDFS	Isophorone	2.6899E-011	2.6909E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Lead	5.8786E-005	6.8821E-005
RCPTR_34	farmer_child	TOCDFDFS	Mercuric chloride	4.1103E-007	7.2570E-007
RCPTR_34	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	2.6321E-015	2.6321E-015
RCPTR_34	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	4.4563E-016	4.4563E-016
RCPTR_34	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	2.3397E-013	2.3397E-013
RCPTR_34	farmer_child	TOCDFDFS	Methyl mercury	4.9779E-009	5.9046E-009
RCPTR_34	farmer_child	TOCDFDFS	Methylene chloride	6.7638E-015	6.7638E-015
RCPTR_34	farmer_child	TOCDFDFS	Naphthalene	1.1369E-010	1.1372E-010
RCPTR_34	farmer_child	TOCDFDFS	Nickel	6.5150E-006	6.6007E-006
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 2-	4.5316E-010	4.5366E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.0789E-010	1.0794E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.3940E-010	1.3947E-010
RCPTR_34	farmer_child	TOCDFDFS	Nitrobenzene	4.5392E-011	4.5417E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.0673E-011	2.0679E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrophenol, 4-	3.5770E-010	3.5779E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	2.5620E-011	2.5625E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	2.5185E-011	2.5187E-011
RCPTR_34	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.2658E-012	2.2659E-012
RCPTR_34	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	2.4009E-012	2.5920E-012
RCPTR_34	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	8.2402E-013	8.8831E-013
RCPTR_34	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	2.4224E-011	2.5709E-011
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.9890E-012	2.1936E-012
RCPTR_34	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	7.9234E-012	8.7203E-012
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorobenzene	1.7591E-009	1.7599E-009
RCPTR_34	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	6.8950E-010	6.8954E-010
RCPTR_34	farmer_child	TOCDFDFS	Pentachlorophenol	4.1676E-007	4.1754E-007
RCPTR_34	farmer_child	TOCDFDFS	Phenanthrene	3.4816E-011	3.4816E-011
RCPTR_34	farmer_child	TOCDFDFS	Phenol	3.5966E-011	3.5989E-011
RCPTR_34	farmer_child	TOCDFDFS	Pronamide	6.8497E-009	6.8996E-009
RCPTR_34	farmer_child	TOCDFDFS	Pyrene	9.7828E-007	1.4359E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Selenium	2.0544E-006	2.0546E-006
RCPTR_34	farmer_child	TOCDFDFS	Silver	7.3249E-007	7.3353E-007
RCPTR_34	farmer_child	TOCDFDFS	Styrene	7.3471E-012	7.3472E-012
RCPTR_34	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.0799E-011	1.2269E-011
RCPTR_34	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	3.4155E-012	4.0391E-012
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.7986E-009	2.8024E-009
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.4942E-010	1.4943E-010
RCPTR_34	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	9.0512E-014	9.0512E-014
RCPTR_34	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.1322E-008	2.1358E-008
RCPTR_34	farmer_child	TOCDFDFS	Thallium (I)	1.8577E-005	1.8764E-005
RCPTR_34	farmer_child	TOCDFDFS	Toluene	1.2203E-013	1.2203E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.0693E-010	1.0695E-010
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	5.8476E-014	5.8476E-014
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	4.4708E-013	4.4708E-013
RCPTR_34	farmer_child	TOCDFDFS	Trichloroethylene	7.2701E-014	7.2701E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	9.5547E-015	9.5547E-015
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.2120E-008	1.2321E-008
RCPTR_34	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	2.5448E-009	2.5535E-009
RCPTR_34	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.6548E-012	1.6548E-012
RCPTR_34	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.9411E-011	1.9429E-011
RCPTR_34	farmer_child	TOCDFDFS	Vinyl Chloride	2.3618E-017	2.3618E-017
RCPTR_34	farmer_child	TOCDFDFS	Xylene, m-	6.8700E-013	6.8700E-013
RCPTR_34	farmer_child	TOCDFDFS	Xylene, o-	6.8502E-013	6.8502E-013
RCPTR_34	farmer_child	TOCDFDFS	Xylene, p-	8.5793E-013	8.5794E-013
RCPTR_34	farmer_child	TOCDFDFS	Zinc	4.3592E-006	4.5323E-006
RCPTR_34	farmer_child	TOCDFLIC	Acenaphthene	1.6050E-009	1.6107E-009
RCPTR_34	farmer_child	TOCDFLIC	Acetone	4.2360E-014	4.2360E-014
RCPTR_34	farmer_child	TOCDFLIC	Acetophenone	1.5235E-011	1.5238E-011
RCPTR_34	farmer_child	TOCDFLIC	Aniline	5.0999E-013	5.1000E-013
RCPTR_34	farmer_child	TOCDFLIC	Anthracene	2.7505E-008	2.8427E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Antimony	3.8872E-007	3.9630E-007
RCPTR_34	farmer_child	TOCDFLIC	Arsenic	1.1452E-006	1.1485E-006
RCPTR_34	farmer_child	TOCDFLIC	Barium	4.0249E-008	4.0787E-008
RCPTR_34	farmer_child	TOCDFLIC	Benzene	3.8897E-013	3.8897E-013
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)anthracene	3.6659E-006	4.1429E-006
RCPTR_34	farmer_child	TOCDFLIC	Benzo(a)pyrene	3.0499E-005	3.0896E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.8565E-005	1.9716E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	4.7077E-005	4.8588E-005
RCPTR_34	farmer_child	TOCDFLIC	Benzoic acid	6.3653E-011	6.3659E-011
RCPTR_34	farmer_child	TOCDFLIC	Benzyl alcohol	1.1561E-011	1.1567E-011
RCPTR_34	farmer_child	TOCDFLIC	Beryllium	1.9251E-007	2.1316E-007
RCPTR_34	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.1569E-011	1.1574E-011
RCPTR_34	farmer_child	TOCDFLIC	Bromodichloromethane	1.0350E-013	1.0350E-013
RCPTR_34	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	3.5647E-012	3.5650E-012
RCPTR_34	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	4.4978E-007	6.2222E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.9258E-008	1.9268E-008
RCPTR_34	farmer_child	TOCDFLIC	Cadmium	1.4904E-007	1.5945E-007
RCPTR_34	farmer_child	TOCDFLIC	Carbon disulfide	2.3562E-014	2.3562E-014
RCPTR_34	farmer_child	TOCDFLIC	Carbon tetrachloride	3.7204E-014	3.7204E-014
RCPTR_34	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	9.7919E-010	9.8377E-010
RCPTR_34	farmer_child	TOCDFLIC	Chloroaniline, p-	5.3726E-011	5.3785E-011
RCPTR_34	farmer_child	TOCDFLIC	Chlorobenzene	2.1775E-013	2.1775E-013
RCPTR_34	farmer_child	TOCDFLIC	Chloroethane	6.1344E-016	6.1344E-016
RCPTR_34	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	3.2931E-014	3.2931E-014
RCPTR_34	farmer_child	TOCDFLIC	Chloronaphthalene,2-	4.1715E-009	4.2056E-009
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.4894E-010	1.4929E-010
RCPTR_34	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	5.4510E-009	5.4693E-009
RCPTR_34	farmer_child	TOCDFLIC	Chromium	8.1587E-006	9.2767E-006
RCPTR_34	farmer_child	TOCDFLIC	Chromium, hexavalent	7.1500E-006	7.1559E-006
RCPTR_34	farmer_child	TOCDFLIC	Chrysene	9.4628E-006	1.0247E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Di-n-butyl phthalate	7.5404E-008	7.5497E-008
RCPTR_34	farmer_child	TOCDFLIC	Di-n-octylphthalate	3.4681E+002	3.4681E+002
RCPTR_34	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	6.6373E-004	6.6995E-004
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	6.8069E-012	6.8071E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	8.2244E-012	8.2247E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	7.9154E-012	7.9156E-012
RCPTR_34	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	3.6678E-008	3.6815E-008
RCPTR_34	farmer_child	TOCDFLIC	Dichlorodifluoromethane	4.8816E-017	4.8816E-017
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.2288E-014	1.2288E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.5265E-014	1.5265E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	4.6530E-015	4.6530E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	7.4798E-015	7.4798E-015
RCPTR_34	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	6.9482E-010	6.9688E-010
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	4.2099E-014	4.2099E-014
RCPTR_34	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.3885E-014	1.3885E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Diethyl phthalate	4.3845E-008	4.3849E-008
RCPTR_34	farmer_child	TOCDFLIC	Dimethyl phthalate	4.0650E-010	4.0686E-010
RCPTR_34	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.0173E-010	1.0186E-010
RCPTR_34	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	5.8354E-011	5.8361E-011
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	9.3863E-011	9.4016E-011
RCPTR_34	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	7.2262E-011	7.2363E-011
RCPTR_34	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.1665E-012	2.1671E-012
RCPTR_34	farmer_child	TOCDFLIC	Ethylbenzene	1.7805E-013	1.7805E-013
RCPTR_34	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	6.2122E-008	6.2231E-008
RCPTR_34	farmer_child	TOCDFLIC	Fluoranthene	3.5553E-007	4.1357E-007
RCPTR_34	farmer_child	TOCDFLIC	Fluorene	6.2668E-009	6.3342E-009
RCPTR_34	farmer_child	TOCDFLIC	GB	3.6283E-014	3.6292E-014
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	5.9634E-013	6.3247E-013
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	7.1982E-013	7.5458E-013
RCPTR_34	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.7069E-012	1.8074E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	7.6074E-012	7.9937E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	4.2807E-012	4.5602E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	3.6310E-012	3.9034E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.3226E-012	2.5200E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.2760E-012	2.4690E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	2.6384E-012	2.8602E-012
RCPTR_34	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.9238E-012	2.0861E-012
RCPTR_34	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.3371E-010	1.3372E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorobenzene	2.5605E-007	2.7198E-007
RCPTR_34	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	3.5598E-010	3.5605E-010
RCPTR_34	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	8.1686E-011	8.1700E-011
RCPTR_34	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	4.7661E-003	4.7763E-003
RCPTR_34	farmer_child	TOCDFLIC	Isophorone	1.5491E-011	1.5497E-011
RCPTR_34	farmer_child	TOCDFLIC	Lead	2.1926E-005	2.5667E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Mercuric chloride	3.4517E-005	6.1057E-005
RCPTR_34	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	8.4636E-016	8.4636E-016
RCPTR_34	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	6.9326E-017	6.9326E-017
RCPTR_34	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	2.5195E-013	2.5195E-013
RCPTR_34	farmer_child	TOCDFLIC	Methyl mercury	4.1350E-007	4.9167E-007
RCPTR_34	farmer_child	TOCDFLIC	Methylene chloride	5.3592E-015	5.3592E-015
RCPTR_34	farmer_child	TOCDFLIC	Naphthalene	6.5475E-011	6.5494E-011
RCPTR_34	farmer_child	TOCDFLIC	Nickel	3.6907E-006	3.7392E-006
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 2-	2.6409E-010	2.6438E-010
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 3-	6.2878E-011	6.2904E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitroaniline, 4-	8.1239E-011	8.1282E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrobenzene	2.6141E-011	2.6156E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.1906E-011	1.1909E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.0870E-010	2.0875E-010
RCPTR_34	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.4755E-011	1.4757E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.4504E-011	1.4506E-011
RCPTR_34	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.3045E-012	1.3045E-012
RCPTR_34	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.0506E-012	2.2129E-012
RCPTR_34	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	6.7408E-013	7.2642E-013
RCPTR_34	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.5631E-011	1.6582E-011
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	4.0718E-012	4.4900E-012
RCPTR_34	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	8.9889E-012	9.8920E-012
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorobenzene	1.0120E-009	1.0124E-009
RCPTR_34	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	4.0130E-010	4.0133E-010
RCPTR_34	farmer_child	TOCDFLIC	Pentachlorophenol	2.4332E-007	2.4377E-007
RCPTR_34	farmer_child	TOCDFLIC	Phenanthrene	2.0051E-011	2.0051E-011
RCPTR_34	farmer_child	TOCDFLIC	Phenol	2.0713E-011	2.0726E-011
RCPTR_34	farmer_child	TOCDFLIC	Pronamide	1.9724E-009	1.9868E-009
RCPTR_34	farmer_child	TOCDFLIC	Pyrene	5.6338E-007	8.2690E-007
RCPTR_34	farmer_child	TOCDFLIC	Selenium	7.7311E-007	7.7317E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Silver	2.6947E-007	2.6986E-007
RCPTR_34	farmer_child	TOCDFLIC	Styrene	7.5507E-012	7.5508E-012
RCPTR_34	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	5.2093E-012	5.9190E-012
RCPTR_34	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	6.8880E-012	8.1466E-012
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.6118E-009	1.6140E-009
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	7.3989E-011	7.3990E-011
RCPTR_34	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	4.4729E-014	4.4729E-014
RCPTR_34	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.2435E-008	1.2456E-008
RCPTR_34	farmer_child	TOCDFLIC	Thallium (I)	7.0428E-006	7.1133E-006
RCPTR_34	farmer_child	TOCDFLIC	Toluene	3.4683E-013	3.4683E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	6.1583E-011	6.1591E-011
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.8898E-014	2.8898E-014
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.2094E-013	2.2094E-013
RCPTR_34	farmer_child	TOCDFLIC	Trichloroethylene	3.5928E-014	3.5928E-014
RCPTR_34	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	4.7217E-015	4.7217E-015

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	6.9804E-009	7.0963E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.4660E-009	1.4710E-009
RCPTR_34	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	8.1776E-013	8.1778E-013
RCPTR_34	farmer_child	TOCDFLIC	Vinyl Chloride	1.2576E-017	1.2576E-017
RCPTR_34	farmer_child	TOCDFLIC	Xylene, m-	5.9693E-013	5.9693E-013
RCPTR_34	farmer_child	TOCDFLIC	Xylene, o-	3.7948E-013	3.7948E-013
RCPTR_34	farmer_child	TOCDFLIC	Xylene, p-	7.4811E-013	7.4811E-013
RCPTR_34	farmer_child	TOCDFLIC	Zinc	1.1465E-006	1.1920E-006
RCPTR_34	farmer_child	TOCDFMPF	Acenaphthene	6.8461E-009	6.8703E-009
RCPTR_34	farmer_child	TOCDFMPF	Acetone	2.1238E-014	2.1238E-014
RCPTR_34	farmer_child	TOCDFMPF	Acetophenone	3.6102E-011	3.6110E-011
RCPTR_34	farmer_child	TOCDFMPF	Aniline	2.1753E-012	2.1754E-012
RCPTR_34	farmer_child	TOCDFMPF	Anthracene	1.1732E-007	1.2126E-007
RCPTR_34	farmer_child	TOCDFMPF	Antimony	1.1590E-007	1.1816E-007
RCPTR_34	farmer_child	TOCDFMPF	Arsenic	2.6922E-007	2.7001E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Barium	3.7797E-008	3.8302E-008
RCPTR_34	farmer_child	TOCDFMPF	Benzene	1.8930E-014	1.8930E-014
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.5637E-005	1.7671E-005
RCPTR_34	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.3010E-004	1.3179E-004
RCPTR_34	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	7.9184E-005	8.4096E-005
RCPTR_34	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.0081E-004	2.0726E-004
RCPTR_34	farmer_child	TOCDFMPF	Benzoic acid	2.5310E-010	2.5312E-010
RCPTR_34	farmer_child	TOCDFMPF	Benzyl alcohol	4.9314E-011	4.9339E-011
RCPTR_34	farmer_child	TOCDFMPF	Beryllium	5.5079E-008	6.0987E-008
RCPTR_34	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	4.9347E-011	4.9368E-011
RCPTR_34	farmer_child	TOCDFMPF	Bromodichloromethane	1.6861E-013	1.6861E-013
RCPTR_34	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	6.3615E-012	6.3621E-012
RCPTR_34	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.9185E-006	2.6541E-006
RCPTR_34	farmer_child	TOCDFMPF	Butylbenzylphthalate	8.2161E-008	8.2203E-008
RCPTR_34	farmer_child	TOCDFMPF	Cadmium	6.5321E-008	6.9885E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Carbon disulfide	3.3101E-014	3.3101E-014
RCPTR_34	farmer_child	TOCDFMPF	Carbon tetrachloride	5.2400E-014	5.2400E-014
RCPTR_34	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	4.1766E-009	4.1961E-009
RCPTR_34	farmer_child	TOCDFMPF	Chloroaniline, p-	2.2916E-010	2.2942E-010
RCPTR_34	farmer_child	TOCDFMPF	Chlorobenzene	3.0669E-013	3.0669E-013
RCPTR_34	farmer_child	TOCDFMPF	Chloroethane	8.6399E-016	8.6399E-016
RCPTR_34	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	4.4617E-014	4.4617E-014
RCPTR_34	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.7793E-008	1.7939E-008
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenol, 2-	6.3532E-010	6.3677E-010
RCPTR_34	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	2.3251E-008	2.3329E-008
RCPTR_34	farmer_child	TOCDFMPF	Chromium	1.5813E-006	1.7979E-006
RCPTR_34	farmer_child	TOCDFMPF	Chromium, hexavalent	1.3857E-006	1.3869E-006
RCPTR_34	farmer_child	TOCDFMPF	Chrysene	4.0362E-005	4.3706E-005
RCPTR_34	farmer_child	TOCDFMPF	Di-n-butyl phthalate	3.2160E-007	3.2200E-007
RCPTR_34	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.4790E+003	1.4790E+003

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	2.8316E-003	2.8582E-003
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.9035E-011	2.9035E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	3.5081E-011	3.5082E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	3.3763E-011	3.3764E-011
RCPTR_34	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.0466E-007	2.0543E-007
RCPTR_34	farmer_child	TOCDFMPF	Dichlorodifluoromethane	6.8756E-017	6.8756E-017
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.7307E-014	1.7307E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1499E-014	2.1499E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	6.5535E-015	6.5535E-015
RCPTR_34	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.0535E-014	1.0535E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.9636E-009	2.9724E-009
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	5.9294E-014	5.9294E-014
RCPTR_34	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.9556E-014	1.9556E-014
RCPTR_34	farmer_child	TOCDFMPF	Diethyl phthalate	1.8699E-007	1.8700E-007
RCPTR_34	farmer_child	TOCDFMPF	Dimethyl phthalate	1.4785E-010	1.4798E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	4.3392E-010	4.3448E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	2.4844E-010	2.4847E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	4.0037E-010	4.0102E-010
RCPTR_34	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	3.0823E-010	3.0866E-010
RCPTR_34	farmer_child	TOCDFMPF	Ethyl methanesulfonate	9.2411E-012	9.2436E-012
RCPTR_34	farmer_child	TOCDFMPF	Ethylbenzene	1.8808E-013	1.8808E-013
RCPTR_34	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	6.8803E-008	6.8924E-008
RCPTR_34	farmer_child	TOCDFMPF	Fluoranthene	1.5165E-006	1.7640E-006
RCPTR_34	farmer_child	TOCDFMPF	Fluorene	2.6731E-008	2.7018E-008
RCPTR_34	farmer_child	TOCDFMPF	GB	5.1642E-014	5.1655E-014
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.2564E-012	1.3326E-012
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	4.8324E-011	5.0659E-011
RCPTR_34	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	7.9227E-012	8.3894E-012
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.7388E-011	1.8271E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	9.3088E-012	9.9168E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	8.6167E-012	9.2633E-012
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	3.4865E-010	3.7830E-010
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	8.5088E-011	9.2303E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.4795E-011	1.6039E-011
RCPTR_34	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.0560E-011	1.1451E-011
RCPTR_34	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	5.7032E-010	5.7037E-010
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorobenzene	1.0922E-006	1.1601E-006
RCPTR_34	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.5184E-009	1.5187E-009
RCPTR_34	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	3.4843E-010	3.4849E-010
RCPTR_34	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.0329E-002	2.0372E-002
RCPTR_34	farmer_child	TOCDFMPF	Isophorone	6.6077E-011	6.6102E-011
RCPTR_34	farmer_child	TOCDFMPF	Lead	1.7318E-008	2.0273E-008
RCPTR_34	farmer_child	TOCDFMPF	Mercuric chloride	3.9101E-007	6.9162E-007
RCPTR_34	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.0157E-015	1.0157E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	3.6334E-017	3.6334E-017
RCPTR_34	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	2.3790E-013	2.3790E-013
RCPTR_34	farmer_child	TOCDFMPF	Methyl mercury	4.6856E-009	5.5710E-009
RCPTR_34	farmer_child	TOCDFMPF	Methylene chloride	5.9478E-015	5.9478E-015
RCPTR_34	farmer_child	TOCDFMPF	Naphthalene	2.7928E-010	2.7936E-010
RCPTR_34	farmer_child	TOCDFMPF	Nickel	2.8995E-006	2.9376E-006
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.1244E-009	1.1257E-009
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 3-	2.6772E-010	2.6783E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitroaniline, 4-	3.4589E-010	3.4608E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitrobenzene	1.1151E-010	1.1157E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 2-	5.0784E-011	5.0797E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrophenol, 4-	8.8850E-010	8.8871E-010
RCPTR_34	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	6.2936E-011	6.2947E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	6.1867E-011	6.1873E-011
RCPTR_34	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	5.5642E-012	5.5645E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.0479E-012	3.2892E-012
RCPTR_34	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	4.2420E-012	4.5714E-012
RCPTR_34	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	6.1747E-011	6.5508E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	4.5370E-011	5.0031E-011
RCPTR_34	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.4619E-010	1.6088E-010
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorobenzene	4.3167E-009	4.3184E-009
RCPTR_34	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.7087E-009	1.7088E-009
RCPTR_34	farmer_child	TOCDFMPF	Pentachlorophenol	1.0358E-006	1.0378E-006
RCPTR_34	farmer_child	TOCDFMPF	Phenanthrene	8.5524E-011	8.5526E-011
RCPTR_34	farmer_child	TOCDFMPF	Phenol	8.8351E-011	8.8406E-011
RCPTR_34	farmer_child	TOCDFMPF	Pronamide	8.4133E-009	8.4746E-009
RCPTR_34	farmer_child	TOCDFMPF	Pyrene	2.4030E-006	3.5271E-006
RCPTR_34	farmer_child	TOCDFMPF	Selenium	2.2657E-007	2.2659E-007
RCPTR_34	farmer_child	TOCDFMPF	Silver	1.0803E-006	1.0818E-006
RCPTR_34	farmer_child	TOCDFMPF	Styrene	8.0783E-012	8.0784E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.4785E-011	1.6799E-011
RCPTR_34	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	2.8224E-011	3.3382E-011
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	6.8750E-009	6.8845E-009
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.0420E-010	1.0420E-010
RCPTR_34	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.3961E-013	1.3961E-013
RCPTR_34	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	5.2942E-008	5.3032E-008
RCPTR_34	farmer_child	TOCDFMPF	Thallium (I)	2.0818E-006	2.1026E-006
RCPTR_34	farmer_child	TOCDFMPF	Toluene	9.7189E-014	9.7189E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	2.6268E-010	2.6271E-010
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	4.0701E-014	4.0701E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	3.1118E-013	3.1118E-013
RCPTR_34	farmer_child	TOCDFMPF	Trichloroethylene	5.0602E-014	5.0602E-014
RCPTR_34	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	6.6503E-015	6.6503E-015
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.9774E-008	3.0269E-008
RCPTR_34	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	6.2531E-009	6.2743E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.1518E-012	1.1518E-012
RCPTR_34	farmer_child	TOCDFMPF	Vinyl Chloride	1.6439E-017	1.6439E-017
RCPTR_34	farmer_child	TOCDFMPF	Xylene, m-	4.7174E-013	4.7174E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, o-	4.7133E-013	4.7133E-013
RCPTR_34	farmer_child	TOCDFMPF	Xylene, p-	5.9116E-013	5.9116E-013
RCPTR_34	farmer_child	TOCDFMPF	Zinc	7.0304E-007	7.3095E-007
RCPTR_34	farmer_child	TOCDHVAC	GB	2.0640E-013	2.0645E-013
RCPTR_34	farmer_child	TOCDLIC2	Acenaphthene	3.3122E-009	3.3239E-009
RCPTR_34	farmer_child	TOCDLIC2	Acetone	4.1919E-014	4.1919E-014
RCPTR_34	farmer_child	TOCDLIC2	Acetophenone	1.7466E-011	1.7470E-011
RCPTR_34	farmer_child	TOCDLIC2	Aniline	1.0524E-012	1.0525E-012
RCPTR_34	farmer_child	TOCDLIC2	Anthracene	5.6760E-008	5.8663E-008
RCPTR_34	farmer_child	TOCDLIC2	Antimony	5.1717E-007	5.2725E-007
RCPTR_34	farmer_child	TOCDLIC2	Arsenic	1.1452E-006	1.1485E-006
RCPTR_34	farmer_child	TOCDLIC2	Barium	3.8785E-007	3.9303E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Benzene	2.7992E-014	2.7992E-014
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)anthracene	7.5650E-006	8.5494E-006
RCPTR_34	farmer_child	TOCDLIC2	Benzo(a)pyrene	6.2939E-005	6.3758E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	3.8311E-005	4.0687E-005
RCPTR_34	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	9.7149E-005	1.0027E-004
RCPTR_34	farmer_child	TOCDLIC2	Benzoic acid	1.2245E-010	1.2246E-010
RCPTR_34	farmer_child	TOCDLIC2	Benzyl alcohol	2.3858E-011	2.3870E-011
RCPTR_34	farmer_child	TOCDLIC2	Beryllium	1.9251E-007	2.1316E-007
RCPTR_34	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	2.3874E-011	2.3884E-011
RCPTR_34	farmer_child	TOCDLIC2	Bromodichloromethane	3.1692E-013	3.1692E-013
RCPTR_34	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	8.2651E-012	8.2658E-012
RCPTR_34	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	9.2819E-007	1.2840E-006
RCPTR_34	farmer_child	TOCDLIC2	Butylbenzylphthalate	3.9742E-008	3.9763E-008
RCPTR_34	farmer_child	TOCDLIC2	Cadmium	1.6935E-008	1.8119E-008
RCPTR_34	farmer_child	TOCDLIC2	Carbon disulfide	3.5708E-014	3.5708E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Carbon tetrachloride	5.6623E-014	5.6623E-014
RCPTR_34	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.0207E-009	2.0301E-009
RCPTR_34	farmer_child	TOCDLIC2	Chloroaniline, p-	1.1087E-010	1.1099E-010
RCPTR_34	farmer_child	TOCDLIC2	Chlorobenzene	3.3141E-013	3.3141E-013
RCPTR_34	farmer_child	TOCDLIC2	Chloroethane	9.3363E-016	9.3363E-016
RCPTR_34	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.0168E-013	1.0168E-013
RCPTR_34	farmer_child	TOCDLIC2	Chloronaphthalene,2-	8.6085E-009	8.6789E-009
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenol, 2-	3.0737E-010	3.0807E-010
RCPTR_34	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.1249E-008	1.1287E-008
RCPTR_34	farmer_child	TOCDLIC2	Chromium	8.1587E-006	9.2767E-006
RCPTR_34	farmer_child	TOCDLIC2	Chromium, hexavalent	7.1500E-006	7.1559E-006
RCPTR_34	farmer_child	TOCDLIC2	Chrysene	1.9528E-005	2.1146E-005
RCPTR_34	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.5561E-007	1.5580E-007
RCPTR_34	farmer_child	TOCDLIC2	Di-n-octylphthalate	7.1569E+002	7.1569E+002
RCPTR_34	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.3697E-003	1.3825E-003

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.4047E-011	1.4047E-011
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.6972E-011	1.6973E-011
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.6334E-011	1.6335E-011
RCPTR_34	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	8.8201E-008	8.8531E-008
RCPTR_34	farmer_child	TOCDLIC2	Dichlorodifluoromethane	7.4297E-017	7.4297E-017
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.8701E-014	1.8701E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3232E-014	2.3232E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	7.0816E-015	7.0816E-015
RCPTR_34	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.1384E-014	1.1384E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.4339E-009	1.4381E-009
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	6.4073E-014	6.4073E-014
RCPTR_34	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.1132E-014	2.1132E-014
RCPTR_34	farmer_child	TOCDLIC2	Diethyl phthalate	9.0480E-008	9.0488E-008
RCPTR_34	farmer_child	TOCDLIC2	Dimethyl phthalate	4.9789E-010	4.9832E-010
RCPTR_34	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.0993E-010	2.1020E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.2073E-010	1.2075E-010
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.9370E-010	1.9401E-010
RCPTR_34	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.4912E-010	1.4933E-010
RCPTR_34	farmer_child	TOCDLIC2	Ethyl methanesulfonate	4.4709E-012	4.4721E-012
RCPTR_34	farmer_child	TOCDLIC2	Ethylbenzene	2.3049E-013	2.3049E-013
RCPTR_34	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.1593E-008	4.1666E-008
RCPTR_34	farmer_child	TOCDLIC2	Fluoranthene	7.3368E-007	8.5345E-007
RCPTR_34	farmer_child	TOCDLIC2	Fluorene	1.2932E-008	1.3071E-008
RCPTR_34	farmer_child	TOCDLIC2	GB	3.7719E-014	3.7729E-014
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	4.1856E-012	4.4392E-012
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	3.9318E-012	4.1216E-012
RCPTR_34	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	3.7255E-012	3.9449E-012
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.1421E-011	1.2000E-011
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	8.0745E-012	8.6017E-012
RCPTR_34	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	7.7417E-012	8.3225E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	7.4737E-012	8.1091E-012
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	4.5069E-012	4.8891E-012
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	4.0270E-012	4.3656E-012
RCPTR_34	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	4.6094E-012	4.9984E-012
RCPTR_34	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.7592E-010	2.7595E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorobenzene	5.2839E-007	5.6126E-007
RCPTR_34	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	7.3460E-010	7.3475E-010
RCPTR_34	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.6857E-010	1.6860E-010
RCPTR_34	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_34	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	9.8356E-003	9.8565E-003
RCPTR_34	farmer_child	TOCDLIC2	Isophorone	3.1968E-011	3.1980E-011
RCPTR_34	farmer_child	TOCDLIC2	Lead	1.5808E-006	1.8505E-006
RCPTR_34	farmer_child	TOCDLIC2	Mercuric chloride	3.4517E-005	6.1057E-005
RCPTR_34	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.1070E-015	1.1070E-015
RCPTR_34	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	4.4129E-017	4.4129E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	2.4833E-013	2.4833E-013
RCPTR_34	farmer_child	TOCDLIC2	Methyl mercury	4.1350E-007	4.9167E-007
RCPTR_34	farmer_child	TOCDLIC2	Methylene chloride	1.9495E-014	1.9495E-014
RCPTR_34	farmer_child	TOCDLIC2	Naphthalene	1.3512E-010	1.3516E-010
RCPTR_34	farmer_child	TOCDLIC2	Nickel	1.2829E-006	1.2998E-006
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 2-	5.4640E-010	5.4700E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.3009E-010	1.3015E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.6808E-010	1.6817E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitrobenzene	5.3946E-011	5.3976E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 2-	2.4569E-011	2.4576E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrophenol, 4-	4.3179E-010	4.3189E-010
RCPTR_34	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.0449E-011	3.0454E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.9932E-011	2.9934E-011
RCPTR_34	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	2.6920E-012	2.6921E-012
RCPTR_34	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	6.8852E-012	7.4302E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.2800E-012	2.4570E-012
RCPTR_34	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	2.9228E-011	3.1008E-011
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	8.6158E-012	9.5008E-012
RCPTR_34	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	2.3922E-011	2.6325E-011
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorobenzene	2.0883E-009	2.0892E-009
RCPTR_34	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	8.3028E-010	8.3033E-010
RCPTR_34	farmer_child	TOCDLIC2	Pentachlorophenol	5.0341E-007	5.0436E-007
RCPTR_34	farmer_child	TOCDLIC2	Phenanthrene	4.1377E-011	4.1378E-011
RCPTR_34	farmer_child	TOCDLIC2	Phenol	4.5193E-011	4.5221E-011
RCPTR_34	farmer_child	TOCDLIC2	Pronamide	4.0704E-009	4.1001E-009
RCPTR_34	farmer_child	TOCDLIC2	Pyrene	1.1626E-006	1.7064E-006
RCPTR_34	farmer_child	TOCDLIC2	Selenium	7.7311E-007	7.7317E-007
RCPTR_34	farmer_child	TOCDLIC2	Silver	2.6947E-007	2.6986E-007
RCPTR_34	farmer_child	TOCDLIC2	Styrene	6.3255E-012	6.3256E-012
RCPTR_34	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.5101E-011	1.7159E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.2338E-011	1.4592E-011
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	3.3261E-009	3.3307E-009
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.1261E-010	1.1261E-010
RCPTR_34	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	6.8076E-014	6.8076E-014
RCPTR_34	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	2.5728E-008	2.5771E-008
RCPTR_34	farmer_child	TOCDLIC2	Thallium (I)	7.0428E-006	7.1133E-006
RCPTR_34	farmer_child	TOCDLIC2	Toluene	3.6508E-013	3.6508E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.2709E-010	1.2710E-010
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	4.3981E-014	4.3981E-014
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	3.3626E-013	3.3626E-013
RCPTR_34	farmer_child	TOCDLIC2	Trichloroethylene	5.4680E-014	5.4681E-014
RCPTR_34	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	7.1863E-015	7.1863E-015
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.4405E-008	1.4644E-008
RCPTR_34	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.0253E-009	3.0356E-009
RCPTR_34	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.2446E-012	1.2446E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_34	farmer_child	TOCDLIC2	Vinyl Chloride	2.0991E-017	2.0991E-017
RCPTR_34	farmer_child	TOCDLIC2	Xylene, m-	6.9295E-013	6.9295E-013
RCPTR_34	farmer_child	TOCDLIC2	Xylene, o-	5.0914E-013	5.0914E-013
RCPTR_34	farmer_child	TOCDLIC2	Xylene, p-	8.6846E-013	8.6846E-013
RCPTR_34	farmer_child	TOCDLIC2	Zinc	1.3689E-006	1.4233E-006
RCPTR_35	farmer_adult	TOCDFBRA	Antimony	2.5063E-006	2.8723E-006
RCPTR_35	farmer_adult	TOCDFBRA	Arsenic	4.1781E-006	4.3071E-006
RCPTR_35	farmer_adult	TOCDFBRA	Barium	3.4574E-007	3.8263E-007
RCPTR_35	farmer_adult	TOCDFBRA	Beryllium	1.1818E-006	1.3347E-006
RCPTR_35	farmer_adult	TOCDFBRA	Cadmium	1.9568E-007	2.6813E-007
RCPTR_35	farmer_adult	TOCDFBRA	Chromium	3.1807E-005	3.2563E-005
RCPTR_35	farmer_adult	TOCDFBRA	Chromium, hexavalent	2.4790E-005	2.5117E-005
RCPTR_35	farmer_adult	TOCDFBRA	Lead	1.2662E-005	1.5093E-005
RCPTR_35	farmer_adult	TOCDFBRA	Mercuric chloride	2.4173E-003	2.6585E-003
RCPTR_35	farmer_adult	TOCDFBRA	Methyl mercury	2.2119E-005	2.3378E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFBRA	Nickel	1.3691E-005	1.4579E-005
RCPTR_35	farmer_adult	TOCDFBRA	Selenium	4.7017E-006	4.7210E-006
RCPTR_35	farmer_adult	TOCDFBRA	Silver	1.5752E-006	1.6591E-006
RCPTR_35	farmer_adult	TOCDFBRA	Thallium (I)	4.2624E-005	4.4539E-005
RCPTR_35	farmer_adult	TOCDFBRA	Zinc	7.2405E-006	8.9092E-006
RCPTR_35	farmer_adult	TOCDFDFS	Acenaphthene	7.3752E-010	3.7021E-009
RCPTR_35	farmer_adult	TOCDFDFS	Acetone	8.8495E-015	4.6146E-014
RCPTR_35	farmer_adult	TOCDFDFS	Acetophenone	3.9254E-012	2.0429E-011
RCPTR_35	farmer_adult	TOCDFDFS	Aniline	2.2622E-013	1.1721E-012
RCPTR_35	farmer_adult	TOCDFDFS	Anthracene	1.3064E-008	6.5340E-008
RCPTR_35	farmer_adult	TOCDFDFS	Antimony	2.5133E-005	2.8792E-005
RCPTR_35	farmer_adult	TOCDFDFS	Aroclor 1254	2.9375E-010	4.7464E-010
RCPTR_35	farmer_adult	TOCDFDFS	Arsenic	2.3691E-006	2.4420E-006
RCPTR_35	farmer_adult	TOCDFDFS	Barium	6.8934E-008	7.6266E-008
RCPTR_35	farmer_adult	TOCDFDFS	Benzene	7.3880E-015	3.8194E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)anthracene	6.4276E-006	9.5768E-006
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(a)pyrene	6.8702E-005	7.1692E-005
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	3.7729E-005	4.5660E-005
RCPTR_35	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	1.0702E-004	1.1271E-004
RCPTR_35	farmer_adult	TOCDFDFS	Benzoic acid	3.3030E-011	1.3647E-010
RCPTR_35	farmer_adult	TOCDFDFS	Benzyl alcohol	5.1129E-012	2.6585E-011
RCPTR_35	farmer_adult	TOCDFDFS	Beryllium	6.4845E-007	7.3211E-007
RCPTR_35	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	5.1013E-012	2.6600E-011
RCPTR_35	farmer_adult	TOCDFDFS	Bromodichloromethane	5.7822E-014	3.0103E-013
RCPTR_35	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	2.2968E-012	1.1964E-011
RCPTR_35	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	2.8801E-007	1.4301E-006
RCPTR_35	farmer_adult	TOCDFDFS	Butylbenzylphthalate	3.9574E-008	4.4692E-008
RCPTR_35	farmer_adult	TOCDFDFS	Cadmium	5.4051E-007	7.4003E-007
RCPTR_35	farmer_adult	TOCDFDFS	Carbon disulfide	3.8486E-015	1.9959E-014
RCPTR_35	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.9291E-014	9.9648E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	6.2205E-010	2.2631E-009
RCPTR_35	farmer_adult	TOCDFDFS	Chloroaniline, p-	2.3893E-011	1.2361E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorobenzene	1.1356E-013	5.8324E-013
RCPTR_35	farmer_adult	TOCDFDFS	Chloroethane	3.3221E-016	1.6432E-015
RCPTR_35	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	1.7326E-014	9.0161E-014
RCPTR_35	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.9102E-009	9.6664E-009
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenol, 2-	6.5842E-011	3.4310E-010
RCPTR_35	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	3.4770E-009	1.2583E-008
RCPTR_35	farmer_adult	TOCDFDFS	Chromium	9.3744E-006	9.5965E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chromium, hexavalent	7.3115E-006	7.4075E-006
RCPTR_35	farmer_adult	TOCDFDFS	Chrysene	1.9563E-005	2.3728E-005
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	1.5523E-007	1.7494E-007
RCPTR_35	farmer_adult	TOCDFDFS	Di-n-octylphthalate	8.0451E+002	8.0451E+002
RCPTR_35	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	1.5229E-003	1.5564E-003
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	3.1956E-012	1.5647E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	3.7778E-012	1.8904E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	3.6140E-012	1.8194E-011
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.3873E-007	1.6475E-007
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	2.5276E-017	1.3075E-016
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	6.3219E-015	3.2911E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	7.8504E-015	4.0884E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	2.4016E-015	1.2462E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	3.8624E-015	2.0034E-014
RCPTR_35	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	5.3958E-010	1.6043E-009
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	2.1822E-014	1.1276E-013
RCPTR_35	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	7.1519E-015	3.7189E-014
RCPTR_35	farmer_adult	TOCDFDFS	Diethyl phthalate	9.8306E-008	1.0168E-007
RCPTR_35	farmer_adult	TOCDFDFS	Dimethyl phthalate	1.0487E-010	5.1834E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	4.5575E-011	2.3411E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	6.8273E-011	1.3304E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	4.5239E-011	2.1612E-010
RCPTR_35	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	3.3997E-011	1.6634E-010
RCPTR_35	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	9.5545E-013	4.9805E-012
RCPTR_35	farmer_adult	TOCDFDFS	Ethylbenzene	7.3332E-014	3.5771E-013
RCPTR_35	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.0195E-009	4.5629E-009
RCPTR_35	farmer_adult	TOCDFDFS	Fluoranthene	2.9473E-007	9.5182E-007
RCPTR_35	farmer_adult	TOCDFDFS	Fluorene	2.9730E-009	1.4560E-008
RCPTR_35	farmer_adult	TOCDFDFS	GB	2.5762E-014	1.3399E-013
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2371E-012	1.3318E-012
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.5608E-013	6.9611E-013
RCPTR_35	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.1832E-012	2.3460E-012
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2524E-011	1.3327E-011
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.5846E-012	7.1313E-012
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.6105E-012	6.1468E-012
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.3930E-012	4.8709E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	3.9141E-012	4.3380E-012
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.2635E-012	5.8292E-012
RCPTR_35	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.6177E-012	4.0080E-012
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	6.7956E-011	3.0744E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorobenzene	1.3403E-007	6.2524E-007
RCPTR_35	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	9.2376E-010	4.0524E-009
RCPTR_35	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	3.7409E-011	1.8779E-010
RCPTR_35	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1022E-002	1.1085E-002
RCPTR_35	farmer_adult	TOCDFDFS	Isophorone	6.8450E-012	3.5617E-011
RCPTR_35	farmer_adult	TOCDFDFS	Lead	7.5174E-005	8.9565E-005
RCPTR_35	farmer_adult	TOCDFDFS	Mercuric chloride	8.6979E-007	9.5857E-007
RCPTR_35	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	6.6859E-016	3.4839E-015
RCPTR_35	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	1.1331E-016	5.8983E-016
RCPTR_35	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	5.9396E-014	3.0968E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Methyl mercury	7.3065E-009	7.7700E-009
RCPTR_35	farmer_adult	TOCDFDFS	Methylene chloride	1.7191E-015	8.9525E-015
RCPTR_35	farmer_adult	TOCDFDFS	Naphthalene	2.9473E-011	1.5053E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nickel	8.0757E-006	8.5978E-006
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 2-	1.1606E-010	6.0047E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 3-	2.7465E-011	1.4287E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroaniline, 4-	3.5549E-011	1.8461E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitrobenzene	1.1537E-011	6.0114E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 2-	5.2594E-012	2.7370E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrophenol, 4-	2.6841E-010	4.7613E-010
RCPTR_35	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	6.5552E-012	3.3917E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	6.4685E-012	3.3339E-011
RCPTR_35	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	6.0320E-013	2.9991E-012
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.0695E-012	3.3781E-012
RCPTR_35	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0539E-012	1.1576E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.1629E-011	3.4103E-011
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.5642E-012	2.9062E-012
RCPTR_35	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0195E-011	1.1518E-011
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorobenzene	5.5967E-010	2.3284E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	2.2861E-010	9.1226E-010
RCPTR_35	farmer_adult	TOCDFDFS	Pentachlorophenol	4.2930E-007	5.5734E-007
RCPTR_35	farmer_adult	TOCDFDFS	Phenanthrene	9.2669E-012	4.6088E-011
RCPTR_35	farmer_adult	TOCDFDFS	Phenol	9.1904E-012	4.7635E-011
RCPTR_35	farmer_adult	TOCDFDFS	Pronamide	1.8724E-009	9.1339E-009
RCPTR_35	farmer_adult	TOCDFDFS	Pyrene	4.9599E-007	1.9014E-006
RCPTR_35	farmer_adult	TOCDFDFS	Selenium	2.6660E-006	2.6769E-006
RCPTR_35	farmer_adult	TOCDFDFS	Silver	9.0734E-007	9.5551E-007
RCPTR_35	farmer_adult	TOCDFDFS	Styrene	1.8793E-012	9.7249E-012
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	1.3773E-011	1.6264E-011
RCPTR_35	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	4.2989E-012	5.3615E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	8.1118E-010	3.7106E-009
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.6549E-010	1.9963E-010
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	2.3143E-014	1.1980E-013
RCPTR_35	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.2803E-008	2.8374E-008
RCPTR_35	farmer_adult	TOCDFDFS	Thallium (I)	2.3395E-005	2.4443E-005
RCPTR_35	farmer_adult	TOCDFDFS	Toluene	3.1669E-014	1.6153E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	2.9269E-011	1.4158E-010
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	1.4912E-014	7.7399E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	1.1374E-013	5.9176E-013
RCPTR_35	farmer_adult	TOCDFDFS	Trichloroethylene	1.8582E-014	9.6229E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	2.4409E-015	1.2647E-014
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	3.6466E-009	1.6315E-008
RCPTR_35	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	9.8806E-010	3.3846E-009
RCPTR_35	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	4.2152E-013	2.1903E-012
RCPTR_35	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	5.2750E-012	2.5710E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFDFS	Vinyl Chloride	6.0148E-018	3.1261E-017
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, m-	5.2455E-013	9.0233E-013
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, o-	4.7006E-013	9.0075E-013
RCPTR_35	farmer_adult	TOCDFDFS	Xylene, p-	5.4315E-013	1.1290E-012
RCPTR_35	farmer_adult	TOCDFDFS	Zinc	4.7979E-006	5.9003E-006
RCPTR_35	farmer_adult	TOCDFLIC	Acenaphthene	4.1958E-010	2.1063E-009
RCPTR_35	farmer_adult	TOCDFLIC	Acetone	1.0622E-014	5.5388E-014
RCPTR_35	farmer_adult	TOCDFLIC	Acetophenone	3.8285E-012	1.9925E-011
RCPTR_35	farmer_adult	TOCDFLIC	Aniline	1.2870E-013	6.6687E-013
RCPTR_35	farmer_adult	TOCDFLIC	Anthracene	7.4314E-009	3.7173E-008
RCPTR_35	farmer_adult	TOCDFLIC	Antimony	4.4719E-007	5.1228E-007
RCPTR_35	farmer_adult	TOCDFLIC	Arsenic	1.4409E-006	1.4852E-006
RCPTR_35	farmer_adult	TOCDFLIC	Barium	4.7662E-008	5.2730E-008
RCPTR_35	farmer_adult	TOCDFLIC	Benzene	9.8385E-014	5.0861E-013
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)anthracene	3.6484E-006	5.4388E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(a)pyrene	3.8917E-005	4.0603E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	2.1429E-005	2.5937E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	6.0649E-005	6.3845E-005
RCPTR_35	farmer_adult	TOCDFLIC	Benzoic acid	2.0164E-011	8.3293E-011
RCPTR_35	farmer_adult	TOCDFLIC	Benzyl alcohol	2.9089E-012	1.5125E-011
RCPTR_35	farmer_adult	TOCDFLIC	Beryllium	2.4402E-007	2.7549E-007
RCPTR_35	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	2.9023E-012	1.5134E-011
RCPTR_35	farmer_adult	TOCDFLIC	Bromodichloromethane	2.5995E-014	1.3534E-013
RCPTR_35	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	8.9492E-013	4.6615E-012
RCPTR_35	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	1.6385E-007	8.1360E-007
RCPTR_35	farmer_adult	TOCDFLIC	Butylbenzylphthalate	2.2337E-008	2.5248E-008
RCPTR_35	farmer_adult	TOCDFLIC	Cadmium	1.5047E-007	2.0600E-007
RCPTR_35	farmer_adult	TOCDFLIC	Carbon disulfide	5.9410E-015	3.0810E-014
RCPTR_35	farmer_adult	TOCDFLIC	Carbon tetrachloride	9.4178E-015	4.8648E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	3.5408E-010	1.2877E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Chloroaniline, p-	1.3593E-011	7.0328E-011
RCPTR_35	farmer_adult	TOCDFLIC	Chlorobenzene	5.5438E-014	2.8473E-013
RCPTR_35	farmer_adult	TOCDFLIC	Chloroethane	1.6220E-016	8.0222E-016
RCPTR_35	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	8.2749E-015	4.3060E-014
RCPTR_35	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	1.0867E-009	5.4995E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenol, 2-	3.7460E-011	1.9520E-010
RCPTR_35	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.9770E-009	7.1576E-009
RCPTR_35	farmer_adult	TOCDFLIC	Chromium	1.1711E-005	1.1988E-005
RCPTR_35	farmer_adult	TOCDFLIC	Chromium, hexavalent	9.1345E-006	9.2545E-006
RCPTR_35	farmer_adult	TOCDFLIC	Chrysene	1.1115E-005	1.3480E-005
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	8.8310E-008	9.9523E-008
RCPTR_35	farmer_adult	TOCDFLIC	Di-n-octylphthalate	4.5835E+002	4.5835E+002
RCPTR_35	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	8.6195E-004	8.8048E-004
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.8181E-012	8.9020E-012
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	2.1493E-012	1.0755E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	2.0561E-012	1.0351E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.0720E-008	4.8379E-008
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	1.2339E-017	6.3831E-017
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	3.0864E-015	1.6067E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	3.8325E-015	1.9960E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	1.1725E-015	6.0841E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.8856E-015	9.7805E-015
RCPTR_35	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	3.0720E-010	9.1294E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	1.0654E-014	5.5048E-014
RCPTR_35	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	3.4915E-015	1.8155E-014
RCPTR_35	farmer_adult	TOCDFLIC	Diethyl phthalate	5.6005E-008	5.7925E-008
RCPTR_35	farmer_adult	TOCDFLIC	Dimethyl phthalate	1.0763E-010	5.3204E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	2.5930E-011	1.3319E-010
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	3.9329E-011	7.6618E-011
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	2.5722E-011	1.2294E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.9339E-011	9.4631E-011
RCPTR_35	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	5.4359E-013	2.8336E-012
RCPTR_35	farmer_adult	TOCDFLIC	Ethylbenzene	4.7733E-014	2.3284E-013
RCPTR_35	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	7.1712E-008	8.1488E-008
RCPTR_35	farmer_adult	TOCDFLIC	Fluoranthene	1.6757E-007	5.4140E-007
RCPTR_35	farmer_adult	TOCDFLIC	Fluorene	1.6913E-009	8.2834E-009
RCPTR_35	farmer_adult	TOCDFLIC	GB	9.1238E-015	4.7454E-014
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.6462E-013	8.2266E-013
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.2941E-013	9.8551E-013
RCPTR_35	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.1907E-012	2.3527E-012
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.8226E-012	1.0446E-011
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.4807E-012	5.9324E-012
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.6219E-012	5.0615E-012
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	2.9486E-012	3.2687E-012
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.8910E-012	3.2033E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.3534E-012	3.7129E-012
RCPTR_35	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.4443E-012	2.7074E-012
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	3.8641E-011	1.7489E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorobenzene	7.6243E-008	3.5571E-007
RCPTR_35	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	1.0609E-010	4.6568E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	2.1285E-011	1.0684E-010
RCPTR_35	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2666E-003	6.3012E-003
RCPTR_35	farmer_adult	TOCDFLIC	Isophorone	3.8944E-012	2.0264E-011
RCPTR_35	farmer_adult	TOCDFLIC	Lead	2.7834E-005	3.3161E-005
RCPTR_35	farmer_adult	TOCDFLIC	Mercuric chloride	7.2327E-005	7.9726E-005
RCPTR_35	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	2.1238E-016	1.1067E-015
RCPTR_35	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	1.7413E-017	9.0649E-017
RCPTR_35	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	6.3186E-014	3.2944E-013
RCPTR_35	farmer_adult	TOCDFLIC	Methyl mercury	6.0209E-007	6.4072E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Methylene chloride	1.3457E-015	7.0076E-015
RCPTR_35	farmer_adult	TOCDFLIC	Naphthalene	1.6768E-011	8.5642E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nickel	4.5413E-006	4.8348E-006
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 2-	6.6819E-011	3.4571E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 3-	1.5812E-011	8.2252E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitroaniline, 4-	2.0465E-011	1.0628E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitrobenzene	6.5639E-012	3.4201E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 2-	2.9923E-012	1.5572E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrophenol, 4-	1.5470E-010	2.7429E-010
RCPTR_35	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	3.7295E-012	1.9297E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	3.6802E-012	1.8968E-011
RCPTR_35	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	3.4272E-013	1.7058E-012
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6018E-012	2.8624E-012
RCPTR_35	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.5564E-013	9.3956E-013
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0179E-011	2.1750E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.1909E-012	5.8829E-012
RCPTR_35	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1445E-011	1.2930E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorobenzene	3.1720E-010	1.3235E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	1.3105E-010	5.2464E-010
RCPTR_35	farmer_adult	TOCDFLIC	Pentachlorophenol	2.4748E-007	3.2119E-007
RCPTR_35	farmer_adult	TOCDFLIC	Phenanthrene	5.2720E-012	2.6221E-011
RCPTR_35	farmer_adult	TOCDFLIC	Phenol	5.2288E-012	2.7101E-011
RCPTR_35	farmer_adult	TOCDFLIC	Pronamide	5.3266E-010	2.5983E-009
RCPTR_35	farmer_adult	TOCDFLIC	Pyrene	2.8214E-007	1.0817E-006
RCPTR_35	farmer_adult	TOCDFLIC	Selenium	9.9587E-007	9.9995E-007
RCPTR_35	farmer_adult	TOCDFLIC	Silver	3.3136E-007	3.4894E-007
RCPTR_35	farmer_adult	TOCDFLIC	Styrene	1.9079E-012	9.8734E-012
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	6.5686E-012	7.7577E-012
RCPTR_35	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	8.5671E-012	1.0687E-011
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	4.6155E-010	2.1111E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	8.0898E-011	9.7564E-011
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	1.1298E-014	5.8487E-014
RCPTR_35	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	7.3775E-009	1.6342E-008
RCPTR_35	farmer_adult	TOCDFLIC	Thallium (I)	8.8041E-006	9.1983E-006
RCPTR_35	farmer_adult	TOCDFLIC	Toluene	8.8917E-014	4.5352E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	1.6651E-011	8.0548E-011
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	7.2799E-015	3.7786E-014
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	5.5528E-014	2.8889E-013
RCPTR_35	farmer_adult	TOCDFLIC	Trichloroethylene	9.0719E-015	4.6979E-014
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	1.1917E-015	6.1741E-015
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	2.0752E-009	9.2827E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	5.6246E-010	1.9260E-009
RCPTR_35	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	2.0579E-013	1.0693E-012
RCPTR_35	farmer_adult	TOCDFLIC	Vinyl Chloride	3.1638E-018	1.6444E-017
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, m-	4.4766E-013	7.7650E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, o-	2.5550E-013	4.9401E-013
RCPTR_35	farmer_adult	TOCDFLIC	Xylene, p-	4.6448E-013	9.7446E-013
RCPTR_35	farmer_adult	TOCDFLIC	Zinc	1.2528E-006	1.5405E-006
RCPTR_35	farmer_adult	TOCDFMPF	Acenaphthene	1.7908E-009	8.9898E-009
RCPTR_35	farmer_adult	TOCDFMPF	Acetone	5.3290E-015	2.7788E-014
RCPTR_35	farmer_adult	TOCDFMPF	Acetophenone	9.0781E-012	4.7246E-011
RCPTR_35	farmer_adult	TOCDFMPF	Aniline	5.4933E-013	2.8463E-012
RCPTR_35	farmer_adult	TOCDFMPF	Anthracene	3.1719E-008	1.5866E-007
RCPTR_35	farmer_adult	TOCDFMPF	Antimony	1.3338E-007	1.5279E-007
RCPTR_35	farmer_adult	TOCDFMPF	Arsenic	3.3886E-007	3.4928E-007
RCPTR_35	farmer_adult	TOCDFMPF	Barium	4.4773E-008	4.9534E-008
RCPTR_35	farmer_adult	TOCDFMPF	Benzene	4.7911E-015	2.4768E-014
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)anthracene	1.5574E-005	2.3216E-005
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(a)pyrene	1.6614E-004	1.7334E-004
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	9.1471E-005	1.1071E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	2.5891E-004	2.7255E-004
RCPTR_35	farmer_adult	TOCDFMPF	Benzoic acid	8.0229E-011	3.3141E-010
RCPTR_35	farmer_adult	TOCDFMPF	Benzyl alcohol	1.2416E-011	6.4555E-011
RCPTR_35	farmer_adult	TOCDFMPF	Beryllium	6.9840E-008	7.8847E-008
RCPTR_35	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	1.2387E-011	6.4593E-011
RCPTR_35	farmer_adult	TOCDFMPF	Bromodichloromethane	4.2376E-014	2.2061E-013
RCPTR_35	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	1.5981E-012	8.3241E-012
RCPTR_35	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	6.9935E-007	3.4726E-006
RCPTR_35	farmer_adult	TOCDFMPF	Butylbenzylphthalate	9.5371E-008	1.0780E-007
RCPTR_35	farmer_adult	TOCDFMPF	Cadmium	6.5970E-008	9.0314E-008
RCPTR_35	farmer_adult	TOCDFMPF	Carbon disulfide	8.3514E-015	4.3310E-014
RCPTR_35	farmer_adult	TOCDFMPF	Carbon tetrachloride	1.3273E-014	6.8562E-014
RCPTR_35	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	1.5113E-009	5.4963E-009
RCPTR_35	farmer_adult	TOCDFMPF	Chloroaniline, p-	5.8019E-011	3.0017E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorobenzene	7.8131E-014	4.0129E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Chloroethane	2.2860E-016	1.1306E-015
RCPTR_35	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	1.1218E-014	5.8377E-014
RCPTR_35	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	4.6384E-009	2.3473E-008
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenol, 2-	1.5988E-010	8.3315E-010
RCPTR_35	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	8.4386E-009	3.0550E-008
RCPTR_35	farmer_adult	TOCDFMPF	Chromium	2.2705E-006	2.3242E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chromium, hexavalent	1.7710E-006	1.7942E-006
RCPTR_35	farmer_adult	TOCDFMPF	Chrysene	4.7442E-005	5.7541E-005
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	3.7693E-007	4.2479E-007
RCPTR_35	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.9562E+003	1.9562E+003
RCPTR_35	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	3.6797E-003	3.7589E-003
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	7.7598E-012	3.7995E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	9.1736E-012	4.5906E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	8.7758E-012	4.4180E-011
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.2739E-007	2.7015E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	1.7390E-017	8.9960E-017
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	4.3497E-015	2.2644E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	5.4014E-015	2.8130E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	1.6524E-015	8.5747E-015
RCPTR_35	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	2.6575E-015	1.3784E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	1.3112E-009	3.8966E-009
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	1.5015E-014	7.7582E-014
RCPTR_35	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	4.9207E-015	2.5587E-014
RCPTR_35	farmer_adult	TOCDFMPF	Diethyl phthalate	2.3903E-007	2.4722E-007
RCPTR_35	farmer_adult	TOCDFMPF	Dimethyl phthalate	3.9172E-011	1.9364E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	1.1067E-010	5.6849E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	1.6756E-010	3.2642E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	1.0979E-010	5.2474E-010
RCPTR_35	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	8.2542E-011	4.0390E-010
RCPTR_35	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	2.3201E-012	1.2094E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Ethylbenzene	5.0454E-014	2.4612E-013
RCPTR_35	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	7.9489E-008	9.0321E-008
RCPTR_35	farmer_adult	TOCDFMPF	Fluoranthene	7.1524E-007	2.3108E-006
RCPTR_35	farmer_adult	TOCDFMPF	Fluorene	7.2189E-009	3.5355E-008
RCPTR_35	farmer_adult	TOCDFMPF	GB	1.2994E-014	6.7585E-014
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6122E-012	1.7347E-012
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.2443E-011	6.6214E-011
RCPTR_35	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0176E-011	1.0929E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2469E-011	2.3896E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.1928E-011	1.2911E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.0977E-011	1.2021E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.4298E-010	4.9107E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.0816E-010	1.1985E-010
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.8820E-011	2.0838E-011
RCPTR_35	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3427E-011	1.4873E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	1.6493E-010	7.4646E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorobenzene	3.2542E-007	1.5182E-006
RCPTR_35	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	4.5283E-010	1.9876E-009
RCPTR_35	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	9.0846E-011	4.5601E-010
RCPTR_35	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6748E-002	2.6896E-002
RCPTR_35	farmer_adult	TOCDFMPF	Isophorone	1.6622E-011	8.6488E-011
RCPTR_35	farmer_adult	TOCDFMPF	Lead	2.1992E-008	2.6201E-008
RCPTR_35	farmer_adult	TOCDFMPF	Mercuric chloride	8.1983E-007	9.0369E-007
RCPTR_35	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	2.5505E-016	1.3290E-015
RCPTR_35	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	9.1322E-018	4.7540E-017
RCPTR_35	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	5.9701E-014	3.1127E-013
RCPTR_35	farmer_adult	TOCDFMPF	Methyl mercury	6.8275E-009	7.2653E-009
RCPTR_35	farmer_adult	TOCDFMPF	Methylene chloride	1.4944E-015	7.7821E-015
RCPTR_35	farmer_adult	TOCDFMPF	Naphthalene	7.1570E-011	3.6553E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Nickel	3.5690E-006	3.7996E-006
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 2-	2.8468E-010	1.4729E-009
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 3-	6.7367E-011	3.5043E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitroaniline, 4-	8.7189E-011	4.5281E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitrobenzene	2.8016E-011	1.4597E-010
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 2-	1.2771E-011	6.6463E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrophenol, 4-	6.5906E-010	1.1686E-009
RCPTR_35	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	1.5918E-011	8.2362E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	1.5708E-011	8.0957E-011
RCPTR_35	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	1.4629E-012	7.2809E-012
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.8703E-012	4.2580E-012
RCPTR_35	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.3889E-012	5.9175E-012
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	7.9777E-011	8.5986E-011
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.7884E-011	6.5600E-011
RCPTR_35	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.8628E-010	2.1046E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorobenzene	1.3541E-009	5.6491E-009
RCPTR_35	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	5.5843E-010	2.2353E-009
RCPTR_35	farmer_adult	TOCDFMPF	Pentachlorophenol	1.0543E-006	1.3684E-006
RCPTR_35	farmer_adult	TOCDFMPF	Phenanthrene	2.2502E-011	1.1191E-010
RCPTR_35	farmer_adult	TOCDFMPF	Phenol	2.2317E-011	1.1567E-010
RCPTR_35	farmer_adult	TOCDFMPF	Pronamide	2.2735E-009	1.1090E-008
RCPTR_35	farmer_adult	TOCDFMPF	Pyrene	1.2042E-006	4.6170E-006
RCPTR_35	farmer_adult	TOCDFMPF	Selenium	2.9195E-007	2.9315E-007
RCPTR_35	farmer_adult	TOCDFMPF	Silver	1.3288E-006	1.3994E-006
RCPTR_35	farmer_adult	TOCDFMPF	Styrene	2.0426E-012	1.0570E-011
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	1.8657E-011	2.2034E-011
RCPTR_35	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	3.5131E-011	4.3825E-011
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.9700E-009	9.0107E-009
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.1401E-010	1.3750E-010
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	3.5286E-014	1.8267E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.1430E-008	6.9625E-008
RCPTR_35	farmer_adult	TOCDFMPF	Thallium (I)	2.6033E-006	2.7198E-006
RCPTR_35	farmer_adult	TOCDFMPF	Toluene	2.4932E-014	1.2717E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	7.1070E-011	3.4379E-010
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	1.0260E-014	5.3254E-014
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	7.8258E-014	4.0715E-013
RCPTR_35	farmer_adult	TOCDFMPF	Trichloroethylene	1.2785E-014	6.6209E-014
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	1.6794E-015	8.7014E-015
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	8.8571E-009	3.9620E-008
RCPTR_35	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	2.4006E-009	8.2202E-009
RCPTR_35	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	2.9003E-013	1.5070E-012
RCPTR_35	farmer_adult	TOCDFMPF	Vinyl Chloride	4.1382E-018	2.1509E-017
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, m-	3.5417E-013	6.1409E-013
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, o-	3.1770E-013	6.1402E-013
RCPTR_35	farmer_adult	TOCDFMPF	Xylene, p-	3.6743E-013	7.7055E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDFMPF	Zinc	7.6846E-007	9.4495E-007
RCPTR_35	farmer_adult	TOCDHVAC	GB	5.4541E-014	2.8369E-013
RCPTR_35	farmer_adult	TOCDLIC2	Acenaphthene	8.6586E-010	4.3465E-009
RCPTR_35	farmer_adult	TOCDLIC2	Acetone	1.0512E-014	5.4812E-014
RCPTR_35	farmer_adult	TOCDLIC2	Acetophenone	4.3892E-012	2.2843E-011
RCPTR_35	farmer_adult	TOCDLIC2	Aniline	2.6560E-013	1.3762E-012
RCPTR_35	farmer_adult	TOCDLIC2	Anthracene	1.5336E-008	7.6712E-008
RCPTR_35	farmer_adult	TOCDLIC2	Antimony	5.9496E-007	6.8155E-007
RCPTR_35	farmer_adult	TOCDLIC2	Arsenic	1.4409E-006	1.4852E-006
RCPTR_35	farmer_adult	TOCDLIC2	Barium	4.5929E-007	5.0812E-007
RCPTR_35	farmer_adult	TOCDLIC2	Benzene	7.0802E-015	3.6602E-014
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)anthracene	7.5290E-006	1.1224E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(a)pyrene	8.0311E-005	8.3789E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	4.4222E-005	5.3524E-005
RCPTR_35	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	1.2516E-004	1.3175E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Benzoic acid	3.8791E-011	1.6023E-010
RCPTR_35	farmer_adult	TOCDLIC2	Benzyl alcohol	6.0030E-012	3.1212E-011
RCPTR_35	farmer_adult	TOCDLIC2	Beryllium	2.4402E-007	2.7549E-007
RCPTR_35	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	5.9893E-012	3.1230E-011
RCPTR_35	farmer_adult	TOCDLIC2	Bromodichloromethane	7.9597E-014	4.1439E-013
RCPTR_35	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	2.0749E-012	1.0808E-011
RCPTR_35	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	3.3813E-007	1.6790E-006
RCPTR_35	farmer_adult	TOCDLIC2	Butylbenzylphthalate	4.6095E-008	5.2103E-008
RCPTR_35	farmer_adult	TOCDLIC2	Cadmium	1.7098E-008	2.3407E-008
RCPTR_35	farmer_adult	TOCDLIC2	Carbon disulfide	9.0034E-015	4.6691E-014
RCPTR_35	farmer_adult	TOCDLIC2	Carbon tetrachloride	1.4334E-014	7.4040E-014
RCPTR_35	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	7.3069E-010	2.6574E-009
RCPTR_35	farmer_adult	TOCDLIC2	Chloroaniline, p-	2.8052E-011	1.4513E-010
RCPTR_35	farmer_adult	TOCDLIC2	Chlorobenzene	8.4375E-014	4.3336E-013
RCPTR_35	farmer_adult	TOCDLIC2	Chloroethane	2.4686E-016	1.2209E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	2.5549E-014	1.3295E-013
RCPTR_35	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	2.2426E-009	1.1349E-008
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenol, 2-	7.7303E-011	4.0282E-010
RCPTR_35	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	4.0799E-009	1.4771E-008
RCPTR_35	farmer_adult	TOCDLIC2	Chromium	1.1711E-005	1.1988E-005
RCPTR_35	farmer_adult	TOCDLIC2	Chromium, hexavalent	9.1345E-006	9.2545E-006
RCPTR_35	farmer_adult	TOCDLIC2	Chrysene	2.2936E-005	2.7819E-005
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.8224E-007	2.0538E-007
RCPTR_35	farmer_adult	TOCDLIC2	Di-n-octylphthalate	9.4587E+002	9.4587E+002
RCPTR_35	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	1.7788E-003	1.8170E-003
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	3.7518E-012	1.8371E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	4.4354E-012	2.2195E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	4.2431E-012	2.1361E-011
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	9.7921E-008	1.1634E-007
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.8779E-017	9.7149E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	4.6973E-015	2.4453E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	5.8330E-015	3.0378E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.7845E-015	9.2598E-015
RCPTR_35	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	2.8699E-015	1.4886E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	6.3395E-010	1.8840E-009
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	1.6214E-014	8.3781E-014
RCPTR_35	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	5.3139E-015	2.7632E-014
RCPTR_35	farmer_adult	TOCDLIC2	Diethyl phthalate	1.1557E-007	1.1954E-007
RCPTR_35	farmer_adult	TOCDLIC2	Dimethyl phthalate	1.3182E-010	6.5165E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	5.3510E-011	2.7486E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	8.1370E-011	1.5852E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	5.3080E-011	2.5371E-010
RCPTR_35	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	3.9908E-011	1.9528E-010
RCPTR_35	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	1.1218E-012	5.8475E-012
RCPTR_35	farmer_adult	TOCDLIC2	Ethylbenzene	6.1794E-014	3.0143E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	4.8014E-008	5.4559E-008
RCPTR_35	farmer_adult	TOCDLIC2	Fluoranthene	3.4581E-007	1.1173E-006
RCPTR_35	farmer_adult	TOCDLIC2	Fluorene	3.4903E-009	1.7094E-008
RCPTR_35	farmer_adult	TOCDLIC2	GB	9.4852E-015	4.9334E-014
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.3667E-012	5.7742E-012
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.0766E-012	5.3830E-012
RCPTR_35	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.7814E-012	5.1350E-012
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4746E-011	1.5682E-011
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0338E-011	1.1190E-011
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	9.8545E-012	1.0792E-011
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.4882E-012	1.0518E-011
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.7247E-012	6.3432E-012
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.1183E-012	5.6671E-012
RCPTR_35	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.8567E-012	6.4870E-012
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	7.9741E-011	3.6091E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorobenzene	1.5734E-007	7.3406E-007
RCPTR_35	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	2.1893E-010	9.6100E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	4.3924E-011	2.2048E-010
RCPTR_35	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2932E-002	1.3003E-002
RCPTR_35	farmer_adult	TOCDLIC2	Isophorone	8.0365E-012	4.1817E-011
RCPTR_35	farmer_adult	TOCDLIC2	Lead	2.0068E-006	2.3908E-006
RCPTR_35	farmer_adult	TOCDLIC2	Mercuric chloride	7.2327E-005	7.9726E-005
RCPTR_35	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	2.7780E-016	1.4475E-015
RCPTR_35	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	1.1084E-017	5.7702E-017
RCPTR_35	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	6.2278E-014	3.2471E-013
RCPTR_35	farmer_adult	TOCDLIC2	Methyl mercury	6.0209E-007	6.4072E-007
RCPTR_35	farmer_adult	TOCDLIC2	Methylene chloride	4.8950E-015	2.5491E-014
RCPTR_35	farmer_adult	TOCDLIC2	Naphthalene	3.4604E-011	1.7673E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nickel	1.5786E-006	1.6806E-006

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 2-	1.3825E-010	7.1525E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 3-	3.2715E-011	1.7018E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroaniline, 4-	4.2341E-011	2.1989E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitrobenzene	1.3545E-011	7.0578E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 2-	6.1750E-012	3.2135E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrophenol, 4-	3.2007E-010	5.6749E-010
RCPTR_35	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	7.6964E-012	3.9822E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	7.5947E-012	3.9142E-011
RCPTR_35	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	7.0726E-013	3.5203E-012
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.7360E-012	9.6110E-012
RCPTR_35	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.8941E-012	3.1779E-012
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.7734E-011	4.0670E-011
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.0984E-011	1.2448E-011
RCPTR_35	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.0458E-011	3.4411E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorobenzene	6.5458E-010	2.7312E-009

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	2.7113E-010	1.0855E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pentachlorophenol	5.1202E-007	6.6453E-007
RCPTR_35	farmer_adult	TOCDLIC2	Phenanthrene	1.0880E-011	5.4110E-011
RCPTR_35	farmer_adult	TOCDLIC2	Phenol	1.1408E-011	5.9130E-011
RCPTR_35	farmer_adult	TOCDLIC2	Pronamide	1.0992E-009	5.3620E-009
RCPTR_35	farmer_adult	TOCDLIC2	Pyrene	5.8223E-007	2.2323E-006
RCPTR_35	farmer_adult	TOCDLIC2	Selenium	9.9587E-007	9.9995E-007
RCPTR_35	farmer_adult	TOCDLIC2	Silver	3.3136E-007	3.4894E-007
RCPTR_35	farmer_adult	TOCDLIC2	Styrene	1.5984E-012	8.2713E-012
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9042E-011	2.2489E-011
RCPTR_35	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	1.5346E-011	1.9143E-011
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	9.5246E-010	4.3566E-009
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.2312E-010	1.4849E-010
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	1.7195E-014	8.9015E-014
RCPTR_35	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.5264E-008	3.3812E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_adult	TOCDLIC2	Thallium (I)	8.8041E-006	9.1983E-006
RCPTR_35	farmer_adult	TOCDLIC2	Toluene	9.3597E-014	4.7739E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	3.4362E-011	1.6622E-010
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	1.1080E-014	5.7509E-014
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	8.4511E-014	4.3969E-013
RCPTR_35	farmer_adult	TOCDLIC2	Trichloroethylene	1.3807E-014	7.1500E-014
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.8136E-015	9.3967E-015
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	4.2824E-009	1.9156E-008
RCPTR_35	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	1.1607E-009	3.9745E-009
RCPTR_35	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	3.1320E-013	1.6275E-012
RCPTR_35	farmer_adult	TOCDLIC2	Vinyl Chloride	5.2807E-018	2.7447E-017
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, m-	5.1968E-013	9.0141E-013
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, o-	3.4280E-013	6.6281E-013
RCPTR_35	farmer_adult	TOCDLIC2	Xylene, p-	5.3920E-013	1.1312E-012
RCPTR_35	farmer_adult	TOCDLIC2	Zinc	1.4958E-006	1.8394E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFBRA	Antimony	2.8174E-006	2.8723E-006
RCPTR_35	farmer_child	TOCDFBRA	Arsenic	4.2946E-006	4.3071E-006
RCPTR_35	farmer_child	TOCDFBRA	Barium	3.7758E-007	3.8263E-007
RCPTR_35	farmer_child	TOCDFBRA	Beryllium	1.2054E-006	1.3347E-006
RCPTR_35	farmer_child	TOCDFBRA	Cadmium	2.5062E-007	2.6813E-007
RCPTR_35	farmer_child	TOCDFBRA	Chromium	2.8638E-005	3.2563E-005
RCPTR_35	farmer_child	TOCDFBRA	Chromium, hexavalent	2.5096E-005	2.5117E-005
RCPTR_35	farmer_child	TOCDFBRA	Lead	1.2893E-005	1.5093E-005
RCPTR_35	farmer_child	TOCDFBRA	Mercuric chloride	1.5280E-003	2.6585E-003
RCPTR_35	farmer_child	TOCDFBRA	Methyl mercury	2.0049E-005	2.3378E-005
RCPTR_35	farmer_child	TOCDFBRA	Nickel	1.4390E-005	1.4579E-005
RCPTR_35	farmer_child	TOCDFBRA	Selenium	4.7206E-006	4.7210E-006
RCPTR_35	farmer_child	TOCDFBRA	Silver	1.6568E-006	1.6591E-006
RCPTR_35	farmer_child	TOCDFBRA	Thallium (I)	4.4098E-005	4.4539E-005
RCPTR_35	farmer_child	TOCDFBRA	Zinc	8.5689E-006	8.9092E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Acenaphthene	3.6891E-009	3.7021E-009
RCPTR_35	farmer_child	TOCDFDFS	Acetone	4.6146E-014	4.6146E-014
RCPTR_35	farmer_child	TOCDFDFS	Acetophenone	2.0425E-011	2.0429E-011
RCPTR_35	farmer_child	TOCDFDFS	Aniline	1.1721E-012	1.1721E-012
RCPTR_35	farmer_child	TOCDFDFS	Anthracene	6.3221E-008	6.5340E-008
RCPTR_35	farmer_child	TOCDFDFS	Antimony	2.8243E-005	2.8792E-005
RCPTR_35	farmer_child	TOCDFDFS	Aroclor 1254	4.7208E-010	4.7464E-010
RCPTR_35	farmer_child	TOCDFDFS	Arsenic	2.4349E-006	2.4420E-006
RCPTR_35	farmer_child	TOCDFDFS	Barium	7.5263E-008	7.6266E-008
RCPTR_35	farmer_child	TOCDFDFS	Benzene	3.8193E-014	3.8194E-014
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)anthracene	8.4805E-006	9.5768E-006
RCPTR_35	farmer_child	TOCDFDFS	Benzo(a)pyrene	7.0781E-005	7.1692E-005
RCPTR_35	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	4.3014E-005	4.5660E-005
RCPTR_35	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	1.0924E-004	1.1271E-004
RCPTR_35	farmer_child	TOCDFDFS	Benzoic acid	1.3645E-010	1.3647E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Benzyl alcohol	2.6571E-011	2.6585E-011
RCPTR_35	farmer_child	TOCDFDFS	Beryllium	6.6135E-007	7.3211E-007
RCPTR_35	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	2.6589E-011	2.6600E-011
RCPTR_35	farmer_child	TOCDFDFS	Bromodichloromethane	3.0103E-013	3.0103E-013
RCPTR_35	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	1.1963E-011	1.1964E-011
RCPTR_35	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	1.0337E-006	1.4301E-006
RCPTR_35	farmer_child	TOCDFDFS	Butylbenzylphthalate	4.4670E-008	4.4692E-008
RCPTR_35	farmer_child	TOCDFDFS	Cadmium	6.9179E-007	7.4003E-007
RCPTR_35	farmer_child	TOCDFDFS	Carbon disulfide	1.9959E-014	1.9959E-014
RCPTR_35	farmer_child	TOCDFDFS	Carbon tetrachloride	9.9648E-014	9.9648E-014
RCPTR_35	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	2.2526E-009	2.2631E-009
RCPTR_35	farmer_child	TOCDFDFS	Chloroaniline, p-	1.2348E-010	1.2361E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorobenzene	5.8323E-013	5.8324E-013
RCPTR_35	farmer_child	TOCDFDFS	Chloroethane	1.6432E-015	1.6432E-015
RCPTR_35	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	9.0160E-014	9.0161E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Chloronaphthalene,2-	9.5880E-009	9.6664E-009
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenol, 2-	3.4232E-010	3.4310E-010
RCPTR_35	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.2541E-008	1.2583E-008
RCPTR_35	farmer_child	TOCDFDFS	Chromium	8.4426E-006	9.5965E-006
RCPTR_35	farmer_child	TOCDFDFS	Chromium, hexavalent	7.4014E-006	7.4075E-006
RCPTR_35	farmer_child	TOCDFDFS	Chrysene	2.1926E-005	2.3728E-005
RCPTR_35	farmer_child	TOCDFDFS	Di-n-butyl phthalate	1.7472E-007	1.7494E-007
RCPTR_35	farmer_child	TOCDFDFS	Di-n-octylphthalate	8.0451E+002	8.0451E+002
RCPTR_35	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	1.5419E-003	1.5564E-003
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	1.5646E-011	1.5647E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.8904E-011	1.8904E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.8193E-011	1.8194E-011
RCPTR_35	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	1.6414E-007	1.6475E-007
RCPTR_35	farmer_child	TOCDFDFS	Dichlorodifluoromethane	1.3075E-016	1.3075E-016
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane 1,1-	3.2911E-014	3.2911E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.0884E-014	4.0884E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	1.2462E-014	1.2462E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.0034E-014	2.0034E-014
RCPTR_35	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	1.5995E-009	1.6043E-009
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	1.1276E-013	1.1276E-013
RCPTR_35	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	3.7189E-014	3.7189E-014
RCPTR_35	farmer_child	TOCDFDFS	Diethyl phthalate	1.0167E-007	1.0168E-007
RCPTR_35	farmer_child	TOCDFDFS	Dimethyl phthalate	5.1789E-010	5.1834E-010
RCPTR_35	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	2.3381E-010	2.3411E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	1.3303E-010	1.3304E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	2.1577E-010	2.1612E-010
RCPTR_35	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	1.6610E-010	1.6634E-010
RCPTR_35	farmer_child	TOCDFDFS	Ethyl methanesulfonate	4.9792E-012	4.9805E-012
RCPTR_35	farmer_child	TOCDFDFS	Ethylbenzene	3.5771E-013	3.5771E-013
RCPTR_35	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	4.5549E-009	4.5629E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Fluoranthene	8.1843E-007	9.5182E-007
RCPTR_35	farmer_child	TOCDFDFS	Fluorene	1.4405E-008	1.4560E-008
RCPTR_35	farmer_child	TOCDFDFS	GB	1.3396E-013	1.3399E-013
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	1.2565E-012	1.3318E-012
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	6.6437E-013	6.9611E-013
RCPTR_35	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	2.2169E-012	2.3460E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	1.2689E-011	1.3327E-011
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	6.6987E-012	7.1313E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	5.7225E-012	6.1468E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	4.4932E-012	4.8709E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	4.0024E-012	4.3380E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	5.3817E-012	5.8292E-012
RCPTR_35	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	3.6993E-012	4.0080E-012
RCPTR_35	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.0740E-010	3.0744E-010
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorobenzene	5.8863E-007	6.2524E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	4.0516E-009	4.0524E-009
RCPTR_35	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.8775E-010	1.8779E-010
RCPTR_35	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	1.1061E-002	1.1085E-002
RCPTR_35	farmer_child	TOCDFDFS	Isophorone	3.5603E-011	3.5617E-011
RCPTR_35	farmer_child	TOCDFDFS	Lead	7.6539E-005	8.9565E-005
RCPTR_35	farmer_child	TOCDFDFS	Mercuric chloride	5.4255E-007	9.5857E-007
RCPTR_35	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	3.4839E-015	3.4839E-015
RCPTR_35	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	5.8983E-016	5.8983E-016
RCPTR_35	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.0968E-013	3.0968E-013
RCPTR_35	farmer_child	TOCDFDFS	Methyl mercury	6.5447E-009	7.7700E-009
RCPTR_35	farmer_child	TOCDFDFS	Methylene chloride	8.9525E-015	8.9525E-015
RCPTR_35	farmer_child	TOCDFDFS	Naphthalene	1.5049E-010	1.5053E-010
RCPTR_35	farmer_child	TOCDFDFS	Nickel	8.4866E-006	8.5978E-006
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 2-	5.9981E-010	6.0047E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 3-	1.4281E-010	1.4287E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.8451E-010	1.8461E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitrobenzene	6.0080E-011	6.0114E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 2-	2.7363E-011	2.7370E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrophenol, 4-	4.7601E-010	4.7613E-010
RCPTR_35	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.3911E-011	3.3917E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	3.3336E-011	3.3339E-011
RCPTR_35	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	2.9990E-012	2.9991E-012
RCPTR_35	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	3.1330E-012	3.3781E-012
RCPTR_35	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	1.0751E-012	1.1576E-012
RCPTR_35	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	3.2164E-011	3.4103E-011
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	2.6378E-012	2.9062E-012
RCPTR_35	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	1.0476E-011	1.1518E-011
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorobenzene	2.3274E-009	2.3284E-009
RCPTR_35	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	9.1220E-010	9.1226E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Pentachlorophenol	5.5630E-007	5.5734E-007
RCPTR_35	farmer_child	TOCDFDFS	Phenanthrene	4.6087E-011	4.6088E-011
RCPTR_35	farmer_child	TOCDFDFS	Phenol	4.7605E-011	4.7635E-011
RCPTR_35	farmer_child	TOCDFDFS	Pronamide	9.0678E-009	9.1339E-009
RCPTR_35	farmer_child	TOCDFDFS	Pyrene	1.2958E-006	1.9014E-006
RCPTR_35	farmer_child	TOCDFDFS	Selenium	2.6767E-006	2.6769E-006
RCPTR_35	farmer_child	TOCDFDFS	Silver	9.5416E-007	9.5551E-007
RCPTR_35	farmer_child	TOCDFDFS	Styrene	9.7247E-012	9.7249E-012
RCPTR_35	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	1.4328E-011	1.6264E-011
RCPTR_35	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	4.5386E-012	5.3615E-012
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	3.7055E-009	3.7106E-009
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.9962E-010	1.9963E-010
RCPTR_35	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.1980E-013	1.1980E-013
RCPTR_35	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	2.8327E-008	2.8374E-008
RCPTR_35	farmer_child	TOCDFDFS	Thallium (I)	2.4201E-005	2.4443E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFDFS	Toluene	1.6153E-013	1.6153E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.4156E-010	1.4158E-010
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	7.7399E-014	7.7399E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	5.9175E-013	5.9176E-013
RCPTR_35	farmer_child	TOCDFDFS	Trichloroethylene	9.6228E-014	9.6229E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.2647E-014	1.2647E-014
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	1.6049E-008	1.6315E-008
RCPTR_35	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	3.3732E-009	3.3846E-009
RCPTR_35	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	2.1903E-012	2.1903E-012
RCPTR_35	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.5686E-011	2.5710E-011
RCPTR_35	farmer_child	TOCDFDFS	Vinyl Chloride	3.1261E-017	3.1261E-017
RCPTR_35	farmer_child	TOCDFDFS	Xylene, m-	9.0233E-013	9.0233E-013
RCPTR_35	farmer_child	TOCDFDFS	Xylene, o-	9.0074E-013	9.0075E-013
RCPTR_35	farmer_child	TOCDFDFS	Xylene, p-	1.1290E-012	1.1290E-012
RCPTR_35	farmer_child	TOCDFDFS	Zinc	5.6755E-006	5.9003E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Acenaphthene	2.0988E-009	2.1063E-009
RCPTR_35	farmer_child	TOCDFLIC	Acetone	5.5388E-014	5.5388E-014
RCPTR_35	farmer_child	TOCDFLIC	Acetophenone	1.9921E-011	1.9925E-011
RCPTR_35	farmer_child	TOCDFLIC	Aniline	6.6686E-013	6.6687E-013
RCPTR_35	farmer_child	TOCDFLIC	Anthracene	3.5967E-008	3.7173E-008
RCPTR_35	farmer_child	TOCDFLIC	Antimony	5.0251E-007	5.1228E-007
RCPTR_35	farmer_child	TOCDFLIC	Arsenic	1.4809E-006	1.4852E-006
RCPTR_35	farmer_child	TOCDFLIC	Barium	5.2036E-008	5.2730E-008
RCPTR_35	farmer_child	TOCDFLIC	Benzene	5.0861E-013	5.0861E-013
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)anthracene	4.8155E-006	5.4388E-006
RCPTR_35	farmer_child	TOCDFLIC	Benzo(a)pyrene	4.0089E-005	4.0603E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	2.4433E-005	2.5937E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	6.1896E-005	6.3845E-005
RCPTR_35	farmer_child	TOCDFLIC	Benzoic acid	8.3284E-011	8.3293E-011
RCPTR_35	farmer_child	TOCDFLIC	Benzyl alcohol	1.5117E-011	1.5125E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Beryllium	2.4887E-007	2.7549E-007
RCPTR_35	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	1.5127E-011	1.5134E-011
RCPTR_35	farmer_child	TOCDFLIC	Bromodichloromethane	1.3534E-013	1.3534E-013
RCPTR_35	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	4.6611E-012	4.6615E-012
RCPTR_35	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	5.8812E-007	8.1360E-007
RCPTR_35	farmer_child	TOCDFLIC	Butylbenzylphthalate	2.5235E-008	2.5248E-008
RCPTR_35	farmer_child	TOCDFLIC	Cadmium	1.9257E-007	2.0600E-007
RCPTR_35	farmer_child	TOCDFLIC	Carbon disulfide	3.0810E-014	3.0810E-014
RCPTR_35	farmer_child	TOCDFLIC	Carbon tetrachloride	4.8648E-014	4.8648E-014
RCPTR_35	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	1.2818E-009	1.2877E-009
RCPTR_35	farmer_child	TOCDFLIC	Chloroaniline, p-	7.0251E-011	7.0328E-011
RCPTR_35	farmer_child	TOCDFLIC	Chlorobenzene	2.8473E-013	2.8473E-013
RCPTR_35	farmer_child	TOCDFLIC	Chloroethane	8.0222E-016	8.0222E-016
RCPTR_35	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	4.3060E-014	4.3060E-014
RCPTR_35	farmer_child	TOCDFLIC	Chloronaphthalene,2-	5.4549E-009	5.4995E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.9476E-010	1.9520E-010
RCPTR_35	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	7.1336E-009	7.1576E-009
RCPTR_35	farmer_child	TOCDFLIC	Chromium	1.0547E-005	1.1988E-005
RCPTR_35	farmer_child	TOCDFLIC	Chromium, hexavalent	9.2468E-006	9.2545E-006
RCPTR_35	farmer_child	TOCDFLIC	Chrysene	1.2457E-005	1.3480E-005
RCPTR_35	farmer_child	TOCDFLIC	Di-n-butyl phthalate	9.9401E-008	9.9523E-008
RCPTR_35	farmer_child	TOCDFLIC	Di-n-octylphthalate	4.5835E+002	4.5835E+002
RCPTR_35	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	8.7247E-004	8.8048E-004
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	8.9018E-012	8.9020E-012
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	1.0755E-011	1.0755E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	1.0351E-011	1.0351E-011
RCPTR_35	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	4.8200E-008	4.8379E-008
RCPTR_35	farmer_child	TOCDFLIC	Dichlorodifluoromethane	6.3831E-017	6.3831E-017
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane 1,1-	1.6067E-014	1.6067E-014
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.9960E-014	1.9960E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	6.0841E-015	6.0841E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	9.7805E-015	9.7805E-015
RCPTR_35	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	9.1025E-010	9.1294E-010
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	5.5048E-014	5.5048E-014
RCPTR_35	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.8155E-014	1.8155E-014
RCPTR_35	farmer_child	TOCDFLIC	Diethyl phthalate	5.7919E-008	5.7925E-008
RCPTR_35	farmer_child	TOCDFLIC	Dimethyl phthalate	5.3158E-010	5.3204E-010
RCPTR_35	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	1.3302E-010	1.3319E-010
RCPTR_35	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	7.6609E-011	7.6618E-011
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	1.2274E-010	1.2294E-010
RCPTR_35	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	9.4498E-011	9.4631E-011
RCPTR_35	farmer_child	TOCDFLIC	Ethyl methanesulfonate	2.8329E-012	2.8336E-012
RCPTR_35	farmer_child	TOCDFLIC	Ethylbenzene	2.3284E-013	2.3284E-013
RCPTR_35	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	8.1345E-008	8.1488E-008
RCPTR_35	farmer_child	TOCDFLIC	Fluoranthene	4.6551E-007	5.4140E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Fluorene	8.1954E-009	8.2834E-009
RCPTR_35	farmer_child	TOCDFLIC	GB	4.7442E-014	4.7454E-014
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	7.7652E-013	8.2266E-013
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	9.4104E-013	9.8551E-013
RCPTR_35	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	2.2243E-012	2.3527E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	9.9511E-012	1.0446E-011
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	5.5750E-012	5.9324E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	4.7137E-012	5.0615E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	3.0157E-012	3.2687E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	2.9560E-012	3.2033E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	3.4285E-012	3.7129E-012
RCPTR_35	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	2.4993E-012	2.7074E-012
RCPTR_35	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	1.7487E-010	1.7489E-010
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorobenzene	3.3488E-007	3.5571E-007
RCPTR_35	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	4.6559E-010	4.6568E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.0682E-010	1.0684E-010
RCPTR_35	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	6.2881E-003	6.3012E-003
RCPTR_35	farmer_child	TOCDFLIC	Isophorone	2.0256E-011	2.0264E-011
RCPTR_35	farmer_child	TOCDFLIC	Lead	2.8339E-005	3.3161E-005
RCPTR_35	farmer_child	TOCDFLIC	Mercuric chloride	4.5054E-005	7.9726E-005
RCPTR_35	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	1.1067E-015	1.1067E-015
RCPTR_35	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	9.0649E-017	9.0649E-017
RCPTR_35	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.2944E-013	3.2944E-013
RCPTR_35	farmer_child	TOCDFLIC	Methyl mercury	5.3861E-007	6.4072E-007
RCPTR_35	farmer_child	TOCDFLIC	Methylene chloride	7.0076E-015	7.0076E-015
RCPTR_35	farmer_child	TOCDFLIC	Naphthalene	8.5617E-011	8.5642E-011
RCPTR_35	farmer_child	TOCDFLIC	Nickel	4.7723E-006	4.8348E-006
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 2-	3.4533E-010	3.4571E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 3-	8.2218E-011	8.2252E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Nitroaniline, 4-	1.0623E-010	1.0628E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitrobenzene	3.4182E-011	3.4201E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 2-	1.5568E-011	1.5572E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrophenol, 4-	2.7422E-010	2.7429E-010
RCPTR_35	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.9293E-011	1.9297E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.8966E-011	1.8968E-011
RCPTR_35	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	1.7058E-012	1.7058E-012
RCPTR_35	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	2.6554E-012	2.8624E-012
RCPTR_35	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	8.7283E-013	9.3956E-013
RCPTR_35	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	2.0519E-011	2.1750E-011
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	5.3397E-012	5.8829E-012
RCPTR_35	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	1.1761E-011	1.2930E-011
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorobenzene	1.3229E-009	1.3235E-009
RCPTR_35	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	5.2461E-010	5.2464E-010
RCPTR_35	farmer_child	TOCDFLIC	Pentachlorophenol	3.2059E-007	3.2119E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Phenanthrene	2.6220E-011	2.6221E-011
RCPTR_35	farmer_child	TOCDFLIC	Phenol	2.7084E-011	2.7101E-011
RCPTR_35	farmer_child	TOCDFLIC	Pronamide	2.5795E-009	2.5983E-009
RCPTR_35	farmer_child	TOCDFLIC	Pyrene	7.3716E-007	1.0817E-006
RCPTR_35	farmer_child	TOCDFLIC	Selenium	9.9988E-007	9.9995E-007
RCPTR_35	farmer_child	TOCDFLIC	Silver	3.4845E-007	3.4894E-007
RCPTR_35	farmer_child	TOCDFLIC	Styrene	9.8732E-012	9.8734E-012
RCPTR_35	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	6.8339E-012	7.7577E-012
RCPTR_35	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	9.0455E-012	1.0687E-011
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.1082E-009	2.1111E-009
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	9.7563E-011	9.7564E-011
RCPTR_35	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	5.8487E-014	5.8487E-014
RCPTR_35	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	1.6315E-008	1.6342E-008
RCPTR_35	farmer_child	TOCDFLIC	Thallium (I)	9.1074E-006	9.1983E-006
RCPTR_35	farmer_child	TOCDFLIC	Toluene	4.5352E-013	4.5352E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	8.0538E-011	8.0548E-011
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	3.7786E-014	3.7786E-014
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	2.8889E-013	2.8889E-013
RCPTR_35	farmer_child	TOCDFLIC	Trichloroethylene	4.6979E-014	4.6979E-014
RCPTR_35	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.1741E-015	6.1741E-015
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	9.1312E-009	9.2827E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.9194E-009	1.9260E-009
RCPTR_35	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	1.0693E-012	1.0693E-012
RCPTR_35	farmer_child	TOCDFLIC	Vinyl Chloride	1.6444E-017	1.6444E-017
RCPTR_35	farmer_child	TOCDFLIC	Xylene, m-	7.7650E-013	7.7650E-013
RCPTR_35	farmer_child	TOCDFLIC	Xylene, o-	4.9401E-013	4.9401E-013
RCPTR_35	farmer_child	TOCDFLIC	Xylene, p-	9.7445E-013	9.7446E-013
RCPTR_35	farmer_child	TOCDFLIC	Zinc	1.4818E-006	1.5405E-006
RCPTR_35	farmer_child	TOCDFMPF	Acenaphthene	8.9582E-009	8.9898E-009
RCPTR_35	farmer_child	TOCDFMPF	Acetone	2.7788E-014	2.7788E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Acetophenone	4.7236E-011	4.7246E-011
RCPTR_35	farmer_child	TOCDFMPF	Aniline	2.8463E-012	2.8463E-012
RCPTR_35	farmer_child	TOCDFMPF	Anthracene	1.5352E-007	1.5866E-007
RCPTR_35	farmer_child	TOCDFMPF	Antimony	1.4988E-007	1.5279E-007
RCPTR_35	farmer_child	TOCDFMPF	Arsenic	3.4827E-007	3.4928E-007
RCPTR_35	farmer_child	TOCDFMPF	Barium	4.8882E-008	4.9534E-008
RCPTR_35	farmer_child	TOCDFMPF	Benzene	2.4768E-014	2.4768E-014
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)anthracene	2.0555E-005	2.3216E-005
RCPTR_35	farmer_child	TOCDFMPF	Benzo(a)pyrene	1.7114E-004	1.7334E-004
RCPTR_35	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	1.0429E-004	1.1071E-004
RCPTR_35	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	2.6423E-004	2.7255E-004
RCPTR_35	farmer_child	TOCDFMPF	Benzoic acid	3.3137E-010	3.3141E-010
RCPTR_35	farmer_child	TOCDFMPF	Benzyl alcohol	6.4523E-011	6.4555E-011
RCPTR_35	farmer_child	TOCDFMPF	Beryllium	7.1229E-008	7.8847E-008
RCPTR_35	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	6.4566E-011	6.4593E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Bromodichloromethane	2.2061E-013	2.2061E-013
RCPTR_35	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	8.3234E-012	8.3241E-012
RCPTR_35	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	2.5102E-006	3.4726E-006
RCPTR_35	farmer_child	TOCDFMPF	Butylbenzylphthalate	1.0774E-007	1.0780E-007
RCPTR_35	farmer_child	TOCDFMPF	Cadmium	8.4428E-008	9.0314E-008
RCPTR_35	farmer_child	TOCDFMPF	Carbon disulfide	4.3310E-014	4.3310E-014
RCPTR_35	farmer_child	TOCDFMPF	Carbon tetrachloride	6.8562E-014	6.8562E-014
RCPTR_35	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	5.4708E-009	5.4963E-009
RCPTR_35	farmer_child	TOCDFMPF	Chloroaniline, p-	2.9984E-010	3.0017E-010
RCPTR_35	farmer_child	TOCDFMPF	Chlorobenzene	4.0129E-013	4.0129E-013
RCPTR_35	farmer_child	TOCDFMPF	Chloroethane	1.1306E-015	1.1306E-015
RCPTR_35	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	5.8377E-014	5.8377E-014
RCPTR_35	farmer_child	TOCDFMPF	Chloronaphthalene,2-	2.3283E-008	2.3473E-008
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenol, 2-	8.3125E-010	8.3315E-010
RCPTR_35	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	3.0448E-008	3.0550E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Chromium	2.0449E-006	2.3242E-006
RCPTR_35	farmer_child	TOCDFMPF	Chromium, hexavalent	1.7928E-006	1.7942E-006
RCPTR_35	farmer_child	TOCDFMPF	Chrysene	5.3171E-005	5.7541E-005
RCPTR_35	farmer_child	TOCDFMPF	Di-n-butyl phthalate	4.2427E-007	4.2479E-007
RCPTR_35	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.9562E+003	1.9562E+003
RCPTR_35	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	3.7246E-003	3.7589E-003
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	3.7994E-011	3.7995E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	4.5904E-011	4.5906E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	4.4179E-011	4.4180E-011
RCPTR_35	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	2.6915E-007	2.7015E-007
RCPTR_35	farmer_child	TOCDFMPF	Dichlorodifluoromethane	8.9960E-017	8.9960E-017
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane 1,1-	2.2644E-014	2.2644E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	2.8130E-014	2.8130E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	8.5747E-015	8.5747E-015
RCPTR_35	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.3784E-014	1.3784E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	3.8851E-009	3.8966E-009
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	7.7582E-014	7.7582E-014
RCPTR_35	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.5587E-014	2.5587E-014
RCPTR_35	farmer_child	TOCDFMPF	Diethyl phthalate	2.4720E-007	2.4722E-007
RCPTR_35	farmer_child	TOCDFMPF	Dimethyl phthalate	1.9347E-010	1.9364E-010
RCPTR_35	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	5.6777E-010	5.6849E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	3.2638E-010	3.2642E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	5.2389E-010	5.2474E-010
RCPTR_35	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	4.0333E-010	4.0390E-010
RCPTR_35	farmer_child	TOCDFMPF	Ethyl methanesulfonate	1.2091E-011	1.2094E-011
RCPTR_35	farmer_child	TOCDFMPF	Ethylbenzene	2.4612E-013	2.4612E-013
RCPTR_35	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	9.0163E-008	9.0321E-008
RCPTR_35	farmer_child	TOCDFMPF	Fluoranthene	1.9869E-006	2.3108E-006
RCPTR_35	farmer_child	TOCDFMPF	Fluorene	3.4979E-008	3.5355E-008
RCPTR_35	farmer_child	TOCDFMPF	GB	6.7568E-014	6.7585E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	1.6373E-012	1.7347E-012
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	6.3225E-011	6.6214E-011
RCPTR_35	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	1.0332E-011	1.0929E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	2.2762E-011	2.3896E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	1.2133E-011	1.2911E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	1.1195E-011	1.2021E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	4.5307E-010	4.9107E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	1.1060E-010	1.1985E-010
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	1.9242E-011	2.0838E-011
RCPTR_35	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	1.3729E-011	1.4873E-011
RCPTR_35	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	7.4638E-010	7.4646E-010
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorobenzene	1.4293E-006	1.5182E-006
RCPTR_35	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.9872E-009	1.9876E-009
RCPTR_35	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	4.5593E-010	4.5601E-010
RCPTR_35	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	2.6840E-002	2.6896E-002
RCPTR_35	farmer_child	TOCDFMPF	Isophorone	8.6456E-011	8.6488E-011
RCPTR_35	farmer_child	TOCDFMPF	Lead	2.2391E-008	2.6201E-008
RCPTR_35	farmer_child	TOCDFMPF	Mercuric chloride	5.1072E-007	9.0369E-007
RCPTR_35	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	1.3290E-015	1.3290E-015
RCPTR_35	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	4.7540E-017	4.7540E-017
RCPTR_35	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.1127E-013	3.1127E-013
RCPTR_35	farmer_child	TOCDFMPF	Methyl mercury	6.1079E-009	7.2653E-009
RCPTR_35	farmer_child	TOCDFMPF	Methylene chloride	7.7821E-015	7.7821E-015
RCPTR_35	farmer_child	TOCDFMPF	Naphthalene	3.6543E-010	3.6553E-010
RCPTR_35	farmer_child	TOCDFMPF	Nickel	3.7505E-006	3.7996E-006
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 2-	1.4712E-009	1.4729E-009
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 3-	3.5028E-010	3.5043E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitroaniline, 4-	4.5257E-010	4.5281E-010
RCPTR_35	farmer_child	TOCDFMPF	Nitrobenzene	1.4589E-010	1.4597E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 2-	6.6445E-011	6.6463E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrophenol, 4-	1.1683E-009	1.1686E-009
RCPTR_35	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	8.2347E-011	8.2362E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	8.0949E-011	8.0957E-011
RCPTR_35	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	7.2806E-012	7.2809E-012
RCPTR_35	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	3.9501E-012	4.2580E-012
RCPTR_35	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	5.4972E-012	5.9175E-012
RCPTR_35	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	8.1119E-011	8.5986E-011
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	5.9543E-011	6.5600E-011
RCPTR_35	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	1.9142E-010	2.1046E-010
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorobenzene	5.6467E-009	5.6491E-009
RCPTR_35	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.2352E-009	2.2353E-009
RCPTR_35	farmer_child	TOCDFMPF	Pentachlorophenol	1.3658E-006	1.3684E-006
RCPTR_35	farmer_child	TOCDFMPF	Phenanthrene	1.1191E-010	1.1191E-010
RCPTR_35	farmer_child	TOCDFMPF	Phenol	1.1560E-010	1.1567E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Pronamide	1.1010E-008	1.1090E-008
RCPTR_35	farmer_child	TOCDFMPF	Pyrene	3.1463E-006	4.6170E-006
RCPTR_35	farmer_child	TOCDFMPF	Selenium	2.9313E-007	2.9315E-007
RCPTR_35	farmer_child	TOCDFMPF	Silver	1.3974E-006	1.3994E-006
RCPTR_35	farmer_child	TOCDFMPF	Styrene	1.0570E-011	1.0570E-011
RCPTR_35	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.9411E-011	2.2034E-011
RCPTR_35	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	3.7093E-011	4.3825E-011
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	8.9982E-009	9.0107E-009
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	1.3750E-010	1.3750E-010
RCPTR_35	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.8267E-013	1.8267E-013
RCPTR_35	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	6.9508E-008	6.9625E-008
RCPTR_35	farmer_child	TOCDFMPF	Thallium (I)	2.6930E-006	2.7198E-006
RCPTR_35	farmer_child	TOCDFMPF	Toluene	1.2717E-013	1.2717E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	3.4375E-010	3.4379E-010
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	5.3254E-014	5.3254E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	4.0715E-013	4.0715E-013
RCPTR_35	farmer_child	TOCDFMPF	Trichloroethylene	6.6209E-014	6.6209E-014
RCPTR_35	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	8.7014E-015	8.7014E-015
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	3.8973E-008	3.9620E-008
RCPTR_35	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	8.1924E-009	8.2202E-009
RCPTR_35	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	1.5070E-012	1.5070E-012
RCPTR_35	farmer_child	TOCDFMPF	Vinyl Chloride	2.1509E-017	2.1509E-017
RCPTR_35	farmer_child	TOCDFMPF	Xylene, m-	6.1409E-013	6.1409E-013
RCPTR_35	farmer_child	TOCDFMPF	Xylene, o-	6.1402E-013	6.1402E-013
RCPTR_35	farmer_child	TOCDFMPF	Xylene, p-	7.7055E-013	7.7055E-013
RCPTR_35	farmer_child	TOCDFMPF	Zinc	9.0896E-007	9.4495E-007
RCPTR_35	farmer_child	TOCDHVAC	GB	2.8362E-013	2.8369E-013
RCPTR_35	farmer_child	TOCDLIC2	Acenaphthene	4.3312E-009	4.3465E-009
RCPTR_35	farmer_child	TOCDLIC2	Acetone	5.4812E-014	5.4812E-014
RCPTR_35	farmer_child	TOCDLIC2	Acetophenone	2.2838E-011	2.2843E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Aniline	1.3762E-012	1.3762E-012
RCPTR_35	farmer_child	TOCDLIC2	Anthracene	7.4224E-008	7.6712E-008
RCPTR_35	farmer_child	TOCDLIC2	Antimony	6.6856E-007	6.8155E-007
RCPTR_35	farmer_child	TOCDLIC2	Arsenic	1.4809E-006	1.4852E-006
RCPTR_35	farmer_child	TOCDLIC2	Barium	5.0144E-007	5.0812E-007
RCPTR_35	farmer_child	TOCDLIC2	Benzene	3.6602E-014	3.6602E-014
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)anthracene	9.9375E-006	1.1224E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(a)pyrene	8.2729E-005	8.3789E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	5.0420E-005	5.3524E-005
RCPTR_35	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	1.2773E-004	1.3175E-004
RCPTR_35	farmer_child	TOCDLIC2	Benzoic acid	1.6022E-010	1.6023E-010
RCPTR_35	farmer_child	TOCDLIC2	Benzyl alcohol	3.1196E-011	3.1212E-011
RCPTR_35	farmer_child	TOCDLIC2	Beryllium	2.4887E-007	2.7549E-007
RCPTR_35	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	3.1217E-011	3.1230E-011
RCPTR_35	farmer_child	TOCDLIC2	Bromodichloromethane	4.1439E-013	4.1439E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	1.0807E-011	1.0808E-011
RCPTR_35	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	1.2137E-006	1.6790E-006
RCPTR_35	farmer_child	TOCDLIC2	Butylbenzylphthalate	5.2077E-008	5.2103E-008
RCPTR_35	farmer_child	TOCDLIC2	Cadmium	2.1882E-008	2.3407E-008
RCPTR_35	farmer_child	TOCDLIC2	Carbon disulfide	4.6691E-014	4.6691E-014
RCPTR_35	farmer_child	TOCDLIC2	Carbon tetrachloride	7.4040E-014	7.4040E-014
RCPTR_35	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	2.6451E-009	2.6574E-009
RCPTR_35	farmer_child	TOCDLIC2	Chloroaniline, p-	1.4497E-010	1.4513E-010
RCPTR_35	farmer_child	TOCDLIC2	Chlorobenzene	4.3335E-013	4.3336E-013
RCPTR_35	farmer_child	TOCDLIC2	Chloroethane	1.2209E-015	1.2209E-015
RCPTR_35	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	1.3295E-013	1.3295E-013
RCPTR_35	farmer_child	TOCDLIC2	Chloronaphthalene,2-	1.1257E-008	1.1349E-008
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenol, 2-	4.0191E-010	4.0282E-010
RCPTR_35	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	1.4721E-008	1.4771E-008
RCPTR_35	farmer_child	TOCDLIC2	Chromium	1.0547E-005	1.1988E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Chromium, hexavalent	9.2468E-006	9.2545E-006
RCPTR_35	farmer_child	TOCDLIC2	Chrysene	2.5706E-005	2.7819E-005
RCPTR_35	farmer_child	TOCDLIC2	Di-n-butyl phthalate	2.0513E-007	2.0538E-007
RCPTR_35	farmer_child	TOCDLIC2	Di-n-octylphthalate	9.4587E+002	9.4587E+002
RCPTR_35	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	1.8005E-003	1.8170E-003
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.8370E-011	1.8371E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	2.2194E-011	2.2195E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	2.1360E-011	2.1361E-011
RCPTR_35	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	1.1591E-007	1.1634E-007
RCPTR_35	farmer_child	TOCDLIC2	Dichlorodifluoromethane	9.7149E-017	9.7149E-017
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane 1,1-	2.4453E-014	2.4453E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0378E-014	3.0378E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	9.2598E-015	9.2598E-015
RCPTR_35	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.4886E-014	1.4886E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.8784E-009	1.8840E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	8.3781E-014	8.3781E-014
RCPTR_35	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	2.7632E-014	2.7632E-014
RCPTR_35	farmer_child	TOCDLIC2	Diethyl phthalate	1.1952E-007	1.1954E-007
RCPTR_35	farmer_child	TOCDLIC2	Dimethyl phthalate	6.5108E-010	6.5165E-010
RCPTR_35	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	2.7451E-010	2.7486E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	1.5850E-010	1.5852E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	2.5330E-010	2.5371E-010
RCPTR_35	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.9501E-010	1.9528E-010
RCPTR_35	farmer_child	TOCDLIC2	Ethyl methanesulfonate	5.8460E-012	5.8475E-012
RCPTR_35	farmer_child	TOCDLIC2	Ethylbenzene	3.0143E-013	3.0143E-013
RCPTR_35	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	5.4464E-008	5.4559E-008
RCPTR_35	farmer_child	TOCDLIC2	Fluoranthene	9.6065E-007	1.1173E-006
RCPTR_35	farmer_child	TOCDLIC2	Fluorene	1.6912E-008	1.7094E-008
RCPTR_35	farmer_child	TOCDLIC2	GB	4.9321E-014	4.9334E-014
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	5.4503E-012	5.7742E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	5.1401E-012	5.3830E-012
RCPTR_35	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	4.8547E-012	5.1350E-012
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	1.4939E-011	1.5682E-011
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	1.0516E-011	1.1190E-011
RCPTR_35	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	1.0050E-011	1.0792E-011
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	9.7041E-012	1.0518E-011
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	5.8536E-012	6.3432E-012
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	5.2330E-012	5.6671E-012
RCPTR_35	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	5.9884E-012	6.4870E-012
RCPTR_35	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	3.6087E-010	3.6091E-010
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorobenzene	6.9108E-007	7.3406E-007
RCPTR_35	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	9.6081E-010	9.6100E-010
RCPTR_35	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.2044E-010	2.2048E-010
RCPTR_35	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_35	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	1.2976E-002	1.3003E-002

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Isophorone	4.1801E-011	4.1817E-011
RCPTR_35	farmer_child	TOCDLIC2	Lead	2.0432E-006	2.3908E-006
RCPTR_35	farmer_child	TOCDLIC2	Mercuric chloride	4.5054E-005	7.9726E-005
RCPTR_35	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	1.4475E-015	1.4475E-015
RCPTR_35	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	5.7702E-017	5.7702E-017
RCPTR_35	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.2471E-013	3.2471E-013
RCPTR_35	farmer_child	TOCDLIC2	Methyl mercury	5.3861E-007	6.4072E-007
RCPTR_35	farmer_child	TOCDLIC2	Methylene chloride	2.5491E-014	2.5491E-014
RCPTR_35	farmer_child	TOCDLIC2	Naphthalene	1.7668E-010	1.7673E-010
RCPTR_35	farmer_child	TOCDLIC2	Nickel	1.6589E-006	1.6806E-006
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 2-	7.1447E-010	7.1525E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 3-	1.7011E-010	1.7018E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroaniline, 4-	2.1978E-010	2.1989E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitrobenzene	7.0539E-011	7.0578E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 2-	3.2126E-011	3.2135E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Nitrophenol, 4-	5.6736E-010	5.6749E-010
RCPTR_35	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	3.9815E-011	3.9822E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	3.9139E-011	3.9142E-011
RCPTR_35	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	3.5201E-012	3.5203E-012
RCPTR_35	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	8.9162E-012	9.6110E-012
RCPTR_35	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	2.9522E-012	3.1779E-012
RCPTR_35	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	3.8368E-011	4.0670E-011
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	1.1299E-011	1.2448E-011
RCPTR_35	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	3.1298E-011	3.4411E-011
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorobenzene	2.7301E-009	2.7312E-009
RCPTR_35	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.0854E-009	1.0855E-009
RCPTR_35	farmer_child	TOCDLIC2	Pentachlorophenol	6.6330E-007	6.6453E-007
RCPTR_35	farmer_child	TOCDLIC2	Phenanthrene	5.4109E-011	5.4110E-011
RCPTR_35	farmer_child	TOCDLIC2	Phenol	5.9093E-011	5.9130E-011
RCPTR_35	farmer_child	TOCDLIC2	Pronamide	5.3232E-009	5.3620E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Pyrene	1.5212E-006	2.2323E-006
RCPTR_35	farmer_child	TOCDLIC2	Selenium	9.9988E-007	9.9995E-007
RCPTR_35	farmer_child	TOCDLIC2	Silver	3.4845E-007	3.4894E-007
RCPTR_35	farmer_child	TOCDLIC2	Styrene	8.2711E-012	8.2713E-012
RCPTR_35	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.9811E-011	2.2489E-011
RCPTR_35	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	1.6202E-011	1.9143E-011
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	4.3506E-009	4.3566E-009
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	1.4849E-010	1.4849E-010
RCPTR_35	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	8.9015E-014	8.9015E-014
RCPTR_35	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	3.3755E-008	3.3812E-008
RCPTR_35	farmer_child	TOCDLIC2	Thallium (I)	9.1074E-006	9.1983E-006
RCPTR_35	farmer_child	TOCDLIC2	Toluene	4.7739E-013	4.7739E-013
RCPTR_35	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.6620E-010	1.6622E-010
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	5.7509E-014	5.7509E-014
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	4.3968E-013	4.3969E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_35	farmer_child	TOCDLIC2	Trichloroethylene	7.1500E-014	7.1500E-014
RCPTR_35	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	9.3967E-015	9.3967E-015
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.8843E-008	1.9156E-008
RCPTR_35	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	3.9610E-009	3.9745E-009
RCPTR_35	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	1.6274E-012	1.6275E-012
RCPTR_35	farmer_child	TOCDLIC2	Vinyl Chloride	2.7447E-017	2.7447E-017
RCPTR_35	farmer_child	TOCDLIC2	Xylene, m-	9.0141E-013	9.0141E-013
RCPTR_35	farmer_child	TOCDLIC2	Xylene, o-	6.6281E-013	6.6281E-013
RCPTR_35	farmer_child	TOCDLIC2	Xylene, p-	1.1312E-012	1.1312E-012
RCPTR_35	farmer_child	TOCDLIC2	Zinc	1.7693E-006	1.8394E-006
RCPTR_36	farmer_adult	TOCDFBRA	Antimony	1.0592E-006	1.2151E-006
RCPTR_36	farmer_adult	TOCDFBRA	Arsenic	1.7654E-006	1.8204E-006
RCPTR_36	farmer_adult	TOCDFBRA	Barium	1.4611E-007	1.6182E-007
RCPTR_36	farmer_adult	TOCDFBRA	Beryllium	4.9976E-007	5.6488E-007
RCPTR_36	farmer_adult	TOCDFBRA	Cadmium	8.2737E-008	1.1359E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFBRA	Chromium	1.3463E-005	1.3784E-005
RCPTR_36	farmer_adult	TOCDFBRA	Chromium, hexavalent	1.0474E-005	1.0613E-005
RCPTR_36	farmer_adult	TOCDFBRA	Lead	5.3577E-006	6.3928E-006
RCPTR_36	farmer_adult	TOCDFBRA	Mercuric chloride	1.7138E-003	1.8933E-003
RCPTR_36	farmer_adult	TOCDFBRA	Methyl mercury	1.2857E-005	1.3794E-005
RCPTR_36	farmer_adult	TOCDFBRA	Nickel	5.7853E-006	6.1635E-006
RCPTR_36	farmer_adult	TOCDFBRA	Selenium	1.9865E-006	1.9947E-006
RCPTR_36	farmer_adult	TOCDFBRA	Silver	6.6562E-007	7.0134E-007
RCPTR_36	farmer_adult	TOCDFBRA	Thallium (I)	1.8011E-005	1.8826E-005
RCPTR_36	farmer_adult	TOCDFBRA	Zinc	3.0606E-006	3.7712E-006
RCPTR_36	farmer_adult	TOCDFDFS	Acenaphthene	4.2005E-010	2.1104E-009
RCPTR_36	farmer_adult	TOCDFDFS	Acetone	5.0459E-015	2.6312E-014
RCPTR_36	farmer_adult	TOCDFDFS	Acetophenone	2.2381E-012	1.1649E-011
RCPTR_36	farmer_adult	TOCDFDFS	Aniline	1.2898E-013	6.6834E-013
RCPTR_36	farmer_adult	TOCDFDFS	Anthracene	7.4334E-009	3.7241E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Antimony	9.3101E-006	1.0679E-005
RCPTR_36	farmer_adult	TOCDFDFS	Aroclor 1254	1.5220E-010	2.5529E-010
RCPTR_36	farmer_adult	TOCDFDFS	Arsenic	8.7736E-007	9.0463E-007
RCPTR_36	farmer_adult	TOCDFDFS	Barium	2.5533E-008	2.8276E-008
RCPTR_36	farmer_adult	TOCDFDFS	Benzene	4.2122E-015	2.1777E-014
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)anthracene	3.5256E-006	5.3055E-006
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(a)pyrene	3.6625E-005	3.8131E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(b)fluoranthene	2.0862E-005	2.5322E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzo(k)fluoranthene	5.7425E-005	6.0112E-005
RCPTR_36	farmer_adult	TOCDFDFS	Benzoic acid	1.8859E-011	7.7837E-011
RCPTR_36	farmer_adult	TOCDFDFS	Benzyl alcohol	2.9153E-012	1.5158E-011
RCPTR_36	farmer_adult	TOCDFDFS	Beryllium	2.4039E-007	2.7167E-007
RCPTR_36	farmer_adult	TOCDFDFS	Bis(2-chlorethyl)ether	2.9087E-012	1.5167E-011
RCPTR_36	farmer_adult	TOCDFDFS	Bromodichloromethane	3.2969E-014	1.7164E-013
RCPTR_36	farmer_adult	TOCDFDFS	Bromoform (Tribromomethane)	1.3096E-012	6.8217E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Bromophenyl-phenylether, 4-	1.6413E-007	8.1529E-007
RCPTR_36	farmer_adult	TOCDFDFS	Butylbenzylphthalate	2.0065E-008	2.2976E-008
RCPTR_36	farmer_adult	TOCDFDFS	Cadmium	2.0033E-007	2.7495E-007
RCPTR_36	farmer_adult	TOCDFDFS	Carbon disulfide	2.1943E-015	1.1380E-014
RCPTR_36	farmer_adult	TOCDFDFS	Carbon tetrachloride	1.0998E-014	5.6817E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chloro-3-methylphenol, 4-	3.5573E-010	1.2915E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chloroaniline, p-	1.3623E-011	7.0483E-011
RCPTR_36	farmer_adult	TOCDFDFS	Chlorobenzene	6.4732E-014	3.3254E-013
RCPTR_36	farmer_adult	TOCDFDFS	Chloroethane	1.8953E-016	9.3704E-016
RCPTR_36	farmer_adult	TOCDFDFS	Chloroform (Trichloromethane)	9.8792E-015	5.1409E-014
RCPTR_36	farmer_adult	TOCDFDFS	Chloronaphthalene,2-	1.0886E-009	5.5111E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenol, 2-	3.7543E-011	1.9563E-010
RCPTR_36	farmer_adult	TOCDFDFS	Chlorophenyl-phenylether, 4-	1.9610E-009	7.1529E-009
RCPTR_36	farmer_adult	TOCDFDFS	Chromium	3.4792E-006	3.5622E-006
RCPTR_36	farmer_adult	TOCDFDFS	Chromium, hexavalent	2.7076E-006	2.7435E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Chrysene	1.0858E-005	1.3186E-005
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-butyl phthalate	8.7656E-008	9.8886E-008
RCPTR_36	farmer_adult	TOCDFDFS	Di-n-octylphthalate	4.6269E+002	4.6269E+002
RCPTR_36	farmer_adult	TOCDFDFS	Dibenz(a,h)anthracene	8.0666E-004	8.1925E-004
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,2-	1.8206E-012	8.9202E-012
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene, 1,3-	2.1531E-012	1.0778E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzene,1,4-	2.0598E-012	1.0373E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorobenzidine, 3,3'-	7.4874E-008	8.9543E-008
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorodifluoromethane	1.4397E-017	7.4538E-017
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane 1,1-	3.6046E-015	1.8765E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	4.4761E-015	2.3312E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene 1,1-	1.3693E-015	7.1059E-015
RCPTR_36	farmer_adult	TOCDFDFS	Dichloroethylene-1,2 (trans)	2.2023E-015	1.1423E-014
RCPTR_36	farmer_adult	TOCDFDFS	Dichlorophenol, 2,4-	3.0891E-010	9.1599E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropane, 1,2-	1.2442E-014	6.4293E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Dichloropropene, 1,3- (cis)	4.0771E-015	2.1204E-014
RCPTR_36	farmer_adult	TOCDFDFS	Diethyl phthalate	5.6512E-008	5.8436E-008
RCPTR_36	farmer_adult	TOCDFDFS	Dimethyl phthalate	5.9611E-011	2.9536E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dimethylphenol, 2,4-	2.5990E-011	1.3349E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrophenol, 2,4-	3.8937E-011	7.5866E-011
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,4-	2.5558E-011	1.2299E-010
RCPTR_36	farmer_adult	TOCDFDFS	Dinitrotoluene, 2,6-	1.9328E-011	9.4785E-011
RCPTR_36	farmer_adult	TOCDFDFS	Ethyl methanesulfonate	5.4479E-013	2.8399E-012
RCPTR_36	farmer_adult	TOCDFDFS	Ethylbenzene	4.1769E-014	2.0392E-013
RCPTR_36	farmer_adult	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.0125E-009	2.3209E-009
RCPTR_36	farmer_adult	TOCDFDFS	Fluoranthene	1.6592E-007	5.4039E-007
RCPTR_36	farmer_adult	TOCDFDFS	Fluorene	1.6924E-009	8.2990E-009
RCPTR_36	farmer_adult	TOCDFDFS	GB	1.4690E-014	7.6401E-014
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.6640E-013	6.0462E-013
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.2128E-013	3.3796E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0125E-012	1.0787E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.1943E-012	6.5411E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.0262E-012	3.2518E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.4338E-012	2.6499E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9157E-012	2.1191E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7156E-012	1.8967E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.3305E-012	2.5742E-012
RCPTR_36	farmer_adult	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.5943E-012	1.7618E-012
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	3.8410E-011	1.7496E-010
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorobenzene	7.6199E-008	3.5628E-007
RCPTR_36	farmer_adult	TOCDFDFS	Hexachlorocyclopentadiene	5.2055E-010	2.3045E-009
RCPTR_36	farmer_adult	TOCDFDFS	Hexachloroethane (Perchloroethane)	2.1338E-011	1.0708E-010
RCPTR_36	farmer_adult	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1784E-003	6.2019E-003
RCPTR_36	farmer_adult	TOCDFDFS	Isophorone	3.9030E-012	2.0308E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Lead	2.7888E-005	3.3271E-005
RCPTR_36	farmer_adult	TOCDFDFS	Mercuric chloride	4.7541E-007	5.2546E-007
RCPTR_36	farmer_adult	TOCDFDFS	Methyl bromide (Bromomethane)	3.8122E-016	1.9865E-015
RCPTR_36	farmer_adult	TOCDFDFS	Methyl chloride (Chloromethane)	6.4598E-017	3.3631E-016
RCPTR_36	farmer_adult	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	3.3867E-014	1.7658E-013
RCPTR_36	farmer_adult	TOCDFDFS	Methyl mercury	3.4900E-009	3.7513E-009
RCPTR_36	farmer_adult	TOCDFDFS	Methylene chloride	9.8022E-016	5.1046E-015
RCPTR_36	farmer_adult	TOCDFDFS	Naphthalene	1.6799E-011	8.5825E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nickel	2.9909E-006	3.1862E-006
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 2-	6.6162E-011	3.4237E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 3-	1.5658E-011	8.1459E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitroaniline, 4-	2.0251E-011	1.0524E-010
RCPTR_36	farmer_adult	TOCDFDFS	Nitrobenzene	6.5781E-012	3.4276E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 2-	2.9987E-012	1.5606E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrophenol, 4-	1.5405E-010	2.7249E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Nitroso-di-n-butylamine, n-	3.7380E-012	1.9340E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodiphenylamine, N-	3.6888E-012	1.9010E-011
RCPTR_36	farmer_adult	TOCDFDFS	Nitrosodipropylamine, n-	3.3761E-013	1.7037E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2695E-012	1.3905E-012
RCPTR_36	farmer_adult	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.3482E-013	4.7549E-013
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.6607E-011	1.7826E-011
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.3340E-012	1.5125E-012
RCPTR_36	farmer_adult	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.1031E-012	5.7695E-012
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorobenzene	3.0268E-010	1.3112E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pentachloronitrobenzene (PCNB)	1.2278E-010	5.1259E-010
RCPTR_36	farmer_adult	TOCDFDFS	Pentachlorophenol	2.4672E-007	3.1972E-007
RCPTR_36	farmer_adult	TOCDFDFS	Phenanthrene	5.2780E-012	2.6273E-011
RCPTR_36	farmer_adult	TOCDFDFS	Phenol	5.2406E-012	2.7161E-011
RCPTR_36	farmer_adult	TOCDFDFS	Pronamide	1.0673E-009	5.2077E-009
RCPTR_36	farmer_adult	TOCDFDFS	Pyrene	2.8169E-007	1.0828E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Selenium	9.8725E-007	9.9133E-007
RCPTR_36	farmer_adult	TOCDFDFS	Silver	3.3604E-007	3.5405E-007
RCPTR_36	farmer_adult	TOCDFDFS	Styrene	1.0714E-012	5.5449E-012
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDD, 2,3,7,8-	7.2493E-012	8.5890E-012
RCPTR_36	farmer_adult	TOCDFDFS	TetraCDF, 2,3,7,8-	2.3194E-012	2.9068E-012
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	4.6234E-010	2.1156E-009
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	9.5131E-011	1.1460E-010
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	1.3187E-014	6.8301E-014
RCPTR_36	farmer_adult	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	7.3357E-009	1.6214E-008
RCPTR_36	farmer_adult	TOCDFDFS	Thallium (I)	8.6642E-006	9.0561E-006
RCPTR_36	farmer_adult	TOCDFDFS	Toluene	1.8052E-014	9.2096E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorobenzene, 1,2,4-	1.6664E-011	8.0702E-011
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,1-	8.5018E-015	4.4131E-014
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethane, 1,1,2-	6.4852E-014	3.3741E-013
RCPTR_36	farmer_adult	TOCDFDFS	Trichloroethylene	1.0594E-014	5.4867E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorofluoromethane (Freon 11)	1.3917E-015	7.2109E-015
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,5-	2.0822E-009	9.3057E-009
RCPTR_36	farmer_adult	TOCDFDFS	Trichlorophenol, 2,4,6-	5.6524E-010	1.9317E-009
RCPTR_36	farmer_adult	TOCDFDFS	Trichloropropane, 1,2,3-	2.4033E-013	1.2489E-012
RCPTR_36	farmer_adult	TOCDFDFS	Trinitrotoluene, 2,4,6-	2.9388E-012	1.4589E-011
RCPTR_36	farmer_adult	TOCDFDFS	Vinyl Chloride	3.4270E-018	1.7822E-017
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, m-	2.2166E-013	4.3706E-013
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, o-	2.0227E-013	4.4784E-013
RCPTR_36	farmer_adult	TOCDFDFS	Xylene, p-	2.3762E-013	5.7169E-013
RCPTR_36	farmer_adult	TOCDFDFS	Zinc	1.7777E-006	2.1900E-006
RCPTR_36	farmer_adult	TOCDFLIC	Acenaphthene	2.3819E-010	1.1969E-009
RCPTR_36	farmer_adult	TOCDFLIC	Acetone	6.0377E-015	3.1483E-014
RCPTR_36	farmer_adult	TOCDFLIC	Acetophenone	2.1760E-012	1.1326E-011
RCPTR_36	farmer_adult	TOCDFLIC	Aniline	7.3150E-014	3.7905E-013
RCPTR_36	farmer_adult	TOCDFLIC	Anthracene	4.2145E-009	2.1120E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Antimony	1.5818E-007	1.8150E-007
RCPTR_36	farmer_adult	TOCDFLIC	Arsenic	5.0949E-007	5.2538E-007
RCPTR_36	farmer_adult	TOCDFLIC	Barium	1.6857E-008	1.8673E-008
RCPTR_36	farmer_adult	TOCDFLIC	Benzene	5.5916E-014	2.8910E-013
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)anthracene	1.9872E-006	2.9957E-006
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(a)pyrene	2.0567E-005	2.1409E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(b)fluoranthene	1.1768E-005	1.4294E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzo(k)fluoranthene	3.2274E-005	3.3762E-005
RCPTR_36	farmer_adult	TOCDFLIC	Benzoic acid	1.1470E-011	4.7353E-011
RCPTR_36	farmer_adult	TOCDFLIC	Benzyl alcohol	1.6534E-012	8.5971E-012
RCPTR_36	farmer_adult	TOCDFLIC	Beryllium	8.6400E-008	9.7674E-008
RCPTR_36	farmer_adult	TOCDFLIC	Bis(2-chlorethyl)ether	1.6497E-012	8.6021E-012
RCPTR_36	farmer_adult	TOCDFLIC	Bromodichloromethane	1.4776E-014	7.6927E-014
RCPTR_36	farmer_adult	TOCDFLIC	Bromoform (Tribromomethane)	5.0868E-013	2.6497E-012
RCPTR_36	farmer_adult	TOCDFLIC	Bromophenyl-phenylether, 4-	9.3079E-008	4.6240E-007

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Butylbenzylphthalate	1.1196E-008	1.2847E-008
RCPTR_36	farmer_adult	TOCDFLIC	Cadmium	5.3263E-008	7.3155E-008
RCPTR_36	farmer_adult	TOCDFLIC	Carbon disulfide	3.3767E-015	1.7513E-014
RCPTR_36	farmer_adult	TOCDFLIC	Carbon tetrachloride	5.3524E-015	2.7651E-014
RCPTR_36	farmer_adult	TOCDFLIC	Chloro-3-methylphenol, 4-	2.0168E-010	7.3239E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chloroaniline, p-	7.7263E-012	3.9975E-011
RCPTR_36	farmer_adult	TOCDFLIC	Chlorobenzene	3.1502E-014	1.6184E-013
RCPTR_36	farmer_adult	TOCDFLIC	Chloroethane	9.2234E-017	4.5603E-016
RCPTR_36	farmer_adult	TOCDFLIC	Chloroform (Trichloromethane)	4.7035E-015	2.4476E-014
RCPTR_36	farmer_adult	TOCDFLIC	Chloronaphthalene,2-	6.1735E-010	3.1256E-009
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenol, 2-	2.1293E-011	1.1096E-010
RCPTR_36	farmer_adult	TOCDFLIC	Chlorophenyl-phenylether, 4-	1.1100E-009	4.0546E-009
RCPTR_36	farmer_adult	TOCDFLIC	Chromium	4.1527E-006	4.2521E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chromium, hexavalent	3.2297E-006	3.2727E-006
RCPTR_36	farmer_adult	TOCDFLIC	Chrysene	6.1276E-006	7.4452E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-butyl phthalate	4.9567E-008	5.5936E-008
RCPTR_36	farmer_adult	TOCDFLIC	Di-n-octylphthalate	2.6217E+002	2.6217E+002
RCPTR_36	farmer_adult	TOCDFLIC	Dibenz(a,h)anthracene	4.5229E-004	4.5896E-004
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,2-	1.0324E-012	5.0590E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene, 1,3-	1.2210E-012	6.1128E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzene,1,4-	1.1681E-012	5.8830E-012
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.1802E-008	2.6104E-008
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorodifluoromethane	7.0060E-018	3.6275E-017
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane 1,1-	1.7543E-015	9.1327E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	2.1784E-015	1.1345E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene 1,1-	6.6642E-016	3.4583E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichloroethylene-1,2 (trans)	1.0718E-015	5.5594E-015
RCPTR_36	farmer_adult	TOCDFLIC	Dichlorophenol, 2,4-	1.7511E-010	5.1942E-010
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropane, 1,2-	6.0551E-015	3.1290E-014
RCPTR_36	farmer_adult	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.9842E-015	1.0319E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Diethyl phthalate	3.2020E-008	3.3111E-008
RCPTR_36	farmer_adult	TOCDFLIC	Dimethyl phthalate	6.0970E-011	3.0221E-010
RCPTR_36	farmer_adult	TOCDFLIC	Dimethylphenol, 2,4-	1.4741E-011	7.5711E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrophenol, 2,4-	2.2314E-011	4.3509E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,4-	1.4477E-011	6.9736E-011
RCPTR_36	farmer_adult	TOCDFLIC	Dinitrotoluene, 2,6-	1.0957E-011	5.3753E-011
RCPTR_36	farmer_adult	TOCDFLIC	Ethyl methanesulfonate	3.0898E-013	1.6107E-012
RCPTR_36	farmer_adult	TOCDFLIC	Ethylbenzene	2.7096E-014	1.3232E-013
RCPTR_36	farmer_adult	TOCDFLIC	Ethylhexyl phthalate, bis-2-	3.5467E-008	4.0998E-008
RCPTR_36	farmer_adult	TOCDFLIC	Fluoranthene	9.3879E-008	3.0625E-007
RCPTR_36	farmer_adult	TOCDFLIC	Fluorene	9.5955E-010	4.7066E-009
RCPTR_36	farmer_adult	TOCDFLIC	GB	5.1862E-015	2.6974E-014
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.4358E-013	3.6637E-013
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.4895E-013	4.7177E-013
RCPTR_36	farmer_adult	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	9.9820E-013	1.0623E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.7956E-012	5.0596E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.4728E-012	2.6546E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.9582E-012	2.1305E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2565E-012	1.3898E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2388E-012	1.3694E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.4530E-012	1.6047E-012
RCPTR_36	farmer_adult	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0537E-012	1.1642E-012
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	2.1756E-011	9.9201E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorobenzene	4.3192E-008	2.0204E-007
RCPTR_36	farmer_adult	TOCDFLIC	Hexachlorocyclopentadiene	5.9541E-011	2.6394E-010
RCPTR_36	farmer_adult	TOCDFLIC	Hexachloroethane (Perchloroethane)	1.2102E-011	6.0732E-011
RCPTR_36	farmer_adult	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4898E-003	3.5022E-003
RCPTR_36	farmer_adult	TOCDFLIC	Isophorone	2.2136E-012	1.1518E-011
RCPTR_36	farmer_adult	TOCDFLIC	Lead	9.8645E-006	1.1773E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Mercuric chloride	3.9328E-005	4.3485E-005
RCPTR_36	farmer_adult	TOCDFLIC	Methyl bromide (Bromomethane)	1.2072E-016	6.2905E-016
RCPTR_36	farmer_adult	TOCDFLIC	Methyl chloride (Chloromethane)	9.8968E-018	5.1525E-017
RCPTR_36	farmer_adult	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	3.5916E-014	1.8726E-013
RCPTR_36	farmer_adult	TOCDFLIC	Methyl mercury	2.8338E-007	3.0508E-007
RCPTR_36	farmer_adult	TOCDFLIC	Methylene chloride	7.6488E-016	3.9832E-015
RCPTR_36	farmer_adult	TOCDFLIC	Naphthalene	9.5271E-012	4.8676E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nickel	1.6059E-006	1.7111E-006
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 2-	3.7971E-011	1.9649E-010
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 3-	8.9866E-012	4.6752E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitroaniline, 4-	1.1621E-011	6.0401E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrobenzene	3.7308E-012	1.9440E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 2-	1.7007E-012	8.8511E-012
RCPTR_36	farmer_adult	TOCDFLIC	Nitrophenol, 4-	8.8343E-011	1.5632E-010
RCPTR_36	farmer_adult	TOCDFLIC	Nitroso-di-n-butylamine, n-	2.1201E-012	1.0969E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodiphenylamine, N-	2.0921E-012	1.0782E-011
RCPTR_36	farmer_adult	TOCDFLIC	Nitrosodipropylamine, n-	1.9102E-013	9.6584E-013
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0459E-012	1.1450E-012
RCPTR_36	farmer_adult	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.4303E-013	3.7493E-013
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0496E-011	1.1263E-011
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.6743E-012	3.0329E-012
RCPTR_36	farmer_adult	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.6601E-012	6.4014E-012
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorobenzene	1.7053E-010	7.4251E-010
RCPTR_36	farmer_adult	TOCDFLIC	Pentachloronitrobenzene (PCNB)	6.9937E-011	2.9366E-010
RCPTR_36	farmer_adult	TOCDFLIC	Pentachlorophenol	1.4147E-007	1.8337E-007
RCPTR_36	farmer_adult	TOCDFLIC	Phenanthrene	2.9928E-012	1.4900E-011
RCPTR_36	farmer_adult	TOCDFLIC	Phenol	2.9722E-012	1.5405E-011
RCPTR_36	farmer_adult	TOCDFLIC	Pronamide	3.0261E-010	1.4767E-009
RCPTR_36	farmer_adult	TOCDFLIC	Pyrene	1.5963E-007	6.1395E-007
RCPTR_36	farmer_adult	TOCDFLIC	Selenium	3.5211E-007	3.5357E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Silver	1.1717E-007	1.2347E-007
RCPTR_36	farmer_adult	TOCDFLIC	Styrene	1.0843E-012	5.6120E-012
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDD, 2,3,7,8-	3.4264E-012	4.0624E-012
RCPTR_36	farmer_adult	TOCDFLIC	TetraCDF, 2,3,7,8-	4.5872E-012	5.7542E-012
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	2.6213E-010	1.1998E-009
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	4.6256E-011	5.5730E-011
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	6.4171E-015	3.3240E-014
RCPTR_36	farmer_adult	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	4.2068E-009	9.3026E-009
RCPTR_36	farmer_adult	TOCDFLIC	Thallium (I)	3.1132E-006	3.2544E-006
RCPTR_36	farmer_adult	TOCDFLIC	Toluene	5.0524E-014	2.5777E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorobenzene, 1,2,4-	9.4480E-012	4.5768E-011
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,1-	4.1376E-015	2.1478E-014
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethane, 1,1,2-	3.1562E-014	1.6421E-013
RCPTR_36	farmer_adult	TOCDFLIC	Trichloroethylene	5.1559E-015	2.6703E-014
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorofluoromethane (Freon 11)	6.7728E-016	3.5094E-015

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,5-	1.1807E-009	5.2776E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichlorophenol, 2,4,6-	3.2044E-010	1.0955E-009
RCPTR_36	farmer_adult	TOCDFLIC	Trichloropropane, 1,2,3-	1.1696E-013	6.0780E-013
RCPTR_36	farmer_adult	TOCDFLIC	Vinyl Chloride	1.7970E-018	9.3459E-018
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, m-	1.8434E-013	3.7125E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, o-	1.0735E-013	2.4292E-013
RCPTR_36	farmer_adult	TOCDFLIC	Xylene, p-	1.9874E-013	4.8862E-013
RCPTR_36	farmer_adult	TOCDFLIC	Zinc	4.4325E-007	5.4633E-007
RCPTR_36	farmer_adult	TOCDFMPF	Acenaphthene	1.0197E-009	5.1244E-009
RCPTR_36	farmer_adult	TOCDFMPF	Acetone	3.0384E-015	1.5844E-014
RCPTR_36	farmer_adult	TOCDFMPF	Acetophenone	5.1758E-012	2.6938E-011
RCPTR_36	farmer_adult	TOCDFMPF	Aniline	3.1318E-013	1.6229E-012
RCPTR_36	farmer_adult	TOCDFMPF	Anthracene	1.8044E-008	9.0423E-008
RCPTR_36	farmer_adult	TOCDFMPF	Antimony	4.7457E-008	5.4458E-008
RCPTR_36	farmer_adult	TOCDFMPF	Arsenic	1.2052E-007	1.2428E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Barium	1.5928E-008	1.7645E-008
RCPTR_36	farmer_adult	TOCDFMPF	Benzene	2.7314E-015	1.4122E-014
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)anthracene	8.5065E-006	1.2824E-005
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(a)pyrene	8.8060E-005	9.1668E-005
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(b)fluoranthene	5.0368E-005	6.1183E-005
RCPTR_36	farmer_adult	TOCDFMPF	Benzo(k)fluoranthene	1.3818E-004	1.4456E-004
RCPTR_36	farmer_adult	TOCDFMPF	Benzoic acid	4.5770E-011	1.8898E-010
RCPTR_36	farmer_adult	TOCDFMPF	Benzyl alcohol	7.0789E-012	3.6808E-011
RCPTR_36	farmer_adult	TOCDFMPF	Beryllium	2.4875E-008	2.8123E-008
RCPTR_36	farmer_adult	TOCDFMPF	Bis(2-chlorethyl)ether	7.0630E-012	3.6829E-011
RCPTR_36	farmer_adult	TOCDFMPF	Bromodichloromethane	2.4161E-014	1.2579E-013
RCPTR_36	farmer_adult	TOCDFMPF	Bromoform (Tribromomethane)	9.1115E-013	4.7462E-012
RCPTR_36	farmer_adult	TOCDFMPF	Bromophenyl-phenylether, 4-	3.9851E-007	1.9797E-006
RCPTR_36	farmer_adult	TOCDFMPF	Butylbenzylphthalate	4.7964E-008	5.5031E-008
RCPTR_36	farmer_adult	TOCDFMPF	Cadmium	2.3490E-008	3.2269E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Carbon disulfide	4.7614E-015	2.4694E-014
RCPTR_36	farmer_adult	TOCDFMPF	Carbon tetrachloride	7.5667E-015	3.9091E-014
RCPTR_36	farmer_adult	TOCDFMPF	Chloro-3-methylphenol, 4-	8.6323E-010	3.1354E-009
RCPTR_36	farmer_adult	TOCDFMPF	Chloroaniline, p-	3.3079E-011	1.7115E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chlorobenzene	4.4534E-014	2.2879E-013
RCPTR_36	farmer_adult	TOCDFMPF	Chloroethane	1.3039E-016	6.4469E-016
RCPTR_36	farmer_adult	TOCDFMPF	Chloroform (Trichloromethane)	6.3963E-015	3.3285E-014
RCPTR_36	farmer_adult	TOCDFMPF	Chloronaphthalene,2-	2.6431E-009	1.3382E-008
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenol, 2-	9.1162E-011	4.7504E-010
RCPTR_36	farmer_adult	TOCDFMPF	Chlorophenyl-phenylether, 4-	4.7516E-009	1.7359E-008
RCPTR_36	farmer_adult	TOCDFMPF	Chromium	8.0998E-007	8.2937E-007
RCPTR_36	farmer_adult	TOCDFMPF	Chromium, hexavalent	6.2984E-007	6.3823E-007
RCPTR_36	farmer_adult	TOCDFMPF	Chrysene	2.6226E-005	3.1868E-005
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-butyl phthalate	2.1210E-007	2.3937E-007
RCPTR_36	farmer_adult	TOCDFMPF	Di-n-octylphthalate	1.1216E+003	1.1216E+003

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Dibenz(a,h)anthracene	1.9365E-003	1.9651E-003
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,2-	4.4197E-012	2.1659E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene, 1,3-	5.2272E-012	2.6171E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzene,1,4-	5.0008E-012	2.5187E-011
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.2210E-007	1.4620E-007
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorodifluoromethane	9.9045E-018	5.1283E-017
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane 1,1-	2.4800E-015	1.2911E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	3.0796E-015	1.6039E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene 1,1-	9.4212E-016	4.8890E-015
RCPTR_36	farmer_adult	TOCDFMPF	Dichloroethylene-1,2 (trans)	1.5152E-015	7.8593E-015
RCPTR_36	farmer_adult	TOCDFMPF	Dichlorophenol, 2,4-	7.4941E-010	2.2235E-009
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropane, 1,2-	8.5601E-015	4.4235E-014
RCPTR_36	farmer_adult	TOCDFMPF	Dichloropropene, 1,3- (cis)	2.8051E-015	1.4589E-014
RCPTR_36	farmer_adult	TOCDFMPF	Diethyl phthalate	1.3699E-007	1.4166E-007
RCPTR_36	farmer_adult	TOCDFMPF	Dimethyl phthalate	2.2259E-011	1.1033E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Dimethylphenol, 2,4-	6.3109E-011	3.2414E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrophenol, 2,4-	9.5315E-011	1.8589E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,4-	6.1985E-011	2.9857E-010
RCPTR_36	farmer_adult	TOCDFMPF	Dinitrotoluene, 2,6-	4.6910E-011	2.3014E-010
RCPTR_36	farmer_adult	TOCDFMPF	Ethyl methanesulfonate	1.3229E-012	6.8958E-012
RCPTR_36	farmer_adult	TOCDFMPF	Ethylbenzene	2.8729E-014	1.4029E-013
RCPTR_36	farmer_adult	TOCDFMPF	Ethylhexyl phthalate, bis-2-	3.9450E-008	4.5597E-008
RCPTR_36	farmer_adult	TOCDFMPF	Fluoranthene	4.0186E-007	1.3111E-006
RCPTR_36	farmer_adult	TOCDFMPF	Fluorene	4.1081E-009	2.0151E-008
RCPTR_36	farmer_adult	TOCDFMPF	GB	7.4092E-015	3.8536E-014
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	7.2761E-013	7.7600E-013
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0274E-011	3.1818E-011
RCPTR_36	farmer_adult	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.6563E-012	4.9562E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1009E-011	1.1617E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.4048E-012	5.8031E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.6738E-012	5.0857E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.8970E-010	2.0984E-010
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.6574E-011	5.1491E-011
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.1928E-012	9.0495E-012
RCPTR_36	farmer_adult	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.8159E-012	6.4267E-012
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	9.3144E-011	4.2472E-010
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorobenzene	1.8491E-007	8.6501E-007
RCPTR_36	farmer_adult	TOCDFMPF	Hexachlorocyclopentadiene	2.5492E-010	1.1300E-009
RCPTR_36	farmer_adult	TOCDFMPF	Hexachloroethane (Perchloroethane)	5.1810E-011	2.6001E-010
RCPTR_36	farmer_adult	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4933E-002	1.4987E-002
RCPTR_36	farmer_adult	TOCDFMPF	Isophorone	9.4774E-012	4.9314E-011
RCPTR_36	farmer_adult	TOCDFMPF	Lead	7.8410E-009	9.3589E-009
RCPTR_36	farmer_adult	TOCDFMPF	Mercuric chloride	4.4727E-007	4.9453E-007
RCPTR_36	farmer_adult	TOCDFMPF	Methyl bromide (Bromomethane)	1.4542E-016	7.5775E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Methyl chloride (Chloromethane)	5.2063E-018	2.7105E-017
RCPTR_36	farmer_adult	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	3.4040E-014	1.7748E-013
RCPTR_36	farmer_adult	TOCDFMPF	Methyl mercury	3.2265E-009	3.4733E-009
RCPTR_36	farmer_adult	TOCDFMPF	Methylene chloride	8.5205E-016	4.4371E-015
RCPTR_36	farmer_adult	TOCDFMPF	Naphthalene	4.0789E-011	2.0840E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nickel	1.2695E-006	1.3527E-006
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 2-	1.6227E-010	8.3974E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 3-	3.8405E-011	1.9980E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitroaniline, 4-	4.9665E-011	2.5813E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitrobenzene	1.5973E-011	8.3230E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 2-	7.2814E-012	3.7895E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrophenol, 4-	3.7732E-010	6.6782E-010
RCPTR_36	farmer_adult	TOCDFMPF	Nitroso-di-n-butylamine, n-	9.0767E-012	4.6961E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodiphenylamine, N-	8.9570E-012	4.6160E-011
RCPTR_36	farmer_adult	TOCDFMPF	Nitrosodipropylamine, n-	8.1794E-013	4.1352E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.5644E-012	1.7129E-012
RCPTR_36	farmer_adult	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.1724E-012	2.3748E-012
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.1625E-011	4.4668E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 1,2,3,7,8-	2.9917E-011	3.3931E-011
RCPTR_36	farmer_adult	TOCDFMPF	PentaCDF, 2,3,4,7,8-	9.2450E-011	1.0457E-010
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorobenzene	7.3039E-010	3.1793E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pentachloronitrobenzene (PCNB)	2.9902E-010	1.2551E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pentachlorophenol	6.0419E-007	7.8325E-007
RCPTR_36	farmer_adult	TOCDFMPF	Phenanthrene	1.2813E-011	6.3793E-011
RCPTR_36	farmer_adult	TOCDFMPF	Phenol	1.2725E-011	6.5954E-011
RCPTR_36	farmer_adult	TOCDFMPF	Pronamide	1.2955E-009	6.3224E-009
RCPTR_36	farmer_adult	TOCDFMPF	Pyrene	6.8337E-007	2.6285E-006
RCPTR_36	farmer_adult	TOCDFMPF	Selenium	1.0383E-007	1.0426E-007
RCPTR_36	farmer_adult	TOCDFMPF	Silver	4.7266E-007	4.9809E-007
RCPTR_36	farmer_adult	TOCDFMPF	Styrene	1.1644E-012	6.0265E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDD, 2,3,7,8-	9.7625E-012	1.1575E-011
RCPTR_36	farmer_adult	TOCDFMPF	TetraCDF, 2,3,7,8-	1.8866E-011	2.3668E-011
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	1.1222E-009	5.1366E-009
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	6.5348E-011	7.8740E-011
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	2.0104E-014	1.0414E-013
RCPTR_36	farmer_adult	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	1.7969E-008	3.9746E-008
RCPTR_36	farmer_adult	TOCDFMPF	Thallium (I)	9.2594E-007	9.6798E-007
RCPTR_36	farmer_adult	TOCDFMPF	Toluene	1.4211E-014	7.2503E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorobenzene, 1,2,4-	4.0449E-011	1.9595E-010
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,1-	5.8493E-015	3.0363E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethane, 1,1,2-	4.4620E-014	2.3215E-013
RCPTR_36	farmer_adult	TOCDFMPF	Trichloroethylene	7.2889E-015	3.7750E-014
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorofluoromethane (Freon 11)	9.5747E-016	4.9612E-015
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,5-	5.0545E-009	2.2595E-008
RCPTR_36	farmer_adult	TOCDFMPF	Trichlorophenol, 2,4,6-	1.3715E-009	4.6897E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDFMPF	Trichloropropane, 1,2,3-	1.6535E-013	8.5926E-013
RCPTR_36	farmer_adult	TOCDFMPF	Vinyl Chloride	2.3577E-018	1.2262E-017
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, m-	1.4661E-013	2.9482E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, o-	1.3417E-013	3.0312E-013
RCPTR_36	farmer_adult	TOCDFMPF	Xylene, p-	1.5800E-013	3.8785E-013
RCPTR_36	farmer_adult	TOCDFMPF	Zinc	2.7350E-007	3.3715E-007
RCPTR_36	farmer_adult	TOCDHVAC	GB	4.0837E-014	2.1239E-013
RCPTR_36	farmer_adult	TOCDLIC2	Acenaphthene	4.9153E-010	2.4700E-009
RCPTR_36	farmer_adult	TOCDLIC2	Acetone	5.9749E-015	3.1156E-014
RCPTR_36	farmer_adult	TOCDLIC2	Acetophenone	2.4948E-012	1.2984E-011
RCPTR_36	farmer_adult	TOCDLIC2	Aniline	1.5095E-013	7.8223E-013
RCPTR_36	farmer_adult	TOCDLIC2	Anthracene	8.6973E-009	4.3584E-008
RCPTR_36	farmer_adult	TOCDLIC2	Antimony	2.1045E-007	2.4147E-007
RCPTR_36	farmer_adult	TOCDLIC2	Arsenic	5.0949E-007	5.2538E-007
RCPTR_36	farmer_adult	TOCDLIC2	Barium	1.6244E-007	1.7994E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Benzene	4.0239E-015	2.0805E-014
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)anthracene	4.1008E-006	6.1819E-006
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(a)pyrene	4.2443E-005	4.4180E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(b)fluoranthene	2.4285E-005	2.9497E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzo(k)fluoranthene	6.6602E-005	6.9673E-005
RCPTR_36	farmer_adult	TOCDLIC2	Benzoic acid	2.2065E-011	9.1095E-011
RCPTR_36	farmer_adult	TOCDLIC2	Benzyl alcohol	3.4121E-012	1.7741E-011
RCPTR_36	farmer_adult	TOCDLIC2	Beryllium	8.6400E-008	9.7674E-008
RCPTR_36	farmer_adult	TOCDLIC2	Bis(2-chlorethyl)ether	3.4044E-012	1.7752E-011
RCPTR_36	farmer_adult	TOCDLIC2	Bromodichloromethane	4.5242E-014	2.3555E-013
RCPTR_36	farmer_adult	TOCDLIC2	Bromoform (Tribromomethane)	1.1794E-012	6.1435E-012
RCPTR_36	farmer_adult	TOCDLIC2	Bromophenyl-phenylether, 4-	1.9208E-007	9.5422E-007
RCPTR_36	farmer_adult	TOCDLIC2	Butylbenzylphthalate	2.3104E-008	2.6511E-008
RCPTR_36	farmer_adult	TOCDLIC2	Cadmium	6.0522E-009	8.3126E-009
RCPTR_36	farmer_adult	TOCDLIC2	Carbon disulfide	5.1173E-015	2.6540E-014

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Carbon tetrachloride	8.1461E-015	4.2084E-014
RCPTR_36	farmer_adult	TOCDLIC2	Chloro-3-methylphenol, 4-	4.1619E-010	1.5114E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chloroaniline, p-	1.5944E-011	8.2494E-011
RCPTR_36	farmer_adult	TOCDLIC2	Chlorobenzene	4.7945E-014	2.4631E-013
RCPTR_36	farmer_adult	TOCDLIC2	Chloroethane	1.4038E-016	6.9406E-016
RCPTR_36	farmer_adult	TOCDLIC2	Chloroform (Trichloromethane)	1.4522E-014	7.5571E-014
RCPTR_36	farmer_adult	TOCDLIC2	Chloronaphthalene,2-	1.2740E-009	6.4502E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenol, 2-	4.3941E-011	2.2897E-010
RCPTR_36	farmer_adult	TOCDLIC2	Chlorophenyl-phenylether, 4-	2.2906E-009	8.3673E-009
RCPTR_36	farmer_adult	TOCDLIC2	Chromium	4.1527E-006	4.2521E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chromium, hexavalent	3.2297E-006	3.2727E-006
RCPTR_36	farmer_adult	TOCDLIC2	Chrysene	1.2645E-005	1.5364E-005
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-butyl phthalate	1.0229E-007	1.1543E-007
RCPTR_36	farmer_adult	TOCDLIC2	Di-n-octylphthalate	5.4103E+002	5.4103E+002
RCPTR_36	farmer_adult	TOCDLIC2	Dibenz(a,h)anthracene	9.3337E-004	9.4714E-004

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,2-	2.1304E-012	1.0440E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene, 1,3-	2.5196E-012	1.2615E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzene,1,4-	2.4105E-012	1.2140E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorobenzidine, 3,3'-	5.2430E-008	6.2774E-008
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorodifluoromethane	1.0663E-017	5.5209E-017
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane 1,1-	2.6699E-015	1.3900E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	3.3154E-015	1.7267E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene 1,1-	1.0143E-015	5.2634E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichloroethylene-1,2 (trans)	1.6312E-015	8.4612E-015
RCPTR_36	farmer_adult	TOCDLIC2	Dichlorophenol, 2,4-	3.6136E-010	1.0719E-009
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropane, 1,2-	9.2157E-015	4.7622E-014
RCPTR_36	farmer_adult	TOCDLIC2	Dichloropropene, 1,3- (cis)	3.0199E-015	1.5706E-014
RCPTR_36	farmer_adult	TOCDLIC2	Diethyl phthalate	6.6078E-008	6.8330E-008
RCPTR_36	farmer_adult	TOCDLIC2	Dimethyl phthalate	7.4676E-011	3.7015E-010
RCPTR_36	farmer_adult	TOCDLIC2	Dimethylphenol, 2,4-	3.0419E-011	1.5624E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrophenol, 2,4-	4.6168E-011	9.0019E-011
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,4-	2.9876E-011	1.4391E-010
RCPTR_36	farmer_adult	TOCDLIC2	Dinitrotoluene, 2,6-	2.2611E-011	1.1093E-010
RCPTR_36	farmer_adult	TOCDLIC2	Ethyl methanesulfonate	6.3763E-013	3.3238E-012
RCPTR_36	farmer_adult	TOCDLIC2	Ethylbenzene	3.5078E-014	1.7129E-013
RCPTR_36	farmer_adult	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.3747E-008	2.7450E-008
RCPTR_36	farmer_adult	TOCDLIC2	Fluoranthene	1.9373E-007	6.3199E-007
RCPTR_36	farmer_adult	TOCDLIC2	Fluorene	1.9802E-009	9.7127E-009
RCPTR_36	farmer_adult	TOCDLIC2	GB	5.3916E-015	2.8042E-014
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4115E-012	2.5715E-012
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4523E-012	2.5769E-012
RCPTR_36	farmer_adult	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.1786E-012	2.3186E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.1993E-012	7.5957E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.6643E-012	5.0073E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.1752E-012	4.5424E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.0434E-012	4.4722E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.4531E-012	2.7118E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.2177E-012	2.4493E-012
RCPTR_36	farmer_adult	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.5247E-012	2.7895E-012
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	4.4896E-011	2.0471E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorobenzene	8.9133E-008	4.1694E-007
RCPTR_36	farmer_adult	TOCDLIC2	Hexachlorocyclopentadiene	1.2287E-010	5.4467E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hexachloroethane (Perchloroethane)	2.4973E-011	1.2533E-010
RCPTR_36	farmer_adult	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_adult	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.2016E-003	7.2273E-003
RCPTR_36	farmer_adult	TOCDLIC2	Isophorone	4.5682E-012	2.3769E-011
RCPTR_36	farmer_adult	TOCDLIC2	Lead	7.1122E-007	8.4882E-007
RCPTR_36	farmer_adult	TOCDLIC2	Mercuric chloride	3.9328E-005	4.3485E-005
RCPTR_36	farmer_adult	TOCDLIC2	Methyl bromide (Bromomethane)	1.5790E-016	8.2280E-016
RCPTR_36	farmer_adult	TOCDLIC2	Methyl chloride (Chloromethane)	6.2997E-018	3.2798E-017

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	3.5400E-014	1.8457E-013
RCPTR_36	farmer_adult	TOCDLIC2	Methyl mercury	2.8338E-007	3.0508E-007
RCPTR_36	farmer_adult	TOCDLIC2	Methylene chloride	2.7823E-015	1.4489E-014
RCPTR_36	farmer_adult	TOCDLIC2	Naphthalene	1.9660E-011	1.0045E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nickel	5.5824E-007	5.9479E-007
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 2-	7.8561E-011	4.0654E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 3-	1.8593E-011	9.6728E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitroaniline, 4-	2.4044E-011	1.2497E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitrobenzene	7.6990E-012	4.0117E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 2-	3.5097E-012	1.8265E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrophenol, 4-	1.8278E-010	3.2342E-010
RCPTR_36	farmer_adult	TOCDLIC2	Nitroso-di-n-butylamine, n-	4.3750E-012	2.2635E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodiphenylamine, N-	4.3173E-012	2.2249E-011
RCPTR_36	farmer_adult	TOCDLIC2	Nitrosodipropylamine, n-	3.9420E-013	1.9931E-012
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.5118E-012	3.8444E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1603E-012	1.2682E-012
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.9627E-011	2.1060E-011
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.6589E-012	6.4176E-012
RCPTR_36	farmer_adult	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.5063E-011	1.7036E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorobenzene	3.5190E-010	1.5323E-009
RCPTR_36	farmer_adult	TOCDLIC2	Pentachloronitrobenzene (PCNB)	1.4470E-010	6.0758E-010
RCPTR_36	farmer_adult	TOCDLIC2	Pentachlorophenol	2.9270E-007	3.7939E-007
RCPTR_36	farmer_adult	TOCDLIC2	Phenanthrene	6.1761E-012	3.0749E-011
RCPTR_36	farmer_adult	TOCDLIC2	Phenol	6.4849E-012	3.3611E-011
RCPTR_36	farmer_adult	TOCDLIC2	Pronamide	6.2447E-010	3.0475E-009
RCPTR_36	farmer_adult	TOCDLIC2	Pyrene	3.2942E-007	1.2670E-006
RCPTR_36	farmer_adult	TOCDLIC2	Selenium	3.5211E-007	3.5357E-007
RCPTR_36	farmer_adult	TOCDLIC2	Silver	1.1717E-007	1.2347E-007
RCPTR_36	farmer_adult	TOCDLIC2	Styrene	9.0838E-013	4.7014E-012
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDD, 2,3,7,8-	9.9326E-012	1.1776E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	TetraCDF, 2,3,7,8-	8.2166E-012	1.0307E-011
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	5.4095E-010	2.4759E-009
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	7.0401E-011	8.4819E-011
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	9.7666E-015	5.0590E-014
RCPTR_36	farmer_adult	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	8.7037E-009	1.9247E-008
RCPTR_36	farmer_adult	TOCDLIC2	Thallium (I)	3.1132E-006	3.2544E-006
RCPTR_36	farmer_adult	TOCDLIC2	Toluene	5.3183E-014	2.7134E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorobenzene, 1,2,4-	1.9497E-011	9.4449E-011
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,1-	6.2973E-015	3.2688E-014
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethane, 1,1,2-	4.8036E-014	2.4992E-013
RCPTR_36	farmer_adult	TOCDLIC2	Trichloroethylene	7.8471E-015	4.0640E-014
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorofluoromethane (Freon 11)	1.0308E-015	5.3411E-015
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,5-	2.4366E-009	1.0891E-008
RCPTR_36	farmer_adult	TOCDLIC2	Trichlorophenol, 2,4,6-	6.6127E-010	2.2607E-009
RCPTR_36	farmer_adult	TOCDLIC2	Trichloropropane, 1,2,3-	1.7801E-013	9.2506E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_adult	TOCDLIC2	Vinyl Chloride	2.9993E-018	1.5599E-017
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, m-	2.1399E-013	4.3097E-013
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, o-	1.4403E-013	3.2592E-013
RCPTR_36	farmer_adult	TOCDLIC2	Xylene, p-	2.3071E-013	5.6722E-013
RCPTR_36	farmer_adult	TOCDLIC2	Zinc	5.2924E-007	6.5232E-007
RCPTR_36	farmer_child	TOCDFBRA	Antimony	1.1917E-006	1.2151E-006
RCPTR_36	farmer_child	TOCDFBRA	Arsenic	1.8150E-006	1.8204E-006
RCPTR_36	farmer_child	TOCDFBRA	Barium	1.5967E-007	1.6182E-007
RCPTR_36	farmer_child	TOCDFBRA	Beryllium	5.0980E-007	5.6488E-007
RCPTR_36	farmer_child	TOCDFBRA	Cadmium	1.0613E-007	1.1359E-007
RCPTR_36	farmer_child	TOCDFBRA	Chromium	1.2113E-005	1.3784E-005
RCPTR_36	farmer_child	TOCDFBRA	Chromium, hexavalent	1.0605E-005	1.0613E-005
RCPTR_36	farmer_child	TOCDFBRA	Lead	5.4559E-006	6.3928E-006
RCPTR_36	farmer_child	TOCDFBRA	Mercuric chloride	1.0518E-003	1.8933E-003
RCPTR_36	farmer_child	TOCDFBRA	Methyl mercury	1.1316E-005	1.3794E-005

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFBRA	Nickel	6.0830E-006	6.1635E-006
RCPTR_36	farmer_child	TOCDFBRA	Selenium	1.9946E-006	1.9947E-006
RCPTR_36	farmer_child	TOCDFBRA	Silver	7.0034E-007	7.0134E-007
RCPTR_36	farmer_child	TOCDFBRA	Thallium (I)	1.8638E-005	1.8826E-005
RCPTR_36	farmer_child	TOCDFBRA	Zinc	3.6263E-006	3.7712E-006
RCPTR_36	farmer_child	TOCDFDFS	Acenaphthene	2.1030E-009	2.1104E-009
RCPTR_36	farmer_child	TOCDFDFS	Acetone	2.6312E-014	2.6312E-014
RCPTR_36	farmer_child	TOCDFDFS	Acetophenone	1.1646E-011	1.1649E-011
RCPTR_36	farmer_child	TOCDFDFS	Aniline	6.6832E-013	6.6834E-013
RCPTR_36	farmer_child	TOCDFDFS	Anthracene	3.6032E-008	3.7241E-008
RCPTR_36	farmer_child	TOCDFDFS	Antimony	1.0473E-005	1.0679E-005
RCPTR_36	farmer_child	TOCDFDFS	Aroclor 1254	2.5383E-010	2.5529E-010
RCPTR_36	farmer_child	TOCDFDFS	Arsenic	9.0198E-007	9.0463E-007
RCPTR_36	farmer_child	TOCDFDFS	Barium	2.7900E-008	2.8276E-008
RCPTR_36	farmer_child	TOCDFDFS	Benzene	2.1777E-014	2.1777E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)anthracene	4.6859E-006	5.3055E-006
RCPTR_36	farmer_child	TOCDFDFS	Benzo(a)pyrene	3.7672E-005	3.8131E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(b)fluoranthene	2.3834E-005	2.5322E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzo(k)fluoranthene	5.8473E-005	6.0112E-005
RCPTR_36	farmer_child	TOCDFDFS	Benzoic acid	7.7829E-011	7.7837E-011
RCPTR_36	farmer_child	TOCDFDFS	Benzyl alcohol	1.5151E-011	1.5158E-011
RCPTR_36	farmer_child	TOCDFDFS	Beryllium	2.4521E-007	2.7167E-007
RCPTR_36	farmer_child	TOCDFDFS	Bis(2-chlorethyl)ether	1.5161E-011	1.5167E-011
RCPTR_36	farmer_child	TOCDFDFS	Bromodichloromethane	1.7164E-013	1.7164E-013
RCPTR_36	farmer_child	TOCDFDFS	Bromoform (Tribromomethane)	6.8211E-012	6.8217E-012
RCPTR_36	farmer_child	TOCDFDFS	Bromophenyl-phenylether, 4-	5.8932E-007	8.1529E-007
RCPTR_36	farmer_child	TOCDFDFS	Butylbenzylphthalate	2.2963E-008	2.2976E-008
RCPTR_36	farmer_child	TOCDFDFS	Cadmium	2.5691E-007	2.7495E-007
RCPTR_36	farmer_child	TOCDFDFS	Carbon disulfide	1.1380E-014	1.1380E-014
RCPTR_36	farmer_child	TOCDFDFS	Carbon tetrachloride	5.6817E-014	5.6817E-014

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Chloro-3-methylphenol, 4-	1.2855E-009	1.2915E-009
RCPTR_36	farmer_child	TOCDFDFS	Chloroaniline, p-	7.0406E-011	7.0483E-011
RCPTR_36	farmer_child	TOCDFDFS	Chlorobenzene	3.3254E-013	3.3254E-013
RCPTR_36	farmer_child	TOCDFDFS	Chloroethane	9.3704E-016	9.3704E-016
RCPTR_36	farmer_child	TOCDFDFS	Chloroform (Trichloromethane)	5.1408E-014	5.1409E-014
RCPTR_36	farmer_child	TOCDFDFS	Chloronaphthalene,2-	5.4664E-009	5.5111E-009
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenol, 2-	1.9519E-010	1.9563E-010
RCPTR_36	farmer_child	TOCDFDFS	Chlorophenyl-phenylether, 4-	7.1288E-009	7.1529E-009
RCPTR_36	farmer_child	TOCDFDFS	Chromium	3.1307E-006	3.5622E-006
RCPTR_36	farmer_child	TOCDFDFS	Chromium, hexavalent	2.7412E-006	2.7435E-006
RCPTR_36	farmer_child	TOCDFDFS	Chrysene	1.2179E-005	1.3186E-005
RCPTR_36	farmer_child	TOCDFDFS	Di-n-butyl phthalate	9.8765E-008	9.8886E-008
RCPTR_36	farmer_child	TOCDFDFS	Di-n-octylphthalate	4.6269E+002	4.6269E+002
RCPTR_36	farmer_child	TOCDFDFS	Dibenz(a,h)anthracene	8.1381E-004	8.1925E-004
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,2-	8.9200E-012	8.9202E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene, 1,3-	1.0778E-011	1.0778E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzene,1,4-	1.0373E-011	1.0373E-011
RCPTR_36	farmer_child	TOCDFDFS	Dichlorobenzidine, 3,3'-	8.9200E-008	8.9543E-008
RCPTR_36	farmer_child	TOCDFDFS	Dichlorodifluoromethane	7.4538E-017	7.4538E-017
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane 1,1-	1.8765E-014	1.8765E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethane, 1,2- (Ethylene Dichloride)	2.3312E-014	2.3312E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene 1,1-	7.1059E-015	7.1059E-015
RCPTR_36	farmer_child	TOCDFDFS	Dichloroethylene-1,2 (trans)	1.1423E-014	1.1423E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichlorophenol, 2,4-	9.1329E-010	9.1599E-010
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropane, 1,2-	6.4293E-014	6.4293E-014
RCPTR_36	farmer_child	TOCDFDFS	Dichloropropene, 1,3- (cis)	2.1204E-014	2.1204E-014
RCPTR_36	farmer_child	TOCDFDFS	Diethyl phthalate	5.8430E-008	5.8436E-008
RCPTR_36	farmer_child	TOCDFDFS	Dimethyl phthalate	2.9511E-010	2.9536E-010
RCPTR_36	farmer_child	TOCDFDFS	Dimethylphenol, 2,4-	1.3332E-010	1.3349E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrophenol, 2,4-	7.5857E-011	7.5866E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,4-	1.2279E-010	1.2299E-010
RCPTR_36	farmer_child	TOCDFDFS	Dinitrotoluene, 2,6-	9.4652E-011	9.4785E-011
RCPTR_36	farmer_child	TOCDFDFS	Ethyl methanesulfonate	2.8391E-012	2.8399E-012
RCPTR_36	farmer_child	TOCDFDFS	Ethylbenzene	2.0392E-013	2.0392E-013
RCPTR_36	farmer_child	TOCDFDFS	Ethylhexyl phthalate, bis-2-	2.3164E-009	2.3209E-009
RCPTR_36	farmer_child	TOCDFDFS	Fluoranthene	4.6437E-007	5.4039E-007
RCPTR_36	farmer_child	TOCDFDFS	Fluorene	8.2107E-009	8.2990E-009
RCPTR_36	farmer_child	TOCDFDFS	GB	7.6381E-014	7.6401E-014
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDD, 1,2,3,4,6,7,8-	5.7424E-013	6.0462E-013
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,6,7,8-	3.2474E-013	3.3796E-013
RCPTR_36	farmer_child	TOCDFDFS	HeptaCDF, 1,2,3,4,7,8,9-	1.0263E-012	1.0787E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,4,7,8-	6.2657E-012	6.5411E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,6,7,8-	3.0733E-012	3.2518E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDD, 1,2,3,7,8,9-	2.4789E-012	2.6499E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,4,7,8-	1.9584E-012	2.1191E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,6,7,8-	1.7533E-012	1.8967E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 1,2,3,7,8,9-	2.3814E-012	2.5742E-012
RCPTR_36	farmer_child	TOCDFDFS	HexaCDF, 2,3,4,6,7,8-	1.6293E-012	1.7618E-012
RCPTR_36	farmer_child	TOCDFDFS	Hexachloro-1,3-butadiene (Perchlorobutad	1.7494E-010	1.7496E-010
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorobenzene	3.3541E-007	3.5628E-007
RCPTR_36	farmer_child	TOCDFDFS	Hexachlorocyclopentadiene	2.3040E-009	2.3045E-009
RCPTR_36	farmer_child	TOCDFDFS	Hexachloroethane (Perchloroethane)	1.0706E-010	1.0708E-010
RCPTR_36	farmer_child	TOCDFDFS	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFDFS	Indeno(1,2,3-cd) pyrene	6.1930E-003	6.2019E-003
RCPTR_36	farmer_child	TOCDFDFS	Isophorone	2.0301E-011	2.0308E-011
RCPTR_36	farmer_child	TOCDFDFS	Lead	2.8398E-005	3.3271E-005
RCPTR_36	farmer_child	TOCDFDFS	Mercuric chloride	2.9093E-007	5.2546E-007
RCPTR_36	farmer_child	TOCDFDFS	Methyl bromide (Bromomethane)	1.9865E-015	1.9865E-015
RCPTR_36	farmer_child	TOCDFDFS	Methyl chloride (Chloromethane)	3.3631E-016	3.3631E-016
RCPTR_36	farmer_child	TOCDFDFS	Methyl ethyl ketone (2-Butanone)	1.7658E-013	1.7658E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Methyl mercury	3.0606E-009	3.7513E-009
RCPTR_36	farmer_child	TOCDFDFS	Methylene chloride	5.1046E-015	5.1046E-015
RCPTR_36	farmer_child	TOCDFDFS	Naphthalene	8.5800E-011	8.5825E-011
RCPTR_36	farmer_child	TOCDFDFS	Nickel	3.1447E-006	3.1862E-006
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 2-	3.4199E-010	3.4237E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 3-	8.1425E-011	8.1459E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitroaniline, 4-	1.0519E-010	1.0524E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitrobenzene	3.4257E-011	3.4276E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 2-	1.5602E-011	1.5606E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrophenol, 4-	2.7243E-010	2.7249E-010
RCPTR_36	farmer_child	TOCDFDFS	Nitroso-di-n-butylamine, n-	1.9336E-011	1.9340E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodiphenylamine, N-	1.9008E-011	1.9010E-011
RCPTR_36	farmer_child	TOCDFDFS	Nitrosodipropylamine, n-	1.7037E-012	1.7037E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDD, 1,2,3,4,6,7,8,9-	1.2944E-012	1.3905E-012
RCPTR_36	farmer_child	TOCDFDFS	OctaCDF, 1,2,3,4,6,7,8,9-	4.4315E-013	4.7549E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	PentaCDD, 1,2,3,7,8-	1.6870E-011	1.7826E-011
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 1,2,3,7,8-	1.3724E-012	1.5125E-012
RCPTR_36	farmer_child	TOCDFDFS	PentaCDF, 2,3,4,7,8-	5.2446E-012	5.7695E-012
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorobenzene	1.3106E-009	1.3112E-009
RCPTR_36	farmer_child	TOCDFDFS	Pentachloronitrobenzene (PCNB)	5.1256E-010	5.1259E-010
RCPTR_36	farmer_child	TOCDFDFS	Pentachlorophenol	3.1913E-007	3.1972E-007
RCPTR_36	farmer_child	TOCDFDFS	Phenanthrene	2.6272E-011	2.6273E-011
RCPTR_36	farmer_child	TOCDFDFS	Phenol	2.7144E-011	2.7161E-011
RCPTR_36	farmer_child	TOCDFDFS	Pronamide	5.1700E-009	5.2077E-009
RCPTR_36	farmer_child	TOCDFDFS	Pyrene	7.3756E-007	1.0828E-006
RCPTR_36	farmer_child	TOCDFDFS	Selenium	9.9126E-007	9.9133E-007
RCPTR_36	farmer_child	TOCDFDFS	Silver	3.5355E-007	3.5405E-007
RCPTR_36	farmer_child	TOCDFDFS	Styrene	5.5448E-012	5.5449E-012
RCPTR_36	farmer_child	TOCDFDFS	TetraCDD, 2,3,7,8-	7.5482E-012	8.5890E-012
RCPTR_36	farmer_child	TOCDFDFS	TetraCDF, 2,3,7,8-	2.4520E-012	2.9068E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorobenzene, 1,2,4,5-	2.1126E-009	2.1156E-009
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethane, 1,1,2,2-	1.1460E-010	1.1460E-010
RCPTR_36	farmer_child	TOCDFDFS	Tetrachloroethylene (Perchloroethylene)	6.8301E-014	6.8301E-014
RCPTR_36	farmer_child	TOCDFDFS	Tetrachlorophenol, 2,3,4,6-	1.6187E-008	1.6214E-008
RCPTR_36	farmer_child	TOCDFDFS	Thallium (I)	8.9658E-006	9.0561E-006
RCPTR_36	farmer_child	TOCDFDFS	Toluene	9.2096E-014	9.2096E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichlorobenzene, 1,2,4-	8.0692E-011	8.0702E-011
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,1-	4.4131E-014	4.4131E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethane, 1,1,2-	3.3741E-013	3.3741E-013
RCPTR_36	farmer_child	TOCDFDFS	Trichloroethylene	5.4867E-014	5.4867E-014
RCPTR_36	farmer_child	TOCDFDFS	Trichlorofluoromethane (Freon 11)	7.2109E-015	7.2109E-015
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,5-	9.1538E-009	9.3057E-009
RCPTR_36	farmer_child	TOCDFDFS	Trichlorophenol, 2,4,6-	1.9252E-009	1.9317E-009
RCPTR_36	farmer_child	TOCDFDFS	Trichloropropane, 1,2,3-	1.2488E-012	1.2489E-012
RCPTR_36	farmer_child	TOCDFDFS	Trinitrotoluene, 2,4,6-	1.4576E-011	1.4589E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFDFS	Vinyl Chloride	1.7822E-017	1.7822E-017
RCPTR_36	farmer_child	TOCDFDFS	Xylene, m-	4.3706E-013	4.3706E-013
RCPTR_36	farmer_child	TOCDFDFS	Xylene, o-	4.4784E-013	4.4784E-013
RCPTR_36	farmer_child	TOCDFDFS	Xylene, p-	5.7169E-013	5.7169E-013
RCPTR_36	farmer_child	TOCDFDFS	Zinc	2.1059E-006	2.1900E-006
RCPTR_36	farmer_child	TOCDFLIC	Acenaphthene	1.1927E-009	1.1969E-009
RCPTR_36	farmer_child	TOCDFLIC	Acetone	3.1483E-014	3.1483E-014
RCPTR_36	farmer_child	TOCDFLIC	Acetophenone	1.1323E-011	1.1326E-011
RCPTR_36	farmer_child	TOCDFLIC	Aniline	3.7904E-013	3.7905E-013
RCPTR_36	farmer_child	TOCDFLIC	Anthracene	2.0435E-008	2.1120E-008
RCPTR_36	farmer_child	TOCDFLIC	Antimony	1.7800E-007	1.8150E-007
RCPTR_36	farmer_child	TOCDFLIC	Arsenic	5.2384E-007	5.2538E-007
RCPTR_36	farmer_child	TOCDFLIC	Barium	1.8424E-008	1.8673E-008
RCPTR_36	farmer_child	TOCDFLIC	Benzene	2.8910E-013	2.8910E-013
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)anthracene	2.6446E-006	2.9957E-006

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Benzo(a)pyrene	2.1152E-005	2.1409E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(b)fluoranthene	1.3451E-005	1.4294E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzo(k)fluoranthene	3.2855E-005	3.3762E-005
RCPTR_36	farmer_child	TOCDFLIC	Benzoic acid	4.7348E-011	4.7353E-011
RCPTR_36	farmer_child	TOCDFLIC	Benzyl alcohol	8.5928E-012	8.5971E-012
RCPTR_36	farmer_child	TOCDFLIC	Beryllium	8.8138E-008	9.7674E-008
RCPTR_36	farmer_child	TOCDFLIC	Bis(2-chlorethyl)ether	8.5986E-012	8.6021E-012
RCPTR_36	farmer_child	TOCDFLIC	Bromodichloromethane	7.6926E-014	7.6927E-014
RCPTR_36	farmer_child	TOCDFLIC	Bromoform (Tribromomethane)	2.6494E-012	2.6497E-012
RCPTR_36	farmer_child	TOCDFLIC	Bromophenyl-phenylether, 4-	3.3423E-007	4.6240E-007
RCPTR_36	farmer_child	TOCDFLIC	Butylbenzylphthalate	1.2839E-008	1.2847E-008
RCPTR_36	farmer_child	TOCDFLIC	Cadmium	6.8346E-008	7.3155E-008
RCPTR_36	farmer_child	TOCDFLIC	Carbon disulfide	1.7513E-014	1.7513E-014
RCPTR_36	farmer_child	TOCDFLIC	Carbon tetrachloride	2.7651E-014	2.7651E-014
RCPTR_36	farmer_child	TOCDFLIC	Chloro-3-methylphenol, 4-	7.2899E-010	7.3239E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Chloroaniline, p-	3.9932E-011	3.9975E-011
RCPTR_36	farmer_child	TOCDFLIC	Chlorobenzene	1.6184E-013	1.6184E-013
RCPTR_36	farmer_child	TOCDFLIC	Chloroethane	4.5603E-016	4.5603E-016
RCPTR_36	farmer_child	TOCDFLIC	Chloroform (Trichloromethane)	2.4476E-014	2.4476E-014
RCPTR_36	farmer_child	TOCDFLIC	Chloronaphthalene,2-	3.1003E-009	3.1256E-009
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenol, 2-	1.1070E-010	1.1096E-010
RCPTR_36	farmer_child	TOCDFLIC	Chlorophenyl-phenylether, 4-	4.0410E-009	4.0546E-009
RCPTR_36	farmer_child	TOCDFLIC	Chromium	3.7358E-006	4.2521E-006
RCPTR_36	farmer_child	TOCDFLIC	Chromium, hexavalent	3.2700E-006	3.2727E-006
RCPTR_36	farmer_child	TOCDFLIC	Chrysene	6.8751E-006	7.4452E-006
RCPTR_36	farmer_child	TOCDFLIC	Di-n-butyl phthalate	5.5867E-008	5.5936E-008
RCPTR_36	farmer_child	TOCDFLIC	Di-n-octylphthalate	2.6217E+002	2.6217E+002
RCPTR_36	farmer_child	TOCDFLIC	Dibenz(a,h)anthracene	4.5608E-004	4.5896E-004
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,2-	5.0588E-012	5.0590E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene, 1,3-	6.1126E-012	6.1128E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzene,1,4-	5.8828E-012	5.8830E-012
RCPTR_36	farmer_child	TOCDFLIC	Dichlorobenzidine, 3,3'-	2.6004E-008	2.6104E-008
RCPTR_36	farmer_child	TOCDFLIC	Dichlorodifluoromethane	3.6275E-017	3.6275E-017
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane 1,1-	9.1327E-015	9.1327E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethane, 1,2- (Ethylene Dichloride)	1.1345E-014	1.1345E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene 1,1-	3.4583E-015	3.4583E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichloroethylene-1,2 (trans)	5.5594E-015	5.5594E-015
RCPTR_36	farmer_child	TOCDFLIC	Dichlorophenol, 2,4-	5.1789E-010	5.1942E-010
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropane, 1,2-	3.1290E-014	3.1290E-014
RCPTR_36	farmer_child	TOCDFLIC	Dichloropropene, 1,3- (cis)	1.0319E-014	1.0319E-014
RCPTR_36	farmer_child	TOCDFLIC	Diethyl phthalate	3.3108E-008	3.3111E-008
RCPTR_36	farmer_child	TOCDFLIC	Dimethyl phthalate	3.0194E-010	3.0221E-010
RCPTR_36	farmer_child	TOCDFLIC	Dimethylphenol, 2,4-	7.5615E-011	7.5711E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrophenol, 2,4-	4.3504E-011	4.3509E-011
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,4-	6.9622E-011	6.9736E-011

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Dinitrotoluene, 2,6-	5.3678E-011	5.3753E-011
RCPTR_36	farmer_child	TOCDFLIC	Ethyl methanesulfonate	1.6102E-012	1.6107E-012
RCPTR_36	farmer_child	TOCDFLIC	Ethylbenzene	1.3232E-013	1.3232E-013
RCPTR_36	farmer_child	TOCDFLIC	Ethylhexyl phthalate, bis-2-	4.0917E-008	4.0998E-008
RCPTR_36	farmer_child	TOCDFLIC	Fluoranthene	2.6314E-007	3.0625E-007
RCPTR_36	farmer_child	TOCDFLIC	Fluorene	4.6565E-009	4.7066E-009
RCPTR_36	farmer_child	TOCDFLIC	GB	2.6967E-014	2.6974E-014
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDD, 1,2,3,4,6,7,8-	3.4826E-013	3.6637E-013
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,6,7,8-	4.5368E-013	4.7177E-013
RCPTR_36	farmer_child	TOCDFLIC	HeptaCDF, 1,2,3,4,7,8,9-	1.0115E-012	1.0623E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,4,7,8-	4.8500E-012	5.0596E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,6,7,8-	2.5108E-012	2.6546E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDD, 1,2,3,7,8,9-	1.9942E-012	2.1305E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,4,7,8-	1.2845E-012	1.3898E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,6,7,8-	1.2660E-012	1.3694E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 1,2,3,7,8,9-	1.4847E-012	1.6047E-012
RCPTR_36	farmer_child	TOCDFLIC	HexaCDF, 2,3,4,6,7,8-	1.0768E-012	1.1642E-012
RCPTR_36	farmer_child	TOCDFLIC	Hexachloro-1,3-butadiene (Perchlorobutad	9.9191E-011	9.9201E-011
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorobenzene	1.9020E-007	2.0204E-007
RCPTR_36	farmer_child	TOCDFLIC	Hexachlorocyclopentadiene	2.6389E-010	2.6394E-010
RCPTR_36	farmer_child	TOCDFLIC	Hexachloroethane (Perchloroethane)	6.0721E-011	6.0732E-011
RCPTR_36	farmer_child	TOCDFLIC	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFLIC	Indeno(1,2,3-cd) pyrene	3.4975E-003	3.5022E-003
RCPTR_36	farmer_child	TOCDFLIC	Isophorone	1.1514E-011	1.1518E-011
RCPTR_36	farmer_child	TOCDFLIC	Lead	1.0046E-005	1.1773E-005
RCPTR_36	farmer_child	TOCDFLIC	Mercuric chloride	2.4008E-005	4.3485E-005
RCPTR_36	farmer_child	TOCDFLIC	Methyl bromide (Bromomethane)	6.2905E-016	6.2905E-016
RCPTR_36	farmer_child	TOCDFLIC	Methyl chloride (Chloromethane)	5.1525E-017	5.1525E-017
RCPTR_36	farmer_child	TOCDFLIC	Methyl ethyl ketone (2-Butanone)	1.8726E-013	1.8726E-013
RCPTR_36	farmer_child	TOCDFLIC	Methyl mercury	2.4772E-007	3.0508E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Methylene chloride	3.9832E-015	3.9832E-015
RCPTR_36	farmer_child	TOCDFLIC	Naphthalene	4.8662E-011	4.8676E-011
RCPTR_36	farmer_child	TOCDFLIC	Nickel	1.6887E-006	1.7111E-006
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 2-	1.9628E-010	1.9649E-010
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 3-	4.6732E-011	4.6752E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitroaniline, 4-	6.0369E-011	6.0401E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrobenzene	1.9429E-011	1.9440E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 2-	8.8488E-012	8.8511E-012
RCPTR_36	farmer_child	TOCDFLIC	Nitrophenol, 4-	1.5628E-010	1.5632E-010
RCPTR_36	farmer_child	TOCDFLIC	Nitroso-di-n-butylamine, n-	1.0967E-011	1.0969E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodiphenylamine, N-	1.0781E-011	1.0782E-011
RCPTR_36	farmer_child	TOCDFLIC	Nitrosodipropylamine, n-	9.6580E-013	9.6584E-013
RCPTR_36	farmer_child	TOCDFLIC	OctaCDD, 1,2,3,4,6,7,8,9-	1.0663E-012	1.1450E-012
RCPTR_36	farmer_child	TOCDFLIC	OctaCDF, 1,2,3,4,6,7,8,9-	3.4957E-013	3.7493E-013
RCPTR_36	farmer_child	TOCDFLIC	PentaCDD, 1,2,3,7,8-	1.0662E-011	1.1263E-011

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 1,2,3,7,8-	2.7514E-012	3.0329E-012
RCPTR_36	farmer_child	TOCDFLIC	PentaCDF, 2,3,4,7,8-	5.8176E-012	6.4014E-012
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorobenzene	7.4220E-010	7.4251E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachloronitrobenzene (PCNB)	2.9364E-010	2.9366E-010
RCPTR_36	farmer_child	TOCDFLIC	Pentachlorophenol	1.8303E-007	1.8337E-007
RCPTR_36	farmer_child	TOCDFLIC	Phenanthrene	1.4900E-011	1.4900E-011
RCPTR_36	farmer_child	TOCDFLIC	Phenol	1.5395E-011	1.5405E-011
RCPTR_36	farmer_child	TOCDFLIC	Pronamide	1.4661E-009	1.4767E-009
RCPTR_36	farmer_child	TOCDFLIC	Pyrene	4.1817E-007	6.1395E-007
RCPTR_36	farmer_child	TOCDFLIC	Selenium	3.5354E-007	3.5357E-007
RCPTR_36	farmer_child	TOCDFLIC	Silver	1.2330E-007	1.2347E-007
RCPTR_36	farmer_child	TOCDFLIC	Styrene	5.6119E-012	5.6120E-012
RCPTR_36	farmer_child	TOCDFLIC	TetraCDD, 2,3,7,8-	3.5683E-012	4.0624E-012
RCPTR_36	farmer_child	TOCDFLIC	TetraCDF, 2,3,7,8-	4.8505E-012	5.7542E-012
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorobenzene, 1,2,4,5-	1.1981E-009	1.1998E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethane, 1,1,2,2-	5.5729E-011	5.5730E-011
RCPTR_36	farmer_child	TOCDFLIC	Tetrachloroethylene (Perchloroethylene)	3.3240E-014	3.3240E-014
RCPTR_36	farmer_child	TOCDFLIC	Tetrachlorophenol, 2,3,4,6-	9.2870E-009	9.3026E-009
RCPTR_36	farmer_child	TOCDFLIC	Thallium (I)	3.2219E-006	3.2544E-006
RCPTR_36	farmer_child	TOCDFLIC	Toluene	2.5777E-013	2.5777E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichlorobenzene, 1,2,4-	4.5762E-011	4.5768E-011
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,1-	2.1478E-014	2.1478E-014
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethane, 1,1,2-	1.6421E-013	1.6421E-013
RCPTR_36	farmer_child	TOCDFLIC	Trichloroethylene	2.6703E-014	2.6703E-014
RCPTR_36	farmer_child	TOCDFLIC	Trichlorofluoromethane (Freon 11)	3.5094E-015	3.5094E-015
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,5-	5.1915E-009	5.2776E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichlorophenol, 2,4,6-	1.0918E-009	1.0955E-009
RCPTR_36	farmer_child	TOCDFLIC	Trichloropropane, 1,2,3-	6.0778E-013	6.0780E-013
RCPTR_36	farmer_child	TOCDFLIC	Vinyl Chloride	9.3459E-018	9.3459E-018
RCPTR_36	farmer_child	TOCDFLIC	Xylene, m-	3.7125E-013	3.7125E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFLIC	Xylene, o-	2.4292E-013	2.4292E-013
RCPTR_36	farmer_child	TOCDFLIC	Xylene, p-	4.8862E-013	4.8862E-013
RCPTR_36	farmer_child	TOCDFLIC	Zinc	5.2531E-007	5.4633E-007
RCPTR_36	farmer_child	TOCDFMPF	Acenaphthene	5.1064E-009	5.1244E-009
RCPTR_36	farmer_child	TOCDFMPF	Acetone	1.5844E-014	1.5844E-014
RCPTR_36	farmer_child	TOCDFMPF	Acetophenone	2.6933E-011	2.6938E-011
RCPTR_36	farmer_child	TOCDFMPF	Aniline	1.6228E-012	1.6229E-012
RCPTR_36	farmer_child	TOCDFMPF	Anthracene	8.7488E-008	9.0423E-008
RCPTR_36	farmer_child	TOCDFMPF	Antimony	5.3408E-008	5.4458E-008
RCPTR_36	farmer_child	TOCDFMPF	Arsenic	1.2392E-007	1.2428E-007
RCPTR_36	farmer_child	TOCDFMPF	Barium	1.7410E-008	1.7645E-008
RCPTR_36	farmer_child	TOCDFMPF	Benzene	1.4122E-014	1.4122E-014
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)anthracene	1.1321E-005	1.2824E-005
RCPTR_36	farmer_child	TOCDFMPF	Benzo(a)pyrene	9.0569E-005	9.1668E-005
RCPTR_36	farmer_child	TOCDFMPF	Benzo(b)fluoranthene	5.7575E-005	6.1183E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Benzo(k)fluoranthene	1.4067E-004	1.4456E-004
RCPTR_36	farmer_child	TOCDFMPF	Benzoic acid	1.8896E-010	1.8898E-010
RCPTR_36	farmer_child	TOCDFMPF	Benzyl alcohol	3.6789E-011	3.6808E-011
RCPTR_36	farmer_child	TOCDFMPF	Beryllium	2.5376E-008	2.8123E-008
RCPTR_36	farmer_child	TOCDFMPF	Bis(2-chlorethyl)ether	3.6814E-011	3.6829E-011
RCPTR_36	farmer_child	TOCDFMPF	Bromodichloromethane	1.2579E-013	1.2579E-013
RCPTR_36	farmer_child	TOCDFMPF	Bromoform (Tribromomethane)	4.7458E-012	4.7462E-012
RCPTR_36	farmer_child	TOCDFMPF	Bromophenyl-phenylether, 4-	1.4310E-006	1.9797E-006
RCPTR_36	farmer_child	TOCDFMPF	Butylbenzylphthalate	5.5000E-008	5.5031E-008
RCPTR_36	farmer_child	TOCDFMPF	Cadmium	3.0147E-008	3.2269E-008
RCPTR_36	farmer_child	TOCDFMPF	Carbon disulfide	2.4694E-014	2.4694E-014
RCPTR_36	farmer_child	TOCDFMPF	Carbon tetrachloride	3.9091E-014	3.9091E-014
RCPTR_36	farmer_child	TOCDFMPF	Chloro-3-methylphenol, 4-	3.1208E-009	3.1354E-009
RCPTR_36	farmer_child	TOCDFMPF	Chloroaniline, p-	1.7096E-010	1.7115E-010
RCPTR_36	farmer_child	TOCDFMPF	Chlorobenzene	2.2879E-013	2.2879E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Chloroethane	6.4469E-016	6.4469E-016
RCPTR_36	farmer_child	TOCDFMPF	Chloroform (Trichloromethane)	3.3285E-014	3.3285E-014
RCPTR_36	farmer_child	TOCDFMPF	Chloronaphthalene,2-	1.3273E-008	1.3382E-008
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenol, 2-	4.7396E-010	4.7504E-010
RCPTR_36	farmer_child	TOCDFMPF	Chlorophenyl-phenylether, 4-	1.7300E-008	1.7359E-008
RCPTR_36	farmer_child	TOCDFMPF	Chromium	7.2861E-007	8.2937E-007
RCPTR_36	farmer_child	TOCDFMPF	Chromium, hexavalent	6.3770E-007	6.3823E-007
RCPTR_36	farmer_child	TOCDFMPF	Chrysene	2.9427E-005	3.1868E-005
RCPTR_36	farmer_child	TOCDFMPF	Di-n-butyl phthalate	2.3908E-007	2.3937E-007
RCPTR_36	farmer_child	TOCDFMPF	Di-n-octylphthalate	1.1216E+003	1.1216E+003
RCPTR_36	farmer_child	TOCDFMPF	Dibenz(a,h)anthracene	1.9527E-003	1.9651E-003
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,2-	2.1659E-011	2.1659E-011
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene, 1,3-	2.6170E-011	2.6171E-011
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzene,1,4-	2.5187E-011	2.5187E-011
RCPTR_36	farmer_child	TOCDFMPF	Dichlorobenzidine, 3,3'-	1.4563E-007	1.4620E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Dichlorodifluoromethane	5.1283E-017	5.1283E-017
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane 1,1-	1.2911E-014	1.2911E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethane, 1,2- (Ethylene Dichloride)	1.6039E-014	1.6039E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene 1,1-	4.8890E-015	4.8890E-015
RCPTR_36	farmer_child	TOCDFMPF	Dichloroethylene-1,2 (trans)	7.8593E-015	7.8593E-015
RCPTR_36	farmer_child	TOCDFMPF	Dichlorophenol, 2,4-	2.2170E-009	2.2235E-009
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropane, 1,2-	4.4234E-014	4.4235E-014
RCPTR_36	farmer_child	TOCDFMPF	Dichloropropene, 1,3- (cis)	1.4589E-014	1.4589E-014
RCPTR_36	farmer_child	TOCDFMPF	Diethyl phthalate	1.4165E-007	1.4166E-007
RCPTR_36	farmer_child	TOCDFMPF	Dimethyl phthalate	1.1023E-010	1.1033E-010
RCPTR_36	farmer_child	TOCDFMPF	Dimethylphenol, 2,4-	3.2373E-010	3.2414E-010
RCPTR_36	farmer_child	TOCDFMPF	Dinitrophenol, 2,4-	1.8587E-010	1.8589E-010
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,4-	2.9808E-010	2.9857E-010
RCPTR_36	farmer_child	TOCDFMPF	Dinitrotoluene, 2,6-	2.2981E-010	2.3014E-010
RCPTR_36	farmer_child	TOCDFMPF	Ethyl methanesulfonate	6.8940E-012	6.8958E-012

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Ethylbenzene	1.4029E-013	1.4029E-013
RCPTR_36	farmer_child	TOCDFMPF	Ethylhexyl phthalate, bis-2-	4.5508E-008	4.5597E-008
RCPTR_36	farmer_child	TOCDFMPF	Fluoranthene	1.1265E-006	1.3111E-006
RCPTR_36	farmer_child	TOCDFMPF	Fluorene	1.9936E-008	2.0151E-008
RCPTR_36	farmer_child	TOCDFMPF	GB	3.8526E-014	3.8536E-014
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDD, 1,2,3,4,6,7,8-	7.3753E-013	7.7600E-013
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,6,7,8-	3.0594E-011	3.1818E-011
RCPTR_36	farmer_child	TOCDFMPF	HeptaCDF, 1,2,3,4,7,8,9-	4.7185E-012	4.9562E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,4,7,8-	1.1134E-011	1.1617E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,6,7,8-	5.4880E-012	5.8031E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDD, 1,2,3,7,8,9-	4.7598E-012	5.0857E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,4,7,8-	1.9393E-010	2.0984E-010
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,6,7,8-	4.7598E-011	5.1491E-011
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 1,2,3,7,8,9-	8.3719E-012	9.0495E-012
RCPTR_36	farmer_child	TOCDFMPF	HexaCDF, 2,3,4,6,7,8-	5.9435E-012	6.4267E-012

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Hexachloro-1,3-butadiene (Perchlorobutad	4.2467E-010	4.2472E-010
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorobenzene	8.1433E-007	8.6501E-007
RCPTR_36	farmer_child	TOCDFMPF	Hexachlorocyclopentadiene	1.1298E-009	1.1300E-009
RCPTR_36	farmer_child	TOCDFMPF	Hexachloroethane (Perchloroethane)	2.5997E-010	2.6001E-010
RCPTR_36	farmer_child	TOCDFMPF	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDFMPF	Indeno(1,2,3-cd) pyrene	1.4967E-002	1.4987E-002
RCPTR_36	farmer_child	TOCDFMPF	Isophorone	4.9295E-011	4.9314E-011
RCPTR_36	farmer_child	TOCDFMPF	Lead	7.9849E-009	9.3589E-009
RCPTR_36	farmer_child	TOCDFMPF	Mercuric chloride	2.7308E-007	4.9453E-007
RCPTR_36	farmer_child	TOCDFMPF	Methyl bromide (Bromomethane)	7.5775E-016	7.5775E-016
RCPTR_36	farmer_child	TOCDFMPF	Methyl chloride (Chloromethane)	2.7105E-017	2.7105E-017
RCPTR_36	farmer_child	TOCDFMPF	Methyl ethyl ketone (2-Butanone)	1.7748E-013	1.7748E-013
RCPTR_36	farmer_child	TOCDFMPF	Methyl mercury	2.8210E-009	3.4733E-009
RCPTR_36	farmer_child	TOCDFMPF	Methylene chloride	4.4371E-015	4.4371E-015
RCPTR_36	farmer_child	TOCDFMPF	Naphthalene	2.0834E-010	2.0840E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Nickel	1.3350E-006	1.3527E-006
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 2-	8.3882E-010	8.3974E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 3-	1.9972E-010	1.9980E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitroaniline, 4-	2.5799E-010	2.5813E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitrobenzene	8.3184E-011	8.3230E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 2-	3.7885E-011	3.7895E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrophenol, 4-	6.6767E-010	6.6782E-010
RCPTR_36	farmer_child	TOCDFMPF	Nitroso-di-n-butylamine, n-	4.6953E-011	4.6961E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodiphenylamine, N-	4.6156E-011	4.6160E-011
RCPTR_36	farmer_child	TOCDFMPF	Nitrosodipropylamine, n-	4.1350E-012	4.1352E-012
RCPTR_36	farmer_child	TOCDFMPF	OctaCDD, 1,2,3,4,6,7,8,9-	1.5950E-012	1.7129E-012
RCPTR_36	farmer_child	TOCDFMPF	OctaCDF, 1,2,3,4,6,7,8,9-	2.2139E-012	2.3748E-012
RCPTR_36	farmer_child	TOCDFMPF	PentaCDD, 1,2,3,7,8-	4.2282E-011	4.4668E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 1,2,3,7,8-	3.0780E-011	3.3931E-011
RCPTR_36	farmer_child	TOCDFMPF	PentaCDF, 2,3,4,7,8-	9.5024E-011	1.0457E-010

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorobenzene	3.1779E-009	3.1793E-009
RCPTR_36	farmer_child	TOCDFMPF	Pentachloronitrobenzene (PCNB)	1.2550E-009	1.2551E-009
RCPTR_36	farmer_child	TOCDFMPF	Pentachlorophenol	7.8181E-007	7.8325E-007
RCPTR_36	farmer_child	TOCDFMPF	Phenanthrene	6.3792E-011	6.3793E-011
RCPTR_36	farmer_child	TOCDFMPF	Phenol	6.5913E-011	6.5954E-011
RCPTR_36	farmer_child	TOCDFMPF	Pronamide	6.2767E-009	6.3224E-009
RCPTR_36	farmer_child	TOCDFMPF	Pyrene	1.7903E-006	2.6285E-006
RCPTR_36	farmer_child	TOCDFMPF	Selenium	1.0425E-007	1.0426E-007
RCPTR_36	farmer_child	TOCDFMPF	Silver	4.9738E-007	4.9809E-007
RCPTR_36	farmer_child	TOCDFMPF	Styrene	6.0264E-012	6.0265E-012
RCPTR_36	farmer_child	TOCDFMPF	TetraCDD, 2,3,7,8-	1.0167E-011	1.1575E-011
RCPTR_36	farmer_child	TOCDFMPF	TetraCDF, 2,3,7,8-	1.9950E-011	2.3668E-011
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorobenzene, 1,2,4,5-	5.1295E-009	5.1366E-009
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethane, 1,1,2,2-	7.8740E-011	7.8740E-011
RCPTR_36	farmer_child	TOCDFMPF	Tetrachloroethylene (Perchloroethylene)	1.0414E-013	1.0414E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Tetrachlorophenol, 2,3,4,6-	3.9680E-008	3.9746E-008
RCPTR_36	farmer_child	TOCDFMPF	Thallium (I)	9.5829E-007	9.6798E-007
RCPTR_36	farmer_child	TOCDFMPF	Toluene	7.2503E-014	7.2503E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichlorobenzene, 1,2,4-	1.9592E-010	1.9595E-010
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,1-	3.0363E-014	3.0363E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethane, 1,1,2-	2.3214E-013	2.3215E-013
RCPTR_36	farmer_child	TOCDFMPF	Trichloroethylene	3.7750E-014	3.7750E-014
RCPTR_36	farmer_child	TOCDFMPF	Trichlorofluoromethane (Freon 11)	4.9612E-015	4.9612E-015
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,5-	2.2226E-008	2.2595E-008
RCPTR_36	farmer_child	TOCDFMPF	Trichlorophenol, 2,4,6-	4.6738E-009	4.6897E-009
RCPTR_36	farmer_child	TOCDFMPF	Trichloropropane, 1,2,3-	8.5923E-013	8.5926E-013
RCPTR_36	farmer_child	TOCDFMPF	Vinyl Chloride	1.2262E-017	1.2262E-017
RCPTR_36	farmer_child	TOCDFMPF	Xylene, m-	2.9482E-013	2.9482E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, o-	3.0312E-013	3.0312E-013
RCPTR_36	farmer_child	TOCDFMPF	Xylene, p-	3.8785E-013	3.8785E-013

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDFMPF	Zinc	3.2417E-007	3.3715E-007
RCPTR_36	farmer_child	TOCDHVAC	GB	2.1234E-013	2.1239E-013
RCPTR_36	farmer_child	TOCDLIC2	Acenaphthene	2.4613E-009	2.4700E-009
RCPTR_36	farmer_child	TOCDLIC2	Acetone	3.1156E-014	3.1156E-014
RCPTR_36	farmer_child	TOCDLIC2	Acetophenone	1.2982E-011	1.2984E-011
RCPTR_36	farmer_child	TOCDLIC2	Aniline	7.8221E-013	7.8223E-013
RCPTR_36	farmer_child	TOCDLIC2	Anthracene	4.2170E-008	4.3584E-008
RCPTR_36	farmer_child	TOCDLIC2	Antimony	2.3682E-007	2.4147E-007
RCPTR_36	farmer_child	TOCDLIC2	Arsenic	5.2384E-007	5.2538E-007
RCPTR_36	farmer_child	TOCDLIC2	Barium	1.7754E-007	1.7994E-007
RCPTR_36	farmer_child	TOCDLIC2	Benzene	2.0805E-014	2.0805E-014
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)anthracene	5.4575E-006	6.1819E-006
RCPTR_36	farmer_child	TOCDLIC2	Benzo(a)pyrene	4.3650E-005	4.4180E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(b)fluoranthene	2.7758E-005	2.9497E-005
RCPTR_36	farmer_child	TOCDLIC2	Benzo(k)fluoranthene	6.7800E-005	6.9673E-005

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Benzoic acid	9.1085E-011	9.1095E-011
RCPTR_36	farmer_child	TOCDLIC2	Benzyl alcohol	1.7732E-011	1.7741E-011
RCPTR_36	farmer_child	TOCDLIC2	Beryllium	8.8138E-008	9.7674E-008
RCPTR_36	farmer_child	TOCDLIC2	Bis(2-chlorethyl)ether	1.7744E-011	1.7752E-011
RCPTR_36	farmer_child	TOCDLIC2	Bromodichloromethane	2.3554E-013	2.3555E-013
RCPTR_36	farmer_child	TOCDLIC2	Bromoform (Tribromomethane)	6.1430E-012	6.1435E-012
RCPTR_36	farmer_child	TOCDLIC2	Bromophenyl-phenylether, 4-	6.8974E-007	9.5422E-007
RCPTR_36	farmer_child	TOCDLIC2	Butylbenzylphthalate	2.6496E-008	2.6511E-008
RCPTR_36	farmer_child	TOCDLIC2	Cadmium	7.7661E-009	8.3126E-009
RCPTR_36	farmer_child	TOCDLIC2	Carbon disulfide	2.6540E-014	2.6540E-014
RCPTR_36	farmer_child	TOCDLIC2	Carbon tetrachloride	4.2084E-014	4.2084E-014
RCPTR_36	farmer_child	TOCDLIC2	Chloro-3-methylphenol, 4-	1.5044E-009	1.5114E-009
RCPTR_36	farmer_child	TOCDLIC2	Chloroaniline, p-	8.2404E-011	8.2494E-011
RCPTR_36	farmer_child	TOCDLIC2	Chlorobenzene	2.4631E-013	2.4631E-013
RCPTR_36	farmer_child	TOCDLIC2	Chloroethane	6.9406E-016	6.9406E-016

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Chloroform (Trichloromethane)	7.5571E-014	7.5571E-014
RCPTR_36	farmer_child	TOCDLIC2	Chloronaphthalene,2-	6.3979E-009	6.4502E-009
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenol, 2-	2.2845E-010	2.2897E-010
RCPTR_36	farmer_child	TOCDLIC2	Chlorophenyl-phenylether, 4-	8.3392E-009	8.3673E-009
RCPTR_36	farmer_child	TOCDLIC2	Chromium	3.7358E-006	4.2521E-006
RCPTR_36	farmer_child	TOCDLIC2	Chromium, hexavalent	3.2700E-006	3.2727E-006
RCPTR_36	farmer_child	TOCDLIC2	Chrysene	1.4188E-005	1.5364E-005
RCPTR_36	farmer_child	TOCDLIC2	Di-n-butyl phthalate	1.1529E-007	1.1543E-007
RCPTR_36	farmer_child	TOCDLIC2	Di-n-octylphthalate	5.4103E+002	5.4103E+002
RCPTR_36	farmer_child	TOCDLIC2	Dibenz(a,h)anthracene	9.4118E-004	9.4714E-004
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,2-	1.0440E-011	1.0440E-011
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene, 1,3-	1.2614E-011	1.2615E-011
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzene,1,4-	1.2140E-011	1.2140E-011
RCPTR_36	farmer_child	TOCDLIC2	Dichlorobenzidine, 3,3'-	6.2532E-008	6.2774E-008
RCPTR_36	farmer_child	TOCDLIC2	Dichlorodifluoromethane	5.5209E-017	5.5209E-017

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane 1,1-	1.3900E-014	1.3900E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethane, 1,2- (Ethylene Dichloride)	1.7267E-014	1.7267E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene 1,1-	5.2634E-015	5.2634E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichloroethylene-1,2 (trans)	8.4612E-015	8.4612E-015
RCPTR_36	farmer_child	TOCDLIC2	Dichlorophenol, 2,4-	1.0687E-009	1.0719E-009
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropane, 1,2-	4.7622E-014	4.7622E-014
RCPTR_36	farmer_child	TOCDLIC2	Dichloropropene, 1,3- (cis)	1.5706E-014	1.5706E-014
RCPTR_36	farmer_child	TOCDLIC2	Diethyl phthalate	6.8324E-008	6.8330E-008
RCPTR_36	farmer_child	TOCDLIC2	Dimethyl phthalate	3.6982E-010	3.7015E-010
RCPTR_36	farmer_child	TOCDLIC2	Dimethylphenol, 2,4-	1.5604E-010	1.5624E-010
RCPTR_36	farmer_child	TOCDLIC2	Dinitrophenol, 2,4-	9.0008E-011	9.0019E-011
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,4-	1.4368E-010	1.4391E-010
RCPTR_36	farmer_child	TOCDLIC2	Dinitrotoluene, 2,6-	1.1077E-010	1.1093E-010
RCPTR_36	farmer_child	TOCDLIC2	Ethyl methanesulfonate	3.3229E-012	3.3238E-012
RCPTR_36	farmer_child	TOCDLIC2	Ethylbenzene	1.7129E-013	1.7129E-013

**BEEF CONCENTRATIONS**

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Ethylhexyl phthalate, bis-2-	2.7396E-008	2.7450E-008
RCPTR_36	farmer_child	TOCDLIC2	Fluoranthene	5.4303E-007	6.3199E-007
RCPTR_36	farmer_child	TOCDLIC2	Fluorene	9.6094E-009	9.7127E-009
RCPTR_36	farmer_child	TOCDLIC2	GB	2.8035E-014	2.8042E-014
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDD, 1,2,3,4,6,7,8-	2.4444E-012	2.5715E-012
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,6,7,8-	2.4781E-012	2.5769E-012
RCPTR_36	farmer_child	TOCDLIC2	HeptaCDF, 1,2,3,4,7,8,9-	2.2076E-012	2.3186E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,4,7,8-	7.2809E-012	7.5957E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,6,7,8-	4.7359E-012	5.0073E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDD, 1,2,3,7,8,9-	4.2518E-012	4.5424E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,4,7,8-	4.1333E-012	4.4722E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,6,7,8-	2.5070E-012	2.7118E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 1,2,3,7,8,9-	2.2661E-012	2.4493E-012
RCPTR_36	farmer_child	TOCDLIC2	HexaCDF, 2,3,4,6,7,8-	2.5800E-012	2.7895E-012
RCPTR_36	farmer_child	TOCDLIC2	Hexachloro-1,3-butadiene (Perchlorobutad	2.0469E-010	2.0471E-010

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorobenzene	3.9251E-007	4.1694E-007
RCPTR_36	farmer_child	TOCDLIC2	Hexachlorocyclopentadiene	5.4456E-010	5.4467E-010
RCPTR_36	farmer_child	TOCDLIC2	Hexachloroethane (Perchloroethane)	1.2531E-010	1.2533E-010
RCPTR_36	farmer_child	TOCDLIC2	Hydrogen chloride	0.0000E+000	0.0000E+000
RCPTR_36	farmer_child	TOCDLIC2	Indeno(1,2,3-cd) pyrene	7.2176E-003	7.2273E-003
RCPTR_36	farmer_child	TOCDLIC2	Isophorone	2.3760E-011	2.3769E-011
RCPTR_36	farmer_child	TOCDLIC2	Lead	7.2427E-007	8.4882E-007
RCPTR_36	farmer_child	TOCDLIC2	Mercuric chloride	2.4008E-005	4.3485E-005
RCPTR_36	farmer_child	TOCDLIC2	Methyl bromide (Bromomethane)	8.2280E-016	8.2280E-016
RCPTR_36	farmer_child	TOCDLIC2	Methyl chloride (Chloromethane)	3.2798E-017	3.2798E-017
RCPTR_36	farmer_child	TOCDLIC2	Methyl ethyl ketone (2-Butanone)	1.8457E-013	1.8457E-013
RCPTR_36	farmer_child	TOCDLIC2	Methyl mercury	2.4772E-007	3.0508E-007
RCPTR_36	farmer_child	TOCDLIC2	Methylene chloride	1.4489E-014	1.4489E-014
RCPTR_36	farmer_child	TOCDLIC2	Naphthalene	1.0042E-010	1.0045E-010
RCPTR_36	farmer_child	TOCDLIC2	Nickel	5.8701E-007	5.9479E-007

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 2-	4.0609E-010	4.0654E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 3-	9.6688E-011	9.6728E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitroaniline, 4-	1.2490E-010	1.2497E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitrobenzene	4.0095E-011	4.0117E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 2-	1.8261E-011	1.8265E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrophenol, 4-	3.2334E-010	3.2342E-010
RCPTR_36	farmer_child	TOCDLIC2	Nitroso-di-n-butylamine, n-	2.2631E-011	2.2635E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodiphenylamine, N-	2.2247E-011	2.2249E-011
RCPTR_36	farmer_child	TOCDLIC2	Nitrosodipropylamine, n-	1.9931E-012	1.9931E-012
RCPTR_36	farmer_child	TOCDLIC2	OctaCDD, 1,2,3,4,6,7,8,9-	3.5803E-012	3.8444E-012
RCPTR_36	farmer_child	TOCDLIC2	OctaCDF, 1,2,3,4,6,7,8,9-	1.1824E-012	1.2682E-012
RCPTR_36	farmer_child	TOCDLIC2	PentaCDD, 1,2,3,7,8-	1.9937E-011	2.1060E-011
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 1,2,3,7,8-	5.8220E-012	6.4176E-012
RCPTR_36	farmer_child	TOCDLIC2	PentaCDF, 2,3,4,7,8-	1.5482E-011	1.7036E-011
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorobenzene	1.5316E-009	1.5323E-009

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Pentachloronitrobenzene (PCNB)	6.0754E-010	6.0758E-010
RCPTR_36	farmer_child	TOCDLIC2	Pentachlorophenol	3.7869E-007	3.7939E-007
RCPTR_36	farmer_child	TOCDLIC2	Phenanthrene	3.0748E-011	3.0749E-011
RCPTR_36	farmer_child	TOCDLIC2	Phenol	3.3590E-011	3.3611E-011
RCPTR_36	farmer_child	TOCDLIC2	Pronamide	3.0254E-009	3.0475E-009
RCPTR_36	farmer_child	TOCDLIC2	Pyrene	8.6295E-007	1.2670E-006
RCPTR_36	farmer_child	TOCDLIC2	Selenium	3.5354E-007	3.5357E-007
RCPTR_36	farmer_child	TOCDLIC2	Silver	1.2330E-007	1.2347E-007
RCPTR_36	farmer_child	TOCDLIC2	Styrene	4.7013E-012	4.7014E-012
RCPTR_36	farmer_child	TOCDLIC2	TetraCDD, 2,3,7,8-	1.0344E-011	1.1776E-011
RCPTR_36	farmer_child	TOCDLIC2	TetraCDF, 2,3,7,8-	8.6883E-012	1.0307E-011
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorobenzene, 1,2,4,5-	2.4725E-009	2.4759E-009
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethane, 1,1,2,2-	8.4818E-011	8.4819E-011
RCPTR_36	farmer_child	TOCDLIC2	Tetrachloroethylene (Perchloroethylene)	5.0590E-014	5.0590E-014
RCPTR_36	farmer_child	TOCDLIC2	Tetrachlorophenol, 2,3,4,6-	1.9214E-008	1.9247E-008

## BEEF CONCENTRATIONS

Date : 12/7/2001

RECEPTOR NAME	SCENARIO	SOURCE	COPC	Cancer(Average) Beef Concentration mg COPC/kg FW tissue	Hazard(Maximum) Beef Concentration mg COPC/kg FW tissue
RCPTR_36	farmer_child	TOCDLIC2	Thallium (I)	3.2219E-006	3.2544E-006
RCPTR_36	farmer_child	TOCDLIC2	Toluene	2.7134E-013	2.7134E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichlorobenzene, 1,2,4-	9.4437E-011	9.4449E-011
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,1-	3.2688E-014	3.2688E-014
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethane, 1,1,2-	2.4992E-013	2.4992E-013
RCPTR_36	farmer_child	TOCDLIC2	Trichloroethylene	4.0640E-014	4.0640E-014
RCPTR_36	farmer_child	TOCDLIC2	Trichlorofluoromethane (Freon 11)	5.3411E-015	5.3411E-015
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,5-	1.0713E-008	1.0891E-008
RCPTR_36	farmer_child	TOCDLIC2	Trichlorophenol, 2,4,6-	2.2530E-009	2.2607E-009
RCPTR_36	farmer_child	TOCDLIC2	Trichloropropane, 1,2,3-	9.2503E-013	9.2506E-013
RCPTR_36	farmer_child	TOCDLIC2	Vinyl Chloride	1.5599E-017	1.5599E-017
RCPTR_36	farmer_child	TOCDLIC2	Xylene, m-	4.3097E-013	4.3097E-013
RCPTR_36	farmer_child	TOCDLIC2	Xylene, o-	3.2592E-013	3.2592E-013
RCPTR_36	farmer_child	TOCDLIC2	Xylene, p-	5.6722E-013	5.6722E-013
RCPTR_36	farmer_child	TOCDLIC2	Zinc	6.2722E-007	6.5232E-007